

## Index

### a

adherence  
 of a flat punch 229–230  
 of spheres (*see* spheres, adhesion of)  
 adhesion force 144, 145  
 adhesion force measurements  
 245–248  
 adhesion hysteresis 270  
 adhesion index 243  
 adhesive friction 263  
 adsorbed polymers 329, 352  
 AFM *see* atomic force microscope  
 (AFM)  
 air–water interface 189, 205  
 Amontons' Law 252–258  
 Archard model 255  
 atomic force microscope (AFM)  
 cantilevers 16–18  
 colloid probe technique 21–22  
 dynamic modes 25–26  
 force maps 24–25  
 force measurements 14–16  
 friction 271, 283, 285, 287, 290, 294,  
 311, 314, 339, 355  
 friction forces 22–24  
 hydrodynamic forces 189  
 microfabricated tips 21–22  
 spring constant calibration 18–21  
 van der Waals forces 87  
 atomic stick-slip friction 282–289  
 azimuthal radius 140

### b

back-focal plane detection approach  
 30

Barus law 277  
 Bessel function 161  
 bike-wheel microcell 202  
 bimorph surface force apparatus 311  
 black films 195  
 boundary conditions  
 electrostatic double-layer force 117  
 hydrodynamic forces 182–183  
 boundary lubrication 252, 279–280  
 Bowden–Tabor model 253–255  
 bridging adhesion 356–357  
 bridging flocculation 353–355  
 Brownian motion 33, 131  
 bubble nucleation 313

### c

capillary condensation 137–138  
 capillary forces 313  
 bridge formation and rupture,  
 kinetics of 152–155  
 circular approximation  
 assumptions and limits 148–150  
 other geometries 146–148  
 between sphere and plane  
 140–143  
 spheres and plane calculation 139  
 two different spheres 144–146  
 in immiscible liquid mixtures and  
 other systems 155–157  
 Kelvin equation  
 capillary condensation 137–138  
 liquid, vapor pressure of 135–136  
 Ostwald ripening 136  
 Laplace equation 132–135  
 liquid menisci 131

- capillary forces (*contd.*)
    - particle at liquid interface 157–159
    - particles at fluid interface, lateral forces between 160–164
    - roughness, influence of 150–152
    - surface forces 131
    - Young's equation 132–135, 138–139
  - Casimir forces
    - critical 94–96
    - measurements of 92–94
    - between metal surfaces
      - effect of temperature 90
      - finite conductivity of real metals 90–91
      - Lifshitz theory 89
      - for nontrivial geometries 92
      - QED 88, 90
      - surface roughness 91–92
  - cavitation 313
  - circular/toroidal approximation, in capillary force 140
  - CMC *see* critical micellar concentration (CMC)
  - cohesive energy 222
  - colloidal probe technique 247, 282
  - colloidal systems 1–2
  - colloid probe technique 21, 87
  - computer simulations 307–308, 324
  - contact adhesion 355–356
  - contact mechanics and adhesion
    - adherence of a flat punch 229–230
    - adhesion force measurements 245–248
    - adhesion of spheres 232–242
    - capillary condensation 219
    - Derjaguin approximation 219
    - elastic contact for a flat punch 226–229
    - elastic contact of spheres 230–232
    - elastocapillarity
      - contact of spheres to soft surfaces 245
      - drop on deformable surface 244–245
      - surface patterns for soft materials 244
    - influence of surface roughness 242–243
    - Poisson effect 225
    - stress acting on a material 225
    - surface energy of solids 220–222
      - determination of surface energies of solids 223–225
      - relation between surface energy and adhesion energy 222–223
  - contact stiffness 231
  - contact wall theorem 297–298
  - Coulomb's Law 252–258
  - covalent solids 223
  - critical Casimir forces 94–96
  - critical micellar concentration (CMC) 184–185
- d**
- Debye unit 44
  - Debye interaction 49, 51
  - Debye length 102, 103
  - degree of polymerization 330
  - depletion flocculation 353
  - depletion forces 357–358
  - Derjaguin approximation
    - general equation 78–81
    - solvation forces 300, 304
    - van der Waals forces for different geometries 81–82
  - Derjaguin, Landau, Verwey, and Overbeek (DLVO) theory 120–123, 297, 305, 306
  - Derjaguin–Muller–Toporov (DMT) theory 236–239
  - diffuse double layer
    - Gibbs energy 112–114
    - Poisson–Boltzmann theory
      - around spherical particles 106–107
      - Grahame equation 107–109
      - limitations of 109–111
      - one-dimensional case 104–106
      - planar surfaces 101–104
      - Poisson equation 100–101
  - dimyristoylphosphatidylcholine (DMPC) 316, 317
  - dipole–dipole interaction

- Debye interaction 49, 51
  - Keesom interaction 48–49, 51
  - London dispersion interaction 50–52
  - dipole–dipole repulsion 162
  - dipole moment 44
  - disjoining pressure 186, 193–194
  - dispersions
    - forces 50
    - steric stabilization of 329
    - types of 2
  - DLVO theory *see* Derjaguin, Landau, Verwey, and Overbeek (DLVO) theory
  - DMT theory *see* Derjaguin–Muller–Toporov (DMT) theory
  - drainage
    - horizontal foam films 197–199
    - vertical foam films 194–197
  - drop on deformable surface 244–245
  - Drude model 91
  - “dry contacts,” 252
  - dry friction
    - Amontons’ and Coulomb’s Law 252–258
    - sliding on ice 259–260
    - static, kinetic, and stick–slip friction 260–262
  - Dugdale–Maugis contact model 281
  - Dugdale potential 239
  - Dupré work of adhesion 222
  - dynamic mechanical analysis 263
  - dynamic superlubricity 292–293
- e**
- effective spring constant 231
  - egg phosphatidylcholine (EPC) 316
  - elastic contact
    - for a flat punch 226–229
    - of spheres 230–232
  - elastic deformation 255–259
  - elastocapillarity
    - contact of spheres to soft surfaces 245
    - drop on deformable surface 244–245
    - surface patterns for soft materials 244
  - elastohydrodynamic forces 187
  - elastohydrodynamic lubrication 276–279
  - electric double layer 99–100
  - electrokinetic effects 169
  - electromagnetic tweezers *see* magnetic tweezers
  - electrostatic double-layer forces 1, 320
    - boundary conditions 117
    - Coulomb force 114
    - electrostatic interaction between
      - different surfaces 118–120
      - two identical surfaces 117–118
    - Gibbs energy 115, 116
    - Poisson–Boltzmann equation 116, 117
  - electrostatic forces 123–128, 169
  - Euler–Mascheroni constant 159
  - evanescent field 34
  - extended surface forces apparatus (eSFA) 12
  - Eyring model 290
- f**
- fluorescence correlation spectroscopy 294
  - force volume mode 24
  - freely jointed chain (FJC) model 334, 338, 340
  - Frenkel–Halsey–Hill (FHH) equation 210
  - frequency modulation AFM (FM-AFM) 25, 26
  - friction
    - and adhesion 262–263
    - atomic force microscope 251
    - quartz microbalance 251
    - surface forces apparatus 251
    - tribology 251
    - wear and lubrication 251
  - friction force microscopy (FFM) 22, 23, 280

- fringes of equal chromatic order (FECO)  
 patterns 9–11  
 full equilibrium 353
- g**  
 Gibbs adsorption isotherm 183–185  
 Gibbs energy 49, 112–114  
 Gouy–Chapman theory 107, 110, 111, 113  
 Grahame equation 107–109  
 Greenwood–Williamson model 255–257  
 Griffith's criterion in fracture mechanics 229
- h**  
 Hamaker constants 54, 279, 321  
 calculation of  
 full spectral method 68–69  
 repulsion 69  
 simple spectral method 64–65  
 Tabor–Winterton approximation 66–67  
 of material 70  
 nonretarded Hamaker constants 71–77  
 surface energy 71, 77–78  
 hard-sphere fluids 298  
 Helfrich interaction forces *see*  
 undulation forces  
 Helmholtz free energy 49  
 Her Majesty's Stationery Office (HMSO) 251  
 Hertz model 230–232, 254, 255  
 Hertz theory 249  
 highly oriented pyrolytic graphite (HOPG) 282  
 Hofmeister series 110  
 homopolymers 349  
 horizontal foam films  
 axisymmetric symmetry 197  
 dimpling 199  
 exponential drainage law 199  
 immiscible liquids 198  
 no-slip boundary condition 198  
 Reynolds equation 198  
 surface tension-driven flow 199  
 hydration forces 305–308, 320  
 hydrodynamic forces  
 boundary condition 182–183  
 creeping flow 171  
 dimple formation 186, 187  
 fluid boundaries 185–189  
 force in normal direction 172–178  
 fundamentals of 167–171  
 Gibbs adsorption isotherm 183–185  
 laminar flow 170–171  
 linear shear flow 178–179  
 motion of sphere parallel to wall 179–182  
 Navier–Stokes equation 187–170  
 Newtonian fluid 168  
 parabolic approximation 174  
 vs. solid sphere and plate 172–182  
 surface vs. distance 177  
 and turbulent flow 170–171  
 hydrodynamic lubrication 273–276  
 hydrophobic effect 308–310  
 hydrophobic forces 308–316  
 hydrostatic pressure 169  
 hydroxyl-terminated polyisoprene 360–361
- i**  
 immersion forces 162–164  
 indentation 249  
 interfacial force 1  
 interfacial forces across fluid interfaces  
 bubbles 191–192  
 direct force measurements 191  
 direct particle bubble force measurement 193  
 disjoining pressure 193–194  
 drainage  
 horizontal foam films 197–199  
 vertical foam films 194–198  
 drops of liquid 191–192  
 flotation 192  
 hydrodynamic boundary conditions 193  
 interaction between drops 191  
 quasiequilibrium 203–206  
 rupture 207–208

- shape of a liquid film 202–203
  - structure and stability of foams 192
  - thin film balance 191, 199–202
  - thinwetting films 208–216
  - van der Waals attraction 193
  - interfacial forces, in polymer melts 359–361
  - ionic crystals 224
  - ion-specific effects 110
  - isotropic liquid crystals 302–303
- j**
- Johnson–Kendall–Roberts (JKR) theory 232–236, 281
- k**
- Keesom interaction 48–49, 51
  - Kelvin equation
    - capillary condensation 137–138
    - liquid, vapor pressure of 135–136
    - Ostwald ripening 136
  - kinetic friction 260
  - Knudsen regime 153
  - Kramers–Kronig equation 61
- l**
- Landau–de Gennes theory 303, 307
  - Langmuir–Blodgett technique 311, 320
  - Laplace equation 132–135
  - Laplace pressure 186
  - lateral flotation force 160
  - lateral force microscopy (LFM) 22
  - Lennard–Jones fluids 298
  - Lennard–Jones potential 242
  - Lifshitz theory 55, 57–64
  - linear creep assumption 289
  - linearized Poisson–Boltzmann equation 102
  - line tension 149
  - lipid bilayers, interaction between
    - electrostatic double-layer forces 320
    - hydration force 320
    - osmotic stress method 318–320
    - phospholipids 316, 317
    - protrusion forces 323–325
    - steric repulsion force 320–321
    - undulation forces 321–323
    - van der Waals forces 321
  - lipids 316
  - liquid–fluid interface 186
  - liquid–liquid interfaces 1, 132
  - London dispersion interaction 50–52
  - Lorentz electron dispersion 65
  - low-density polyethylene (LDPE) 330
  - lubrication. *See also* friction
    - boundary 279–280
    - hydrodynamic 273–279
- m**
- macroscopic friction. *See also* friction and adhesion 262–263
    - dry 252–262
    - rolling 269–271
    - rubber 263–268
    - techniques to measure 271–272
  - magnetic tweezers
    - biological systems 40
    - definition 37
    - limitation of 39
    - paramagnetic bead 37
    - permanent magnets 38, 39
  - Marangoni effect 188–189
  - Matsubara frequencies 63
  - Maugis theory 239–242
  - Maxwell equations 12
  - Maxwell stress term 116
  - Mayer  $f$ -function 337
  - measurement and analysis of surface
    - interaction forces (MASIF) 311
  - meniscus force *see* Capillary forces
  - meridional radius 140
  - microelectromechanical systems (MEMS) devices 288
  - microscopic contact angle 149
  - microscopic friction, nanotribology
    - atomic stick-slip 282–289
    - nanoscale friction, velocity dependence of 289–290
    - single asperity 280–282
    - superlubricity 290–293
  - Mie theory 26, 27
  - modified thin film balance 211
  - molar volume 136

- monomers 329
- multilayer matrix method 11
- multiple beam interferometry (MBI) 7, 9–12
- Mysels cell 200
  
- n**
- nanobubbles 313
- nanoscale friction, velocity dependence of 289–290
- nanotribology. *See also* microscopic friction, nanotribology
  - atomic stick-slip 282–289
  - nanoscale friction, velocity dependence of 289–290
  - single asperity friction 280–282
  - structural superlubricity 291–293
  - superlubricity 290–293
  - thin film lubrication 293–295
- Navier–Stokes equation 187–170, 273
- nearest-neighbor broken bond model 223
- nematic liquid crystals 302–303
- Newton black films 195
- Newtonian fluid 168
- Newton's equation of motion 168
- Newton's law 169
- noble gas crystals 223
- non-Coulombic interactions 109, 110
- non-DLVO forces, aqueous medium
  - hydration forces 305–308
  - hydrophobic forces 308–316
- non-Newtonian gravitation 89
- nonretarded van der Waals forces 83
  
- o**
- octamethylcyclotetrasiloxane (OMCTS) 293, 294, 301
- octyl-cyanobiphenyl (8CB) 302–303
- oil–water interface 189
- optical tweezers
  - backfocal plane detection 30
  - beam steering 29
  - calibration 30–32
  - components 28, 29
  - Mie theory 26, 27
  - multiple traps 30–32
  - nanoparticles 27, 28
  - Rayleigh scattering 27
- orientation correlations 302
- oscillating forces 301–302
- osmotic stress method 318–320
- Ostwald ripening 136
  
- p**
- pendular ring 142
- Petrusevich pressure spike 279
- phosphatidylcholine (PC) 316
- phospholipids 316, 317
- pin-on-disk tribometer 271
- plasma frequency 69
- plastic deformation 254–255, 270
- plasticity index 256
- Poisson–Boltzmann theory 162
  - of diffuse double layer
    - around spherical particles 106–107
    - Grahame equation 107–109
    - limitations of 109–111
    - one-dimensional case 104–106
    - planar surfaces 101–104
    - Poisson equation 100–101
    - Stern layer 111–112
- Poisson ratio 278
- poly(acrylic acid) (PAA) 334
- polydimethylsiloxane (PDMS) 360
- polyelectrolytes 333–334
- polyethylene glycol (PEG) 319
- polyisoprene 360–361
- polymer-induced forces
  - adsorption 350
  - contact time 353
  - determining factors 349
  - good and bad solvents 349–350
  - incubation time 350–351
- polymer solutions, surface forces in
  - bridging attraction 353–357
  - depletion and structural forces 357–359
  - ideal chains 334–336
  - individual chains 338–340
  - polymer-induced forces 349–353
  - real chains 336–338
  - steric repulsion 340–349

- Prandtl–Tomlinson model 283, 285, 287, 288
- protrusion forces 323–325
- proximity force approximation (PFA) 79
- q**
- quantum electrodynamics (QED) 88, 90
- quartz crystal microbalance (QCM) measurements 260, 272
- quasiequilibrium 203–206
- r**
- radii of curvature 132
- Raman spectroscopy 279
- repulsive van der Waals forces 88
- restricted equilibrium 353
- retarded van der Waals forces 83–85
- Reynolds equation 277
- Reynolds number 20, 170, 171
- rigid films 196
- rolling friction 269–271
- rubber friction 263–268
- rupture
  - of foam films 207–208
  - of thin films 214–216
- s**
- salting out effect 309
- scanning electron microscope (SEM) 21
- Schallamach waves 268
- Scheludko cell 199
- SFA *see* surface forces apparatus
- shape of a liquid film 202–203
- shear stress 168
- short-range repulsion 307–308
- single asperity friction 280–282
- single-atom adhesion 248
- single molecule force spectroscopy 14
- slowly draining films 196
- smectic liquid crystals 302–303
- soap films 194
- solid–gas interface 1
- solid–liquid interface 182, 186
- solid–solid interfaces 1
- solid-supported liquid films 216
- solvation forces
  - contact theorem 297–298
  - dissolved molecules 297
  - liquid crystals 302–304
  - simple liquids 298–302
- spatial light modulators (SLMs) 32
- spheres, adhesion of
  - DMT theory 236–239
  - JKR theory 232–236
  - Maugis theory 239–242
- sphingolipids 318
- spinodal dewetting 215
- stability of thin liquid films 212–214
- static friction 260
- static superlubricity 292
- steric repulsion force 320–321
- steric repulsion, polymer solutions
  - brush thickness 346
  - electrosteric forces 345
  - force distance profiles 345, 348
  - interaction energy per unit area 342–344
  - osmotic brush regime 345
  - salted brush model 347
- Stern layer 111–112
- stick-slip friction 260–262
- Stokes' law 172
- stress acting on a material 225
- Stribeck diagram 280
- structural forces, 358–359 *see also* solvation forces
- structural superlubricity 291–292
- superlubricity
  - dynamic 292–293
  - static 292
  - structural 291–292
  - thermal 293
- superposition principle 45
- surface deformation 149
- surface energy of solids
  - determination of 223–225
  - elastic deformation 221
  - elastic strain 221
  - energy 220
  - Gibbs energy 221
  - plastic deformation 220–221

- surface energy of solids (*contd.*)
    - relation between surface energy and adhesion energy 222–223
    - Shuttleworth equation 221
    - surface intensive parameter 220
    - surface stress 221
    - surface tension 221
  - surface forces
    - polymer melts 359–361
    - polymer solutions
      - bridging attraction 353–357
      - depletion and structural forces 357–359
      - ideal chains 334–336
      - individual chains 338–340
      - polymer-induced forces 349–353
      - real chains 336–338
      - steric repulsion 340–349
  - surface forces apparatus (SFA) 86
    - AFM force 15
    - experiments 311, 312
    - friction 86, 251, 271, 280–282, 293
    - friction force measurements 12–13
    - hydrodynamic boundary condition 182
    - MBI method 7, 9–12
    - mica 8–9
    - surface modification 13
    - thin sheets of mica 6
  - surface heterogeneity 149
  - surface patterns for soft materials 244
  - surface relaxation 222
  - surface roughness 152, 242–243
  - surface stress 221
  - surface tension 221
- t**
- Tabor parameter 238
  - thermal noise method 18
  - thermal superlubricity 293
  - thermodynamic equilibrium 176
  - thin film balance 191
    - bike-wheel microcell 202
    - capillary pressure 202
    - disjoining pressure 201
    - external reference pressure 201
    - film thickness 201
    - interferometric technique 201
    - limitations 200
    - Mysels cell 200
    - Scheludko cell 199
    - schematic of 199
    - surface-bound contamination 202
    - wetting films 201
  - thin film lubrication 293–295
  - thin wetting films
    - adsorption isotherms 210–211
    - barometric distribution law 210
    - chemical potential 208
    - chemical potential of molecules 209
    - film stability and drainage 212
    - Frenkel–Halsey–Hill equation 210
    - Gibbs energy 209
    - Hamaker constant 208
    - Laplace pressure 212
    - liquid helium 208
    - modified thin film balance 211
    - rupture 214–216
    - schematic 209
    - stability 212–214
    - thickness of the film 208
    - thickness *vs.* height method 210
    - thickness *vs.* vapor pressure method 210
    - van der Waals attraction 210
  - three-phase contact line (wetting line) 138
  - time-temperature superposition principle 264
  - total internal reflection microscopy (TIRM)
    - colloidal interactions 35
    - evanescent field 34
    - hydrodynamic forces 35
    - limitation of 36
    - microsphere 33
    - repulsive forces 33
  - transmission electron microscope (TEM) 64
  - tribometer 271
- u**
- ultra high vacuum (UHV) 256, 257
  - undulation forces 321–323



**V**

- vacuum ultraviolet (VUV) spectroscopy 64
- valence electron energy loss spectroscopy (VEELS) 64
- van der Waals forces 155, 279, 305, 311, 321, 329, 349, 350
  - Casimir forces *see* Casimir forces
  - Derjaguin approximation 78–82
  - macroscopic solids
    - Hamaker constants (*see* Hamaker constants)
    - Lifshitz theory 57–64
    - microscopic/Hamaker approach 52–56
  - measurement of 85–88
  - between molecules
    - Coulomb interaction 43–44
    - dipole–dipole interaction 47–52
    - monopole–dipole interaction 44–47
  - retarded 82–85
- van der Waals interaction 1
- vapor adsorption 150
- vertical foam films
  - black films 195
  - constructive interference 195
  - creeping flow 196
  - drainage 197–198
  - Newton black films 195
  - no-slip boundary condition 197
  - parabolic flow profile 197
  - rigid films 196
  - schematic 195
  - schematic cross section of a draining
    - liquid 196
  - soaps 194
  - surfactants 194
- vertical stress 227–228
- viscoelastic hysteresis 270

**W**

- water-soluble polymers, structure of 333
- wear, definition of 251
- wedge method 23
- worm-like chain (WLC) model 340

**Y**

- yield stress 253–255, 281, 294, 296
- Young's equation 132–135, 138–139
- Young's modulus 256, 278

**Z**

- zeta potential 111, 125–126

