

## Index

### **a**

acaleph-like microcrawler 191  
 acetic acid (HAc) 125, 127, 131, 236  
 acid-induced swelling 151  
 acid-triggered burst release 176, 177, 178, 179, 181, 182  
 acorn-shaped configuration 203  
 acrylamide (AAm) 56, 68, 138, 149, 163, 174–177, 190, 195, 270  
 3-acrylamidophenylboronic acid (AAPBA) 136, 137, 138, 140, 141, 158  
 acrylic acid (AAc) 137, 138, 141, 142, 143, 144, 158  
 acrylonitrile butadiene styrene (ABS) 231, 233  
 actuators 55, 68, 79, 85, 103, 136, 137, 174, 207, 216, 270  
 adhesion energy 203, 204  
 adjustable controlled-release rate 145  
 adsorption capacity 73, 74, 75, 117  
 air-cooling 277, 279, 280, 281  
 alcohol-responsive burst release 171–174  
 algae cells 205  
 alginate(s) 6, 123, 131–136, 158, 211, 241, 242, 243, 244–248, 253  
 alginate hydrogel materials 135  
 alginate microcapsules 132  
 alginate microparticles 211  
 amide groups 55, 60, 61, 65, 171

ammonium persulfate (APS) 56, 57, 62, 86, 163, 190, 213, 217, 218  
 artificial spider web 248  
 asymmetry swelling/shrinking volume changes 189  
 2,2'-azobis(2-amidi-nopropane dihydrochloride) 168, 195  
 2,2'-azobis(2-amidi-nopropanedihydrochloride) 168  
 2,2'-azobis(2-methylpropionamidine) dihydrochloride (V-50) 91

### **b**

B/A1/C double emulsions 39  
 B15C5Am. *See* benzo-15-crown-5-acrylamide (B15C5Am)  
 B18C6Am 68, 71, 73, 75, 195–200, 270, 281, 282, 283, 284, 286, 289  
 B18C6Am/Pb<sup>2+</sup> complexes 68, 73, 75, 286  
 B18C6Am/Pb<sup>2+</sup> host-guest complexes 68, 281  
 benzo-18-crown-6 73  
 benzo-15-crown-5-acrylamide (B15C5Am) 174, 175, 176, 177  
 benzophenone 270  
 benzyl benzoate (BB) 48, 91, 132, 147, 178, 179, 204, 236, 256  
 biomimetic soft microrobots 194  
 Bold's Basal medium 279  
 bovine serum albumin (BSA) 117, 118, 135, 136, 195, 196, 197, 200, 201  
 bowl shape 188, 203, 204, 206  
 bromoeosin 236, 240, 241  
 BSA adsorption 117, 118

- BSA-FITC 135, 136  
 soaked microcapsules 135  
 burst release 162–182  
 butyl acetate 168, 169, 179
- C**
- Ca-alginate 134, 135, 136, 241, 242, 243, 244–248  
 microcapsules 134, 135  
 microfibers 244  
 CaCO<sub>3</sub> nanoparticles 48, 132, 138  
 capillary microfluidic device 93  
 capillary number 15  
 carboxymethylcellulose sodium (CMC) 225  
 cationic pH-responsive microcapsules 151  
 cell capture 205  
 cell culture 253, 267, 268, 272–281, 289  
 cell growth 223, 267, 279  
 chemical co-precipitation 145  
 chitosan (CS) 5, 6, 123, 125, 145, 146, 147, 148, 149, 150, 151–154, 156–158, 176, 177–182, 235, 236–241, 253, 254, 255, 256, 257, 258, 259, 260, 262, 264  
 chitosan microcapsules (CS) 147  
*Chlorella pyrenoidosa* cells 279, 280  
 chlorotrimethylsilane 47  
 coaxial three-phase jets 224  
 co-delivery 217–218, 240  
 coefficient of variation (CV) 15, 40, 57, 82, 125, 163  
 co-encapsulation 11, 12, 24, 211, 212–217, 219  
 co-flow 4, 12, 13, 14, 15, 16, 86, 124, 132, 256, 257  
 microchannel 4  
 collection tube 16, 20, 24, 62, 91, 108, 124, 132, 133, 138, 201, 224, 226, 242  
 colloidal-scale hole-shell microparticles 187  
 complete engulfing configuration 36, 37  
 complexes' stability constant (logK) 73  
 confined microreaction 161, 187, 201–207, 211  
 confocal laser scanning microscope (CLSM) 40, 41, 65, 66, 94, 95, 96, 111, 134, 135, 142, 148, 149, 150, 167, 169, 170, 177, 179, 181, 182, 203, 205, 240, 255, 256, 257, 258, 279, 280  
 constant-flow pumps 14  
 constant-pressure pumps 14, 287  
 contact angle 203, 204  
 continuous fluid 13, 14, 15, 25, 37  
 controllable double emulsions 16  
 controllable emulsion droplets 12  
 controllable monodisperse single emulsions 14  
 controllably deformed emulsions 110  
 controllably deformed W/O/W emulsions 108, 118  
 controlled capture 187, 201–207  
 controlled release 4, 136, 145, 146, 147, 149, 151, 154–158, 161, 168, 182, 183, 187, 211, 216–219, 253, 255, 264  
 copper 47, 48, 49  
 core compartment 161, 162  
 core flow 223, 224, 236  
 core-sheath flow jet 224, 225, 226  
 templates 226  
 core-sheath microfibers 224–235  
 fabrication 224  
 morphological characterization 227  
 temperature regulation 230  
 thermal property 227  
 core-sheath poly(vinyl butyral) microfibers 224, 226  
 core-shell composite microfibers 5  
 core-shell configuration 203  
 core-shell microcapsules 4, 62, 64, 66, 75, 136, 161–183  
 core-shell microspheres 55, 68, 69, 70, 71, 72, 73, 74, 75  
 core-shell PNIPAM microcapsules 55, 63, 64, 65, 67, 75, 95, 169  
 coverslips 13, 14, 47, 255, 268, 269, 270, 273, 279

critical ethanol concentration value (CC) 255

cross linked polymer network 85

cross-linker 270

glutaraldehyde (GA) 146

crosslinking 3, 5, 92, 96, 99, 101, 132, 146, 147, 149, 152, 177, 178, 181, 225, 236, 239, 241, 242, 243, 255, 257, 259, 264

cross linking degree 92, 96, 99, 101, 132, 259

18-crown-6 68

crown ether 73, 198

crystallization enthalpy 229

CS-M-T microcapsules 152

cyclohexane 168, 169

cylinder glass capillaries 12

**d**

DC749 44, 48

dehydrated Ca-alginate microfibers 244, 246

dehydrated spider-silk-like Ca-alginate microfibers 243, 244, 246

dehydration 69, 97, 244

deionized water 68, 69, 70, 71, 73, 74, 75, 81, 83, 108, 135, 138, 139, 163, 168, 169, 170, 173, 174, 175, 179, 190, 257, 270, 274

dense skin layer 98, 172, 227

density mismatch 188, 201, 207

de-swelling 59, 61, 85, 86, 145, 149, 151, 172, 198

detection 1, 4, 5, 67, 68, 255–264, 267, 268, 270–272, 281–289

dewetting 109, 110, 188, 207

differential scanning calorimeter (DSC) 227, 229, 230

diffusional permeability 145

diffusion-driven release systems 165

dimethoxy-2-phenylacetophenone (BDK) 63, 80, 81, 91, 138, 163, 168, 190, 191, 195, 213

2,2-dimethoxy-2-phenylacetophenone (BDK) 138, 163, 213

dimethyl sulfoxide (DMSO) 225, 226

diphenyliodonium nitrate (PAG) 132

direction-specific burst release 170, 171

dispersed fluid 14, 15

Disperse Red 242

Donnan potential 137, 281

double emulsion droplets 125

double emulsions, 3, 12, 35, 62, 123, 161, 188, 212

Dow Corning 749 (DC749) 38, 41, 44, 45, 47, 48, 50, 217

dripping 15, 18, 24

droplet coalescence 37, 47, 48, 50

droplet maker 22, 24, 25, 27

droplet-making units 12, 13, 14, 21

droplet-pairing 44, 45–47

droplet-triggered droplet formation 44

pairing 44

drug delivery 3, 11, 55, 79, 80, 85, 103, 105, 123, 136, 142, 144, 145, 156, 158, 163, 166, 219, 224

drug delivery systems 79

drug loading levels 145

drug release kinetics 79, 105, 123

dry film photoresist (DFR) 13

dynamic swelling rate 284

dynamic thermo-responsive swelling ratio 101

**e**

eccentric core-shell structures 188

eccentric oil core 168

EC microcapsule preparation 125

EGDMA dyed with LR300 116

emulsification 4, 11, 16, 17, 18, 19, 20, 21, 35, 91, 92, 93, 123, 124, 127, 132, 133, 158, 214

emulsion droplet 1, 2, 3, 4, 12–16, 19, 22, 36, 37, 38, 39, 41, 42, 43, 44, 46, 47, 48, 49, 50, 51, 57, 58, 62, 63, 64, 81, 93, 94, 125, 127, 136, 140, 187

emulsion droplet system 1

emulsion templates 57, 63, 69, 70, 71,  
91, 92, 93, 94, 95, 96, 109, 110,  
113, 114, 116, 133, 135, 136, 139,  
140, 149, 150, 166, 169, 181, 187,  
188, 195, 196, 197, 203, 213, 217,  
218

encapsulation ratio 230, 231

energy storage 123, 223  
systems 223

enhanced mass transfer 106, 118

epoxy resin 14, 80, 270, 272

equilibrium deswelling ratio 149

equilibrium state 58, 59, 99, 102, 274

ethanol-responsive permeability control  
260, 263

ethanol-responsive volume change  
255

ethoxylated trimethylolpropane  
triacrylate (ETPTA) 201, 202,  
203, 204, 207

ethyl cellulose (EC) 123, 124–131

ethylene glycol dimethacrylate  
(EGDMA) 81, 108, 111, 112,  
113, 114, 115, 116, 117, 118

ethyl gallate (EG) 55, 62–67

evolved double emulsions 188, 207

expanded microchamber 38, 41, 45, 46

## **f**

fast-responsive PNIPAM microgels  
206, 207

Fe<sub>3</sub>O<sub>4</sub> magnetic nanoparticles (MNPs)  
68, 195

Fe<sub>3</sub>O<sub>4</sub> nanoparticles 163, 164

ferrofluid 163, 168, 195, 241

fishbowl-shaped hole-shell  
microparticles 201, 204

FITC-dextran 156, 157

FITC-insulin 142, 143, 144

FITC-labeled BSA (BSA-FITC) 135,  
136

FITC labeled insulin (FITC-insulin)  
142, 143, 144

FITC-PNIPAM nanogels 201, 203, 205

flow circulation loop 268, 273

flow-focusing 4, 12, 13, 14, 21, 38, 41,  
44, 46, 47, 50, 80

cross-junction geometry 14

geometries 38, 41, 44, 46, 47, 50

flow rate 14, 15, 17–19, 24, 25, 26, 38,  
44, 45, 47, 48, 50, 63, 80, 91, 92,  
93, 94, 109, 124, 126, 128, 129,  
130, 131, 133, 139, 204, 205, 214,  
215, 223, 226, 236–239, 242, 243,  
248, 257, 268, 274, 275, 277, 281,  
282, 283, 284, 285, 287

flow rate change 268, 281, 282, 283

fluid heat exchange 268, 277

fluorescein isothiocyanate (FITC) 135,  
136, 142, 143, 144, 156, 157, 201,  
203, 205, 255, 257, 258, 259, 260,  
261, 262, 263

fluorescence intensity 111, 143, 144,  
156, 167, 258

fluorescent dye 62, 91, 180, 203

fluorescent dye Lumogen Red 300  
(LR300) 62

fluorescent nanoparticles 167

fluorinated oil 37

Fluorochrome LR300 170

free radical polymerization 56, 80

freeze-dried PNIPAM  
microgels 96

functional microfibers 223–248  
core-sheath microfibers (*see*  
core-sheath microfibers)

cylinder core flow 223

electrospinning and wet spinning  
223

fabrication 224

peapod-like microfibers 235

spider-silk-like microfibers 241

functional nanoporous poly(MMA-*co*-  
EGDMA-*co*-GMA)  
microparticles 118

## **g**

glass-capillary microfluidic device 12,  
14, 15, 16, 17, 18, 20, 22, 108, 201,  
224

glass plates 12, 21, 44, 46

glass slide 13, 14, 47, 80, 124, 132, 167,  
255, 268, 270, 272, 273, 279

glucose-induced shrinking 138

- glucose-induced swelling 137, 140, 141, 142, 143
- glucose regulation 136
- glucose-responsive microcapsules 123, 137, 138, 139, 140, 158
- glucose-responsive release 142, 143, 144
- glutaraldehyde (GA) 146, 147, 181, 236
- glycerin 108, 138, 195
- glycerol 62, 81, 91, 201, 212, 217, 218
- glycidyl methacrylate (GMA) 114–116, 117, 118
- gold nanoparticles 205
- h**
- Hagen-Poiseuille's law 281
- heavy metal 67, 71, 72
- ions 71, 72
- hierarchically engineered poly(methyl methacrylate-*co*-ethylene glycol dimethacrylate) (poly(MMA-*co*-EGDMA)) microparticles 108
- hierarchical porous microparticles 105–118
- hierarchical porous poly(MMA-*co*-EGDMA-*co*-GMA) microparticles 108, 113, 114, 115, 116, 117, 118
- hierarchical porous structures 105, 106, 107, 108, 116, 118
- higher order multiple emulsions 11, 12, 19, 41–44, 46, 212, 219
- high interconnectivity 105
- highly-interconnected hierarchical porous structures 105, 106–108, 118
- highly monodisperse size 15, 18
- hole-shell microparticles 187–207
- hole-shell structures 188, 203, 205
- hollow calcium alginate microcapsules 123, 134, 158
- hollow fiber membranes 5
- hollow microcapsules 123–158, 162
- hollow tubular microfibers 5
- homogenizer-produced W/O emulsions 166
- hydrated Ca-alginate microfibers 243
- hydrogel microparticles 55–75
- hydrogel microvalve 267, 268, 269, 270, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 289
- hydrogel-microvalve-integrated micro-heat-exchanging system 273, 277
- hydrogen-bonding interaction 55
- hydrophilic microlancets 48
- hydrophilic spider-silk-like Ca-alginate microfiber 247
- hydrophilic-swelling/hydrophobic-shrinking phase changes 162
- hydrophobic interaction 60, 62, 65
- 1-hydroxy-cyclohexyl-phenylketone 270
- hydroxyethyl cellulose (HEC) 47, 147, 151, 152, 178, 241
- 2-hydroxyethyl methacrylate (HEMA) 79–84, 103
- 2-hydroxy-2-methyl-1-phenyl-1-propanone (HMPP) 108, 201, 204
- i**
- imitated solar irradiation 234, 235
- in-chip membranes 253, 254, 264
- inclusion constant 68, 286
- independent single emulsion droplets 39
- initiator 56, 57, 62, 81, 86, 87, 91, 138, 163, 213, 218
- injection tube 14, 16, 57, 91, 108, 226, 236, 241
- inner fluid 14, 22, 93, 94, 109, 125, 127, 138, 140, 146, 147, 178, 179, 201, 212, 214, 218, 226, 227
- in situ polymerization 202, 268
- insulin 136, 142, 143, 144, 253
- interfaces 1, 2, 3–6, 37, 59, 93, 95, 105, 106, 117, 125, 163, 178, 191, 202, 204, 237, 253, 254, 255, 257, 258, 264, 295, 296
- interfacial energy 36, 188
- interfacial reactions 253, 254

interfacial tension 15, 16, 36, 37, 38, 39, 45, 83, 204  
 internal gelation 123, 132, 134, 158  
 ionic crosslinking 132  
 isolated co-encapsulation 211, 212, 213, 215, 217, 219  
 isopentyl acetate 195  
 isopropanol 86, 87, 91, 92, 93, 94, 95, 133, 139, 140, 148, 178, 257  
 isothermal volume phase transition 58, 59, 60

**j**

Janus microspheres 4  
 jetting 15

**k**

K<sup>+</sup>-recognition 174, 175  
 K<sup>+</sup>-responsive  
   burst release 174–176  
   core-shell microcapsules 174, 175  
 K<sup>+</sup>-triggered volume shrinking 175

**l**

lab-on-a-chip 1, 2  
 laminar flow 1, 2, 4, 5, 6, 253, 254, 257, 264  
   interfaces 1, 6, 253, 264  
 lead (Pb<sup>2+</sup>) 67  
 linear solid microfibers 5  
 liquid droplets 11  
 liquid extractors 22, 23, 25, 26, 213  
 liquid-liquid interfaces 1, 2, 3–6, 295, 296  
 lithographically fabricated devices 35  
 lithography 12, 268  
 lock-key 206  
 log K 73  
 lower critical solution temperature (LCST) 55–58, 61, 62  
 LR300. *See* Lumogen  
   Red 300 (LR300)  
 Lumogen Red 300 (LR300) 39, 41, 43, 46, 50, 62, 91, 92, 116, 168, 169, 170, 179, 180, 181, 182, 203, 226, 227, 228, 239, 240

**m**

magnetic-guided  
   assembly 245, 246  
 magnetic-guided  
   patterning 244–246  
 magnetic-guided targeting delivery 152, 163, 164  
 magnetic hierarchical porous  
   poly(MMA-*co*-EGDMA-*co*-GMA) microparticles 117  
 magnetic knots 242, 243, 244, 245  
 magnetic minipillars 244, 245, 246  
 magnetic nanoporous  
   poly(MMA-*co*-EGDMA-*co*-GMA) microparticles 117  
 magnetic PNB core-shell microspheres 74, 75  
 magnetic spindle-knots 224, 241, 242, 243, 244, 246–248  
 magnetic targeting 145  
 manually assembled glass-capillary devices 35  
 mass transfer 1, 2, 11, 35, 79, 105, 107, 111, 112, 118, 207, 283, 295, 296  
 mass transport 187  
 MC-W-W EC  
   microcapsules 127  
 mechanical strength 83, 112, 165, 217, 231  
 melting enthalpy 229, 230  
 membrane-in-a-chip  
   in biomedical fields 253  
   ethanol-responsive self-regulation 260  
   fabrication of 254  
   nanogel-containing smart membrane 253, 255  
   reversible and repeated  
     thermo/ethanol-responsive  
     self-regulation 263  
   *in situ* formation 253  
 smart membranes 253  
 temperature-responsive  
   self-regulation of the membrane permeability 257

- membrane permeability 254, 255, 256, 257–264
- methanol 172, 173, 174
- methyl methacrylate (MMA) 79–84, 103, 108, 111, 113, 114, 115, 116, 117, 118, 201
- micro-actuator 195, 196, 197, 198, 199–201
- micro-analysis 1, 4, 5
- microcapsules, 1, 11, 35, 55, 91, 123, 161, 211, 295
- microchannel, 1, 11, 37, 170, 195, 213, 223, 253, 267, 295
- microfibers 2, 3–6, 223–248, 295
- microfluidic-constructed stable phase interface structure systems 2
- microfluidic device 1, 11–31, 35–51, 56, 62, 63, 68, 69, 70, 75, 80, 81, 86, 87, 91, 92, 93, 94, 108, 109, 124, 125, 132, 138, 139, 146, 147, 163, 169, 178, 190, 195, 196, 197, 201, 202, 212, 213, 217, 223, 224, 225, 226, 236, 241, 242
- microfluidic emulsification 132, 133
- microfluidic flow control system (MFCS) 273, 274, 277, 283, 287
- microfluidic laminar flow technology 5
- microfluidics 1–6, 11–35, 35–51, 55–75, 79–103, 105–118, 123–158, 161–183, 187–207, 211–219, 223–248, 253–264, 267–289
- controllable fabrication of functional materials 1
- microscale closed liquid-liquid interfaces 3
- microscale nonclosed annular laminar interfaces 5
- microscale nonclosed layered laminar interfaces 4
- technology 1, 2, 4, 6, 83, 136, 295, 296, 297
- microgel-based Pb<sup>2+</sup> sensor 272
- microgel-incorporated glass capillary 271, 272
- micro-heat-exchanger 273, 274, 277, 278, 279
- micro-heat-exchanging system 268, 273–274, 277, 279
- micro-lancet 37, 38, 47, 48, 49, 50, 51
- microlancets 48
- micrometer-sized pores 105, 106, 107, 108–118
- micro-reaction 1, 4, 5, 50, 51, 161, 187, 201–207, 211, 219, 253
- microscale closed liquid-liquid interfaces 3
- microscale emulsion interfaces 4
- microscale nonclosed layered laminar interfaces 4
- micro-scale phase interfaces 3
- microscope glass slides and coverslips 14
- micro-separation 1, 4, 5
- microsphere(s), 1, 11, 55, 79, 123, 161, 192, 295
- microvalve-controlled water cooling 277, 278, 280, 281
- microvalve-in-a-chip 267–289
  - mask-based lithography 268
  - Pb<sup>2+</sup>-responsive hydrogel microvalve 270
  - in situ* polymerization 268
  - thermo-responsive hydrogel microvalve 268
- microvalve-integrated micro-heat-exchanging system 273
- microvalves 123, 145, 147, 155, 157, 158, 267–289
- middle fluid 16, 108, 109, 125, 138, 140, 146, 147, 163, 178, 190, 201, 204, 212, 213, 217, 218, 226, 227

- monodisperse calcium alginate hollow microcapsules
  - droplet generation and ionic cross-linking 132
  - microfluidic fabrication strategy 132
  - morphologies and structures of 133
- monodisperse controllable double emulsions 38
- monodisperse core-shell hydrogel microparticles,  $Pb^{2+}$ 
  - adsorption behaviors 71
  - core-shell microspheres 68
  - industrial wastewater 68
  - microfluidic fabrication 68
  - thermo-responsive swelling/shrinking configuration change 68
- monodisperse core-shell microcapsules
  - alcohol-responsive burst release 171
  - chitosan microcapsules 179
  - controllable fabrication 161
  - direction-specific thermo-responsive burst release 168
  - double emulsions 161
  - fabrication 177
  - $K^{+}$ -responsive burst release 174
  - microfluidic strategy 162
  - nanoparticles 166
  - oil-soluble substances 162
  - pH-responsive burst release 176
- monodisperse core-shell PNIPAM hydrogel microparticles, ethyl gallate
  - antioxidant activity 62
  - intact-to-broken transformation behaviors 65
  - microfluidic fabrication 62
  - thermo-responsive phase transition behaviors 65
  - volume phase transition temperature 62
- monodisperse emulsion droplets 12, 13
- monodisperse ethyl cellulose hollow microcapsules
  - microfluidic fabrication strategy 124
  - morphologies and structures of 125
- monodisperse glucose-responsive hollow microcapsules
  - glucose-responsive behaviors of microcapsules 140
  - glucose-responsive drug release behaviors 142
  - microfluidic fabrication strategy 136
  - sugar-responsive systems 136
  - tumor cells 136
- monodisperse higher-order multiple emulsions 41
- monodisperse hole-shell microparticles
  - core droplet 188
  - effect of inner cavity 191
  - functionality 205
  - interfacial properties 188
  - microfluidic fabrication 201
  - microfluidic strategy 188
  - particle-template/emulsion-template methods 187
  - $Pb^{2+}$  sensing and actuating 195
  - poly(NIPAM-co-B18C6Am) 195, 196, 199, 200
  - shell droplet 188
  - structure control 203
  - thermo-driven crawling movement 188, 190, 193
  - versatility 187
- monodisperse multi-stimuli-responsive hollow microcapsules
  - controlled-release characteristics 154
  - environmental changes 144
  - intelligent drug delivery systems 144
  - microfluidic fabrication strategy 145
  - microvalves 145
  - "on-off" mechanism 144
  - pH 145
  - site-specific targeting 158
  - stimuli-responsive behaviors 150
- monodisperse oil droplets 239
- monodisperse oil-in-water (O/W) emulsions 80
- monodisperse oil-in-water-in-oil (O/W/O) emulsions 41, 68, 91
- monodisperse PNIPAM hydrogel microparticles, tannic acid

- microfluidic fabrication 56
  - volume phase transition behaviors 57
  - monodisperse porous microparticles 79
  - monodisperse porous
    - poly(HEMA-MMA) microparticles
    - biodegradability 79
    - microfluidic fabrication strategy 80
    - structures 82
  - monodisperse quadruple-component O/W/O double emulsions 214
  - monodispersity 11, 14, 24, 40, 55, 57, 71, 79, 80, 82, 83, 93, 131, 134, 140, 149, 150, 187, 204
  - monomer 62, 80, 81, 86, 87, 91, 92, 96, 103, 106, 108, 138–140, 149, 163, 174, 187, 201, 212, 224, 268, 269, 270, 271
  - multicompartmental microparticles 211–219
    - compound-fluidic electrospray technique 211
    - controllable co-encapsulation 213
    - encapsulation systems 211
    - fabrication 212
    - immunoprotection 211
    - isolated co-encapsulation 211
    - microbioreactions 211
    - multi-core/shell microparticles 212
    - synergistic release 216
    - Trojan-horse-like microparticles 217
    - troublesome multi-step process 211
  - multicomponent multiple emulsions 11, 12, 14, 22–31, 27, 213
  - multi-core microspheres 4
  - multi-core/shell microparticles 212–217
  - multiple emulsions 3, 4, 11–31, 35–51, 158, 211, 212, 213, 219
  - multi-stimuli-responsive microcapsules 123, 144–157
- n**
- Na-alginate 132, 133, 241
  - nanogel(s) 201, 203, 253, 254, 255–264
  - nanogel-containing chitosan membrane 255, 256, 257, 260, 262
  - nanogel-containing membrane 254, 257, 258, 259, 260, 261, 262, 263, 264
  - nanogel-containing smart membranes 253, 254, 255–257, 264
  - nanometer-sized pores 105, 106, 107, 108, 111, 112, 114, 118
  - nanoparticles 166
  - nanoparticles-in-microcapsule system 166
  - nanoporous PEGDMA microparticles 113, 117
  - nano-porous poly(MMA-co-EGDMA-co-GMA) microparticles 117, 118
  - nano-porous structure 107, 108, 111, 112, 113, 114, 116, 117, 118
  - nanovalves 255, 256, 257, 264
  - N*-butyl acetate 241, 242, 244
  - N*-isopropylacrylamide (NIPAM) 55, 56, 62, 68, 79, 86, 91, 92, 93, 96, 97, 99, 100, 102, 136, 138, 149, 158, 162, 163, 168, 174, 175, 176, 177, 189, 190, 191, 195, 196, 199–201, 212, 213, 216, 217, 254, 270, 281, 282, 283, 286, 289
  - N-2 microgel 98
  - N,N'*-methylene-bis-acryamide (MBA) 86, 190
  - N,N'*-methylene-bis-acryamide (MBA) 56, 62, 86, 91, 92, 93, 96, 97, 99, 100, 102, 138, 163, 168, 190, 195, 212, 217, 270
  - N,N,N',N'*-tetramethylethylenediamine (TEMED) 56, 57, 86, 218
  - n*-octane 227
  - non-engulfing configuration 36
  - nonporous PEGDMA microparticles 113, 117
  - non-spherical particles 4, 11, 35

**O**

oil-core/hydrogel-shell microcapsules 163

oil-filled compartments 162

oil-in-water-in-oil (O/W/O) emulsion droplets 62

oil-in-water-in-oil-in-oil (O/W/O/O) triple emulsions 43

oil-in-water-in-oil-in-water-in-oil (O/W/O/W/O) quadruple emulsions 41

oil-in-water (O/W) primary emulsions 91

oil jets 44, 45, 46

oil-soluble 2,2-dimethoxy-2-phenylacetophenone (BDK) 80

oil-soluble substances 162

oil/water interface 95

oleic-acid-modified magnetic nanoparticles (OA-MNPs) 195, 197

on-demand release 211, 212

OP-10 181

open-celled porous microgels 96

open-celled porous PNIPAM microgels 91, 92, 93, 102

open-celled porous structure 90–103

OPH-2 and OPI-2 microgels 99

osmotic pressure 73, 127, 131, 198, 281

outer fluid 14, 69, 108, 109, 124, 125, 126, 127, 128, 129, 130, 131, 133, 138, 139, 146, 147, 163, 178, 190, 201, 213, 225, 226

O/W emulsions 3, 80

O/W/O double emulsion droplets 64

O/W/O double emulsions 3, 4, 18, 24, 27, 39, 41, 42, 43, 44, 45, 46, 50, 51, 63, 64, 68, 70, 71, 132, 133, 134, 138, 139, 146, 147, 149, 162, 163, 164, 177, 178, 181, 190, 212, 213, 214

O/W/O/O triple emulsions 43, 46

O/W/O/W triple emulsions 28

**P**

P(NIPAM-co-AAm) 149

paraffin wax 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235

parallel laminar flows 253, 254

partial engulfing configuration 36, 37

partially dewetting 110, 188

pathologically acidic conditions 154

Pb<sup>2+</sup>-adsorption 73, 74, 75

Pb<sup>2+</sup> detection platform 272, 281, 282, 283–288

Pb<sup>2+</sup> pollution discharge 289

Pb<sup>2+</sup>-recognition 68

Pb<sup>2+</sup>-responsive hydrogel microvalve 268, 270, 272, 281

Pb<sup>2+</sup>-responsive microgel pollution warning 287

real-time online detection of trace Pb<sup>2+</sup> 281

selectivity and repeatability of the Pb<sup>2+</sup> detection platform 284

sensitivity of the Pb<sup>2+</sup> detection platform 283

wastewater 289

Pb<sup>2+</sup>-responsive P(NIPAM-co-B18C6Am) microgel 281, 282

Pb<sup>2+</sup> sensing 195–201, 282

Pb<sup>2+</sup> sensing and actuating 195

PDMS microfluidic device 12, 14, 15

peapod-like chitosan microfibers 235, 236, 237, 239, 240

peapod-like jet 236–239

peapod-like jet containing discrete oil droplets 237

peapod-like microfibers 235–241

fabrication 236

flow rates 236

synergistic encapsulation 240

peristaltic pump 273, 274, 286, 287

permeability coefficient 154, 155, 156, 157

PGPR90 48

phase change materials 223, 224–235, 248

phase transition 55, 56–62, 65, 66, 86, 89, 91, 137, 138, 140, 149, 162, 174, 175, 176, 189, 191–193, 205, 216, 227, 254, 258, 274

phenols 60, 62, 65

photoacid generator 132, 133

- photoacid generator diphenyliodonium  
nitrate (PAG) 132
- photo-initiator 63, 80, 108, 138, 163,  
190, 191, 213, 270
- photoinitiator dimethoxy-2-phenyl-  
acetophenone (BDK) 63
- pH-responsive burst release 176–182
- pH-responsive capsule membrane  
123, 158
- pH-responsive controlled-release  
behaviors 154
- pH-responsive core-shell microcapsules  
177
- pH-responsive swelling 147, 151, 152
- physiological temperature 136, 137,  
141, 142
- $pK_a$  137, 140, 146, 147, 151, 154, 516
- plug-n-play microfluidic devices 21
- Pluronic F127 62, 91, 108, 125, 132,  
138, 147, 163, 168, 178, 190, 195,  
201, 212
- P(NIPAM-*co*-B18C6Am) microgel  
270, 281, 282, 283, 286
- PNB microactuators 195, 196, 197,  
198, 199, 200, 201
- PNIPAM hydrogel 55–61, 95, 166,  
172, 189, 191, 192, 193, 195, 216,  
270, 274, 276, 289
- microvalve 270
- shell 166, 216
- PNIPAM microactuators 198
- PNIPAM microgels 55, 56, 57, 58, 59,  
60, 61, 75, 79, 85, 86, 88, 89, 90,  
91, 92, 93, 94, 95, 96, 97, 98, 99,  
100, 101, 102, 103, 206, 207
- PNIPAM microparticles with  
open-celled porous structure  
microfluidic fabrication strategy 91
- morphologies and microstructures  
93
- thermo-responsive volume change  
behaviors 98
- PNIPAM microspheres 57, 58, 62, 65,  
192, 193
- PNIPAM polymeric networks 59, 61,  
73
- pollution terminating 289
- pollution warning 286, 287–289
- poly(EGDMA) (PEGDMA) 111
- poly(HEMA-MMA) 79–84, 103
- poly(hydroxyethyl methacrylate-methyl  
methacrylate)  
(poly(HEMA-MMA)) 79
- poly(methyl methacrylate) (PMMA)  
79
- poly(MMA-*co*-EGDMA) 108, 111,  
113, 114, 115, 116
- poly(*N*-isopropylacrylamide) (PNIPAM)  
55, 79, 136, 162, 189, 254, 270
- poly(*N*-isopropylacrylamide-*co*-  
acrylamide)  
(P(NIPAM-*co*-AAm)) 149
- poly(*N*-isopropylacrylamide-*co*-benzo-  
15-crown-5-acrylamide) (PNB)  
175
- poly(*N*-isopropylacrylamide-*co*-benzo-  
18-crown-6-acrylamide) (PNB)  
68, 270
- poly(NIPAM-*co*-AAm-*co*-B15C5Am)  
(PNAB) 175, 176, 177
- poly(NIPAM-*co*-AAPBA) (PNA) 138,  
140, 141
- poly(NIPAM-*co*-AAPBA-*co*-AAc)  
(PNAA) 138, 141, 142, 143,  
144, 158
- poly(NIPAM-*co*-B15C5Am) 176
- poly(vinyl alcohol) (PVA) 81, 217, 218
- poly(vinyl butyral) (PVB) 224, 225,  
226, 227, 228–235
- poly(vinyl pyrrolidone) (PVP) 79, 80,  
81, 82, 83, 103
- poly(HEMA-MMA)  
copolymers 80
- polydimethylsiloxane (PDMS) 12, 14,  
15, 217, 244, 253
- plates 12
- polyelectrolyte microparticles 38, 211
- polyethylene (PE) 80, 132, 270
- Polyfluor 570, 255, 256
- polyglycerol polyricinoleate (PGPR 90 or  
PGPR) 38, 41, 43, 44, 45, 46, 50,  
56, 57, 62, 63, 81, 86, 91, 108, 110,  
111, 112, 113, 116, 132, 138, 147,  
163, 168, 178, 190, 195, 204, 212

- poly(NIPAM-*co*-B18C6Am) hole-shell microparticles
  - effect of hollow cavity 199
  - effect of Pb<sup>2+</sup> 196
  - magnetic-guided targeting behavior 195
  - micromanipulation 200
- poly(*N*-isopropylacrylamide) (PNIPAM) hydrogel 189
- poly(PNIPAM-*co*-B18C6Am) (PNB) hydrogel 195
- polymeric microparticles 187
- polymeric networks 55, 59, 60, 61, 73, 80, 86, 88, 100, 102
- polymerization 3, 5, 56, 57, 63, 68, 69, 71, 80, 81, 83, 86, 92, 94, 108, 110, 123, 138, 139, 140, 145, 158, 168, 169, 187, 191, 195, 196, 201, 202, 204, 213, 255, 268, 269, 270, 271
- poly(NIPAM-*co*-AAPBA-*co*-AAc) (PNA) microcapsule 138
- poly(NIPAM-*co*-AAM-*co*-B15C5Am) microcapsules 177
- poly(*N*-isopropylacrylamide-*co*-benzo-18-crown-6-acrylamide) (P(NIPAM-*co*-B18C6Am)) microgel 68, 270, 281, 282, 283, 286
- poly(*N*-isopropylacrylamide) (PNIPAM) microgels 85
- poly(methyl methacrylate-*co*-ethylene glycol dimethacrylate) (poly(MMA-*co*-EGDMA)) microparticles 108, 111, 113, 114, 115, 1164
- poly(MMA-*co*-EGDMA) microparticles 108, 111
- poly(MMA-*co*-EGDMA-*co*-GMA) microparticles 114, 115, 116, 117, 118
- poly(*N*-isopropylacrylamide) (PNIPAM) nanogels 254
- poly(*N*-isopropylacrylamide-*co*-methyl methacrylate-*co*-allylamine) nanogels 201
- poly(dimethylsiloxane) oil (PDMS) 217
- poly(methyl methacrylate) (PMMA) particles 79
- poly(HEMA-MMA) porous microspheres 80, 82
- poly(vinyl butyral) (PVB) resin 225
- polystyrene (PS) 86, 87, 88, 195, 196
- polystyrene beads 86, 87, 88
- poly(*N*-isopropylacrylamide-*co*-acrylamide) (P(NIPAM-*co*-AAm)) sub-microspheres 149
- pore size 5, 105, 106, 108, 113, 118, 135
- porogens 79, 80, 82, 83, 86, 91, 103
- porosity 83, 103, 105, 106, 108, 109, 112, 113, 118
- porous microparticles 79–103, 105–118
- porous PNIPAM microparticles with tunable response behaviors
  - dramatic response and stimuli-specific behavior 85
- gel swelling 85
- heterogeneous internal microstructures 85
- linear side chains 85
- microfluidic fabrication strategy 86
- temperature-dependent equilibrium volume-deswelling ratio 85
- tunable response behaviors 87
- void structures 86
- porous polymeric microparticles 105, 106
- porous structures 79, 80, 83, 90–103, 105, 106, 107, 108, 109, 111, 112, 113, 114, 116, 117, 118
- post-array-containing microfluidic device 16
- precipitation polymerization 145, 255
- precursor droplets 40, 41, 42, 44
- programmed synergistic release

P(NIPAM-*co*-AAm) sub-microspheres 149

pulsed release 218

PVB/8P microfibers 229

PVB/24P microfibers 230, 233, 235

## q

quadruple-component double

emulsions 22–28, 169, 214

quadruple-component O/W/O double

emulsions 213

quadruple emulsions 21, 212, 219

quintuple-component double emulsions

22, 27, 29

quintuple-component multiple

emulsions 29

quintuple-component triple emulsions

22, 27, 29

## r

real-time detection 268, 281–289

real-time on-line detection of trace  $\text{Pb}^{2+}$  281–283

real-time  $\text{Pb}^{2+}$  detection 281, 289

response rate 59, 88, 90, 91, 99, 100, 103, 144, 192, 193, 200

reversible glucose-induced

swelling/shrinking behaviors 137

reversible glucose-responsive

swelling/shrinking 138

reversible swelling/shrinking volume

transitions 254, 255

rhodamine B 50, 111, 142, 143, 269, 270

route-specific targeting drug delivery 163

## s

scale-up 14, 16, 21, 22, 27

Scanning Electron Microscope (SEM)

83, 84, 85, 96, 97, 111, 112, 113, 114, 126, 127, 128, 129, 130, 131, 205, 206, 227, 228, 239, 243, 255, 256

Schiff base 177

bonding 177

sealing performance 253, 276–277

selective adsorption 55, 68, 75

selective detection 268, 270, 289

selective permeability 5

self-regulated drug delivery 136

self-regulated permeability 253–264

sensors 55, 62, 67, 75, 79, 85, 103, 136, 138, 140, 174, 207, 230, 253, 255, 272, 274, 282

sequential shear-induced

emulsifications 35

sextuple-component triple emulsions

22, 27, 28, 30, 31

shape angle 203, 204

shear-induced generation of controllable

multiple emulsions

controllable double emulsions 16

controllable emulsion

droplets 12

controllable monodisperse single

emulsions 14

controllable quadruple-component

double emulsions 22

controllable triple emulsions 19

inner droplet number 11

microchannel wettability 12

multicomponent multiple emulsions 27

sequential bulk emulsification 11

T-junction geometries 12

volume fractions 11

sheath flow 224, 225, 226, 236

shell permeability 143

shell thickness 40, 41, 110, 158, 175, 237, 238, 239

shrunk state 99, 137, 141, 146, 174, 189, 205, 275, 281

silicone oil (SiO) 37, 38, 40, 41, 44, 45, 46, 47, 48, 50

single emulsions 4, 12, 13, 14–16, 31, 39, 41, 42, 43, 46, 50, 51, 63, 79, 81, 103, 111, 124, 132, 133

site-specific targeting drug delivery 145

size-classification 206

- size distributions 4, 14, 15, 57, 58, 63, 64, 70, 71, 82, 93, 94, 96, 112, 123, 125, 131, 133, 134, 139, 140, 145, 163
- size-match 206
- size monodispersity 11, 40, 71, 134, 187
- smart core-shell microcapsules
  - alcohol-responsive burst release 171
  - core-shell chitosan microcapsules 179
  - direction-specific thermo-responsive burst release 168
  - fabrication 177
  - K<sup>+</sup>-responsive burst release 174
  - nanoparticles 166
  - oil-soluble substances 162
  - pH-responsive burst release 176
- smart hydrogel microvalves 267, 268, 279, 289
- smart-membrane-in-chip 253, 264
- smart microvalve-in-a-chip
  - cell culture 279
  - microvalve-integrated
    - micro-heat-exchanging system 273
  - pollution warning 287
  - real-time online detection of trace Pb<sup>2+</sup> 281
  - sealing performance 276
  - selectivity and repeatability of the Pb<sup>2+</sup> detection platform 284
  - sensitivity of the Pb<sup>2+</sup> detection platform 283
  - temperature self-regulation 277
  - thermo-responsive switch
    - performance 274
  - wastewater 289
- smart-microvalve-integrated microchips 267
- sodium acrylate 217
- sodium alginate
  - (Na-alginate) 132, 241
- sodium dodecyl sulfate (SDS) 38, 41, 44, 45, 46, 47, 50, 191, 192, 193
- solvent diffusion 123, 125, 158
- solvent evaporation 3, 68, 69, 169, 195, 196
- solvent quality 204
- soybean oil (SO) 38, 56, 57, 62, 63, 91, 132, 138, 147, 163, 168, 169, 170, 178, 179, 190, 195, 196, 212, 256
- soybean oil containing emulsifier PGPR 90, 62
- specific surface area 5, 79, 83, 108, 117, 118, 192
- spider-silk-like Ca-alginate microfibers 241, 242, 243, 244, 246, 247
- spider-silk-like microfibers 241–248
  - fabrication 241
  - magnetic-guided patterning and assembling 244
  - morphological characterization 242
  - water collection ability 246
- spider-web-like structures 224, 247, 248
- spreading coefficient 36, 37, 38, 39, 41, 42, 43, 45, 46
- square glass tubes 12
- squirting cucumbers 166
- stable microscale phase
  - interfaces 3
- star-shaped microchannels 268, 269, 270
- stimuli-responsive controlled-release systems 145
- stimuli-responsive hydrogel
  - microparticles 55, 75
- stimuli-responsive hydrogel shell
- stimuli-responsive
  - microcapsules 144
- stimuli-responsive microparticles 55
- stimuli-responsive smart membranes 5, 264
- stimuli-sensitive hydrogel
  - microparticles/microgels 55
- stress-strain curves 232
- Sudan Black 236, 240, 241
- Sudan III 163, 164, 195, 212
- Sudan Red 139, 190
- superparamagnetic nanoparticles 152
- supramolecular host-guest
  - complexes 68

- surface wettability 13, 37, 47, 48, 51, 205
- surfactant bilayers 109, 110
- sustained drug release 143, 151
- swelling ratios 101, 151, 152
- swollen state 57, 99, 137, 140, 141, 143, 144, 146, 174, 182, 205, 261, 275
- symmetry breaking 187, 191, 194
- synergistic delivery systems 11
- synergistic drug delivery 224
- synergistic encapsulation 235–241, 248
- synergistic release 212–218
- t**
- tannic acid (TA) 55–61, 56
- tap water pipeline 288
- temperature- and ethanol-responsive smart membrane
  - ethanol-responsive self-regulation 260
  - nanogel-containing smart membrane 255
  - reversible and repeated
    - thermo/ethanol-responsive self-regulation 263
  - temperature-responsive self-regulation of the membrane permeability 257
- temperature-dependent volume change 140, 147, 155, 198, 206
- temperature-dependent volume phase transition 149
- temperature regulation 145, 224, 230–235, 248
- temperature-responsive permeability self-regulation 260
- temperature-responsive
  - sub-microspheres 123, 145, 146, 147, 148, 149, 150, 152, 154, 155, 156, 157, 158
- temperature-responsive volume change 73, 155
- temperature self-regulation 277–281
- template-directed synthesis 105
- tensile strength 231
- terephthalaldehyde 178
- terephthalaldehyde-crosslinked chitosan hydrogel shell 176
- tetramethylammonium hydroxide 164
- thermal energy 233, 234
- thermal stability 227, 230, 231
- thermo-driven crawling movement 188–194
- thermo-driven locomotion 189, 193, 194
- thermo-driven soft microcrawlers 188
- thermo-induced shrinking process 100
- thermo-regulation 235
- thermo-responsive burst release 168–171
- thermo-responsive hydrogel microvalve 268, 269, 270, 272
- thermo-responsive phase transition 58, 60, 61, 65
- thermo-responsive PNIPAM shell 165
- thermo-responsive
  - poly(*N*-isopropylacrylamide) (PNIPAM) hydrogel microvalve 270
- thermo-responsive polymer 55
- thermo-responsive swelling behaviors 100
- thermo-responsive swelling process 100, 101
- thermo-responsive switch 274–278
- thermo-responsive volume phase transitions 189
- thermostatic control 267, 268–270, 272–281
- thermo-triggered actuator 216
- thermo-triggered burst release 162–171
- thermo-triggered synergistic release 216
- 3D assembly 241–248
- 3D glass-capillary microfluidic device 15
- 3D microchannel 12
- 3D printing techniques 21

- time-dependent deswelling ratio 172, 173
  - T-junction 4, 12, 13
    - geometries 4, 12
  - trace analytes detection 268
  - trace threat analytes 267, 268, 270
  - transition tube 16, 19, 20, 21, 62, 108, 124, 133, 201, 224, 226, 236, 241, 242
  - trans-membrane diffusional permeation 145
  - trans-membrane diffusion flux 259
  - triggered release 161, 191, 211, 216
  - 3,4,5-trihydroxybenzoic acid ethyl ester 62
  - triple emulsions 12, 14, 16, 19–22, 27, 28, 29, 30, 31, 41, 43, 46, 212, 217–218
  - Trojan-horse-like microparticles 217–218
  - Trojan-horse-like structures 212
  - truncated-sphere shape 203, 204
  - tubular flows 223
  - tubular microfibers 5, 225, 226, 248
  - tunable pore size 105, 106
  - 2D microchannel 12, 13
  - 2D PDMS microfluidic device 15
  - two-stage glass capillary microfluidic device 108, 109, 224
  - two-step sequential emulsification 16
- U**
- ultra-thin shell 35, 39, 40, 41, 49, 50
  - ultra-thin-shelled double emulsions 40
  - uniform hierarchical porous microparticles
    - enhanced protein adsorption 117
    - highly interconnected hierarchical porous structures 106
    - magnetic-guided oil removal 115
    - microdrop interfaces 106
    - microfluidic strategy 106
    - monodisperse emulsion drops 106
    - nanometer-sized pores 105
    - nanometer-sized pores and micrometer-sized pores 111
    - oil removal 114
    - porosities 105
    - porous polymeric microparticles 105
    - protein adsorption 116
    - W/O/W emulsions 108
  - UV-curable adhesive 14, 47, 270, 279
  - UV-initiated polymerization 68, 69, 108, 138, 140, 169, 196
  - UV-initiator 91
  - UV irradiation 63, 80, 81, 92, 93, 94, 133, 139, 163, 201, 202, 270, 271
- V**
- vitamin B12 (VB12) 154
  - voidless microgel 89
  - voidless PNIPAM microspheres 192, 193
  - volume phase transition 55, 57–62, 86, 89, 91, 137, 138, 140, 149, 162, 176, 189, 191–193, 205, 216, 254, 258, 274
    - behaviors 57
    - kinetics 86, 89
  - volume phase transition temperature (VPTT) 62, 65, 66, 67, 73, 98, 137, 138, 140, 141, 162, 163, 165, 166, 170, 174, 175, 189, 190, 191, 193, 195, 196, 198, 216, 217, 218, 254, 258, 259, 274, 281
- W**
- wastewater 64, 68, 286, 288, 289
  - water collection 224, 241–248
  - water condensation 247
  - water-cooling 277, 278, 280, 281
  - water flux 275, 276, 277
  - water-in-oil-in-oil (W/O/O) double emulsion 38–39, 41, 43
  - water-in-oil-in-water-in-oil (W/O/W/O) droplets 19
  - water-soluble monomer 80
  - Weber number 15
  - wettability modification 12, 18, 25
  - wetting-induced droplet coalescence 37, 47

- wetting-induced emulsion generation
    - 44
    - droplet-triggered droplet pairing 44
    - monodisperse controllable double emulsions 38
    - monodisperse higher-order multiple emulsions 41
    - wetting-induced coalescing 37–38
    - wetting-induced droplet coalescing 47
    - wetting-induced spreading 36
  - wetting-induced spreading 36–47, 50
  - W/O emulsion droplets 57
  - W/O emulsions 44, 50, 92, 93, 95, 166
  - W/O/O double emulsions 39, 40, 43, 44, 45
  - (O1 + O2)/W/O quadruple-component double emulsions 169
  - W/O/W double emulsions 25, 124, 125, 127, 188, 201
- x**
- X-shaped microchannels 256
- y**
- Young's modulus 244

