

Index

a

accelerated solvent extraction
(ASE) 85
AccuTOF-DART 304
acetaminophen 243
acetophenone 319
ambient ionization 21–24
anabolic androgenic steroids
(AAS) 246
analytical chemistry 1, 5
Angelica gigas 270
antioxidants 308
antiozonants 308
antiparasitic veterinary drugs 85
Aston, Francis William 4
atmospheric pressure chemical
ionization (APCI) 14, 121
atmospheric pressure interface
(API) 43, 45
atmospheric pressure ionization
(API) 256
atmospheric pressure photo ionization
(APPI) 14, 121, 325
atomic absorption spectroscopy
(AAS) 4
automated sampling approach
250
average dipole orientation (ADO)
theory 54

b

bioactive alkaloids 250
bituminous coal 298

Box–Behnken experimental design
251

Bridoux, M. C. 86

brominated flame retardants (BFRs)
207–210

Bunsen, Robert 2

c

cannabidiol (CBD) 279

capillary electrophoresis (CE)
119–123

Cassia sieberiana 257

Catha edulis 259

CE-electrospray ionization (ESI)-MS
123

cell cultures 261

chemical ionization (CI) 14–15

“China Drywall” sample 167

Chinese herbal medicines 179–181

Chinese star anise fruits 262

3-chlorotyrosine (CT) 226

chromatographic separation techniques
223

Comisarow, Melvin B. 8

confined DART (cDART) device 30,
233–234

Convention on International Trade in
Endangered Species of Wild
Fauna and Flora (CITES) 297

corona-to-glow (C-G) discharge regime
44

counterfeit drugs 299–300

cuticular hydrocarbon 296

d

- Danshen alkaline precipitation process 244
- Danshen injection DART-MS analysis 104
- DART-Orbitrap 204, 208
- DART-quadrupole time-of-flight mass spectrometry (DART-QTOF-MS) 244
- delta-9 tetrahydrocannabinol (THC) 279
- 1-deoxynojirimycin (DNJ) 275
- derivatization strategy 89, 91
- desorption chemical ionization (DCI) 16
- desorption electron ionization (DEI) 16
- dielectric barrier discharge (DBD) 20
- dilution strategy 81
- dimethylamylamine (DMAA) 245
- Dip-it sampler 121
- direct analysis in real time (DART) mass spectrometry
 - AccuTOF 308
 - ambient ionization MS 223
 - automation and miniaturized DART-MS 326–327
 - bituminous coal 298
 - breast cancer detection 231–232
 - capsaicin, in chili peppers skin 302
 - confined DART ion source, online *in vivo* analysis 233–234
 - counterfeit drugs 299–300
 - devices 29
 - foods and agro-product analysis, *see* foods and agro-product analysis
 - gas-surface heterogeneous reactions 332
 - gaseous samples 118–119
 - high resolution and data analysis 332–333
 - hyphenation of effect-directed analysis 331
 - industrial chemical analysis, *see* industrial chemical analysis
 - inherent limitations
 - ambient ion sources 324–325
 - buffer and salt effects 321–322
 - detection system and mass range 318–319
 - dopant and derivatization 323
 - electrode voltage 318–319
 - gas setting 314–317
 - humidity effects 322
 - isotopically labelled standards 322–323
 - matrix effects and chromatography 319–321
 - sample carrier and solvent 322
 - sample introduction and positioning 318
 - ion focusing and flexible ion transportation 327–328
 - ionization 43
 - liquid samples 119
 - mechanism 24, 25
 - negative-ion mode
 - archaeology and conservation 293
 - chemical warfare agents 294–295
 - homeland security 294–295
 - LVPC 294–295
 - TLC-HRMS 293
 - organic aerosol chemistry 332
 - parameters 27
 - in pharmaceutical analysis *see* pharmaceuticals
 - pheromone profiles, from live animals 296
 - pill and capsules, drug analysis 300
 - p*-phenylenediamine antioxidants, in rubber 308
 - quantitative surface scanning and imaging 328–330
 - sample introduction techniques 327
 - sample preparation 224–225
 - skin metabolome changes analysis 228–231
 - small organic compounds, in biological samples 225
 - solid samples

- high-molecular-weight nonvolatile components 116
 - HPTLC 116
 - ITX 116
 - planar chromatography 118
 - TLC 116
 - spacecraft optics 298
 - temperature gradients 331–332
 - tobacco smoke contamination 298
 - transmission mode DART 232–233
 - triacetone triperoxide (TATP) and hexamethylene triperoxide diamine (HMTD) 306
 - unstable compound detection 303
 - direct-binding assay 257
 - dissociation electron attachment (DEA) reactions 66
 - Dumas, Jean-Baptiste 2
- e**
- effect-directed analysis (EDA) 326
 - electrode voltage 318–319
 - electronic ionization (EI) 13–14
 - electrospray ionization (ESI) 17, 76, 121, 256
 - environmental contaminants
 - aerosols analysis
 - advantages and limitations 213–214
 - offline DART 213
 - online DART 212–213
 - brominated flame retardants (BFRs) 207–210
 - miscellaneous environmental application 214–215
 - organophosphorus flame retardants (OPFRs) 204–207
 - personal care products (PCPs)
 - HPLC-DART-MS analysis, of parabens 211–212
 - organic UV filter screening 210–211
 - phthalic acid diesters screening 211
 - pesticide analysis 194–204
 - extracted ion chromatograms (EICs) 178
- f**
- fast atom/ion bombardment ionization (FAB) 15–16
 - fatty acid methyl ester (FAME) profile 273
 - fermentation 260
 - field desorption 19
 - field ionization 19
 - flavonoid aglycones 257
 - flavor release analysis method 261
 - flowing atmospheric-pressure afterglow (FAPA) 324
 - food and agro-product analysis
 - GC-MS 133
 - pesticide residue analysis
 - fast screening purposes 134–140
 - FCM contamination 156
 - food component rapid analysis 151–155
 - highly hazardous pesticides 140–147
 - melamine detection, in milk 149–150
 - mycotoxins detection, in cereals 150–151
 - quantitative MRM residue method 147–148
 - veterinary drug residue detection 148–149
 - food contact materials (FCMs) 156
 - food-quality and safety analysis 85
 - Fourier transform ion cyclotron resonance (FT-ICR) MS 332
 - fragmentation techniques 319
 - frontier analytical tools 4
- g**
- gamma-hydroxybutyric acid (GHB) 155
 - gas
 - flow rate 99–100, 317
 - temperature 314–317
 - types 98–99, 314
 - gas chromatography mass spectrometry (GC-MS) 83, 133, 255
 - gaseous samples 118–119

general use pesticide (GUP) 304
Gentiana scabra 225
 GLP-1 secreting effect 226
 glucocorticoids (GCs) illegal addition
 182–184
 gravimetric analysis 2
 grid electrode voltage 45, 102, 103

h

helium gas flow rate 99
 herbal dietary supplements 246
 herbal supplement 85
 hexamethylene triperoxide diamine
 (HMTD) 306
 high performance liquid
 chromatography (HPLC) 4, 318
 high performance thin layer
 chromatography (HPTLC) 116,
 270
 high resolution mass spectrometry
 (HRMS) 319
 Hoffmann, Friedrich 2
 human serum metabolomics fingerprint
 analysis 99
 humidity effects 322
 hydride H⁻ formation 67
 hydrocarbon antioxidant component
 300
 5-hydroxymethylfurfural (5-HMF) 275

i

imazalil 318
 industrial chemical analysis
 cosmetics quality control, GCs illegal
 addition 182–184
 food packaging safety and quality
 control 172–177
 ink discrimination 184–189
 ionic liquids (ILs) identification
 189–190
 pharmaceutical products
 Chinese herbal medicines
 179–181
 toxic glycols identification
 177–179
 phosphoric acid esters screening
 168–171

polydimethylsiloxanes (PDMS)
 analysis 163–165
 sulfides identification, in dry walls
 165–168
 infrared laser ablation
 metastable-induced chemical
 ionization (IR-LAMICI) 325
 ink discrimination 184
 intramolecular vibrational
 redistribution (IVR) 57
 ionization 43, 97
 gas stream temperature 75–76
 gas temperature 100–102
 helium substitution, by
 nitrogen/argon 71–74
 internal energy of ions 76–78
 metastable gas stream formation
 43–45
 negative DART
 anionic adducts formation 70–71
 deprotonated molecule formation
 68–69
 primary ions generation 65–68
 radical anions formation 69–70
 positive DART
 ammonium adducts formation
 54–55
 matrix effects 59, 60
 primary ions generation, by
 ambient air ionization 46–50
 protonated molecule formation
 50–54
 radical cations and fragments
 55–59
 sampling speed 103–104
 ion mobility spectrometry (IMS)
 126–128
 isopropylthioxanthone (ITX)
 116, 156

j

Japanese star anise 262

k

Kernel discriminant analysis (KDA)
 273
 Kirchoff, Gustav 2

I

- Langevin model 54
- laser assisted direct analysis in real time mass spectrometry (LA-DART-MS) 325
- limit of detection (LOD) 259, 313
- limit of quantification (LOQ) 195
- liquid chromatography (LC) 119–123
- liquid chromatography mass spectrometry (LC-MS) 255–256
- liquid–liquid extraction 85
- liquid phase extraction 82–86
- liquid samples
 - capillary electrophoresis (CE) 123–124
 - liquid chromatography (LC) 119–123
- low temperature plasma (LTP) 20, 324
- low vapor pressure chemicals (LVPCs) 294–295

m

- Marshall, Alan G. 8
- mass spectrometry (MS)
 - ambient ionization 21–24
 - Bruker's SolariX XR FT-ICR-MS system 8
 - chemical ionization (CI) 14–15
 - Dempster's direction-focusing mass spectrometer 7
 - desorption/ionization 12–21
 - electronic ionization (EI) 13–14
 - electrospray ionization (ESI) 17
 - ESI-MS 9
 - fast atom/ion bombardment ionization (FAB) 15–16
 - field desorption (FD)/field ionization(FI) 19
 - free induction decay (FID) 9
 - historical developments 11–12
 - ion abundance values 6
 - isotopes 6
 - MALDI 18–19
 - organic analysis 7
 - plasma desorption (PD) schemes 19–21

- time-of-flight mass spectrometry 7
- matrix assisted laser desorption/ionization (MALDI) 18–19
- matrix effects 205
- melamine detection, in milk 149–150
- Mendeleev, Dmitri 2
- metabolic finger printing method 232
- metastable gas stream formation 43
- 3,4-methylenedioxyamphetamine (MDA) 227
- methyl red sodium salt (MRSS) 294
- metronidazole 243
- Mettler-Toledo model AB54-S analytical balance 177
- multiple reaction monitoring (MRM) 206, 226, 275
- multi-way partial least squares method (MPLS) 250
- mycotoxins detection, in cereals 150–151

n

- negative ion-direct analysis in real time (NI-DART) 109
- negative ion mode 45
- nicotine, analysis of 298
- 3-Nitrotyrosine (NT) 226
- nondestructive surface analysis 223
- nonrenewable fossil fuel 298
- normal phase liquid chromatography (NPLC) 121
- novel versatile ionization technique 134
- nuclear magnetic resonance (NMR) spectroscopy 231

o

- OpenSpot sample card 259
- oral glucose tolerance test (OGTT) 225
- Orbitrap-MS 202
- Orbitrap systems 332
- Orbitrap™ 9, 194
- organophosphorus flame retardants (OPFRs) 204–207

- orthogonal projection to latent structures discriminant Analysis (OPLS-DA) 268
- Ostwald, Wilhelm 2
- P**
- Panax notoginseng* 277
- partial least squares-discriminant analysis (PLS-DA) 263
- Penning ionization (PI) 47, 58
- personal care products (PCPs)
- HPLC-DART-MS analysis, of paraben 211–212
 - organic UV filter screening 210–211
 - phthalic acid diesters screening 211
- pesticide residue analysis
- fast screening purposes
 - limits of detection (LOD) and maximum residue limits (MRLs) 138
 - MRM transition 136
 - relative intensities and relative deviations 137, 141
 - relative ion intensities 136
 - surface swabbing technique 139
 - validation, of detect capability 139
 - FCM contamination 156
 - food component rapid analysis 151–155
 - highly hazardous pesticide 140–147
 - melamine detection, in milk 149–150
 - mycotoxins detection, in cereals 150–151
 - quantitative MRM residue method 147–148
 - veterinary drug residue detection 148–149
- pharmaceutical products
- Chinese herbal medicines 179–181
 - toxic glycols identification 177–179
- pharmaceutics
- DART-TOF spectral data 242
 - drug development 247–251
 - illegal active pharmaceutical ingredient (API)
 - adulterated dietary supplements 247
 - anabolic androgenic steroids (AAS) 246
 - counterfeit antimalarial drugs 247
 - counterfeit drugs 246, 247
 - 2D DOSY 1H NMR spectrum 247
 - dimethylamylamine (DMAA) 245
 - herbal supplements 246
 - inter-complementary analytical methods 247
 - portable DART-QDa MS 246
 - public healthcare surveillance system 244
 - levomecol detection 242
 - quality assurance 243
 - and SALDI-MS 243
 - XB supramolecules 243
 - phenylketonuria (PKU) 227
 - phenyl propanoids 257
 - phenyltrimethylammonium hydroxide 91
 - phosphate esters 205
 - phthalate ester 291, 296
 - phthalic acid esters 82
 - phytochemical analysis
 - biological activity 255
 - capillary electrophoresis-DART-MS 277
 - cell cultures 261
 - coupling techniques 277–278
 - gas temperature 256
 - GC and HPLC-DART-MS 276
 - GC-MS 256
 - ion mobility TOF-MS 277
 - LC-MS 255–256
 - matrix suppression 279
 - metabolic profiling and multivariate analysis
 - Angelica gigas* 270
 - Ayahuasca 264
 - B. petiolaris* 269
 - chemometric analysis 271
 - cinnamon samples 268
 - conventional fingerprinting 263
 - cubeb berries 268
 - Dalbergia nigra* 268

- Danshen injection 269
 HPTLC 270
 OPLS-DA 268
 PCA 265
 phenols and terpenes 265
Piper betle land races 265
Rauwolfia species 269
 triacylglycerol (TAG) signatures 268
 process analytical technology (PAT) tool 279
 qualitative phytochemical analysis 257–261
 quantitative analysis 274–276
 solvents and gases 278–279
 species identification 262–263
 spectral and biological assays 255
 TCM active components 256
 TLC/HPTLC-DART-MS 276–277
 volatile analysis 261–262
 planar chromatography 118
 plasma desorption (PD) schemes 19–21
 polydimethylsiloxanes (PDMS) 205
 for daily use 163–165
 food contact packaging materials 172
 polymer additives analysis 175
p-phenylenediamine (PPD) 308
 primary aromatic amines (PAAs) 176
 principal component analysis (PCA) 83, 232, 244
 process analytical technology (PAT) 279
 proton affinity 50
 purification strategy
 liquid phase extraction 82–86
 solid-phase extraction (SPE) 86–87
 solid phase microextraction (SPME) 87–89
- q**
- quadrupole time of flight mass spectrometry (QTOF-MS) 232
 qualitative phytochemical analysis
 alkaloid rich fraction 258
 ammonium adduct ion 258
 statistical analysis 257
 traditional Chinese medicine components 259
 qualitative touchstone method 1
 quality by design (QbD) 250
 quantitative analysis 274–276
 quantitative fire-assay/cupellation scheme 1
 quantitative pharmaceutical analysis 224
 QuEChERS strategy 85
 quinine 243
- r**
- Rauwolfia serpentina* 261
 red oak 278
 relative standard deviation (RSD) 250
- s**
- sampling mode, DART ion source
 Dip-it samplers 104
 effects of 104–106
 position and angle of 105–106
 SD-LLLME 105
 solvent type and reagents 108–109
 TM-DART 104
 VAPUR interface 104
 saponins 257
Sceletium tortuosum 245, 259
Schisandrae fructus 274
 secondhand tobacco smoke (SHS) 299
 separation and detection techniques 119
 Shenfu (SF) injection 244
 silanization reagents 90
 single-drop liquid–liquid–liquid microextraction (SD-LLLME) 83, 105
 solid-phase extraction (SPE) 84, 86–87
 solid phase microextraction (SPME) 87–89, 234, 261
 solid samples
 high-molecular-weight nonvolatile components 116
 HPTLC 116
 planar chromatography 118
 TLC 116

- species identification 262–263
 - spray-DART 122
 - Stephens, William E. 7
 - stir bar sorptive extraction (SBSE) 86
 - Striga hermonthica* 258
 - surface assisted laser desorption ionization mass spectrometry (SALDI-MS) 243
 - surface-assisted laser desorption ionization (SALDI)-TOF-MS 325
 - surface plasmon resonance (SPR) 125, 126
 - “survival yield” (SY) method 76
- t**
- Taxus wallichiana* 261
 - temperature-dependent in-source decay (TDISD) 258
 - tetramethylammonium hydroxide (TMAH) 89, 259
 - 3+D Scanner (3DS) 30
 - thermally assisted DART (TA-DART) 30, 105
 - thermodesorption gas chromatography mass spectrometry 86
 - thiabendazole 304
 - thin-layer chromatography (TLC) 116
 - Thomson, Joseph John 5
 - time-of-flight (TOF) 194
 - time-of-flight mass spectrometry (TOFMS) 149
 - titrimetric analysis 2
 - toxic glycols identification 177–179
 - traditional Chinese medicine (TCM) active components 256
 - transient microenvironment concept (TME) 59
 - transmission-mode direct analysis in real time (TM-DART) 104, 232
 - transmission-mode direct analysis in real time ionization coupled with high resolution mass spectrometry (TM-DART-HRMS) 82
 - travelling wave ion mobility mass spectrometry (TWIM-MS) 318
 - triacetone triperoxide (TATP) 306
 - triacylglycerols profiling method 83
 - tri-*n*-butyl phosphate (TnBP) 205
 - Twister™ 205
- u**
- ultra-high performance liquid chromatography combined with triple quadrupole mass spectrometer (UHPLC-QqQ-MS) 244
 - ultra-high-performance liquid chromatography (UHPLC)-MS 298
 - ultrasonic extraction 85
 - United States Pharmacopeia (USP) monograph 178
- v**
- vitamin A (retinol) 228
 - volatile organic compounds (VOCs) 262
- w**
- white oak 278