

Index

a

- additive techniques 256–257
- aggregation-induced emission (AIE)
 - phenomenon 95, 96
- air-cured TDI coupling with amino
 - nanofluid 195–196
- alkylated liquid porphyrins 13
- alkyl chain engineering 2–3
- α -cyclodextrin (α -CD) 162
- amplified stimulated emission (ASE)
 - thresholds 15
- anthracenes 6–8
- arylethynyl porphyrins 28, 31
- A₄-tetraarylporphyrins 30
- atomic force microscopy (AFM) 75,
 - 189, 190
- attenuated total reflectance-Fourier
 - transform infrared (ATR-FTIR) 219, 226
- azobenzene
 - alkyl chain length of 80–82
 - isomerization 77
 - 3-methyl-4,4'-dialkoxyazobenzenes 76
 - photo-melting of 75
 - polymer film via AFM 75
 - sugar alcohol derivatives
 - chemical structures of 76
 - mixed arms 82–83
 - number of 79–80
 - structure of 83–84
- azobenzene chromophores 5,
 - 102–105, 107, 108, 112, 121
- azobenzenes 5–6, 76, 78, 79, 81,
 - 102–104

b

- benzothiadiazoles (BTDs) 12
- BF₃OEt₂ 54, 55
- biomacromolecules
 - solvent-free bio-liquids 217–226
 - solvent-free liquids 212–217
- biomass treatment 244–245
- bis(1-bromopropoxy)benzene 58
- bis-porphyrins 31–35
- butadiynyl-bridged bis-porphyrins 32

c

- calix[*n*]arenes 53, 55, 60–61, 70
- carbazole 3–5, 130–132, 134
- carbon nanotubes (CNT) 12, 103, 107,
 - 151, 154–156, 171, 175, 202, 261
- circular dichroism (CD) 212
- continuous electrowetting (CEW) 258
- conventional mechanochromism 88,
 - 91, 95
- conventional solid-state OLED
 - 128–130, 137, 143, 147
- conventional solution-processing
 - techniques 2
- conventional spectroscopic tools, FML 17
- core-free corona-cap nanofluid 186
- corroles 34
- covalent organic frameworks (COFs) 40

- cowpea mosaic virus (CPMV) 226, 227, 230
- crown ethers 53, 60, 70
- Cry-Iso phase transition 22, 26, 27, 31, 34
- CuAAC reaction 54, 65, 69, 70
- cucurbit[*n*]urils 53, 60–61
- cyclodextrins 42, 53, 58–60, 70
- d**
- decaimidazolium bromide 58
- decomposition temperature 17, 236
- Dianin's compound 41
- 1,12-diazidedodecane 65
- 1,12-dibromododecane 62–64
- differential scanning calorimetry (DSC) 82
- organic supercooled liquids 89
- porphyrins 22, 23, 26
- diketopyrrolopyrrole (DPP) derivative 91–95
- 1,4-dimethoxybenzene units 54
- direct laser patterning 256
- D-mannitol 82, 84
- DNA–surfactant melts 213, 215
- D-sorbitol 84
- e**
- EGaIn droplet 253, 258
- elastomeric microchannels 261
- electrocapillarity 258, 259
- electrochemical methods 237
- electrochromic DNA-surfactant liquid devices 217
- electroluminescence quantum yield (EQE) 5, 10
- electroluminescent organic materials 129
- electrowetting on dielectric (EWOD) 258
- epoxy coupling with amino nanofluid 198–199
- esterase activity 225
- ethylene glycol dimethacrylate (EGDMA) 191
- Eutectic gallium–indium (EGaIn) 252, 253, 256, 258, 259
- excimeric-fluorescent liquid pyrene 10
- f**
- ferritin 176, 179, 218–220
- fluidic functional quantum dots 161–162
- fluidic graphene/graphene oxide 156–158
- Förster-type energy transfer 132, 140, 144
- functional colloidal fluids 160–161
- functional molecular liquids (FMLs)
- alkylated π -molecular liquids
- anthracenes 6–8
- azobenzenes 5–6
- carbazoles 3–5
- fullerene 12–13
- naphthalenes 6
- π -conjugated oligomers 10–12
- porphyrins 12
- pyrenes 8–10
- alkyl chain engineering 2–3
- alkylsilane chain appended
- π -molecular liquids
- oligofluorene liquids 15
- phthalocyanines 15
- triarylaminines 14
- analytical tools
- calorimetric analysis 17
- fluorescence lifetime 17
- fluorescence measurements 17
- FT-IR 17
- microscopy techniques 16
- rheology 16
- structural analysis 16
- UV-Vis analysis 17
- organic soft materials 1, 2
- functional organic liquids
- advantages 101
- molecular design 101
- photoresponsive π -liquids for
- molecular solar thermal fuels 102–107

g

- Galinstan 252, 254
- gallium-based alloys 252, 253, 255, 261
- graphene oxide epoxy nanocomposites 201

h

- hexamethylene diisocyanate (HMDI) 193, 196–198
- highest occupied molecular orbital (HOMO) 129, 132, 134, 144
- highly emissive supercooled liquids 95–97
- hydrated cholinium
 - dihydrogenphosphate 246
- hydrated ILs 246, 247
- hydrophobic amphiphiles 13, 152
- hydroxyl-nanofluid 198

i

- incoherent neutron scattering (INS) 219
- inorganic nanoparticles
 - fluidic functional quantum dots 161–162
 - functional colloidal fluids 160–161
 - silica nanoparticles 159–160
- ionic liquid (IL)
 - application of
 - biomass treatment 244–245
 - electrolyte solution 243–244
 - proteins and biofuel cell solvents 246–247
 - reaction solvents 243
 - derivatives
 - polymers 241
 - self-assembly technique 239–241
 - zwitterions 239
 - description of 235
 - physico-chemical properties 236, 237
 - preparation of 238–239
 - water functional mixture 241–243
- isothiocyanate nanofluids 192–195

l

- large area flexible microfluidic OLEDs 129, 137–140
- lignin 245
- liquid anthracenes 7, 8
- liquid carbazoles 3, 5, 130–132, 134
- liquid-crystalline (LC) materials 1
- liquid crystalline *trans*-A₂B₂-arylethynyl Porphyrins 31
- liquid fullerenes 13, 22, 152–154
- liquid metals 251–263
- liquid nanocarbons
 - CNTs 154–156
 - graphene 156–158
 - liquid fullerenes 152–154
 - π -surface of 151
 - solvent-free fluid 151
 - synthetic strategies 151–152
 - van der Waals (vdW) forces 151
- lithium hexafluorophosphate (LiPF₆) 224
- lithography-enabled processes 254–255
- lower critical solution temperature (LCST)-type phase transition 242, 243
- lowest unoccupied molecular orbital (LUMO) 129, 135, 144

m

- matrix assisted laser
 - desorption/ionization time-of-flight mass spectroscopy (MALDI-TOF-MS) 83
- mechanically interlocked molecules (MIMs)
 - catenanes 70
 - polycatenanes 70
 - polyrotaxanes 66
 - [2]rotaxane 64
- mechanochromism 88, 91, 95
- memristor 261
- mercaptoacetic acid 162, 175
- mercury 6, 108, 251–252, 256
- metal organic frameworks (MOFs) 40, 42, 48, 49

- methyl tetrahydrophthalic anhydride (MeTHPA) 201
- micro-contact printing 257
- microfluidic OLEDs
 fabrication method 138
 large area flexible 137–140
 multicolor 140–143
 refreshable liquid electroluminescent devices 135–137
 white emission 143–147
- MnSn(OH)₆ thread epoxy nanocomposites 201
- multiwall carbon nanotubes (MWCNTs) 155, 156, 175
- MWCNT polyamide nanocomposites 200
- myoglobin 219, 220, 222–224, 230
- myoglobin liquid 219, 222
- n**
- nanofillers
 graphene oxide epoxy nanocomposites 201
 MnSn(OH)₆ thread epoxy nanocomposites 201
 MWCNT polyamide nanocomposites 200
 nanosilica polyacrylate nanocomposites 199–200
- nanoscale ionic materials (NIMs) 152, 158, 159, 162, 171
- 6-(1)-naphthalene-2-carboxylic acid hexyl ester (BAPTNCE) 3
- naphthalenes 6
- N*-methylfulleropyrrolidine derivatives 153
- non-flammable organic fluids 236
- nuclear magnetic resonance (NMR) 62, 82, 83, 134, 180, 238, 245
- nucleic acid liquids 212–217
- o**
- oligo(ethylene oxide) chains 58, 60
- oligofluorene liquids 15
- Oligo-(*p*-phenyleneethylene)s (OPEs) 11–12
- Oligo-(*p*-phenylenevinylene)s (OPVs) 10–11
- onium hydroxides 245
- organic light emitting diodes (OLEDs) 3
- microfluidic
 fabrication method 138
 large area flexible 137–140
 multicolor 140–143
 refreshable liquid electroluminescent devices 135–137
 white emission 143–147
- organic solid thin films 128
- solvent-free liquid organic light-emitting layer carbazole 130–131
- conventional solid-state OLED 129–130
- electrolyte 132–134
- liquid material issues 134–135
- organic liquid dyes 3
- organic soft materials 1, 2
- organic supercooled liquids
 AIE 95, 96
 DPP8 91, 92, 95
 kinetically trapped metastable state 87, 88
 rapid temperature quenching 87
 research of 87
 stimuli responsive optical properties
 shear-triggered crystallization 88–89
 TFMAQ derivatives 89
- TFMAQ derivatives 90
- p**
- perchloropropene 47
- per-hydroxylated pillar/*n*/arenes 56, 58
- photo-isomerizable compound 76, 94
- photolithography 76, 130, 137, 140, 144, 254
- phthalocyanines 15
- Piers–Rubinsztajn reaction 14
- pillar/*n*/arenes

- host-guest complexation 63
 - host properties of 61–62
 - molecular design
 - bis(1-bromopropoxy)benzene 58
 - calix[*n*]arenes possess 60–61
 - crown ethers 60
 - cucurbit[*n*]urils 61
 - cyclodextrins 58–60
 - melting points 56–61
 - oligo(ethylene oxide) chains 58
 - POSS 58
 - polyrotaxanes 65
 - pseudopolyrotaxanes 67
 - pseudo[2]rotaxane 69
 - [2]rotaxanes 64, 67
 - synthesis and structure of 54–55
 - versatile functionality of 55–56
 - π -conjugated backbones 2
 - π -conjugated oligomers
 - BTDS 12
 - OPEs 11–12
 - OPV 10–11
 - π -expanded porphyrins 21
 - polarized optical microscopy (POM)
 - 16, 22, 108, 158, 213
 - poly(ethylene glycol) (PEG) 45, 46, 155, 212, 213
 - poly(L-lysine) (PLL) 220, 221
 - polydimethylsiloxane (PDMS) 175, 197, 254
 - polyethylene glycol (PEG) chains 45, 162
 - polyhedral oligomeric silsesquioxane (POSS) 58, 160, 170, 175, 179, 181, 202
 - polymerizable zwitterion 239
 - polymerized ILS 239, 241
 - polymers of intrinsic microporosity (PIMs) 41, 49
 - polyoxometalates (POM) 158
 - polyrotaxanes 54, 65, 67, 70
 - polytetrahydrofuran (PolyTHF) 65
 - polyurethane and polyurea coupling, nanofluids
 - air-cured, isothiocyanate 192–195
 - air-cured TDI coupling, amino nanofluid 195–196
 - hydroxyl-nanofluid 198
 - PDMS-amino nanofluids coupling, HMDI 197–198
 - shape memory materials 196–197
 - porous coordination polymers (PCPs) 40
 - porous liquids
 - application for 49
 - porosity
 - in liquids 41–43
 - in solids 40–41
 - solvent-free liquid phases 48–49
 - type 1 43–46
 - type 2 46–48
 - type 3 48
 - porous organic cages (POCs) 41, 44
 - porous organic polymers (POPs) 40–41
 - porphyrins 12
 - bis-porphyrins 31–34
 - complexes vs. free bases 27
 - corroles 34
 - DSC 22, 23, 26
 - isotropisation temperatures 22, 28
 - liquid-crystalline
 - trans*-A₂B₂-arylethynyl Porphyrins 31
 - low-melting *trans*-A₂B₂-arylethynyl porphyrins 28–31
 - meso*-substituted A₄-porphyrins possessing 22, 24
 - POM 22
 - tetrakis(pentafluorophenyl)borate anion 27
 - PPG-di-IPDI 192–194
 - pseudopolyrotaxanes 67
 - pseudo[2]rotaxane 67, 69
 - pyrenes 8–10
- q**
- quantum dots (QDs) 160–162, 171, 175, 261

r

- reactive solvent-free nanofluids 169, 183
- recapillarity 256
- regioisomeric alkylated naphthalenes 6
- Rhizomucor miehei (RML) 225, 226
- roller-ball dispensing 257
- room temperature liquid metals
 - applications of 261–263
 - controlling interfacial tension
 - CEW 258
 - electrocapillarity 258–259
 - EWOD 258
 - gallium-based alloys 252
 - low viscosity 251
 - mercury 251
 - oxide skin, Ga-alloys 252
 - oxide skin removal 252–253
 - patterning techniques
 - additive 256–257
 - injection 255–256
 - lithography-enabled processes 254–255
 - subtractive methods 256
 - thermal and electrical conductivity 251
- [2]rotaxanes 54, 63–65, 67, 70

s

- self-assembled ILs 239–241
- shear-triggered crystallization 88–89, 91–95
- silica nanoparticles 159–160, 181
- SiPNMDD-NPEOPS 185–188, 191, 199
- small and wide angle X-ray scattering (SWAXS) 16
- small angle neutron scattering (SANS) 10, 16, 159
- small-angle X-ray scattering (SAXS)
 - measurements 213
- solvent-free bio-liquids 228–229
- solvent-free fluidic nanocarbons 151
- solvent-free liquids
 - nucleic acid

- electrical applications 215–217
 - fabrication of 212–215
- protein
 - electrochemical applications 222–224
 - enzyme catalysis 224–226
 - fabrication of 217–222
 - viruses 226–228
- solvent-free lysozyme-surfactant liquids 220
- solvent-free nanofluids
 - corona-cap type 176, 181
 - metal oxides 175
 - molecular dynamics (MD) 180, 181
 - nanoparticles surface modification 171
 - NMR analyses of 180
 - reactive 183
 - solid-solid transitions 180
 - structures for 172, 175
 - surface chemical functionality 169, 170
 - syntheses of
 - core-corona-cap nanofluid 184–186
 - core-coronane nanofluid 186–187
 - core-free-corona-cap nanofluid 186
 - types and classes of 170
- UV reactive nanofluids
 - alkyl glycidyl ether functionalized fullerene 187–188
 - atomic force microscopy (AFM) 189
 - fullerene epoxy materials 187
 - THPETA 188, 189
 - 2D layered material 190
 - UV protective coatings 191
 - zero-dimensional systems 175
- sugar alcohol derivatives
 - chemical structures of 76
 - mixed arms 82–83
 - number of azobenzene units 79–80
 - structure of 83–84
- supercharged polypeptides (SUPs) 221, 222, 230

- superconducting quantum interference device (SQUID) measurement 161
- supramolecular ionic liquids (SIL) 170, 171
- surface relief grating (SRG) 75
- t**
- tape transfer printing 257
- tertiary amines 238, 239
- tetrabutylammonium hexafluorophosphate (TBAHFP) 3, 132
- tetrahydroxyethylpentaerythritol tetraacrylate (THPETA) 188, 189
- tetraphenylethene 95, 96
- thermogravimetric analysis (TGA) 17, 27, 218
- thermophile *Thermomyces lanuginosus* 225
- thiol containing ionic liquid (IL) 158
- thiol-functionalized imidazolium-type IL (TFI-IL) 160
- tobacco mosaic virus (TMV) 226
- tolyldiisocyanate (TDI) 195–196
- trans*-A₂B₂-diarylethynyl porphyrins 28
- triaryl amines 14
- trifluoromethylquinoline (TFMAQ) derivatives 89–91
- tris[(1-benzyl-1*H*-1,2,3-triazol-4-yl)methyl]amine (TBTA) 65
- two-photon absorption (2PA) 28, 30–32, 35
- type 1 porous liquids 42, 44, 45
- type 2 porous liquids 42, 46
- type 3 porous liquids 42, 48, 49
- u**
- UV protective coatings 191
- UV reactive nanofluids alkyl glycidyl ether functionalized fullerene 187–188
- atomic force microscopy (AFM) 189
- fullerene epoxy materials 187
- THPETA 188, 189
- 2D layered material 190
- UV protective coatings 191
- v**
- van der Waals (vdW) forces 151
- van der Waals (vdW) interactions 3, 26, 108, 120, 228
- w**
- white OLEDs 144, 147
- z**
- zwitterions 239–241, 244

