

Index

a

absorbing-film assisted laser-induced forward transfer (AFA-LIFT) 66, 351
absorption efficiency 243
acousto-optical modulator (AOM) 382
active-matrix OLED (AMOLED)
 displays 7
 prototype devices 30
additive manufacturing 266
Alexa 594 labeled lambda phage DNA 310
amperometric biosensor 311
amyloid peptides 337, 338
avidin 334

b

BA-LIFT *see* blister-actuated laser-induced forward transfer (BA-LIFT)
ballistic laser-assisted solid transfer (BLAST) 177–179
bio-electronic nose 339
Biological Laser Printing (BioLP) 66, 351
BioLP process 357
biomicrodevices 329
bioprinting 349
biosensors 299
blade coating 23, 129–130
blister-actuated laser-induced forward transfer (BA-LIFT) 66, 92
blister formation

dynamics 97–102
finite element modeling 102–105
cavitation bubble collapse 96
delicate materials 113–117
experimental setup 92
jet formation 92
jet formation and expansion
 computational fluid dynamics model 106–108
 ink film properties 111–113
 laser energy 108–111
laser absorption 96
liquid ejection 95
liquid jets 97
mechanism 92
penetration or absorption depth 94
polyimide 93
polymer laser-absorbing layer 93
pump-probe imaging 94
solvent orthogonality 93
thick polymer layer 92
time-resolved imaging 92
vapor cavity 96
blister formation
 dynamics 97–102
 finite element modeling 102–105
 boundary deformation function 244
 domain perturbation method 239–40, 239–40
 kinetic energy 242, 243
 velocity components 240, 241
“blow-off time” 166

c

cancer research 359
 capacitive DNA biosensor 310
 CdSe(CdS) nanoquantum dots 285
 cell printing 350
 centripetal acceleration 37
 chalcogenide thin films 189–190
 chemical and biological sensors
 applications 316
 background of biosensors 308
 carbon nanotubes 318
 electrospray deposition 304, 305
 inkjet printing technique 304
 laser-Induced forward transfer (LIFT) 305, 307
 LIFT of liquid films 307, 308
 microcontact printing 302
 nano-tip printing technique 303
 photochemistry-based printing 303
 pin printing approach 301, 302
 polyepichlorohydrin (PECH)
 polymer/carbon 318
 printing of biological materials 309, 316
 chemoresistor gas sensors 318
 colorimetric enzyme linked
 immunosorbent assay (ELISA) 337
 congruent LIFT, *see* laser decal transfer (LDT)
 contact printing methods
 microcontact printing 302
 nano-tip printing technique 303
 pin printing approach 301, 302
 coplanar waveguide (CPW) 239
 cytoscribing 350

d

digital micromirror device (DMD) 176, 235, 236
 advantages 181
 experimental setup 182
 pattern 181
 polymer films 181
 digital printing 376

dip coating 23, 129, 130
 diPhAc-3T (Bis(2-phenylethynyl end-substituted terthiophene) 276
 dip-pen lithography 303
 direct-matrix absorption (DMA) 92
 direct patterning methods 330
 “direct-write” approaches 27
 dispensing or soaking techniques 330
 distyryl-quaterthiophene (DS4T) 276
 DMD-based pulse shaping, LIBT 195
 “8–17” DNAzyme 313
 doctor blading, *see* blade coating
 dot-blotting 330
 drawdown rods method 23
 droplet mode deposition
 contact and non-contact configurations 160
 copper droplets 162
 donor film 161
 droplet velocity 163
 femtosecond excimer LIFT 160
 jet instability 162
 jetting phenomena 163
 liquid jets 67, 163
 mechanism 69, 163
 microscale 3D printing 163
 multiple droplets per laser pulse 162
 nanosecond LIFT of aluminum 161
 printing lines 78–81
 transfer droplet 69, 72, 161
 dynamic release layer (DRL) 24, 92, 306, 331
 advantage 124
 explosive polymers 124
 laser absorption 124
 trace material 124
 dynamics process 431
 lase-and-place 432–435
 laser transparent carrier tapes 431
 polyimide blistering layer 432
 silicon substrates 431
 thermo-mechanical selective
 laser-assisted die transfer 431

e

electrical resistivity 164
 electrochemical biosensors 300

electron lithography 254
 electrospray deposition 304, 305
 energy harvesting 286
 chalco-genide thin films 189–190
 thermoelectric generator 190–193
 enzyme linked immunosorbent assay
 315
 explosive polymers 124

f

femtosecond laser
 printing 251
 system 178, 180
 FF-LIFT, *see* film-free LIFT (FF-LIFT)
 film-formation methods 23
 film-free laser printing (FF-LP)
 technique 5, 67
 film-free LIFT (FF-LIFT) 125
 applications 140
 micro-optical elements fabrication
 140
 printing biomaterials 139–140
 forward (inverted) *vs.* backward
 (upright) systems 137
 fundamentals of
 cavitation-induced phenomena
 131–132
 jet formation 132–133
 vs. LIFT 134
 implementation and optical
 considerations
 forward (inverted) *vs.* backward
 (upright) systems 136–137
 laser source 135–136
 spherical aberration and chromatic
 dispersion 137–138
 jet formation 132–134
 vs. LIFT 135
 micro-optical elements fabrication
 141
 receiver substrate 130–131
 spherical aberration and chromatic
 dispersion 137–138
 thin liquid film preparation
 blade coating 129, 130
 dip coating 129, 130

external instabilities 125–126,
 128–129
 rheological parameters 126
 spin coating 129, 130
 spontaneous instabilities 125,
 126–128
 traditional LIFT 123, 124
 transparent liquids 124, 125
 finite-element analysis software 187
 finite element modeling 102–105
 flexography 271
 flip-chip technology 289
 fluence threshold value 178
 fluids 63
 ejection and deposition
 droplet deposition 69–71
 jet formation 67–69
 printing continuous patterns 78
 printing droplets
 fluid properties 76, 77
 laser parameters 69, 72–75
 setup parameters 76–78
 printing lines 78–81
 fluorescently tagged complementary
 proteins 27
 focussed ion beam (FIB) 180, 416
 Fresnel diffraction 178
 fs-LIFT technique 25
 fully polymeric OTFT devices 279
 functional release layer (FRL) 240

g

Gaussian/‘top-hat’ spatial intensity
 beam profile 181
 gentle hydration method 340
 gravure printing 271

h

horizontally-aligned grain boundaries
 416
 horseradish peroxidase (HRP) 335
 hybrid circuits 427
 hydrodynamic process 253
 hydrogen-assisted laser-induced
 forward transfer
 (HA-LIFT) 28

i

immunoglobulin (IgG) microarrays
312
inclined pillars 420
inkjet printing 38, 304, 330, 350
intact polymer molecules 8
interconnection and heterogeneous
integration 287, 288, 290
interdigitized electrodes 289
interference effects 177
isotropic conductive adhesive (ICA)
289

j

jet-and spray-ejection regime 409
jet formation dynamics 67, 201
experimental set up 201
Newtonian glycerol solutions
experimental design 202
fluid properties and laser fluence
204, 205
jettability phase diagram 206–208
typical jetting regimes 202, 203
viscoelastic alginate solutions
alginate concentration effects
214, 216
experimental design 208, 209
ink coating preparation 208
jettability phase diagram 215, 217
laser fluence effects 212, 215
material properties 209
non-dimensional numbers 209
typical jetting regimes 209, 210
jet formation mechanism 67, 96, 200
jet morphology 200
JetXpert imaging system 202

l

large area, high throughput LIFT/LIBT
inline R2R-printing system
387, 388
lase-and-place 428, 432–435, 440
laser ablation transfer (LAT) 7, 24, 306
laser-assisted bioprinting (LAB) 66
blood vessels 362
bone 365, 367
cancer research 359

effect of laser process and printing
parameters 356, 358
heart 364, 365
history of cell bioprinting 349, 354
nervous system 367, 368
skin 360, 362
technical specifications 353, 356
laser-based non-lithographic processes
428
laser-based printing/marketing process
6
laser decal transfer (LDT) 66, 228
arrays 233
high viscosity donor material 234
thicker and thinner voxels 233
absorption efficiency 243
congruent laser transfer 244, 245
CPW 239
DMD 235–237
edge acuity 232
EDX analysis 239
fabricated LDT features 241
FRL 240
high-aspect 3D stacks and
freestanding structures 234
intrinsic and engineered
characteristics 230
laser system and experimental setup
229
low-viscosity Ag ink *vs.* high-viscosity
Ag nanopaste 242
mechanical stability 239
multi-layered stack 240, 241
operating parameters 245
OTFT 241
potential applications and functional
properties 235
properties 229
quantitative study 243
self-supporting feature 239
SRR 239
steep sidewalls 239
three complex interconnect patterns
237–239
threshold fluence 243
voxel separation mechanism 243
voxels transfer 229

- laser direct-write (LDW)
 process 228
 techniques 235, 299
 laser forward transfer process 6
 laser-guided direct writing (LGDW)
 351
 laser-induced backward transfer (LIBT)
 5, 252
 beam-shaping 183
 experimental setup 194
 nanoimprinting approach 194
 structured carrier substrate 195
 transparent carrier 193
 transparent receiver and transparent
 donor 193
 unstructured carrier substrate
 195
 laser-induced cavitation bubble 5
 laser induced forward transfer (LIFT)
 3, 17, 252, 305, 307
 advantages 20, 343
 amyloid peptides 337, 338
 composite-matrix-based materials
 27
 of DNA in solid and liquid phase
 332, 333
 donor substrate 22–23
 DRL 24
 early work 17–19
 film-free laser printing 5
 fluids, *see* fluids
 HA-LIFT 28
 limitations 22
 liposomes 340, 343
 liquid donor films 5
 LITI 30–31
 LMI 29
 LP-LIFT 28, 29
 MAPLE-DW 27
 material transfer 19, 21, 22
 of metals, *see* metals
 odorant binding proteins 339
 principle of operation 4, 5
 printable inks 5
 repairing damaged photomasks 19
 soft materials, *see* soft materials
 solid donor films 4
 solid films (ceramics and polymers),
 see solid films (ceramics and
 polymers)
 steps 20
 streptavidin and avidin-biotin
 complex 333, 337
 ultra-short laser pulses 25–26
 viscosity and size of particles 5
 laser-induced molecular implantation
 technique (LIMIT) 8, 29
 laser-induced patternwise sublimation
 (LIPS) 7
 laser induced thermal imaging (LITI)
 7, 30
 laser induced transfer process
 technique, *see* laser induced
 forward transfer (LIFT)
 technique
 laser-induced transfer technology (LIT)
 gold nanoparticles 252
 hydrodynamic process 253
 LIBT 252
 LIFT 252
 laser molecular implantation (LMI) 8,
 29
 laser pressure catapulting (LPC) 8
 laser printing 3
 additive manufacturing method 266
 bulk-silicon and silicon films
 beam modification 256
 computer-based image evaluation
 256
 femtosecond laser printing 258,
 259
 laser pulse energy 260
 layer thickness 260
 nanoparticle scattering properties
 261
 nanoparticles fabrication 260
 normalized size distributions
 256
 processing steps 254
 ring-shaped intensity distribution
 256
 ring shaped laser beam profile
 256
 scattering spectrum 261

- laser printing (*contd.*)
 - silicon wafer 254
 - SOI 259
 - of conducting layers 279
 - of dielectric layers 277–279
 - metasurfaces 263
 - multi-stage process 264
 - nanoparticles 254
 - pre-structured films 261–263
 - ribbon 199
 - of semiconductor layer 275–277
 - spherical nanoparticles 251, 263
 - ultraflat optical element 263
- Lasersonic® LIFT
 - continuous wave laser source and fast modulation 397–399
 - data flow 385
 - digital printing market expectations and challenges 377–378
 - future directions 401
 - history of 376–377
 - inking units 390–392
 - large area, high throughput
 - LIFT/LIBT inline R2R-printing system 387, 388
 - print experiments and results 392–397
 - printing heads 388–390
 - special printing markets 378
 - special test pattern 399–401
 - synthetic approaches 392
 - time schemes 383–385
 - transparent inks 379–382
 - ultrafast pulse modulation 382–383
 - ultrafast scan 385–387
- laser transfer, structures and functioning devices
 - chemically/plasma driven traditional etching techniques 435
 - dynamics process *see* dynamics process
 - early demonstrations 428–430
 - electronic systems 438
 - embedded electronics 437–438
 - flexible circuits 439
 - hybrid circuits 439
- individual or multiple components 435
- metal foils 436–437
- patterned thin films 436
- pick-and-place tools 440
- self-assembly techniques 436
- lase-and-place 428, 432–435, 437, 440
- laser transfer universe 5–8
- laser writing (LW) 331
- LDT, *see* laser decal transfer (LDT)
- LIFT, *see* laser induced forward transfer (LIFT)
 - LIFT of liquid films 307, 308
 - LIFT of 3D metal structures
 - adhesion 407
 - characteristics 407
 - definition of 3D structures 405
 - demonstrators and potential applications 420–422
 - droplet impact and solidification 411–413
 - ejection phenomena 407
 - ejection regimes of pure metal picosecond 408–411
 - electrical properties 418–420
 - inclined pillars 420
 - mechanical properties 417–418
 - metal LIFT printed pillars 407
 - metallurgical microstructure 416–417
 - copper pillars 415
 - pulse duration and spot size 407
 - reproducibility 414
 - schematic representation of LIFT 406
 - solidification phenomena 406
 - surface roughness 406
 - thermally induced nozzle 408
 - transfer threshold fluence 407
 - LIFT printed copper pillar 417
 - LIFT-printed OTFT 276
 - light-to heat-conversion (LTHC) 30
 - liposomes 340, 343
 - long-pulsed LIFT (LP-LIFT) 28

m

mass printing technologies 271
 material laser recording (MLR) 331
 MatrigelTM 362
 matrix-assisted pulsed laser evaporation (MAPLE) 38
 matrix-assisted pulsed laser evaporation direct write (MAPLE DW) 27, 39, 318, 333, 351
 metals 149
 numerical modeling of LIFT for
 metals 165–167
 applications 150
 beam pattern 149
 deposited structures 163–165
 deposition 150
 droplet mode deposition
 contact and non-contact
 configurations 160
 copper droplets 162
 donor film 161, 162
 droplet velocity 163
 fs excimer LIFT 160
 jet instability 162
 jetting phenomena 163
 liquid jets 163
 mechanism 163
 microscale 3D printing 163
 multiple droplets per laser pulse 162
 nanosecond LIFT of aluminum 161
 transfer droplet 161, 162
 feature characteristics 149
 metal films 149
 parametric effects
 donor-film gap spacing 156, 157
 laser fluence and film thickness 154–156
 pulse width 157–160
 resolution 150
 single-step process 150
 thermal processes 151–153
 time scale and fluence 167–169
 transfer 150
 microbatteries 286

micro-contact printing (μ CP) 302, 330
 microelectromechanical systems (MEMS) 239
 microfluidic patterning 330
 microscale 3D printing 163
 Mie theory 261, 263
 mobility (μ) 273
 multilevel computer-generated holographic structure 25

n

nanocrystal quantum dots (NCQDs) 46
 nano-hydroxyapatite (nHA) 367
 nanoimprinting approach 194
 nanolasers 251
 nanomaterial enabled laser transfer (NELT) 8
 nanoparticles 251
 laser printing 254
 printing process 251
 nano-tip printing technique 303
 nervous system 367
 Newtonian glycerol solutions
 experimental design 202
 fluid properties and laser fluence 204, 205
 jettability phase diagram 206–208
 typical jetting regimes 202, 203
 nickel-chrome (NiCr) resistors 285
 non-contact digital technology 38
 non-contact printing methods
 electrospray deposition 304, 305
 inkjet printing technique 304
 photochemistry-based printing 303

o

odorant binding proteins (OBPs) 339
 one-dimensional thermal model 155
 on/off current ratio (I_{on}/I_{off}) 274, 275
 optical chemical sensor 300
 organic electronic devices 7
 organic light-emitting diodes (OLEDs) 7, 30, 281, 282, 285
 TP-LIFT 47–49

- organic thin film transistor (OTFT)
241
laser printing of conducting layers
279
laser printing of dielectric layers
277–279
laser printing of semiconductor layer
275–277
operation and characteristics 272,
273, 275
single step printing 279, 280
organ printing 350
- p**
passive components 285, 287
photochemistry-based printing 303
photoinduced decomposition 21
photolithography 123
pin printing approach 301, 302
platinum and gold inclined pillars 422
pluming/splashing regime 202, 203
poly(butyl methacrylate) (PBMA) 8
poly(3,4-ethylenedioxythiophene)
polystyrene sulphonate
(PEDOT:PSS) 48
poly(ethyl methacrylate) (PEMA) 8
poly-3-hexylthiophene (P3HT)
semiconductor material 277
polyimide blistering layer 432
polymer laser-absorbing layer 93
polymer sacrificial layer 432
poly[2-methoxy-5-(2-ethylhexyloxy)-
1,4-phenylenevinylene]
(MEH-PPV) 281
poly(methylmethacrylate) (PMMA)
181
polymethyl methacrylate polymer layer
44
polyvinyl butyral (PVB) inks 396
power-law relaxation time model
208
pulsed laser deposition (PLD) 38
pump-probe imaging 94
- q**
quantum dot-based light emitting
diodes 285
- r**
Rayleigh–Plateau instability 96
reactive ion etching 254
reactive LIFT (rLIFT) 52–54
red-green-blue PFO pixel transfer 282
robotic micro-needle array fabrication
330
- s**
satellites 410
SAW biosensor arrays 339
“Scotch tape” test 164
screen printing 271
Seebeck coefficient 192
selective laser melting (SLM) 423
sequential laser printing 283
shadowgraphy studies 42, 45,
184, 288
ceramic thin films 184–186
compliant receivers 186–188
silicon-on-insulator (SOI) 259
silver split-ring resonators (SRR) 239
single step printing, OTFT device 279,
280
slot-die approach 23
soft materials 199
jet formation, *see* jet formation
dynamics
jet formation mechanism 200
jet morphology 200
jet velocity 200
laser printing applications 218, 219
multilayer hydrogel-cell planar
structure 201
sol–gel technique 301
solid films (ceramics and polymers)
175
energy harvesting
chalcogenide thin films 189–190

- micro-scale thermoelectric generator 188
- thermoelectric generator 190–193
- laser pulse interference-assisted LIFT
 - BLAST 177–179
 - standing wave interference from multiple layers 176–177
- LIBT
 - experimental setup 194
 - ion beam milling/UV beam machining 194
 - nanoimprinting approach 194
 - structured carrier substrate 195
 - transparent carrier 193
 - transparent receiver and transparent donor 193
 - unstructured carrier substrate 195
- polymer films, 181–183
- pre-machined ceramic micro-discs, LIFT printing of 180–181
- shadowgraphy studies
 - ceramic thin films 184–186
 - compliant receivers 186–188
- solvent orthogonality 93
- spatial light modulator (SLM) 235
- spin coating 23, 37, 129, 130
- spray coating technology 38
- streptavidin 334
 - and avidin-biotin complex 333, 337
- stroboscopic imaging techniques 432
- surface acoustic waves (SAW)
 - biosensors 311
 - chemical sensors 318
- surface tension 256

- t**
- tert-butyl acrylate (TBA) 49
- thermoelectric generator 190–193
- thermo-mechanical selective laser-assisted die transfer 431
- thin-film transistor-liquid crystal displays (TFT-LCD) 228
- 3D structures 405
- through silicon vias (TSVs) 420
- time-resolved imaging of jet formation 67–69
- time-resolved imaging of droplet deposition 69–71
- tissue engineering
 - blood vessels 362
 - bone 365, 367
 - heart 364, 365
 - nervous system 368
 - skin 360, 362
- traditionally packaged electronic components 427
- triazene DRL-LIFT 285
- triazene polymers (TP) 331
 - chemical structure 40, 41
 - front and back side ablation 41–42
 - higher ablation rates 41
- LIFT
 - application 46
 - aryltriazene photopolymers 44
 - biomembrane model system 45
 - materials 44
 - OLEDs, 47–49
 - polystyrene microbeads 45
 - sensors, 49–52
 - PS-microbead pixel 46
 - UV-vis absorption spectrum 41
- tri-color pixels 283
- two-dimensional thermal model 166
- two-temperature model 166

- u**
- ultra flat lens 264
- ultra-short laser pulses 25–26
- UV photolysis 150

V

- viscoelastic alginate solutions
 - alginate concentration effects 214, 216
 - experimental design 208, 209
 - ink coating preparation 208
 - jettability phase diagram 215, 217
 - laser fluence effects 212, 215

material properties 209

non-dimensional numbers 209

typical jetting regimes 209, 210

voxel separation mechanism 243

W

Wenzel wetting 71

wild-type OBP from bovine (wtbOBP) 339