

Index

a

- AB+CD mechanism 381, 382
- acrylamide copolymer
 CuBr/Me₆Tren disproportionation technique 427–429
- acrylamides 161, 167, 168, 175, 239, 242, 243, 257, 263, 303, 310, 312, 313, 314, 322, 338, 385, 388, 391, 418, 420, 422, 426–429, 486, 487
- N*-allylacrylamide 168, 486, 487
- N*-isopropyl acrylamide 239, 242, 243, 263, 303, 310, 312, 314, 322
- acrylates 13, 162, 173, 235, 238, 239, 241, 242, 257, 265, 266, 270, 271, 287, 303, 310, 312, 313, 342, 354–357, 391, 393, 418, 420, 424, 427, 448, 453, 457
- diethylene glycol ethyl ether acrylate 242
- 2-(dimethylamino)ethyl acrylate 312
- ethyl acrylate 354, 355, 457
- glycidyl acrylate 235
- hydroxyethyl acrylate 241, 448
- hexafluoroisopropyl acrylate 303
- isobornyl acrylate 393
- mannose acrylate 239, 242
- methyl acrylate 173, 303, 304, 312, 342, 356, 357
- n*-butyl acrylate 239, 245
- octyl acrylate 448
- oligo(ethylene)glycol methyl ether acrylate 239
- phenyl acrylate 287
- propargyl acrylate 235
- t*-butyl acrylate 173, 312
- 2,2,2-trifluoroethyl acrylate 313
- activators regenerated by electron transfer (ARGET) 10
- acyclic diene metathesis (ADMET) 10, 11, 352, 272, 455
 polymerization 352–355
- alkyl dibromide monomers 356
- $\alpha\omega$ -azido, α -alkynyl oligomomers 359
- α -peptoids 187
- alternating copolymerization 12, 259–261, 290–292, 296–299, 342
- alternating copolymers 1, 4–6, 12, 31, 261, 270, 282, 289, 291, 317, 334–346, 452, 453
- amine-thiolactone-ene reaction sequence 395
- aminoacyl-tRNA synthetase (AARS) 59
- amphiphilic diblock copolypeptoids 207–209
- amphiphilic graft copolymers 393
- amphiphilicity 238–242
- amphiphilic, lipid-like peptoids 209
- anethole 330
- 1,5-anhydrohexitol 55, 57
- anionic polymerization 2, 10, 11, 282–289, 314, 332, 338, 418
- antimicrobial and antifouling peptoids 206
- antimicrobial peptides (AMPs) 138
- aperiodic copolymers 6, 13

- apionucleic acid 55
- arabinose 55, 56
- atom transfer radical addition (ATRA) 263, 272, 356, 357
- atom transfer radical coupling (ATRC) 355
- atom transfer radical polymerization (ATRP) 10, 165, 237, 243, 263, 268, 300, 301, 304, 307, 419
- b**
- backbone-modified nucleic acids 50–52
- benzaldehydes (BzAs) 290, 334
- benzene-1,3,5-tricarboxamide (BTA) 445
- 5,6-benzo-2-methylene-1,3-dioxepane (BMDO) monomer 239
- Bernoulli and first-order Markov chains 34
- β^2 - or β^3 -amino acids 138
- β -lactams 140
- β -methylstyrenes monomers 261
- β^3 -peptide 60, 187
- bifunctional XY monomer 11, 13
- Biginelli three-component reaction (Biginelli-3CR) 369
- bioactive poly-electrolyte nanogels 256
- bioactive scaffolds 107
- bioconjugate 122, 129
- biodegradable poly(lactic-co-glycolic acid)s (PLGAs) 357
- bio-inspired approaches 8–9, 105
- bioinspired protein polymers 95, 107
- biomimetics 485–490
- biopanning process 126
- biopolymers, sequence regulation
 - nucleic acids 7
 - proteins 7–8
- block composition 446–449
- block copolymers 1, 5, 6, 12, 17, 183, 190, 235, 238, 242, 259, 285, 302, 328, 331, 391, 444, 454, 482
- block dispersity 446
- block frequency 446–449
- boranophosphate-linked DNA/RNA 51
- bulk-phase properties
 - block composition 446–449
 - block dispersity 446
 - block frequency 446–449
 - complex sequences
 - PDLGA-50 461
 - PLGAs 458
 - poly GLC vs. poly LGC 460
 - poly LG 461
 - sequenced oligomers 461, 463
 - monomer distribution
 - alternating vs. random 453–454
 - gradient copolymers 454
 - tacticity 449–452
 - precision placement monomers 454–458
 - side-chain sequence 458
- 1,3-butadiene 354
- c**
- C⁶⁰-end-capped thermosensitive polymers 333
- carbon-chain periodic polymers
 - acyclic diene metathesis polymerization 352–355
 - atom transfer radical addition 356–357
 - atom transfer radical coupling 355
 - C(sp³)-C(sp³) coupling 355–356
 - controlled/living radical polymerizations 352
 - living/controlled radical polymerization 352
 - multi-block vinyl copolymers 352
 - periodic vinyl copolymers 352
 - polar monomers 352
 - polyolefins 352
 - selective monomer addition 352
- carbon-halogen bond 266
- catalytically active phages 129
- cationic polymerization 2, 10, 11, 261, 263, 268, 289–290, 311, 327–345
 - β -proton elimination 327
 - initiating systems 327
 - living polymerization 327

- chain-growth polymerizations 2–4,
 9–13, 138, 160, 234, 237,
 249–251, 257–279, 281–325
 atom transfer radical polymerization
 (ATRP) 10, 165, 237, 243, 263,
 268, 300, 301, 304, 307, 419
 anionic polymerization 2, 10, 11,
 282–289, 314, 332, 338, 418
 cationic polymerization 2, 10, 11,
 261, 263, 268, 289–290, 311,
 327–345
 copolymerization 4
 cyclopolymerization 270–272
 living polymerizations 12
 nitroxide mediated polymerization
 (NMP) 10, 259, 300, 301, 484
 reversible addition fragmentation
 chain transfer (RAFT) 10, 237,
 239–241, 243–246, 261, 263, 265,
 266, 271, 300–305, 309–312, 314,
 328, 330–332, 419, 427
 ring-opening metathesis
 polymerization (ROMP) 10,
 140, 186, 258
 chaperone proteins 100
cis-cyclooctene 296
 click reactions
 copper(I)-catalyzed azide/alkyne
 cycloaddition 10, 11, 173, 314,
 357, 359, 366, 380–386
 Diels–Alder reactions 395–400
 metal-free protocols 380
 thiol-ene chemistry 11, 166, 168,
 175, 231, 242, 249, 357, 359–361,
 366, 385–397
 thiolactone chemistry 164, 239, 364,
 369, 385–397, 400
 thiol-yne chemistry 249, 357, 361,
 362
 collision-induced dissociation (CID)
 481
 combinatorial library synthesis 197
 combinatorial peptide-libraries 134
 concatemerization 96, 97
 conditional sequence disorder 35
 conditions for growth/dissolution
 31–32
 conjugated 1,3-butadiene 284
 coordination polymerization 315–316
 copolymerization
 β -methylstyrene monomer 261
 maleimide 259
 monomers 261
 NMP 259
 RAFT 261
 copolymer properties 437
 copper(I)-catalyzed azide-alkyne
 cycloaddition (CuAAC) 10, 11,
 173, 314, 357, 359, 366, 380–386
 cross-linked ethoxyacrylate (CLEAR)
 162
 cross-linked polystyrene-based resins
 120
 CuBr/Me₆Tren disproportionation
 technique 427–429
 Cu(0)-wire mediated RDRP approach
 acrylic synthesis 423
 polymerization 423
 star polymers 421, 422
 technique 422
 uses 422
 cyclic acetals 344
 cyclic diene, 3-methylenecyclopentene
 330
 cyclic diene monomers 330
 cyclic peptoids 205
 cyclohexenyl nucleic acid (CeNA) 55,
 57
 cyclopentadiene 330
 cyclopeptides 135
 cyclopolymerization 270–272
d
 data storage 4, 17, 380, 401, 439, 490
 decablock copolymers 287, 424
 depolymerization 35
 3'-deoxyribose 55, 56
 diacid macromonomer 366
 diaminoacids 135
 dibenzocyclooctyne (DIBO) 175
 diblock copolymers 12, 15, 187, 204,
 207, 209, 214, 246, 248, 282, 285,
 287, 302–303, 316, 331–333, 336,
 454, 455, 483

- Diels–Alder reactions 395–400
- digital polymers 17, 380
- dimethyl(4-(1-phenylvinyl)phenyl)silane (DPE-SiH) 283
- 1,1-diphenylethylene (DPE) 282, 283
- diphenyl phosphorazidate (DPPA) 173
- 5,6-disubstituted cyclooctene 294
- DNA 1, 7, 8, 15, 17, 19, 27, 29, 45, 49–91, 93, 94, 96–100, 105, 122, 134, 164, 169, 186, 206, 245, 257, 282, 362, 380, 417, 435, 439, 441, 443, 445, 465, 490 *see also* nucleic acids
- DNA polymerases 7, 49–57, 71
- DNA-templated synthesis 2, 9, 49–90, 169 *see also* nucleic-acid templated synthesis
- D-peptide 60
- dynamic covalent (pseudo)peptide libraries 136
- dynamic light scattering (DLS) 443
- e**
- elastin-and fibril-mimic polymers 359
- elastin-like polypeptides (ELPs) 94
- electron-rich monomer styrene 355
- electrospray mass spectrometry 266, 400, 481
- end-functionalized polymers 333
- enzymatic templated syntheses
backbone-modified 50–52
nucleobase-modified 52–54
sugar-modified 54
- enzyme(s) 3, 7, 30, 50–58, 98–103, 129, 134, 168, 183, 230, 326, 380, 437
- enzyme-free methods 8–9, 50, 61–71, 169 *see also* nonenzymatic polymerizations
- enzyme-free translation 72
- f**
- flexible nucleic acid 55, 57
- 2'-fluoroarabinose 55, 56
- 9-fluorenylmethoxycarbonyl (Fmoc) 118
- fluorous solid-phase extraction (FSPE) 122, 167
- fluorous tags 168
- Fmoc-based SPPS protocols 119
- free copolymerization 34–35
- free enthalpy of reaction 34
- free-energy driving force 35
- free-floating peptoid nanosheets 211–214
- free living copolymerization 31
- functional allyl acrylamides 386
- functionalized triblock terpolymer 286
- functional maleimide 382
- g**
- γ -substituted-*N*-acylated-*N*-aminoethyl amino acids 138
- glucose functionalised (co)polymers 243
- glycerol nucleic acids (GNAs) 67
- glycine-glycine dipeptide 118
- glycocluster effect 229
- glyconanotechnology 229
- glycopolymer(s)
amphiphiles 238
chain growth polymerizations 249
coated nano-phthalocyanine 257
glycopolymer–lectin binding 229–230
- pH-responsive self-assemblies 243–245
- repeat unit folding 249–251
- selective point folding 249
- self-assembly based on amphiphilicity 238–242
- self-assembly based on electrostatic interactions 245–248
- sequence-control via orthogonal reactions 237–238
- sequence-control via time-regulated additions 234–235
- sequence control via time-regulated chain extensions 235–237
- sequence-defined glycooligomers 231–234
- solid-phase glycopolymer synthesis 249

- temperature-triggered self-assemblies 242–243
 - glycopolymer-based nanoparticles 239
 - glycopolymer–lectin binding 229–230
 - gradient copolymers 6, 12, 31, 241, 283, 314, 332, 438, 454
 - group transfer reaction 170
- h**
- heptablock copolymers 287, 448
 - heterobifunctional monomers 159, 170
 - hetero-chain periodic polymers
 - multi-component polymerizations 364–369
 - one-pot sequential monomer addition and polymerization 364
 - polyaddition via click reactions 359–362
 - polycondensation 357–359
 - radical addition–coupling polymerization 362–363
 - hetero-telechelic sequence-controlled oligomers 359
 - heterotelechelic α -alkyne 383
 - higher molecular weight multiblocks 424, 425
 - higher MW peptoid polymers 187
 - homomultivalent glycooligomers 231
 - homomultivalent sugar containing polymers 230
 - homopolypeptides 93
 - host-defense peptides (HDPs) 138
 - Huisgen cycloaddition 240 *see also* copper(I)-catalyzed azide/alkyne cycloaddition
 - hybrid/heterochain copolymers 350
 - hydrogenolysis 173
 - hydrophilic/hydrophobic patterned oligoesters 389
- i**
- information-containing
 - macromolecules 2, 5, 6, 14, 15, 27, 485, 490
 - initiators for continuous activator regeneration (ICAR) 10
 - ionic diblock nanosheets 209–211
 - irregular copolymer 6
 - isoeugenol 330
 - iterative synthesis 2, 3, 10, 13, 14, 27, 30, 31, 159–181, 187, 189, 190, 262–266, 309–312, 317, 380, 385, 391, 398, 485, 488, 495 *see also* multi-step growth synthesis
 - iterative exponential growth (IEG+)
 - method 13, 173, 186, 381
- j**
- JandaJel resins 161
- k**
- kinetics yielding Bernoulli chains 36
 - kinetics yielding Markov chains 36–40
 - kinetics yielding non-Markovian chains 40
 - K48-tetraubiquitin 120
- l**
- lactide monomers 451
 - ligase-catalyzed synthesis 58
 - light mediated copper polymerization
 - acrylic protocol 426
 - attributes 426
 - technique 426
 - linear-dendritic polymers 329
 - linear polypeptoids 189
 - 3'-5'-linked phosphoramidate DNA 64
 - lipidated peptoids 206
 - lipid-like peptoids 210
 - Lipofectamine[®] 206
 - Lipofectin[®] 206
 - liquid phase peptide synthesis (LPPS)
 - strategies 118
 - liquid phase synthesis
 - [AB]+[CD] monomers 165, 166
 - advantages of 165
 - heterogeneous reaction 164
 - oligonucleotides 164
 - oligoTEAs 168
 - P-3CR 166

- living cationic polymerization 327
 base-assisting living systems with
 various metal halides 329
 design of initiating systems 328–329
 monomers 330–331
 sequence-regulated functional
 polymers *see* sequence-regulated
 functional polymers
 vinyl and cyclic monomers *see* vinyl
 and cyclic monomers
- lower critical solution temperature
 (LCST) 427
- lyotropic liquid crystals 438
- m**
- macrocycle ring 170
- macrocyclic compounds 294–295
- maleic anhydride 11, 259, 301–304
- mannose 231
- mass spectrometry (MS) 15, 27, 163,
 165, 197–198, 284, 336, 400, 419,
 435, 439, 479–504
- matrix-assisted laser desorption/
 ionization (MALDI) 198, 261,
 284, 305, 354, 419, 481, 484, 488,
 498
- m*-dimethylstyrene (*m*-DMSSty) 483
- mechanical power of sequence disorder
 43–44
- meso-lactide 291
- messenger RNA (mRNA) 7, 8, 50, 59,
 60, 91, 100, 105
- methionine functionalization 102
- 1-methoxy-2-methylpropylene oxide
 (MOMPO) 344
- methacrylamides 246
- methacrylates 40, 128, 138, 240–242,
 257, 266, 268–270, 304, 311, 313,
 314, 328, 331, 335, 338, 355, 364,
 369, 394, 422, 426, 452–454, 483,
 491
 adamantyl methacrylate 266
 aminoethyl methacrylate 138
 butyl methacrylate 138, 304
 2-(diethylamino)ethyl methacrylate
 243
 2-gluconamidoethyl methacrylate
 243
 2-hydroxyethyl methacrylate 311
 lauryl methacrylate 240
 methyl methacrylate 40, 268, 304,
 313, 331, 338, 355
 poly(diethyleneglycol methacrylate)
 242
 poly(ethyleneglycol) methacrylate
 335, 454
 propargyl methacrylate 369
 2,2,2-trifluoroethyl methacrylate
 241
- 3-methylenecyclopentene 330
- methylphosphonate-linked DNA 51
- microstructure 6, 12, 15, 124, 234, 259,
 290, 300, 307, 350, 352, 354, 359,
 372, 436, 458, 465 *see also*
 primary structure
- miktoarm polymers 241
- 2'-modified ribose moieties 54, 55
- molecular machine 2, 9, 170 *see also*
 rotaxane
- molecular properties
 electronic/vibrational properties
 439
 monomer order 439
- molecular ring 170
- monomers
 [AB]+[AB] type 162, 163
 [AB]+[CD] type 163, 165, 166
 bifunctional XY 13
 distribution
 alternating *vs.* random 453–454
 gradient copolymers 454
 tacticity 449–452
 heterobifunctional 170
 lactide 451
 non-homopolymerizable 261
 photoenol-diene 170
 precision placement 454–458
 sequence-programmed 272–274
- multiblock copolymers 5, 6, 12, 173,
 262, 285, 287–288, 312–316, 337,
 352, 366, 417–434, 436, 438,
 446–448

- CuBr/Me₆Tren disproportionation technique 427–429
 Cu(0)-wire mediated RDRP approach
 acrylic synthesis 423
 star polymers 421, 422
 technique 422
 uses 422
 light mediated copper
 polymerization, attributes 424–427
 synthesis of 419
 multicomponent polymerization (MCP) 5, 351, 364–369
 multicomponent reactions (MCRs) 351, 364, 388
 Biginelli three-component reaction (Biginelli-3CR) 369
 Passerini three-component reaction (P-3CR) 166, 364, 366–367, 388, 394
 Ugi four-component reaction (UGI-4CR) 366
 multivalent protein-carbohydrate interactions 229
 multi-vinyl monomer 270, 272
 multi-wavelength anomalous dispersion (MAD) 51
- n**
- natural biopolymers 186
 natural proteins 94
 nitroxide mediated polymerization (NMP) 10, 259, 300, 301, 484
N-methyl amino acids 59
N-methyl peptide 60
 non-canonical amino acids 9, 93, 140
 non-coding RNAs 7
 non-enzymatic polymerization *see also* enzyme-free methods
 non-nucleic-acid polymers 67–71
 nucleic acids 61–67
 nonequilibrium thermodynamics 33 *see also* thermodynamics
 non-ionic diblock copolypeptoids 207–209
 non-natural nucleic acids
 backbone-modified 50–52
 ligase-catalyzed syntheses of 58
 nucleobase-modified 52–54
 sugar-modified 54–57
 non-natural polyphosphates 27
 non-natural peptide, ribosomal synthesis of 59–61
 non-nucleic-acid polymers 67–71
 norbornadiene 330
 (oxa)norbornene based polymers 140
 Novozym 435, 241
 Nspe homopeptoids 202
 N-substituted glycine polymers 138, 201
 N-substituted maleimide 12, 234–235, 259–261, 301–309, 311, 312, 328, 359, 382, 441–442
 nucleic acids 1, 2, 7–9, 15, 27, 49–91, 127, 168, 169, 175, 186, 206 *See also* DNA and RNA
 nucleic acid-templated synthesis
 non-enzymatic polymerization
 non-nucleic-acid polymers 67–71
 non-natural nucleic acids
 backbone-modified 50–52
 ligase-catalyzed syntheses of 58
 nucleobase-modified 52–54
 sugar-modified 54–57
 non-natural peptide, ribosomal synthesis of 59–61
 nucleobase-modified nucleic acids 52–54
- o**
- oligo(alkoxyamine amide) 27, 166, 440
 oligo(triazole amide) 27, 381, 382, 495
 oligomonomers 312, 350
 oligonucleotides 14, 19, 51–53, 55, 58, 96, 99, 134, 160, 161, 164, 165, 379, 380, 479, 481, 495 *see also* DNA
 solid-phase synthesis 160–161
 oligopeptides 136, 379, 381–382, 385 *see also* peptides
 based organic catalysts 134
 solid-phase synthesis 118–120, 162
 oligopeptoid–oligonucleotide conjugate 400

- oligothioetheramides 168, 386
- 3'-*O*-methylribose 55, 56
- one-bead-one-compound (OBOC)
 - combinatorial library method 197
- one-pot sequential monomer addition 364
- ordered supramolecular assemblies 206–208
- orthogonal ligation techniques 349
- overlap extension rolling circle amplification (OERCA) 97, 98

- p**
- Passerini three-component reaction (P-3CR) 166, 364, 366–367, 388, 394
 - support-free synthesis 172
- P-3CR *see* Passerini three-component reaction
- p*-dimethylsilylstyrene (*p*-DMSSSty) 483
- PEG-Attached PS (PAP) resin 121
- pendant group transformation 266
- pentablock copolymer 285–286, 427, 448
- peptides 13, 14, 59, 93, 95, 100, 102, 106, 117–158, 160–165, 168, 170, 183–184, 187–189, 197–199, 202, 206, 207, 257, 262, 388, 417, 441, 465, 479, 481, 482, 485–486, 500 *see also* oligopeptides, polypeptides and proteins
- peptide-array SPOT libraries 135
- peptide-based binding domains 127
- peptide-mimetic polymers 137, 140
- peptide nucleic acid (PNA) 64
- peptide–polymer conjugates 122–125
- peptide/protein-polymer 380
- peptide synthesis, solid-phase 118–120, 161
- peptoids 2, 14, 60, 138, 160, 163, 165, 183–227, 381, 383, 385, 391, 397, 400, 441, 443, 445, 485, 486
 - antimicrobial and antifouling 206
 - backbone 202–205
 - cyclic 205
 - effect of bulky side chains 201–203
 - free-floating, two dimensional
 - peptoid nanosheets 211–214
 - ionic diblock nanosheets 209–211
 - lipidated 206
 - ordered supramolecular assemblies 206–208
 - polymer of *N*-substituted glycine 60
 - potential therapeutics 199, 200
 - properties dominated by side chains 201
 - superhelices 207–209
- periodic copolymers 1, 2, 4–6, 11–13, 33, 231, 259, 274, 281, 307, 349–377, 383, 436, 458, 482
- phage display 125–130
- 2-phenyl-1,3,2-dioxaphospholane 342
- phosphonomethyl-linked DNA 51, 52
- phosphonomethyl-linked threose nucleic acid (TNA) 51, 52
- phosphoroselenoate-linked DNA/RNA 51
- phosphorothioate-linked DNA/RNA 50, 51
- photoenol-diene monomer 170
- photo-triggered and thermally induced reactions 395, 400
- pH responsive multiblocks 424, 425
- pH-responsive self-assemblies 243–245
- π -conjugated polymers 350
- PLGA polyester microparticles 359
- PLGA-type copolymers 359
- p*-methoxystyrene 289
- poly(2-alkyl-2-oxazoline) 483
- poly(α -peptoid)s 485
- poly(β -hydroxyalkanoate) 291
- poly(dimethyl siloxane)–polyamide copolymers 453
- poly(ethylene oxide)-*b*-poly(*p*-phenylene ethynylene) diblock copolymer 484
- poly(ethylene)-*co*-poly(ethylene-*alt*-propylene) 447
- poly(hydroxyethyl acrylate-*co*-octyl acrylate-*co*-methyl acrylate) 448

- poly(isoprene-*b*-styrene) 454
 poly(lactic-*co*-glycolic acid)s (PLGAs)
 11, 357, 439, 461
 poly(lactide)s 451
 poly(maleimide-*alt*-styrene) 459
 poly(*m*-DMSSty-*co*-Sty) 483
 poly(*p*-DMSSty-*co*-Sty) 483
 poly(2-oxazoline) 124
 poly(sarcosine) 124
 poly(styrene-*co*-methyl methacrylate)
 453
 poly(styrene-*g*-oligo-oxyethylene
 methacrylate)s 455
 polyaddition via click reactions
 359–362
 polyalanine (polyA) 93
 polyamide 350
 polycaprolactone (PCL) 358
 polycondensation 357–359
 polyester 350
 polyglutamine 93
 polyglycols 483
 polyhedral oligomeric silsesquioxanes
 (POSS) 175
 polyisoprene 314
 polymerase-catalyzed syntheses
 backbone-modified 50
 nucleobase-modified 52–54
 sugar-modified 54–57
 polymersomes 238
 polymer-polymer interactions *vs.*
 polymer-solvent interactions
 439
 polymethacrylate 483
 polymethacrylic acid 237
 polyolefins 350, 352
 polypeptide of cyclic *N*-alkyl amino
 acids 60
 polypeptoid analysis 197–198
 polypeptoid synthesis
 combinatorial library synthesis 197
 polypeptoid analysis 197–198
 solid-phase peptide synthesis (SPPS)
 190–192
 solid-phase peptoid synthesis 192
 solid-phase submonomer synthesis
 method 192–196
 solution polymerization method
 189–190
 polypropylenes (PP) 450
 poly(vinyl alcohol) stereoblock
 copolymers 332
 polystyrene backbone folding 441, 442
 polystyrene-*co*-divinylbenzene
 (PS-DVB) 120, 161
 polyurethanes (PUs), block dispersity
 446
 post-translational modifications (PTM)
 93, 105, 106
 precise/loose sequence control during
 copolymerization 30
 precision polyolefins 353
 primary structure 6–8, 11, 13, 17, 102,
 184, 248, 257, 344, 356, 479, 480
 see also microstructure
 5'-to-3' primer extension 64
 proteins 1, 2, 7–9, 15, 17, 19, 27, 29,
 59, 91–115, 117, 118, 120,
 124–127, 140, 183, 185, 188, 199,
 206, 213, 229, 230, 248, 250, 417,
 435, 441, 443
 protein synthesis using recombinant
 elements (PURE) 59
 PS-DVB *see*
 polystyrene-*co*-divinylbenzene
- q**
 quadrupole time of flight (Q-TOF) mass
 spectrometer 480
- r**
 radical addition-coupling
 polymerization 362–363
 radical polymerization 12
 alternating AB sequence 301–305
 gradient polymers 314
 limonene 312
 multiblock polymers 312, 313
 oligomonomers 312
 precisely controlled sequence at
 monomer level 309–312
 site-specific functionalization
 307–309
 tandem living polymerization
 approach 315

- radical polymerization (*contd.*)
 - triblock polymers 314
 - well-defined cyclic multiblock polymers 314
 - well-defined linear and star multiblock polymers 312
 - reflectin 107
 - regiopure 1,4-polymer 331
 - repeat unit folding 249–251
 - repetitive protein polymers
 - chemo-enzymatic modification 101–103
 - design of 93–96
 - expression of 100
 - genetic synthesis of 96–100
 - incorporation of non-canonical amino acids 104–105
 - post-translational modifications 105–106
 - resilin 94
 - restriction enzymes (RE) 98
 - reversible addition fragmentation chain transfer (RAFT) 10, 237, 239–241, 243–246, 261, 263, 265, 266, 271, 300–305, 309–312, 314, 328, 330–332, 419, 427
 - reversible copolymerization 31
 - reversible deactivation radical polymerization (RDRP) 418
 - ribonucleotides 53
 - ribosomal RNA (rRNA) 7
 - ribosomal synthesis 9, 59
 - ring-opening metathesis polymerization (ROMP) 10, 140, 186, 258
 - alternating copolymerization 296–299
 - copolymerization 261
 - macrocyclic compounds 294–295
 - sequence-defined functionalities 299–300
 - substituted cyclooctene 292–294
 - ring opening polymerization (ROP) 10, 272, 290–292
 - ring polymer 336–337
 - rink amide polystyrene resins 192
 - RNA 1, 7, 8, 19, 49–57, 59–61, 67, 91, 100, 104, 105, 122, 134, 136, 140, 168, 185–186, 206, 257, 258, 383, 465 *see also* nucleic acids
 - messenger RNA 7, 8, 50, 59, 60, 91, 100, 105
 - short interfering RNA 51, 140, 168, 206, 383
 - transfer DNA 169
 - RNA polymerase 50
 - rotaxane 9, 170, 171
 - ruthenium-based catalysts 353
 - ruthenium-catalyzed living radical polymerization 270
- S**
- scanning tunneling microscopy 15, 16
 - selective point folding 249
 - 4'-selenodeoxyribose 55, 56
 - self-assembly based on electrostatic interactions 245–248
 - self-assembly of glycopolymers
 - based on amphiphilicity 238–242
 - based on electrostatic interactions 245–248
 - pH-responsive self-assemblies 243–245
 - temperature-triggered self-assemblies 242–243
 - sequence comparison study category 438–439
 - sequence-controlled functional polymers (SCFPs) 362
 - sequence-controlled glycopolymers
 - sequence-defined glycooligomers 231–234
 - via orthogonal reactions 327–238
 - via time-regulated additions 234–235
 - via time-regulated chain extensions 235–237
 - sequence-controlled (SC) multiblock copolymers
 - acrylamide CuBr/Me₆Tren disproportionation technique 427
 - acrylic
 - Cu(0)-wire mediated RDRP approach 420–424

- light mediated copper
 - polymerization 424–427
- chronological development of 420
- synthesis of 419
- sequence-controlled polymers (SCPs)
 - 4, 5, 27, 350
 - characterization of 15–17, 28–30
 - definition 4
 - materials science impact 17–19
 - sequence-defined biopolymers 3
 - sequence regulation
 - bio-inspired 8–9
 - biopolymer 7
 - synthetic polymerization 9
 - biopolymers 1, 3
 - glycooligomers 231–234
 - nucleic acids 7
 - nucleobase-containing oligomers 387
 - properties 437–438
- sequence-defined polymers 4, 5
 - biomimetics 485–490
 - biopolymers 1, 3
 - definition 4
 - glycooligomers 231–234
 - information storage 490–498
 - nucleobase-containing oligomers 387
 - oligo(alkoxyamine amide) 27, 166, 440
 - oligo(triazole amide) 27, 381, 382, 495
 - oligonucleotides 14, 19, 51–53, 55, 58, 96, 99, 134, 160, 161, 164, 165, 379, 380, 479, 481, 495 *see also* DNA
 - oligopeptides 136, 379, 381–382, 385 *see also* peptides
 - peptoids 2, 14, 60, 138, 160, 163, 165, 183–227, 381, 383, 385, 391, 397, 400, 441, 443, 445, 485, 486
 - properties 437–438
 - polyurethanes 491
 - oligo(thioetheramide)s 486
- sequence disorder effect on ceiling and floor temperatures 40–43
- sequence-encoded macrocycles 27
- sequence regulation
 - bio-inspired 8–9
 - biopolymers
 - nucleic acids 7
 - proteins 7
 - synthetic polymerization 9
- sequence-specific protein polymers *vs.* current synthetic polymers 92
- sequence substituted polyacetylene 284
- sequencing
 - definition 6
 - nanopore sequencing 15
 - scanning tunneling microscopy 15
 - tandem mass spectrometry 15, 27, 163, 164, 198, 479–504
- sequenced-determined bottlebrush polymers 284
- SERS-active nano-identifiers (SERS ID) 133
- (S)-glycerol nucleic acid 55, 57
- Shannon entropy of information theory 29
- short interfering RNA (siRNA) 51, 140, 168, 206, 383
- side-chain sequence 458
- silk-based biomaterials 94
- single-chain polymeric nanoparticles (SCPNS) 445
 - repeat unit folding 249–251
 - selective point folding 249
 - well-defined synthetic polymers 257
- single monomer insertion 10, 12, 13, 289, 310, 311, 417
- size exclusion chromatography (SEC) 2, 15, 166, 173, 263, 264, 419, 435
- solid-phase glycopolymer synthesis 250
- solid-phase peptide synthesis (SPPS) 190–192
 - automated preparation 122
 - combinatorial peptide-libraries 134
 - cross-linked polystyrene-based resins 120
- cyclopeptides 135
- diaminoacids 135

- solid-phase peptide synthesis (SPPS)
 - (*contd.*)
 - dynamic covalent (pseudo)peptide libraries 136
 - enzymes 134
 - fluorene-based C-terminal protecting group 121
 - FSPE 122
 - history of 118–120
 - identification of functional sequences 125
 - oligopeptide based organic catalysts 134
 - organic biocatalysts 134
 - PAP resin 121
 - peptide-array SPOT libraries 135
 - peptide–polymer conjugates 122–125
 - phage display 125–130
 - poly(styrene-*co*-1,4-divinylbenzene) resins 120
 - pronounced hydrophobicity 120
 - screening strategies 117
 - sequence–properties relationships 136–137
 - sequence to synthetic precision
 - polymer platforms 137–140
 - solubility issues 121
 - split-and-mix and SPOT synthesis 130–134
 - split-and-mix libraries 134
- solid-phase peptoid synthesis 192
- solid-phase submonomer synthesis
 - method 192–196
- solid-phase synthesis
 - [AB]+[AB] type monomers 162
 - [AB]+[CD] type 163
 - advantage of 161
 - oligonucleotides 161
 - PEGA 162
 - peptides 161
 - PS-DVB 161
 - TZPs 164
- solution polymerization method 189–190
- solution-phase properties 462
 - aggregation 444–445
 - folding 441–443
 - recognition 443–444
- Sortase A 103
- spider silk 94
- split-and-mix and SPOT synthesis 130–134
- split-and-mix libraries 134
- Spy-Tag and Spy-Catcher system 103
- submonomer strategy 14, 189, 192–196
- sugar-modified nucleic acids 54
- star multiblock synthesis 424, 425
- statistical (random) copolymers 281
- step-growth polymerizations 2, 9–11, 61, 96, 103, 160, 272, 349–377, 418
 - atom-transfer radical coupling 355
 - ADMET 10, 11, 272, 352, 455
 - bifunctional monomers 11, 13
 - multicomponent polymerizations 364
 - polyaddition via click reaction 359
- stimuli-responsive polymers 335
- structurally asymmetric dibromide monomer 356
- structurally symmetric α , ω -diene oligomer 354
- styrene 11, 12, 120, 234, 257, 259, 271, 274, 282–284, 287, 293, 301–304, 307–314, 316, 327, 355, 357, 382, 383, 422, 447, 448, 453–455, 458, 483, 484
- styrene-isoprene multiblock copolymers 447
- styrene-methyl methacrylate (SM) 453
- styrenic copolymers 483
- 3-substituted *cis*-cyclooctene (*cis*-COE) 293
- substituted cyclooctene 292, 294
- supplemental activator and reducing agent (SARA) 10
- syndiotactic polymers 290, 291
 - poly(beta-hydroxybutyrate) 291
 - poly(lactic acid) 290
- synthetic mimics of antimicrobial peptides (SMAMPs) 138
- synthetic polymerization methods

- chain-growth polymerizations 2–4,
 9–13, 138, 160, 234, 237,
 249–251, 257–279, 281–325
 multistep-growth polymerizations,
 10, 13–14 *see also* iterative
 synthesis
 step-growth polymerizations 2,
 9–11, 61, 96, 103, 160, 272,
 349–377, 418
- t**
- tacticity
 function of 452
 lactide monomers 451
 poly(lactic acid) 452
 poly(lactide) 451
 polypropylenes (PP) 450
 property 452
- tandem living polymerization approach
 315
- tandem mass spectrometry 15, 164
 biomimetics 485–490
 information storage 490–498
 limitation 479
 primary structure of copolymers
 479
 principle 480–482
 proteomics 479
- t*-butyloxycarbonyl (Boc) 118
- telechelic copolymers 283
- telechelic multiblocks 424, 425
- telechelic oligomonomers 350
- template synthesis 2, 7–9, 27, 28,
 30–31, 44–45, 49–90, 98,
 168–170, 257, 267–270, 282, 304,
 305, 307, 311–312, 317, 333, 397
 DNA-templated synthesis 2, 9,
 49–90, 169 *see also* nucleic-acid
 templated synthesis
 generalities 30–31
 molecular machine 2, 9, 170
 rotaxane 171
 template inimer 269
 template initiator 13, 268, 311–312
 thermodynamics 35
- terpolymerization 341–344
- tetrablock copolymers 285, 286, 287
- tetrahydroindene (THI) 330
- thermodynamics
 depolymerization 35
 free copolymerization 34, 35
 template-directed copolymerization
 35
- thermosensitive block and graft
 copolymers 332
- thermosensitive diblock copolymers
 332
- 1-thio- β -D-glucose tetraacetate 235
- 4'-thiodeoxyribose 55, 56
- thiolactone chemistry 164, 239, 364,
 369, 385–397, 400
- thiol-ene chemistry 11, 166, 168, 175,
 231, 242, 249, 357, 359–361, 366,
 385–397
- thiol-yne chemistry 249, 357, 361, 362
- threose 55, 56
- transacylation reaction 170
- transfer RNA (tRNA) 7, 8, 50, 59, 60,
 73, 104
- triazine-based polymers (TZPs) 164,
 488
- triazoles 359, 386
- triblock copolymers 12, 235, 237, 243,
 245–246, 248, 285–288,
 302–303, 314, 330, 332, 422, 423,
 427, 441, 443, 445, 448, 483
- T7 RNA polymerase 54, 55
- tyrosinase 129
- U**
- Ugi four-component reaction
 (UGI-4CR) 366
- uncharged amphiphilic diblock
 copolypeptoids 207
- unimolecular block copolymers 389
- 2-ureidopyrimidinone (UPy) 445
- V**
- vascular endothelial growth factor
 (VEGF) 54
- W**
- Watson–Crick pairs 53, 54

