

## Index

- a**
- acousto-microfluidic SELEX method 9
  - activated ester method 92
  - adenosine/cocaine detection 286
  - AEGIS-Cell-SELEX 50
  - affinity capillary electrophoresis (ACE) 136, 137
  - aflatoxin B1 (AFB1) 112, 259, 282, 284
  - allele-specific padlock probe (PLP) 308
  - 3-amino-9-ethyl carbazole (AEC) 287
  - aminophenyl boronic acid-modified gold nanoparticles (APBA-AuNPs) 315
  - amperometric aptasensors
    - cationic redox species 260–263
    - enzyme labels 248–250
    - intercalated redox species 256–259
    - label-free aptasensors 263–265
    - redox-labeled 250–256
  - analytical aptamers 15, 367, 368, 386, 387
    - selection and probe design
      - aptamer optimization and specialized selection 373–376
    - biochip-based aptamer selection 368–372
    - in-round PCR size control 368, 369
    - SELEX with next-generation sequencing 372–373
    - in silico* aptamer design 376–378
    - SomaLogic's photoaptamer microarray 368
  - angular modulation 303
  - 1,5 anhydrohexitol nucleic acids (HNA) 39
  - antibody assay 188, 365, 367
  - antifouling impedimetric aptasensor 266
  - anti-lysozyme DNA aptamer 260
  - anti-sAA antibody 280, 292
  - aptamer-based lateral flow assays
    - absorbent pad 277
    - backing pad 277
    - buffer 277
    - CCD-imaging systems 278
    - competitive assays 281–283
    - conjugate pad 277
    - flow rate 276
    - labels for detection 277
    - vs. lateral flow immunoassays 275
    - membrane 276
    - sample pad 277
    - sandwich assay 278–281
    - scanning systems 278
    - signal amplification 283–291
  - aptamer-based methods
    - calibration and uncertainty 355
    - immobilization of aptamers 356
    - regeneration 355–356
    - reproducibility 355
    - selectivity and specificity 354–355
    - sensitivity 352–354
  - aptamer-based pesticide detection 387
  - aptamer-based quartz crystal microbalance (QCM) biosensor 312–318
  - aptamer-conjugated magnetic beads 313–315

- aptamer-functionalized gold  
     nanoparticles (Apt-AuNPs) 314  
 aptamer-gated silica nanoparticles  
     287, 289  
 aptamer-ligand complexes  
     kinetic characterization 146–162  
     thermodynamics 128–146  
 aptamer microarray 21, 365, 368, 371,  
     374, 382, 383  
 aptamers 86, 247, 273  
     amperometric aptasensors 248  
     vs. antibody 221–223  
     assays 365, 378–380  
     binding mechanisms 247  
     biostability 269  
     chips 382–384  
     cross-reactivity 350  
     degradation 347  
     diagnostics 366  
         CRISPR/Cas9, stem cells, IHC  
             388  
         food/environmental monitoring  
             387  
         human disease diagnosis 386  
         therapeutic drug assessment  
             387–388  
     DNA and RNA 32  
     electrochemical aptasensors 247  
     electrochemiluminescence aptasensor  
         268  
     GACTZP 48–50  
     hydrophobic fifth base 50–51  
     impedimetric aptasensors 266–268  
     nano-flares 379  
     non-enzymatic selection 45  
     optimization and specialized  
         selection 373  
     phosphorothioate 36  
     potentiometric aptasensors 265  
     SELEX optimization 30  
     sequences 366  
     SOMAmers 46  
     systematic evolution of ligands by  
         exponential enrichment 247  
     TNA 39  
     XNA 38  
 aptamer-target interactions 85, 129,  
     273  
 AptA-PCR affinity assay (APAA) 332  
 aptasensing 116, 367, 368, 374, 375,  
     378–385  
 aptasensors 85–87, 92, 95, 101, 109,  
     112, 206, 207, 212, 226, 229–241,  
     247–268, 310–319, 367, 380  
 Apt2–AuNPs–HRP conjugates 249  
 arabinonucleic acids (ANA) 39  
 artificially expanded six-letter genetic  
     information system (AEGIS) 15  
 AuMNP–Apt1/thrombin/  
     Apt2–AuNPs–HRP 249  
 AuNP–DNA1/AuNP–DNA2/aptamer/  
     thrombin 286  
 AuNPs driven ECL aptasensors 268  
 automated SELEX process 17  
 avidin-biotin binding 100–101  
 avidin-biotin technology 264, 312
- b**
- backbone alterations 29, 47  
 backbone modifications, nucleotides  
     2'-OH modifications 36  
     phosphodiester bond modifications  
         36  
     XNA 38  
 beacon aptamer 256, 257  
 $\beta$ -conglutin 282, 291  
 $\beta$ -conglutin detection 281  
 $\beta$ -Estradiol 221  
 17 $\beta$ -Estradiol aptamers 333  
 bifunctional aptamer 354  
 bimetallic AgPt nanoparticle-decorated  
     carbon nanotubes 267  
 binding affinity 14, 42, 51, 130, 131,  
     133, 142, 146, 147, 150, 174, 206,  
     207, 222, 230, 301, 305, 313, 324,  
     327, 333, 335, 347–349, 353, 357,  
     374, 375, 381  
 bioaffinity agent 274  
 Bioanalyzer<sup>®</sup> 369  
 Biochemische Analytik 219  
 biochip-based aptamer selection  
     368–372

- biochips 366, 367, 370  
 bioinformatics tools 352  
 biosensors 85, 95, 109, 176, 205, 213, 229, 269, 274, 294, 303–305, 311, 353, 354, 356, 366, 378  
 biotin-avidin 100, 175  
 biotin-labeled immobilized sequence 237  
 biotinylated aptamers 100, 113, 192, 224, 225, 236, 257, 283  
 biotinylated 29-mer aptamer 279  
 bisphenol A (BPA) 257, 258  
 bivalent/binary aptamer construction 374  
 black hole quencher 1 (BHQ1) 240  
 bridged/locked nucleic acid (BNA/LNA) 14, 39, 347  
 bromodeoxyuridine (BrdU) photoaptamers 19
- C**
- calmodulin (CaM) 305  
 Cancer Antigen 125 (CA125) 305  
 cancer-related biomarkers 11  
 capillary electrophoresis (CE) 3, 39, 136, 157–159, 175, 191, 351  
 capillary electrophoresis (CE)-SELEX 6, 370  
 capture SELEX 374, 375, 376, 387  
 carbodiimide method 92  
 carbon nanomaterials 176, 234–235  
 carbon nanotubes (CNTs) 95, 116, 124, 175, 234, 366, 379  
 carbonyldiimidazole (CDI) 95, 96  
 cationic redox species 260–263  
 CCRF-CEM cells 11, 314, 315  
 cell-based aptasensing 384–385  
 cell-SELEX 3, 4, 10–11, 20, 44, 50, 206, 348, 370, 384  
 cell surface-targeted aptamers 384  
 cell-type-specific aptamer 352  
 charge-coupled device (CCD)-based image system 278  
 chemical antibodies 247  
 chronocoulometric aptamer sensor 261
- Click-SELEX 45, 46  
 cocaine-binding aptamer with quinine 324–327  
 colorimetric analytical methods  
   aptamer generation 206  
   aptasensor 206–207  
   AuNP 207–211  
 competitive assays 274, 281–283  
 complementary strand (CS) 151, 230–232, 237, 268  
 Concanavalin A (Con A) 186  
 covalent immobilization  
   activated aptamer, surface 88–95  
   electrografting 97–98  
   entrapment 95–97  
   modified aptamers, activated surfaces 92–95  
 CRISPR/Cas9 technique 388  
 cyclohexenyl nucleic acids (CeNA) 39  
 5'-Cy5 labeled P4G13 progesterone aptamer 333
- d**
- decoy oligodeoxynucleotide (dODN) 385  
 decoy oligonucleotides (DONs) 385  
 dendrimers 97, 312  
 dendron-modified substrate 97  
 2'-deoxy-2'-fluoroarabinonucleotides (FANA) 39  
 diclofenac (DCF) 267  
 digoxigenin-5'-reporter aptamer-3'-biotin-streptavidin-AuNP conjugates 285  
 direct competitive ELAA (*dc*-ELAA) 224–226  
 direct methods for thermodynamic fluorescence-based methods 140–146  
   ITC 138–140  
   microScale thermophoresis 141, 142–146  
 dispersive SPE (dSPE) 182  
 DNA microarray 117, 365, 371, 372, 376, 383, 389  
 DNA nanostructures 239–241

- double-stranded DNA (dsDNA) 231,  
232, 259, 290, 356  
polymers 263
- droplet digital polymerase chain  
reaction (ddPCR) 372
- dual aptamer 188, 279, 280, 289,  
307
- dual-hairpin DNA structure 252
- dual-signaling E-AB biosensor 255
- dual-signaling electrochemical  
aptasensor 255, 256
- e**
- electrochemical aptamer-based ATP  
assay 353
- electrochemical aptasensors 95,  
247–253, 255–260, 262, 264, 269,  
356, 382
- electrochemical impedance  
spectroscopy (EIS) 109, 148,  
152–154, 353, 381
- electrochemical label-free aptasensing  
381
- electrochemical quartz crystal micro-  
balance (EQCM) 311, 312
- electrochemical sensors 205, 247, 355,  
361, 366, 381, 383
- electrochemiluminescence aptasensor  
268
- electrophoresis 3, 39, 51, 136–137,  
157–159, 175, 191, 349, 351, 368,  
370
- electrospray ionization-ion mobility  
spectrometry (ESI-IMS) 115
- emulsion polymerase chain reaction  
(ePCR) 372
- enzyme cycle amplification 306
- enzyme-labeled amperometric  
aptasensors 248–250
- enzyme-labeled electrochemical  
aptasensors 251
- enzyme-linked aptamer assay (ELAA)  
380
- direct competitive 224–226
- hVEGF ELONA 223
- indirect competitive 223, 226
- enzyme-linked immunosorbent assays  
(ELISA) 219–221, 226, 380
- enzyme-linked oligonucleotide assays  
(ELONA) 223, 380
- epitope-specific SELEX 375
- equilibrium dialysis 133–135
- 5'-ethynyl(deoxy)uridine triphosphate  
(EdU) 45
- exonuclease III (EXO III) 230, 233
- ExSELEX 51
- f**
- ferrocene (Fc)-labeled DNA aptamer  
253
- fiber SPME 183–184
- field-effect transistor (FET)-based  
sensing 382
- flat gold substrate
- electrochemical detection 109, 111
- SPR detection 109, 110
- fluorescence-activated cell sorting  
(FACS) 349
- fluorescence-based methods
- anisotropy/polarization 141–142
- MST technique 144, 145
- fluorescence polarization (FP) 86,  
141–143, 282
- fluorescent aptasensors 354
- carbon nanomaterials 234–235
- DNA nanostructures 239–240
- gold nanoparticles 231–234
- silver nanoparticles 238–239
- SNPs 236–238
- THMS 240–241
- fluorescent dyes-based aptasensors  
230–231
- fumonisin B1 268, 282
- functionalized multiwall carbon  
nanotubes/gold nanoparticle  
(f-MWCNTs/AuNP)  
nanocomposite film modified  
gold electrode 264
- g**
- GACTZP aptamers 48–50
- GenBank<sup>®</sup> 365

- genomic SELEX 3, 18–19  
 Glypican 3 (GPC3) 15, 50  
 gold nanoparticle (AuNP)-aptamer  
   based colorimetric assays  
   applications 211–213  
   biomolecules 205  
   biosensing 205  
   characteristics 205  
   conjugated antibody 206  
   detect DNA 210  
   detect protein 209, 210  
   oligonucleotide 208  
   plasmonic effect of 205  
   split aptamers 209  
 gold nanoparticles (AuNPs) 86, 116,  
   175, 176, 231, 259, 263, 264, 274,  
   275, 277, 279, 280, 287, 291, 314,  
   379  
 gold screen-printed electrode (SPE)  
   265–266  
 G-riched aptamer 254  
 guanine nucleobase 62
- h**
- half-duplex aptamer 260  
 hepatocellular carcinoma (HCC) 15,  
   113  
 heterogeneous methods  
   EIS 152–154  
   SPR spectroscopy 148–152  
 high-density aptamer microarrays 383  
 highly sensitive QCM-D biosensor 314  
 homogeneous methods  
   capillary electrophoresis 157–159  
   nanopore-based studies 159–162  
   rotating droplet electrochemistry  
   154–157  
 human “apt-omics” 389  
 hydrophobic fifth base, aptamers  
   50–51
- i**
- Illumina HiSeq® 372  
 immobilization of aptamer  
   advantages and challenges 87  
   aptasensor 85, 86  
   avidin-biotin binding 100  
   covalent binding 88–92  
   definition 85, 87  
   electrochemical adsorption 101  
   flat gold substrate 102–104  
   future perspectives 116, 118  
   hybridization 101–102  
   nanomaterials surface 107, 115  
   physical adsorption 87–88  
   sample clean-up 114  
   SAMs 98–100  
   sensing surface 87  
   sensor surface 87, 88  
   solid phase substrates 105, 106,  
   111  
 immobilization of aptamers 178, 356  
   CNTs 175  
   gold nanomaterials (AuNPs) 175,  
   176  
   graphene oxide (GO) 175, 176  
   MOFs 177  
   silicon nanomaterials 175, 176  
 immobilized MB-labeled aptamers  
   253, 254  
 impedance-based aptasensing 383  
 impedimetric aptasensors 248,  
   266–268  
 impedimetric biosensor 267  
*in chemico*-SELEX 3, 14–17  
 indirect competitive enzyme-linked  
   aptamer assay (*ic*-ELAA)  
   223–226  
*in silico* aptamer design 376–378  
*in silico* aptamer-hemagglutinin protein  
   377  
*in silico*-SELEX 3, 12–14  
 integrin  $\alpha$  V (ITGAV) 4  
 intercalated redox species 256–259  
 intracellular sensing 384  
 isogenic cell-SELEX procedure 4  
 isothermal titration calorimetry (ITC)  
   12, 138  
   affinity test 327  
   interaction between the aptamer  
   domain of the purine riboswitch  
   and ligands 322–324

- isothermal titration calorimetry (ITC) (*contd.*)
- interaction between the cocaine-binding aptamer and quinine 324–327
  - principle 319–320
  - quantitative thermodynamic information 319
  - thermodynamic parameters 320
- k**
- Kallikreine-related peptidase 6 (KLK6) 5
- kanamycin aptamer 236
- kinetic capillary electrophoresis (KCE) 157
- kinetic characterization
- heterogeneous methods 148–154
  - homogeneous methods 154–162
- kinetic methods 137, 140, 154–156
- l**
- label-free aptasensing 381
- label-free aptasensors 230, 263–265
- label-free fluorescent aptasensors 230
- lateral flow assays (LFA) 112, 274–276, 279, 280, 282, 283, 285, 287, 289, 290, 380
- latex agglutination assay 274
- liquid chromatography 50, 135–136, 184, 187
- localized SPR (LSPR) 303, 379
- locked nucleic acids (LNA) 14, 39–40, 347
- m**
- Macugen<sup>®</sup> 387
- magnetic nanoparticles (MNPs) 175, 191, 248
- magnetic separation techniques
- advantages 190
  - cell sorting assays 191
  - MSPE 190
- magnetic solid phase extraction (MSPE) 190
- metal-organic frameworks (MOFs) 175, 177, 182, 183, 379
- methylene blue (MB) labeled aptamer probe 251
- microbeads 187, 191, 348
- micro-ELAA 380
- microfluidic-SELEX 3, 8
- micro/nanowell PCR 372
- MicroScale thermophoresis (MST) 142
- advantage 330
  - affinity test 333
  - interaction between steroid hormones and aptamers 332–333
  - molecular interactions 330
  - principle 330
  - technique 144
  - thermophoresis 329
- monothiophosphate-backbone substituted oligonucleotide aptamer 375
- multianalyte detection aptasensors 354
- multimeric aptamers 374
- multi-walled carbon nanotubes (MWCNT) 95, 235
- n**
- nanomaterials 87, 102, 115–116, 142, 175, 176, 234–235, 238, 306, 366, 382
- nanomaterial surface energy transfer (NSET) 232
- nanoparticles-based aptasensors
- carbon nanomaterials 234–235
  - gold 231–234
  - silver 238–239
  - SNPs 236–238
- nanopore-based studies 148, 159–162
- nanotechnology 115, 205, 306, 313
- NeXstar 375
- next-generation sequencing (NGS) 9, 21, 29, 332, 367, 372–373
- N*-hydroxysuccinimide (NHS) 92, 176
- nitrocellulose 112, 135, 274–276, 286, 349
- N*-methylisatoic anhydride (NMIA) 324

- non-equilibrium capillary  
  electrophoresis of equilibrium  
  mixtures (NECEEM) 157–159,  
  351
- nuclease-resistant aptamers 347
- nucleic acids, aptamers 127
- nucleobase modifications  
  catalysts, protein-like sidechains  
  43–44  
  cationic moieties 42–43  
  Click-SELEX 45  
  glycans targeting, boronic acids  
  44–45  
  nucleobase-linked nucleobases 44  
  SOMAmers 46–48  
  sugar and phosphate moieties 40  
  X-aptamers 45–46
- nucleotides  
  aptamers 48  
  ATGC 27–29  
  backbone modifications 35  
  cytosine nucleobase 60  
  guanine nucleobase 62  
  in-line modifications 30–31  
  nucleobase modifications 40–48  
  polymerase-driven exponential  
  amplification 31  
  polymerase-mediated reactions 31  
  polymeric structure of 35  
  post-SELEX optimization 30  
  scope of 29–30  
  SOMAmers 32, 33  
  triphosphates and phosphoramidites  
  34
- nucleotides thymine/uracil nucleobase  
  53
- nylonpolyvinylidene fluoride (PVDF)  
  membranes 276
- O**
- ochratoxin A (OTA) 86, 109, 115, 134,  
  146, 181, 234, 238–240, 250, 252,  
  282, 305
- 2'-OH modifications 36
- oligonucleotide synthesis 30, 87, 380,  
  383
- Oncostatin M (OSM) 14
- one-round SELEX 3, 5–6
- one-step electrochemical aptasensor  
  250, 252
- organ-on-a-chip 367, 387–388
- P**
- phosphoramidite method 1
- phosphor-carboxy anhydride 92
- photo-SELEX 3, 19, 206
- piezoelectric microelectromechanical  
  resonators 318
- poly(diallyldimethylammonium)  
  (PDDA) 212
- polypyrrole (Ppy) 95, 97
- positioned aptamers 274
- post-SELEX 3, 14–17, 30, 31, 36, 38,  
  40, 47, 51, 152, 348, 371–373,  
  382
- potentiometric aptasensors 265–266
- primer-free SELEX method 3, 17
- prostate-specific antigen 9, 188, 305,  
  386
- protein target molecules 348
- proteomic SELEX 383
- proximity ligation selection (PLS) 5, 6
- Q**
- qPCR-SELEX 3, 19–20
- quantum dots(QDs) 100, 116, 234,  
  235, 274, 275, 277, 282–284, 366,  
  379
- bioconjugates 283
- quartz crystal microbalance (QCM)  
  based aptasensor  
  affinity determination 312–313  
  analyte concentrations 313–318  
  principle 311–312  
  signal transduction mechanism  
  311
- biosensor 311, 314, 316, 317
- sensing 381
- quartz crystal microbalance with  
  dissipation monitoring(QCM-D)  
  technique 312, 314

**r**

ractopamine (RAC) 263  
 RCA-based signal-amplification  
   electrochemical aptasensor 258  
 reactive anhydrides method 92  
 reagentless aptasensor 264, 265  
 redox-labeled amperometric  
   aptasensors 248, 250  
 retinol binding protein 4 (RBP4) 305  
 reusable potentiometric screen-printed  
   sensor 265  
 RNA aptamers 1, 4, 12, 17, 32, 42, 85,  
   152, 176, 187, 222, 329, 347, 350  
 Roche 454<sup>®</sup> 372  
 rolling circle amplification (RCA)  
   257–259, 306, 308, 315, 317, 380  
 rotating droplet electrochemistry 148,  
   154–157

**s**

salivary  $\alpha$ -amylase (sAA) 44, 280  
 sample preparation methods, aptamers  
   CE 191  
   chromatography 185–187  
   in magnetic separation system  
     189–191  
   in microfluidic separation system  
     187, 188  
   protein precipitation 192  
   SPME 182–185  
   substrate materials, immobilization  
     175–177  
 sandwich assay 5, 188, 207, 225, 248,  
   274, 278–281, 287, 306  
 sandwich-based aptasensor 248  
 sandwich QCM-D biosensor 316  
 sandwich-type electrochemical  
   aptasensor 250  
 screened RNA aptamer 328  
 SELEX-on-a-chip 371  
 self-assembled monolayers (SAMs)  
   98–100, 151, 176, 313, 382  
 semi-permeable membrane 133  
 separation-based methods  
   diafiltration 133, 134  
   electrophoresis 136–137  
   equilibrium dialysis 133–135  
   liquid chromatography 135–136  
   ultrafiltration 133, 134  
 sgc8c aptamer-conjugated MBs 314  
 signal amplification 226, 259, 260, 267,  
   283–291, 305–308, 315, 316  
 signal-off aptasensors 250  
 signal-on aptasensors 250, 253  
 signal transduction probe (STP) 240,  
   241  
 silica nanoparticles (SNPs) 236–238,  
   287  
 silicon nanomaterials 175, 176  
 silver nanoparticles 238–239, 241, 366  
 simple fluorometer 378  
 single-cycle SELEX process 8  
 single-stranded DNA (ssDNA) 41, 85,  
   146, 174, 176, 229, 249, 290, 305  
 single-walled carbon nanotubes  
   (SWCNT) 95, 235  
 slow off-rate modified aptamer  
   (SOMAmer) selection 32, 113,  
   147, 374  
 solid-phase extraction (SPE) 114  
   aptamer affinity based columns 181  
   dSPE 182  
 solid-phase microextraction (SPME)  
   chemistry and physical properties  
     182  
   in fiber 183–184  
   microextraction technique 182  
   oligosorbent 183  
   in SBSE 184–185  
   TFME 185  
 solid phase substrates  
   optical detection 112–114  
 SomaLogic's photoaptamer microarray  
   368  
 SomaLogic team 33, 35, 47  
 SOMAscan platform 47, 113  
 spiegelmers 40  
 SPR-based optical immunosensors  
   355  
 SPR biosensors  
   based on amplitude modulation 304



- based on angular modulation 303–304
  - based on phase modulation 304
  - based on wavelength modulation 304
  - standard SPR biosensor 308
  - stepwise aptasensor 261
  - stir-bar sorptive extraction (SBSE) 173, 184–185
  - streptavidin 9, 17, 100, 109, 112–114, 151, 175, 187, 190, 191, 206, 223, 226, 279, 282, 283, 286, 290, 305
  - streptavidin-AuNPs 280
  - surface-bound aptamer 86
  - surface plasmon polaritons (SPPs) 302
    - analyte concentrations 305–310
    - classification of SPR biosensors 303–304
    - determination of the affinity 305
    - fiber optic sensors 302
    - principle of 302–303
    - total internal reflection 302
  - surface plasmon resonance (SPR)
    - detection 109–111
    - spectroscopy 148
  - synthetic short DNA/RNA ligands 365
  - systematic evolution of ligands by exponential enrichment (SELEX) 247
    - aptamer cross-reactivity 350
    - aptamer degradation 347–348
    - aptazymes 32
    - automated process 17
    - binding affinities 346
    - binding affinity 348–349
    - bioinformatics tools 352
    - black box of 32
    - capillary electrophoresis 6
    - cell 10–11
    - in chemico*-SELEX 14–17
    - defined single target molecules 346
    - DNA and RNA aptamers 32
    - essential steps of 2
    - genomic 18–19
    - in vitro* screening protocol 3
    - in vitro* selection 12
    - interaction of aptamers with intracellular targets 351
    - intracellular detection of target molecules 346
    - microarray 21
    - microfluidic 8
    - microfluidic delivery system 206
    - negative selection 4
    - next-generation sequencing 21
    - nonphysiological conditions 345
    - one round 6
    - pharmacokinetic half-life 345
    - photo 19
    - polymerase-driven exponential amplification 31
    - post optimization 30
    - primer-free method 17
    - procedures 2
    - purification 348
    - qPCR 19–20
    - randomized oligonucleotide library 345
    - robotic workstation 346
    - SomaLogic research team 32
    - ssDNA library 1
    - ssDNA/RNA library 222
    - target immobilization 349–350
    - thrombin problem 347
    - time and cost 350–351
    - X-Aptamer Selection Kit 20
- t**
- target immobilization 349–350
  - TC aptamer 307
  - tetracycline-binding aptamers 115
  - Therminator DNA polymerase 39
  - thermodynamics
    - direct methods 137–146
    - principles of 128–133
    - separation-based methods 133–137
  - thermophoresis 86, 142–146, 329, 330, 335
  - thin-film microextraction (TFME) 185
  - thiol- and MB-dual-labeled aptamer 250

- thiol-and methylene blue
    - (MB)-dual-labeled aptamer
    - modified gold electrode 252
  - thiolated 15-mer thrombin aptamer 279
  - thiolated methylene blue (MB)-modified DNA probe (MB-P) 254
  - Thiol-modified oligonucleotide 211
  - 4'-thioribose 40
  - 3D-folded quadruplex aptamer probe 378
  - threose nucleic acid (TNA) 39
  - thrombin aptasensor 249
  - thrombin-binding aptamers (TBAs) 14, 186, 230, 266, 374
  - thymine/uracil nucleobase 53
  - TISR E-AB sensor 253
  - trifunctional cross-linkers 97
  - triple-helix molecular switch (THMS) 240–241, 262
  - triple-helix molecular switch (THMS)-induced hybridization chain reaction (HCR) amplification 262
  - triplex-forming oligonucleotide (TFO) 262
  - T5 testosterone aptamer 332
- u**
- ultrasensitive electrochemical aptasensor 257, 258
- universal fluorescence aptasensor 354
  - unnatural base pairs (UBPs) 29, 31, 48, 49
- v**
- vascular endothelial growth factor (VEGF) 11, 137
  - Vaspin 280
- w**
- Watson–Crick base pairs 29, 31, 40, 322, 326
  - Watson–Crick duplexes 38
- x**
- X-aptamers 20, 45–46, 375
  - xeno nucleic acids (XNA)
    - ANA 39–40
    - CeNA 39–40
    - FANA 39
    - HNA 39–40
    - LNA 39–40
    - (deoxy)ribose sugar moiety 38
    - spiegelmers 40
    - 4'-thioribose 40
    - TNA 39
- z**
- Zeolitic imidazolate framework-8 (ZIF-8) 177