

Index

a

- acetonitrile 78, 158, 252
- acid–base reaction 100
- air electrode
 - electrocatalyst 273
 - OER 272–273
 - ORR 271–272
 - structure of 271
- Al-based Lewis acids 296
- all-inorganic electrolytes, Mg/O₂ batteries 303–307
- alternative anodes 31
- amides 79–80
- anode composition 213
- anode limited reversibility
 - anode composition changes 213
 - metallic lithium to lithium hydroxide conversion 213
- μ-XRD spectra 215
- μ-XRD technique 209
- rechargeable Li–air battery 209
- X-ray tomography images 216
- anodic aluminum oxide (AAO)
 - separator 27
- anodic Li 212
- aprotic electrolyte 3
- aprotic Li–O₂ batteries
 - carbon cathode degradation 55–56
 - electrolyte decomposition 54–55
- aqueous electrolyte 3, 294, 368–369
- aqueous gel electrolytes
 - PAA 369
 - PEO-based gel polymer 369–371
 - PVA-based gel polymer 371–373

aqueous Li–O₂ batteries 57–59

Arrhenius energy 319–320

atomic layer deposition (ALD) 56, 402

attenuated total internal reflection infrared spectroscopy (ATR-IR) 247

autoxidation reaction 80, 99–100

b

- band aid 388
- B-doped graphene 141
- binding energy 154
- bis(oxalato)borate ([BOB]⁻) 69
- bis(trifluoromethanesulfonyl)imide (PMMITFSI) 378
- bis{(trifluoromethyl)sulfonyl}imide ([TFSI]⁻) 69
- Bohr magneton 258
- bulk oxidation, of Li₂O₂ 4
- 1-n-butyl-3-methylimidazolium (BMIM)-BF₄ 296
- 1-butyl-1-methylpyrrolidinium bis(trifluoromethanesulfonyl)imide (Pyr14TFSI) 18

c

- carbonaceous materials
 - CNTs 126–127
 - commercial carbon powders 126
 - doped 128
 - graphene 127
- carbon corrosion
 - discharge process 104–106
 - recharge process 106

- carbon dioxide (CO_2) contamination 112
- carbon nanotube (CNT) 126, 138
- cathodes 384–385, 399
 - Li_2O_2 139
 - MNPs–CNTs 139, 140
- carbon paper (CP) cathode 4, 130
- carbon textile 382–384, 386, 388, 400
- catalyst-induced parasitic chemical reactions 106–110
- catalyst layer (CL) 271, 278
- catalytic polymer-based membrane 135
- catalytic shuttle *vs.* parasitic shuttle 163–166
- catalytic shuttling 163
- cathode
- flexible
 - carbon textile 382–384
 - CNT 384–385
 - composite electrode 386
 - graphene-based cathode 385–386
 - stainless steel mesh 381–382
- morphology 226
- polaronic charge transport 341
- spatiotemporal growth 222–230
- cell stability/cyclability 67
- charge mediators
- lithium bromide (LiBr) 172–175
 - lithium iodide (LiI) 170–172
 - nitroxides 176–180
 - TDPA 182–183
 - TTF 180–182
- charge transport model
- activities of 332
 - constant potential presentation
 - charge dynamics 349–350
 - grand canonical ensemble 347–349
 - need for 346–347
 - practice model 350
- constrained DFT 338–342
- electrochemical interface
- electric double layer 344–345
 - implicit solvation models 343–344
 - model 342–343
- Poisson–Boltzmann model 345–346
- GPAW 337–338
- SP-DFT
- electronic degrees of freedom 354–357
 - energy in 352–353
 - lattice 353–354
 - model construction 357–358
- chemical vapor deposition (CVD) 381
- chronoamperometry method 162
- Co_3O_4 nanowire arrays 110
- Co_3O_4 NFs 131
- commercial carbon powders 126
- composite electrode 379, 383, 384, 386
- composite protective layers (CPL)
- design 13–17
- constrained DFT (cDFT) 333, 339–340
- Marcus theory 338–339
- polaronic charge transport 341–342
- conversion reactions 2, 65
- Coulombic efficiency (CE) 12, 80, 86, 114, 115, 163, 165, 268, 295, 303
- Coulomb repulsion 336
- crystal structure, of LiO_2 53
- cyclic voltammogram (CV) 156, 157, 179, 235, 286, 297, 299
- cycling procedures, for roughening 236
- d**
- dendritic growth 15, 102, 113–115, 269
- density functional theory (DFT) 44, 129, 134, 333–337 *see also* constrained DFT; second principles density functional theory (SP-DFT)
- depth of discharge (DOD) 42, 305, 306, 309
- 1,1'-dibromoferrocene (FcBr_2) 155
- diethyl carbonate (DEC) 98
- diethylene glycol dibutyl ether (DBG) 18
- diethylene glycol dimethyl ether (DEGDME) 48

- differential electrochemical mass spectrometry (DEMS) 27, 53, 104, 160
- diffuse reflectance infrared spectroscopy (DRIFTS) 247
- 4-dimethoxybenzene (DDB) 154
- dimethoxyethane (DME) 18, 49, 97, 99, 303
- dimethylacetamide (DMA) 241
- dimethyl carbonate (DMC) 66
- 5,10-dimethylphenazine (DMPZ) 134, 158
- 5,5-dimethyl-pyrroline *N*-oxide (DMPO) 260
- dimethyl sulfoxide (DMSO) 18, 76–78, 97, 158, 250, 254
- 1,4-dioxane (DX) 18, 19
- discharge–charge voltage, Li–O₂ cells 210
- discharge mediators 152, 186–194
- 2,5-di-tert-butyl-1,4-benzoquinone (DBBQ) 134, 192–194
- DME-based electrolytes 24
- doped carbonaceous material 128
- e**
- electrical energy storage (EES) 1
- electric double layer 344–345
- electric vehicles (EVs) 41
- electrocatalyst
- air electrode 273–288
 - carbonaceous materials 126–129
 - catalyst research 135–138
 - inorganic–organic hybrid materials 278–282
 - metal-free materials 282–288
 - noble metal and metal oxides 129–130
 - noble metals and alloys 274–275
 - reaction mechanism 138–141
 - redox mediator 133
 - transition metal oxides 130–135, 275–278
 - types of 126–135
- electrochemical cell 44, 54, 134, 155, 259, 260, 350
- electrochemical–chemical–chemical (ECC) mechanism 301
- electrochemical cycling 221, 295
- electrochemical energy storage devices 66, 81
- electrochemical ESR, battery research 259–262
- electrochemical impedance spectroscopy (EIS) 307–309
- electrochemical interface
- implicit solvation 343–344
 - model 342–343
 - Poisson–Boltzmann 344–346
- electrochemical performance, of Li–O₂ batteries 218
- electrochemical reactions 2, 43–44, 342, 346
- electrochemical roughening 235–237
- electrode potential constant
- charge dynamics 349–350
 - grand canonical ensemble 347–349
 - need for 346–347
 - Poisson–Boltzmann model 345–346
 - practice model 350–351
- electrolyte decomposition 4, 54–55, 217
- electrolyte, flexible
- aqueous gel electrolytes
- PAA-based gel polymer 369
 - PEO-based gel polymer 369–371
 - PVA-based gel polymer 371–373
- nonaqueous electrolytes
- ionic liquid electrolyte 377–378
 - PEO-based polymer 373–377
 - PVDF-HFP-based polymer 377
- electrolyte, Li–O₂ batteries
- amides 79–80
 - dimethyl sulfoxide (DMSO) and sulfones 76–78
 - electrolyte salts 69–73
 - ethers and glymes 73–76
 - IL 80–86
 - nitriles 78–79

- electrolyte, Li–O₂ batteries (*contd.*)
- electrolyte salts 69–73
 - electromagnetic wave 237
 - electronic degrees of freedom 343, 354–357
 - electron paramagnetic resonance (EPR) 50, 257
 - electron polaron 317
 - electron spin resonance (ESR)
 - cell setup 259
 - electrochemical deployment 259–262
 - NMR 257
 - electron transfer 71, 338
 - equivalent-circuit model (ECM) 307, 308
 - ethers 73–76
 - ethylene carbonate (EC) 18, 66, 98
 - ethyl methyl sulfone 77
 - Ewald summation techniques 357
 - ex situ* X-ray diffraction 219
- f**
- ferrocene (Fc) 110, 153, 155, 158, 165
 - fiber structure 390–393
 - Fick's first law 164, 177
 - fictitious charge dynamics 349–350
 - fingerprint information 247
 - flexible metal–air batteries
 - anodes 378–381
 - aqueous electrolytes 368–369
 - cathodes
 - carbon textile 382–384
 - CNT 384–385
 - composite electrode 386
 - graphene-based cathode 385–386
 - stainless steel mesh 381–382
 - nonaqueous electrolytes 373–378
 - prototype devices 386–393
 - fluoroethylene carbonate (FEC) 15, 261
 - free-standing and hierarchically porous carbon (FHPC) 127
 - Frenkel defect 317
 - frozen-in 319
 - F-TLM anode 15, 17
- g**
- gas-breathing positive electrode (cathode) 294
 - gas chromatography– mass spectrometry (GC–MS) 80
 - gas diffusion layer (GDL) 11, 192, 209, 265
 - gel polymer electrolyte 368
 - generalized gradient approximation (GGA) method 52
 - glass fiber (GF) 25, 211
 - glassy carbon (GC) interfaces 244
 - glymes 73–76
 - GPAW 337–338
 - grand canonical ensemble 347–349
 - graphene 126–127
 - graphene-based cathode 385–386
 - graphene nanoflakes (GNFs) 131
 - graphene oxide (GO) 127, 386
 - graphene oxide supported iridium (Ir-rGO) cathode 52
 - Grignard reagent 296, 299, 300, 303
 - Guttmann donor number (G.D.N) 67, 241
- h**
- Hamiltonians 357
 - hard and soft acids and bases theory (HSAB) 52
 - hard-soft acid-base (HSAB) theory 116
 - Helmholtz free energy 348
 - heterogeneous catalytic reactions 346
 - hexafluorophosphate([PF₆][−]) 69
 - Heyd–Scuseria–Ernzerhof (HSE) method 52
 - high-energy X-ray beam 207
 - high-energy X-ray diffraction (HE-XRD) 52
 - highest occupied molecular orbital (HOMO) 134, 154, 234
 - Hofmann β H elimination 100
 - Hohenberg–Kohn theorem 333
 - Hubbard model 354
 - hybrid electrolyte 3

hydrogen evolution reaction (HER) 268, 402
 hydroxide coating 216

i

imidazolium cation 83
 implicit solvation models 343–344
 infrared reflection-absorption spectroscopy (IRRAS) 247
 infrared spectroscopy
 IR study, electrochemical interfaces 247–249
 metal–O₂ battery studies 249–253
 vibrational spectroscopy 247
 infrared spectroscopy (IR) 52
 inhomogeneous SERS enhancement 237–238
 inorganic–organic hybrid materials 278–282
in situ IR spectra 250
in situ Raman setup 238–239
 internal reflection element (IRE) 248, 251
 intrinsic defects, MgO and MgO₂ 316
 ionic liquids (IL)
 acyclic ammonium 83
 electrolytes 377
 low flammability and volatility 295
 modified Grignard electrolytes 303
 nonaqueous 377–378
 Mg/O₂ batteries 295–299
 primary discharge 80
 iron phthalocyanine (FePc) 190–192
 IR reflection absorption spectroscopy 249
 IR study, electrochemical interfaces 249

j

Johnson–Nyquist noise 349
 joint density functional theory (JDFT) 343

k

ketjenblack (KB) carbon cathodes 48

Kohn–Sham (KS) theory 333, 334, 339, 343
 Kretschmann configuration 248

l

LAB performance, impact of
 electrolyte decomposition 217
ex situ X-ray diffraction 219
 propylene carbonate (PC) 217
 rebuilt battery 218
 Landau–Zener equation 338, 340
 Li-air batteries, discharge products
 carbon cathode degradation 55–56
 CO₂ effect 59–60
 electrolyte decomposition 54–55
 electrolyte requirements 65
 exchanging O₂ to air 56
 peroxide-based Li–O₂ batteries
 crystalline and electronic band structure 44–47
 electrochemical reactions 43–44
 superoxide-based Li–O₂ batteries 52–54
 water effects
 aqueous Li–O₂ batteries 57–59
 small amount of 56–57
 Li anode plate 261
 LiClO₄-TEGDME electrolyte 13
 Li-ion batteries (LIBs) 265
 Li-ion conducting solid electrolyte (LISE) 165
 Li metal corrosion 114
 Li metal diffractions 211
 linear combination of atomic orbitals (LCAO) 337
 linear sweep voltammetry (LSV) 20
 LiNO₃, on Li metal stability 20
 Li–O₂ battery 1–5
 Li₂O₂ crystallite 229
 Li₂O₂ nanograin evolution 223, 227
 liquid phase electrolytes 86
 Li-sulfur batteries 165
 lithiated Nafion 111
 lithium–air battery mediator 151–156
 lithium anode 397–398

- lithium bis(fluorosulfonyl)imide (LiFSI)
 18
 lithium bis(trifluoromethanesulfonyl)
 imide (Li(Tf₂N)) 295
 lithium bromide (LiBr) 153, 172–175
 lithium carbonate (Li₂CO₃) 151
 lithium-exchanged Nafion (LN) 27
 lithium hexafluorophosphate (LiPF₆)
 98
 lithium hydroxide (LiOH) 42, 151,
 214
 lithium hydroxide monohydrate
 (LiOH·H₂O) 42
 lithium iodide (LiI) 153, 170–172
 lithium-ion battery (LIB) 1,
 151–156
 lithium metal anode, stabilization of
 alternative anodes 31
 challenges and perspectives 32
 CPL design 13–17
 electrolyte, use of 18–25
 functional separators 25–29
 ORR 11
 solid-state electrolytes 29–30,
 86–87
 lithium–oxygen (Li–O₂) batteries 151,
 400–401
 lithium peroxide (Li₂O₂) 2, 43, 95
 lithium plating/stripping 112
 lithium trifluoromethanesulfonate
 (LiCF₃SO₃) 44, 85
 lowest unoccupied molecular orbital
 (LUMO) 158, 234
- m**
- magnesium aluminum chloride complex
 (MACC) 303
 magnesium oxide (MgO) 310
 magnesium peroxide (MgO₂) 310
 manganese oxide (MnO_x) 275
 Marcus theory 332, 338–339
 mechanical deformations 368
 mechanical recharging 294
 MeO-TEMPO chemical regeneration
 83
 metal–air batteries
 cathode 398–399
 electrolyte 398
 in situ Raman setup 238–239
 in situ Raman spectroscopy 233
 Li–O₂ battery development 1–5,
 400–401
 lithium anode 397–398
 practical considerations
 addressing inhomogeneous SERS
 enhancement 237–238
 electrochemical roughening
 235–237
 reaction mechanism 399
 sodium–O₂ battery 5–7
 metal-free materials 282–288
 metal–insulator–metal model 332
 metallic lithium to lithium hydroxide
 conversion 213
 metalloporphyrin 257
 metal–O₂ batteries 233, 239–246
 metal oxides 129
 1-methylimidazole 241
 10-methylphenothiazine (MPT) 154
 Mg/O₂ batteries
 computational studies 310–320
 charge transport, Mg/O₂ discharge
 products 315–320
 inorganic electrolytes for 303–307
 ionic liquids 295–299
 modified Grignard electrolytes for
 299–303
 thermodynamic overpotentials
 310–315
 microfocused X-ray diffraction (μ -XRD)
 and Li–O₂ cell experimental setup
 207–209
 patterns 219
 spectra, cell 215
 microtomographic method (μ -CT)
 215
 Milli-Q water 236
 MNPs–CNTs 139
 modified Grignard electrolytes
 299–303
 molecular dynamics (MD) 340, 342
 mossy lithium formation 259, 261
 multiwalled nanotubes (MWNTs) 127,
 385, 392

n

- nanoparticles (NPs) 139
 nanoporous carbon nanofiber (NCNF) 388
 nanoporous gold (NPG) cathode 56, 76, 110, 181
 nanowire (NW) 384
 Na-O_2 battery 401–402
 N-doped graphene aerogels (NPGAs) 128
 Nernst equation 157, 164, 177
 nitrogen-doped multiwalled carbon nanotube (NCNT) 381
 nitrate ($[\text{NO}_3^-]$) 69
 nitriles 78–79
 nitroxides 179–180
N-methylacetamide (NMA) 80
N-monoalkyl substituted amide 80
N,N-dialkylamide 79
N,N-diethyl-*N*-methyl(2-methoxyethyl) ammonium (DEME)-Tf₂N 296
N,N-dimethylformamide (DMF) 79
N,N-dimethylpropionamide 79
N,N'-methylene-bisacrylamide (MBA) 369
 4,*N,N*-trimethylaniline (TMA⁺) 158
N,N,N-tributylammonium trifluoromethanesulfonate 81
N,N,N'N'-tetramethyl-*p*-phenylenediamine (TMPD) 158
 noble metal 129–130, 274
 nonaqueous electrolytes
 ionic liquid electrolyte 377–378
 PEO-based polymer 373–377
 PVDF-HFP-based polymer 377
 nonaqueous Li–air battery 95
 nonaqueous Li–O₂ battery 12, 95
 nonaromatic cyclic
 pyrrolidinium/piperidinium 83
 nonequilibrium Green's functions
 (NEGf) 332, 337
 noncarbon cathodes 110
 nuclear magnetic resonance (NMR) 258
 nucleophilic attack 97–99

nudged elastic band (NEB) method 317

o

- online electrochemical mass spectrometry (OEMS) 160
 open circuit voltage (OCV) 20, 214, 300, 372
 operando μ -XRD technique 211
 organic liquid electrolytes 95, 399
 Otto configuration 248
 oxidation and reduction cycles (ORC) 235
 oxygenated atmosphere, SEI 114–115
 oxygen evolution reaction (OER) 11, 44, 102, 272–273
 oxygen permeable membrane (OPM) 271
 oxygen reduction reaction (ORR) 11, 44, 102, 240, 254
 air electrode 271–272
 evolution reaction mechanism 239–246
 potential dependence, superoxide Raman signals 239
 reversible voltammogram 241
 TAA⁺ 239
 oxygen solubility (H_{O₂}) 163

p

- pair distribution function (PDF) 298
 parasitic reactions
 anode
 alternative anode 115–116
 Li metal corrosion 114
 oxygenated atmosphere, SEI 114–115
 parasitic chemistries 115
 catalyst-induced 106–110
 cathode
 additives and binders 111
 alternative materials 110–111
 carbon corrosion, discharge process 104–106
 carbon corrosion, recharge process 106
 contaminations 111–112

- parasitic reactions (*contd.*)
- electrolyte
 - acid–base reaction 100
 - autoxidation reaction 99–100
 - nucleophilic attack 97–99
 - reduction reaction 102
 - proton-mediated 100–102
 - parasitic shuttling 163, 165
 - PCN–CFP 383
 - P-doped graphene 141
 - perchlorate ($[\text{ClO}_4]^-$) 69
 - perovskite-based porous
 - $\text{La}_{0.75}\text{Sr}_{0.25}\text{MnO}_3$ nanotubes (PNT–LSM) 132
 - perovskite catalyst 131
 - peroxide-based $\text{Li}-\text{O}_2$ batteries
 - crystalline and electronic band structure 44–47
 - electrochemical reactions 43–44
 - reaction mechanism and co-existence, Li_2O_2 and LiO_2 47–52
 - Peukert coefficient 306
 - 1-phenylpyrrolidine (PPD $^+$) 158
 - phosphonium cations 83
 - photographic images, of used anodes 210
 - Planck's constant 339
 - platinum–nickel (PtNi) 274
 - plausible reaction mechanisms 312
 - Poisson–Boltzmann
 - electric double-layer 344–345
 - electrode potential 345–346
 - polarization modulated techniques 248
 - polarization modulation infrared reflection–absorption spectroscopy (PM-IRRAS) 247
 - polaronic charge transport 341–342
 - poly(acrylic acid) (PAA)-based gel polymer 369
 - poly(ethylene oxide) (PEO)
 - aqueous electrolytes 369
 - nonaqueous electrolytes 373–377
 - poly(ethylene oxide) (PEO)-based
 - polymeric electrolyte cells 86
 - polymer-containing film (PF) 27
 - polymer electrolyte membrane fuel cells (PEMFC) 274
 - polytetrafluoroethylene (PTFE) 111, 260
 - poly(vinyl alcohol) (PVA)-based gel polymer 371
 - polyvinylidene fluoride (PVDF) 111
 - porous morphology 216
 - potential determining step 313
 - primary air–battery chemistries 294
 - pristine Li metal (PLM) 15
 - projector augmented wave (PAW) method 337
 - propyl carbonate (PC) 98
 - propylene carbonate (PC) 18
 - proton-mediated parasitic reaction 100–102
 - prototype devices
 - fiber structure 390–393
 - sandwich structure 387–390
 - Pt-alloy electrocatalysts 274
 - Pt-coated current collector 302
 - PVDF-HFP-based polymer 377
- q**
- quasi-reference electrode, of Ag 238
- r**
- Raman bands, ORR discharge products 242
- Raman spectroscopy 223, 233
- Rayleigh scattering 233
- R_{bulk} , evolution of 308
- reaction kinetics and mass transport properties 161–163
- reaction mechanism
 - and co-existence, Li_2O_2 and LiO_2 47–52
 - MNPs–CNTs 139, 140
 - RuO_2 NPs 138
- rebuilt battery 218
- rechargeable LAB 209–217
- rechargeable Li–air battery 209
- rechargeable Li–air system 60
- rechargeable Li metal batteries 18
- redox active lithium halide salts 153
- redox flow Li-ion battery (RFLB) 155

- redox material, Li–O₂ batteries
 catalytic shuttle *vs.* parasitic shuttle 163–166
 stability 161
- redox mediator (RM) 13, 109
 application of 134
 charge mediators
 lithium bromide (LiBr) 172–175
 lithium iodide (LiI) 170–172
 nitroxides 179–180
 reported 183–186
 TDPA 182–183
 TTF 180–182
 DBBQ 134, 192–194
 DFT 134
 discharge mediators 186–194
 DMPZ 134
 Li-ion batteries 151–156
 reaction kinetics and mass transport properties 161–163
 redox potential 156–157
 stability 157–161
 TEMPO 133
 TTF 133
 working principle 152
- redox process 223, 226
 redox shuttle 152–155
 reduced oxygen species (ROS) 11, 18, 27, 43, 95, 98, 233, 258
 reduction cycling, gold electrode 236
 reference electron density (RED) 352, 354
 reference geometry (RAG) 353
 reflection modes 254
 reported charge mediators 166, 167, 183–186
 reversible cell reactions 295
 reversible decomposition 171
 reversible voltammogram 241
 rock salt crystal structure 310, 311
 room-temperature ionic liquids (RTILs) 81
 rotating disk electrode (RDE) 137, 190, 276
 Ru/TiSi₂ nanonets 110
 RuO₂ nanowires 110
- ruthenium oxide nanoparticles (RuO₂ NPs) 138
- S**
- sandwich structure 387–390
 saturated compounds 254
 scanning electron microscopy (SEM) 48
 Schrödinger equation 333
 second principles density functional theory (SP-DFT)
 electronic degrees of freedom 354–357
 energy in 352–353
 lattice 353–354
 model construction 357–358
 SEIRA-based model system 252
 self-defense redox mediator (SDRM) 135
 self-interaction error (SIE) 334, 338
 self-propagated redox process 223
 separator, ZABs 270
 shell isolated nanoparticle enhanced Raman spectroscopy (SHINERS) 235
 signal-to-noise (S/N) ratio 223
 single-step and multi-step reduction 312
 single-walled carbon nanotubes (SWNTs) 384
 singly occupied molecular orbital (SOMO) 157
 sodium–O₂ battery 5–7
 solid electrolyte interphase (SEI) 12, 51, 66, 112, 114–115, 308
 solid Li-ion conductors 86
 solid-state electrolytes 2, 3, 29–30, 86–87
 solid-state Li–O₂ battery 399–400
 solid-to-solid catalysis 222
 solution-phase mechanism 68
 spectroelectrochemical cell 250, 251
 sputtering 254
 stainless steel mesh 381–382
 standard hydrogen electrode, (SHE) 2
 Stokes scattering 238
 sulfolane (tetramethylene sulfone) 77

- sulfones 76–78
superconducting quantum interference device (SQUID) magnetometry 50
superoxide-based Li–O₂ batteries 52–54
superoxide radical anion (O₂^{•-}) 11, 66
surface delithiation 4
surface enhanced infrared absorption spectroscopy (SEIRAS) 248
surface enhanced Raman spectroscopy (SERS) 78, 399
- t**
tetraalkylammonium cations (TAA⁺) 160, 239
tetraalkylammonium trifluoromethanesulfonate 82
tetrabutylammonium perchlorate (TBA⁺ClO₄⁻) 242, 255
tetraethylene glycol dimethyl ether (TEGDME) 18, 44, 69, 99, 158, 210
tetrafluoroborate([BF₄]⁻) 69
tetrahydrofuran (THF) 158, 296, 303, 371
2,2,6,6-tetramethylpiperidinyloxy (TEMPO) 13, 133, 154
tetrathiafulvalene (TTF) 133, 180–182, 257
three dimensionally ordered mesoporous (3DOM) carbon 106
TiC nanopowders 110
time-dependent DFT (TDDFT) 333
tissue-directed/reinforced bifunctional separator/protection film (TBF) 25
transition metal oxides 108, 275
advantages of 130
air electrode 275–278
Co₃O₄ NFs 131
GNFs 131
perovskite catalyst 131–133
redox mediator 133–135
transition state theory (TST) 340
- transmission electron microscopy (TEM) 47, 399
transmission soft X-ray microscopy (TXM) 51
triethyl phosphate (TEP) 18
trifluoromethanesulfonate 69, 295
triple-phase boundary (TPB) 222
tris[4-(diethylamino)phenyl]amine (TDPA) 182–183
- u**
ultraviolet–visible (UV/Vis) range 234
UV/visible spectroscopy
clear transitions 254
metal–O₂ battery studies 255–257
saturated compounds 254
- v**
voltaic efficiency 314
voltammetric oxidation 236
- w**
Wannier functions (WF) 355
water contamination 111–112
wearable electronics 367
- x**
X-ray diffraction (XRD) 45, 222
ex situ 219
patterns 211
X-ray photoelectron spectroscopy (XPS) spectra 15
X-ray scattering patterns 207
- z**
Zeeman splitting 258
zincate ions, supersaturation of 267
zinc electrode 266–268, 272
zinc ions migration 403
Zn–air battery (ZAB) 372, 402–403
air electrode
OER 272–273
ORR 271–272
structure of 271
domestic/industrial applications 265

- electrocatalyst
- inorganic–organic hybrid materials 278–282
- metal-free materials 282–288
- noble metals and alloys 274–275
- transition metal oxides 275
- electrolyte 268–270
- LIB 265
- separator 270
- zinc electrode 266
- Zn–O₂ battery
 - high power rechargeable batteries 403
- zinc morphology 402

