

Index

a

acetate 48
 acetic acid 48, 97
 acetone 9, 194
 acetonitrile 9, 82, 87, 89, 95, 148, 193
 acid
 – acetic 48, 97
 – carboxylic 63
 – formic 48, 49, 82, 97
 – organic 48
 – trifluoroacetic 48, 49
 additive 148
 Agent Report Software 85
 Agilent system 13, 190
 alcohols 63
 aldehyde 63
 alkali
 – adduct 158
 – cation 150
 alkaline cleaner 194
 alkanesulfonic acid 151
 all ion fragmentation (AIF) 128
 ambient desorption ionization technique 15
 amide phase 89
 ammonium
 – adduct 60
 – fluoride 166
 – salt 48, 54
 analyte molecule 7, 145
 analyzer 191
 andepirubicin 87
 anion exchange chromatography 173
 anisole 9
 aqueous dopamine hydrochloride solution 187
 at column dilution method 180

atmospheric pressure

- chemical ionization (APCI) 6, 9, 44, 143, 171
 - – additives 153
 - – detection sensitivity 155
 - ion sources 3
 - – artifact formation 3
 - – ion suppression 3
 - ionization (API) 5, 142, 159, 177
 - – methods 5
 - laser ionization (APLI) 5, 10
 - photoionization (APPI) 5, 9, 143, 147, 160, 172
 - – detection sensitivity 155
 - – dopant-assisted 9
- autosampler 23
 axial mixing 22

b

base 48
 baseline stability 51
 bicarbonate 48
 bioanalysis 49
 biomolecule 49
 biopolymer 144
 biphenyl phase 89
 bis-nalbuphine 184
 black box 142
 bleeding of a separation column 63
 blind gradient 53
 buffer
 – additive 148
 – calculator 98

c

calibrant infusion 27
 capillary 191
 – voltage 155
 – flow cell 42

- caprolactam 183
 - carboxylic acid 63
 - cation adduct 159
 - charged
 - aerosol detectors (CAD) 40
 - residue mechanism (CRM) 8
 - charging effect 193
 - chemical noise 56
 - chip-design mixer 22
 - chloride
 - ion 48
 - salt 61
 - chromatogram 23, 28
 - baseline quality 56
 - divided into periods 125
 - chromatographic support 100
 - chromatography data systems (CDS) 217
 - Chromeleon 218
 - Chromolith 179
 - circular ion trap (QIT) 68
 - citric acid 186
 - classroom training 166
 - cleaning 193
 - cloud computing 218
 - collision
 - cell 208
 - energy 192
 - collision-induced dissociation (CID) 34, 158
 - column
 - geometric volume 106
 - inner diameter reduction 132
 - reequilibration 31
 - switching valve 102
 - thermostat 26
 - volume 107
 - cone 191
 - voltage 155, 166, 190
 - connection tubing 26
 - constant neutral loss 35
 - contamination 63, 162
 - conversion
 - detector 193
 - dynode detector 198
 - coordination ionspray 6
 - core-shell particle 100
 - costs 205
 - Coulomb explosion 144
 - critical radius 8
 - CSH-Xselect column 179
 - curtain gas 116, 207
 - cycle time 23, 30, 122, 127
 - cyclophosphamide 81, 87, 89
 - cytostatic drugs 119
- d**
- data
 - acquisition rate 38
 - management system 217
 - database 130
 - data-dependent acquisition (DDA) 128
 - data-independent acquisition (DIA) 128
 - declustering 58
 - decomposition product 177, 181
 - deconvolution 205
 - degradation experiment 181
 - delayed injection 30
 - derivatization 203
 - design of experiments (DoE) 118
 - desolvation 142
 - detection
 - selectivity 204
 - sensitivity 153, 204
 - technique, concentration-dependent 144
 - window 126
 - detector
 - electrochemical 42
 - nebulizer-based 42
 - nondestructive 42
 - dewetting 84
 - dimethylbenzidine 156
 - dimethylformamide 148
 - DIN 38407-47 75
 - diode array detection 41
 - direct injection 104
 - display mass 177
 - dissociative electron-capture ionization 6
 - dissolved residual gas 65
 - diverter valve 162
 - docetaxel 81, 87, 120
 - dopamine 186
 - impurities 186
 - dopant 9, 147
 - dopant-assisted atmospheric pressure photo ionization (DA-APPI) 9
 - double peak 106
 - doxorubicin 81, 87
 - drug screening 128
 - dryer gas 117
 - Drylab 98
 - dwell time 122, 124
- e**
- electro spray ionization 171
 - electrochemical detector (ECD) 42
 - electrochemistry 40
 - electrodynamic ion funnel technology 172
 - electron
 - impact ionization 62

- multiplier 193
- tube 197
- electrospray 190
 - ionization (ESI) 3, 5, 12, 44, 104, 142, 177, 207
 - additives 152
 - detection sensitivity 154
 - ESI needle 116
 - ESI voltage 58, 117
 - positive ion ESI 159
- eluent mixing 22
- enoxaparin 177
- environmental analysis 73, 77, 211
- epirubicin 81, 87
- equilibration 85
- etoposide 120
- evaporation enthalpy 47
- evaporative light scattering detector (ELSD) 40, 177
- extra-column volume (ECV) 20, 21, 25
- extracted ion chromatogram (EIC) 41, 57

f

- false mass
 - assignment 65
 - determination 68
- fine optimization 98
- fitting technology 28, 214
- flow
 - injection analysis (FIA) 45, 50, 57, 118, 158
 - rate 103
- flow-through-needle principle 23
 - 5-fluorouracil 81, 87, 109
- flush-out effect 21
- foamtips 197
- formethotrexate 97
- formic acid 48, 49, 82, 97, 194
- fragment ion 34
- fragmentation reaction 61
- fragmentor voltage 166
- freeze-drying 187
- FTICR mass spectrometer 36
- full-scan
 - mode 209
 - spectrum 129
- fully porous particle 100
- gas
 - filter 57
 - chromatography (GC) 203
 - phase 43
 - adduct 59, 60
 - purity grade 57

- stream 117
- gemcitabine 81, 87, 109
- gradient
 - delay volume (GDV) 20, 21, 24, 215
 - generator 174
 - grade solvent 182
 - separation 52
 - slope 95

h

- Hagen–Poiseuille's law 25
- heptanesulfonic acid 151
- hexapole 193, 198
- high resolution analysis 31
- high-pressure gradient pump (HPG) 22
- high-resolution/accurate mass (HRAM) 215
- high-throughput analysis 20
- hot steam cleaner 194
- HPLC
 - analysis 20
 - flow rate 154
- HPLC/MS
 - analysis 75
 - coupling 77
 - critical peak pairs 77
- hybrid
 - mass spectrometer 75
 - system 209
 - QTOF architecture 210
- hydroniumion 174
- hydrophilic liquid interaction
 - chromatography (HILIC) 46
- hydroxyeicosatetraenoic acid 173
- Hypercarb 109
 - precolumn 110

i

- ifosfamide 81, 87, 89
- impurity 182
 - on a gram scale 183
- inappropriate mass resolution 66
- inert surface 194
- information-dependent acquisition (IDA) 128, 209
- injection volume 104, 108
- inner column diameter 103
- in-source collision-induced dissociation 61
- ion
 - block 198
 - bridge 191
 - burn 196
 - chromatography (IC) 173, 174
 - cyclotron resonance (FTICR) 216
 - mass analyzer 35

- evaporation mechanism (IEM) 8
- mobility 13
- mass spectrometry (IMS) 13, 15, 205
- optic 162
- pair
 - agent 160
 - chromatography 152
 - reagent 150, 160, 173
- source 3, 43, 150, 162, 190
- chemical contamination 56
- inappropriate settings 56
- parameters 51
- sprayer 27
- suppression 48, 53, 58, 122, 158, 162
- by the sample matrix/sample
 - contaminants 161
- determination 11
- transfer
 - capillary
 - optic 44
- trap 172
- mass spectrometer 12, 34, 36
- Orbitrap 172
- ionization
 - marker 10
 - method 5
 - optimization 159
 - potential 9
 - techniques 142
 - voltage 117
- IonSpray 144
- irinotecan 108
- isomer 40
- isopropanol 109, 194, 197
- IT application 218

I

- lab information management systems (LIMS) 219
- Lambert–Beer’s law 155
- large molecule analysis 215
- large volume injection (LVI), *see* direct injection
- LC/MS
 - coupling 3
 - method development 43
 - problem solving 177
 - technical aspects 19
 - interface 142
 - separation setup 53
- Leu-enkephalin 47
- light scattering detection 177
- limits
 - of detection (LOD) 104
 - of quantification (LOQ) 104
- linear
 - ion trap (LIT) 68
 - solvent strength (LSS) model 109
- linearity 156
- liquid chromatography (LC) 6, 19, 49, 203, 207, 214
- lock spray 36
- low-pressure gradient pump (LPG) 22
- LTQ Orbitrap mass spectrometer 13

m

- maintenance engineer 189
- make-up flow 101
- mass
 - resolution, inappropriate 66
 - signal
 - misinterpretation 66
 - unknown 59
 - spectrometer 12, 33
 - cycle times 38
 - data rates 38
 - high-resolution 78
 - source parameters optimization 117 117
 - spectrometry (MS) 5, 19, 215
 - contaminant database 65
 - control software 68
 - detectability 39
 - detection parameters 51
 - establishing parameters 115
 - hybrid instruments 172
 - method development 73
 - tuning 50
 - spectrum misinterpretation 65
 - transition 78
- mass-selective detector (MSD) 37
- matrix
 - blank 164
 - effect 52, 162, 165
 - chromatogram 79
 - spike 163
- matrix-assisted laser desorption ionization (MALDI) 177
- membrane-based pulsation damper 23
- metabolomics 174
- metal ion 64
- meter column length 214
- metering device 24
- methanesulfonic acid 173
- methanol 89, 92, 182, 193, 197
- method scouting system 84
- methohexital 181

- microdroplet 7
- microspray 144
- microwave vials 184
- miniaturization 132
- mixed-mode phase 89
- mobile phase flow rate 103
- monolithic phase 100, 102, 133
- mother drop 7
- multianalyte method 79, 104
- multiple reaction monitoring (MRM) 34, 122, 183, 157
 - retention-time-dependent 125
 - retention-time-independent 124
 - scheduled (sMRM) 208
- myoglobin 145
- n**
- nalbuphine 184
- nano-HPLC technique 142
- nano-LC system 51, 171, 207
- nanospray 144
- nebulizer gas 8, 117, 120
 - improper 58
- negative ion electrospray 160
- nitrogen 56, 190, 191
 - generator 57
- non-target
 - analysis 13, 211
 - screening 74
- nozzle-skimmer dissociation 62
- o**
- offline SPE 114
- oligomer separation 183
- oligonucleotide 166
- online SPE 112
- Orbitrap 13, 36, 75, 129, 213, 215
- organic
 - acid 48
 - solvent 89
- overspray 190
- oxidation
 - electrochemical in the ESI ion source 61
 - photochemical 61
- p**
- paclitaxel 81, 87, 120
- PAH analysis 11
- paired ions 150
- pause time 124
- peak
 - area calculation 38
 - compression 24, 29
 - width 127
- PEEK fingertight fitting 28
- PEEKSil capillary 132
- pentapeptide 47
- perfluorinated
 - compounds 63
 - organic acid (PFOA) 63
- pesticide screening 99, 128
- pH value 95, 160
- pharmaceutical selection 80
- phase collapse 84
- phosphate 48
 - buffer 54, 148, 149, 193
- photoionization (PI) 6, 146
 - detector (PID) 6
- photomultiplier 193, 198
- photoreactor 61
- plasticizer 63
- pneumatic nebulizer 144
 - gas 44
- pneumatically assisted electrospray 144
- polarity switching 123
- polyether 64
- polyethylene/polypropylene glycol (PEG/PPG) 64
- polyfluorinated compounds 63
- polysiloxane (silicone) 64
- porous graphitic carbon (PGC) 109
- post-column
 - addition 152, 153
 - infusion 58
- potassium hydroxide 173
- precursor ion 34
 - scan 35
- prednisolone 152
- prefilter 192
- proteomics 144, 171
- proton adduct 59
- pseudomolecular ion 142, 153
- PTFE (Teflon) 63
- q**
- QTOF system 15
- QTRAP technology 209
- quadrupole 172, 191
 - cleaning 195
 - mass spectrometer 12, 36
 - Orbitrap 173
 - time-of-flight mass spectrometer 75, 129
- qualifier 208
- quality
 - by design (QbD) 118
 - control (QC) analysis 53
- quantification 122
- quantifier 208

r

radial mixing 22
 reagent gas 45, 148
 re-equilibration time 31
 remote device monitoring 218
 residue analysis 122
 resolution map 99
 resonance-enhanced multiphoton ionization (REMPI) 10
 response factor 44
 retention time 80
 – window 125
 reversed-phase (RP) chromatography 46
 RP chromatography 40, 82, 173

s

saffron sample 4
 sample
 – analysis 54
 – – no signal 54
 – injection 23, 30
 – loop 112
 sandwich injection 180
 SCIEX (SCientific EXchange) 207
 screening
 – experiment 84
 – for unknowns 34, 35
 – fully automated 84
 – manual/partially automated 85
 – using LC/MS 128
 selected reaction monitoring (SRM) 34
 sensitivity 44
 sheath gas 8
 signal
 – intensity 55
 – quality 51
 – reduction 58
 signal-to-noise ratio 99
 simulation software 98
 single ion mode (SIM) 12
 single reaction monitoring (SRM) 157
 size-exclusion chromatography (SEC) 92
 skimmer 191, 194
 small molecule analysis 49, 215
 SmartInject technology 214
 soft clipping phenomenon 156
 software 217
 – tools 119
 solid phase extraction column 105
 solvent 148
 source temperature 117, 119
 space charge 68
 spectral library 141

spectroscopy 40
 – detector 38
 split-loop sampler 23, 30
 spray
 – stability 50
 – techniques 190
 stainless steel (SST)
 – capillary 29
 – cleaner 194
 stationary phase support 99
 supercritical fluid chromatography (SFC) 14
 suspected-target screening 74
 syringe pump 51
 system tubing 24

t

tandem
 – liquid chromatography 32
 – MS in space 34, 35
 target
 – analysis 15, 73, 74, 122, 208
 – scan time 126
 – screening 34, 37
 Taylor cone 7
 temperature 92
 tetrabutylammonium 151
 – bromide 151
 tetrahydrofuran (THF) 92, 148
 thermal spray 190
 Thermo Fisher Scientific 213
 ThermoScientific EasySpray nano-LC interface 217
 time window 124
 time-of-flight (TOF)
 – analyzer 210
 – mass spectrometer (TOFMS) 13, 35, 38, 129, 145, 172, 215
 toluene 9
 total cycle time 30, 33
 total ion chromatogram (TIC) 57, 129
 trace analysis 122
 transfer capillary 100, 144
 triethylamine (TEA) 149
 trifluoroacetic acid (TFA) 48, 49, 149, 173
 triple quadrupole mass spectrometer 12, 34, 38, 78, 122, 207
 TripleTOF technology 211
 tuning solution 51

u

UHPLC
 – analysis 20
 – fitting system 28

- system 127, 214
- – installation 25
- ultrasonic bath 194
- uniform
 - collision energy 130
 - detection 39
- unit mass resolution mass spectrometry 204
- universal detection 39
- UV detector 27, 38, 42, 55, 61, 77
- v**
- vacuum
 - degasser 152
- ultraviolet (VUV) radiation 6
- van Deemter curve 46
- Vanquish UHPLC system 24
- volatility 47
- w**
- waste valve 100
- Waters system 13
- wide area networks (WAN) 217
- z**
- Z-spray 190

