

## Index

### a

- achiral N-heterocyclic carbene catalyst 299
- achiral tricarbonyl compounds 303
- activated chain-end mechanism 313
- acyclic dienones 111, 112
- acyl anion equivalent 1, 59, 83, 97, 345, 351, 357, 358, 367, 379, 384
- acyl azolium 118, 288  
dienolate 177–181  
species 266
- acyl azolium intermediate 145, 148, 152, 157, 162, 168, 170, 188, 189, 191–195, 200, 201, 207, 208, 217, 267, 288, 295, 299
- acylphosphonates 105  
cycloaddition 106
- acylsilanes 52, 76, 358
- acylsubstituted  $\beta$ -lactones 225
- alcohols 8, 40, 76, 118, 129, 159, 160, 176, 190, 214, 222, 228, 263–268, 273, 287, 288, 290–295, 310, 317, 319, 334, 335, 376, 378, 385
- aldehyde 1, 27, 28, 37, 39, 41, 44, 48, 65, 69, 75, 81, 87, 98, 99, 157, 180, 201, 271, 290, 292, 295, 299, 328, 346, 351, 358, 360, 377, 380
- Alexakis' intercepted (3 + 3)-annulation 164
- aliphatic alcohols 290–294
- aliphatic and aromatic polyesters 337
- aliphatic anhydrides 126, 127, 196
- aliphatic polycarbonates 337
- 2-alkyl-*N-p*-toluenesulfonyl aziridines 319
- $\alpha$ -amino aldehydes 50
- $\alpha$ -aryloxyaldehydes 221
- $\alpha$ -aryloxyacetaldehyde 217
- $\alpha$ -bromo- $\beta$ -methyl enals 178
- $\alpha$ -bromo-enals 147, 157, 166, 167, 170
- $\alpha,\beta$ -unsaturated acid fluorides 145
- $\alpha,\beta$ -unsaturated acyl azolium 157–159  
annulations with ketones and imines 177  
esterification 159–160  
(4 + 2) annulations, with  
electron-poor olefins 180–181  
generation 157–159  
other reactions 181–182  
(3 + n) annulations  
annulation with enamines 165–168  
with enolates 161–164  
with, other nucleophiles 168–170  
(2 + n) annulations  
(2 + 1) annulations 176–177  
(2 + 3) annulations terminating,  
 $\beta$ -lactonization 174–176  
(2 + 4) annulations terminating,  
 $\beta$ -lactonization 170–174  
(2 + 4) annulations terminating,  
 $\delta$ -lactonization 174
- $\alpha,\beta$ -unsaturated acyl azolium  
intermediates 148, 152, 162, 191
- $\alpha,\beta$ -unsaturated acyl azolium precursor 164
- $\alpha,\beta$ -unsaturated acyl fluorides 170
- $\alpha,\beta$ -unsaturated aldehydes 98, 118, 136, 204, 288, 290, 369

- $\alpha,\beta$ -unsaturated carbonyl system 95
- $\alpha,\beta$ -unsaturated esters 334
- $\alpha,\beta$ -unsaturated *O*-phenyl esters 281
- $\alpha$ -carbon 118
- $\alpha$ -carbon activation, of saturated
  - carboxylic esters 188–191
- $\alpha$ -chloroaldehydes 218, 219
  - with azomethine imines 223
  - bisulfite salts 218
- $\alpha$ -fluoro carboxylic acids 216
- $\alpha$ -functionalized aldehydes
  - carboxylic compounds, synthesis of
    - $\alpha$ -fluoro carboxylic acids 216
    - chiral formylcyclopropanes 215
    - NHC-catalyzed Mannich reaction 217
  - formal [2+2] cycloaddition 222
  - formal [2+3] cycloaddition 222–223
  - formal [2+4] cycloaddition
    - $\alpha,\beta$ -disubstituted enones 218
    - 4-arylidénylpyrazolones 219
    - 2-chloropropanal 218
    - hetero-Diels–Alder reactions, formylcyclopropanes 221
    - trifluoromethyl *N*-Boc azadienes 219
- $\alpha'$ -hydroxyenones 114, 126, 128, 129
- $\alpha$ -ketoesters 47, 48, 74, 302, 374
- $\alpha$ -spiro lactone 270
- $\alpha$ -substituted  $\beta$ -keto esters 303
- $\alpha$ -sulfanylsubstituted amide 229
- amines and sulfoximines 297–299
- 2-aminobenzenethiol 275
- aminoindan-2-ol 216, 228
- aminoindanol-derived triazolium 273, 278, 282, 301
- aminoindanol-triazolium catalyst 115
- amino phenols 295, 296
- anhydride hardened epoxy resins 339
- annulation reactions
  - hirsutic acid C 358
  - platensimycin 358–360
  - via azolium enolate addition 303–305
  - via azolium homoenolate addition 305
  - via  $\gamma$ -addition 305–306
- aromatic aldehydes 39, 40, 44–48, 51, 61, 68, 81, 85, 142
- 8-(aroylmethyl)-3-arylideno [1,2-*ci*]furan-1-ones 142
- aroylvinylninamaldehydes 142
- 3-(arylcabonyl)coumarins 234
- asymmetric aza-Michael addition of
  - aliphatic amines 283
- asymmetric metallation 96
- asymmetric spiro lactone synthesis 102
- asymmetric synthesis, of  $\gamma$ -lactams 107
- atorvastatin calcium 360
- atroviridin 375–376
- axially chiral bis-phenols 296
- aza-Benzoin reactions
  - aldehydes with imines 53
  - of aldimines 51–53
  - dual photoredox 53
  - formiminium ions 51
  - imine-sulfonic acid adducts 52
  - ketimines 53–54
- azalactone 125, 126
- aza-Michael addition reactions 275, 282
- aziridines 309, 319, 340
- azodicarboxylates/
  - 3-alkylideneoxindoles 250
- azolium dienolate
  - $\alpha,\beta$ -unsaturated esters 254
  - $\beta,\gamma$ -unsaturated  $\alpha$ -fluoroesters 250
  - NHC-enolate 249
  - trihalomethyl radicals 251
- azolium enolate
  - from acids 247–249
  - from activated esters 244–246
  - addition 303–305
  - from aldehydes with oxidant 242–244
- $\alpha$ -functionalized aldehydes
  - carboxylic compounds, synthesis of 213–217
  - formal [2+2] cycloaddition 222
  - formal [2+3] cycloaddition 222–223
  - formal [2+4] cycloaddition 217–222

- from enals 237–242
- from ketenes
  - asymmetric formal [2+3] cycloaddition 231–232
  - asymmetric formal [2+4] cycloaddition 232–235
  - asymmetric protonation 236
  - formal [2+2] cycloaddition 224–231
  - halogenation 236–237
- azolium homoenolate addition 305
- azolium intermediate 114, 145, 148, 152, 157, 162, 168, 170, 180, 189–195, 201, 207, 214, 217, 265, 267, 295, 299
- azomethine imines 122, 123, 180, 223, 241, 253, 256, 305
- b**
- (*S*)-baclofen 374
- bakkenolides 120, 239, 367–369
- base-catalyzed racemisation, of (+)-camphenilone 95, 96
- benzimidazolylidenes 2, 22, 24, 26
- benzodienones 138
- benzofuran-2,3-dione 105
- benzofurandiones 105
- Benzoin and Stetter reactions
  - Benzoin condensation 302–303
  - desymmetrization of achiral substrates 301–302
- Benzoin condensation 1, 59, 97, 187, 208, 279, 302–303, 328, 337, 345–357, 361, 377
- 2-benzoxepinones 116
- $\beta$ -alkoxy ketone 273
- $\beta$ -alkylidene- $\beta$ -lactones 228
- $\beta$ -alkyl nitroolefins 278
- $\beta$ -bromoaldehydes 158
- $\beta$ -carbon activation,  $\alpha,\beta$ -unsaturated carboxylic compounds 191
- $\beta$ -carbonyl substitution 47
- $\beta$ -disubstituted enals and isatins 102
- $\beta,\gamma$ -unsaturated  $\alpha$ -fluoroesters 250
- $\beta,\gamma$ -unsaturated  $\alpha$ -ketocarboxylic esters 234
- $\beta,\gamma$ -unsaturated  $\alpha$ -ketoesters 74
- $\beta$ -halo  $\alpha$ -keto esters 305
- $\beta$ -hydroxycyclopentane carboxylate 112
- $\beta$ -hydroxyesters 213
- $\beta$ -ketoesters 121, 279, 302
- $\beta$ -lactam 299
- $\beta$ -lactones 305
  - enals and ketones 118
- $\beta$ -protonation 118
  - of homoenolates
    - $\alpha$ -carbon 118
    - enolate equivalents 119
    - NHC-enolates 120
- $\beta$ -sulfanyl-substituted amine 229
- $\beta$ -Sultams 228
- bicyclic ketones 301
- bicyclic tertiary alcohols 301
- bidentate P-based Lewis base 295
- bioactive  $\alpha$ -hydrazino esters 222
- bioactive indenopyrones 219
- bioactive multi-substituted benzenes 253
  - 1,3-bis(2,4,6-trimethylphenyl)imidazol-2-ylidene 322
  - 1,3-bis(isopropyl)-4,5(dimethyl)imidazol-2-ylidene (5<sub>Me</sub>-*i*Pr) 319
- bisphenol A diglycidyl ether (BADGE) 339
- bisphenol substrates 295
- bis(2-hydroxyethyl)terephthalate (BHET) 337
- Bode's enantioselective (3 + 3)-annulations 163
- bond disruption enthalpies (BDEs) 10
- bond strength order (BSO) 26
- Breslow intermediate (BI) 1, 10, 37–39, 50, 52, 60, 63, 68, 70, 74, 76–78, 80, 85, 86, 89, 97, 98, 100, 101, 117, 121, 122, 189, 200–202, 208, 209, 271, 272, 276
- Brønsted acid 72, 102, 103, 105, 107, 263, 282, 283, 292
- bryostatin 7, 381–384
- bulky aldehyde 292, 295

**C**

carbene relative energy of formation (CREF) 26

carbohydrate-derived cyclic nitrones 107, 108

carbonyl carbons 37, 59, 266, 384

carbonyl chemistry 95

carboxylic anhydrides 126, 196, 246

carboxylic compounds, synthesis of 213–217

carboxylic esters 59, 126, 153, 188–192, 194–198, 205, 234, 235, 294

Cassialoin 348–349

catalytic reactivity 200, 330, 332–334

Chemoselective cross-benzoin reactions 48, 50

chiral  $\alpha,\delta$ -diketoester 74

chiral 3,4-diaryl cyclopentanones 205

chiral phosphinates 295

3-chloroperoxybenzoic acid 229

chloro-substituted 1,3-propanediols 292

cinnamaldehyde 98, 114, 122, 162, 205, 237, 292, 369, 370

cinnamaldehyde-derived imines 237

*cis*-cyclopentene derivatives 110–112

*cis*-diastereomers 136

*cis*-jasmon 360

Claisen condensation 269

clausenamide 369–371

clavosolide A 380–381

computed ligand electronic parameters (CEPs) 25

Cram-chelate-like selectivities 50

cross-benzoin reactions

- intermolecular
  - aldehydes with  $\alpha$ -ketoesters 48
  - catalyst-dependent
    - chemoselectivity 50
    - chemo- and diastereoselective cross-benzoin reaction 50, 51
    - chemoselective 49
    - enantioselective 49
    - heteroaromatic aldehydes 47

- intramolecular
  - aldehydes and aliphatic/aromatic ketones 45
  - aromatic/aliphatic aldehydes 45
  - b/w aldehydes and ketones 42, 44
  - desymmetrization 46
  - dynamic kinetic resolution 47
  - enantioselective 45

Cyanolide A 380–381

cyclic amines 299, 300

cyclic (amino)(alkyl)carbenes (CAACs) 2

cyclic (amino)(aryl)carbenes (CAArCs) 2

cyclic diols/amino alcohols 293

cyclic esters 309, 314, 319, 327, 340

cyclic *N*-sulfonylimines 166

cyclic poly( $\beta$ -butyrolactone) 325

cyclic poly(carbosiloxane) 323, 325

cyclic vs. linear polymers 321–328

[3+3] cyclocondensations 193

cyclohexadienone 66–68, 301

cyclopentannulation 110, 125

cyclopentene formation 110, 365

cyclopropenylidene compounds 4

6-Cy-CO<sub>2</sub>, 327, 331

**d**

(+)-Dactylolide 379–380

DA-cyclobutanes 173

D-*arabino*-phytosphingosine 50

(+)-davanone 376–377

dehydration process 137

density functional theory (DFT) 20, 61, 267

(–)-7-deoxyloganin 384

3-deshydroxy secu'amine A 374, 375

desymmetrization

- of achiral substrates 301–302
- of cyclohexadienones 67
- of functionalized 1,4-dienes 68
- spirocyclohexadienones 67
- of spirocyclohexadienones 68

diarylalkanes 295, 298

diaryl 1,2-diones 77, 78

- diastereoselective formation,
  - cyclopentenes 109
- dibenzylidene cyclohexanones 111
- dibenzylidene cyclopentanones 111
- dicarbonyl compound 65, 270, 362
- Diels–Alder cycloaddition 118, 119, 173, 363
- Diels–Alder reaction 119, 221, 238
- dienolate-enolate intermediates 142–144
- dihydrocoumarin derivatives 233, 247
- dihydrocoumarin-fused
  - dihydropyranones 234
- dihydrojasmon 360
- 1,2-dihydronaphthalenes 149, 172
- dihydropyranone 119, 161–164, 167, 178, 179, 221, 232, 234, 235, 250, 384
- 3,4-dihydropyridinone 165
- 5,6-dihydropyridinone 165
- dihydropyridinones 165, 166, 193, 232, 255
- (+)-7,20-diisocyanoadociane 355–357
- diketo aldehyde 301
- 1,3-diketones 120, 162, 272, 302, 368
- dimethylacetylene dicarboxylate (DMAD) 98
- 4-dimethylaminopyridine (DMAP) 24, 238, 380
- diphenyl ethylene diamine (DPEN) 61
- 5-Dipp 317, 323
- 3,4-disubstituted adipic acid derivatives 112, 113
- 3,4-disubstituted-6-trifluoromethyl-dihydropyridin-2(1H)-ones 219
- $\delta$ -lactone, formation of 107
- domino
  - Michael/Mannich/lactamization sequence 141
- domino reactions
  - dienolate-enolate intermediates 142–144
  - homoenolate-enolate intermediates
  - homo-aldol/Michael addition sequence 142
- Michael/aldol reaction sequence 134–140
- Michael/Mannich reaction sequence 140–142
- Michael/Michael reaction sequence 138–140
- unsaturated acyl azolium-enolate intermediates
  - Michael/aldol sequence 145–149
  - Michael/Mannich reaction sequence 152
  - Michael/Michael addition sequence 149–152
  - Michael/S<sub>N</sub>2 reaction sequence 153
- donor-acceptor cyclopropanes 145, 146, 174
- drastic reversal of selectivity 50
- dynamic kinetic resolution (DKR) 46, 47, 103, 104, 120, 121, 190, 287, 377
- e**
- eight-membered *N*-functionalized
  - cyclic carbonates (8CCs) 323
- E*-isomer 39
- electron localization function (ELF) 83
- electron paramagnetic resonance (EPR) 202, 208
- electron withdrawing group (EWG) 40, 51, 238
- enamine activation, of carbonyl compounds 95
- enantioenriched  $\alpha,\alpha$ -disubstituted cyclopentenes 303
- enantioenriched  $\beta$ -substituted esters 215
- enantioenriched  $\delta$ -lactones 305
- enantioselective and divergent synthesis, of cyclopentanols 115
- enantioselective C–C bond formation reaction 279
- enantioselective Michael addition, of homoenolates to nitroolefins 114
- enantioselective SMA reactions 281

- (-)-englerin A 364–366  
 enone 77–80, 108, 111–114, 126, 135, 137, 138, 143, 180, 182, 217, 232, 242, 246, 248, 273  
 enzymatic intermolecular Stetter reaction 79  
 epimeric cyclopentanol 115  
 epoxide/anhydride resins 339  
 $\epsilon$ -caprolactam 314, 327  
 $\epsilon$ -lactones 116  
 ethyl methylcarbamate 205  
 excipient alcohol initiator (ROH) 310
- f**  
 Felkin–Anh model 50  
 (-)-femoxetine 370–374  
 five-membered cyclic product 271  
 fluorinated chiral triazolium 72, 74  
 formal cycloaddition, of diazene with homoenolate 123  
 fragment coupling  
   atorvastatin calcium 360  
   *cis*-jasmon 360  
   (-)-englerin A 364–366  
   haloperidol 363–364  
   (+)-monomorphine I 363  
   piperodione 366  
   Roseophilin 361–362  
   *trans*-sabinene hydrate 362–363  
 functionalized 1,4-dienes 301  
 2-furaldehyde 47
- g**  
 $\gamma$ -addition 305–306  
 $\gamma$ -butyrolactone products 305  
 $\gamma$ -carbon activation, of  $\alpha$ ,  $\beta$ -unsaturated carboxylic esters 198  
 $\gamma$ -dihalomethylenation, of enals 206  
 $\gamma$ -hydroxy amino esters 107–108  
 $\gamma$ -lactam derivatives 117  
 $\gamma$ -lactones 99, 100, 108, 114, 115, 126  
 $\gamma$ -lactonization 102, 358  
 gelsemoxonine 377  
 Glorius–Bode  $\gamma$ -lactone synthesis 99, 102, 108  
 group transfer polymerization (GTP) 309, 310, 312, 335
- h**  
 haloperidol 363–364  
 2*H*-chromene-3-carboxaldehyde 121  
 hemiacetals 292, 294, 297, 377  
 hetero-Michael addition 98  
 hirsutic acid C 358, 359  
 homo-benzoin reactions  
   aza-Benzoin reactions 51–54  
   background 37–39  
   cross-benzoin reactions  
     intermolecular 47–51  
     intramolecular 42–47  
   enantioselective 41–42  
   lowest energy transition state 39  
   mechanism 37–39  
   NHC-catalyzed 40  
   simplified models, enantioinduction 39  
   standard conditions 40–41  
   substrate scope 40–41  
 homodimerization  $\alpha$ ,  $\beta$ -unsaturated aldehydes 108  
 homodimerization, of enals 107  
 homoenolate-dienone reactions, plausible mechanistic pathways 112  
 homoenolate-enolate activation modes 140  
 homoenolate-enolate intermediates  
   homo-aldol/Michael addition sequence 142  
   Michael/aldol reaction sequence 134–138  
   Michael/Mannich reaction sequence 140–142  
   Michael/Michael reaction sequence 138–140  
 homoenolate-enolate reaction 100, 101  
 homoenolates 54, 72, 95–129  
   annulation 103  
   annulation, seven-membered lactones synthesis 116  
    $\beta$ -nitrostyrenes 114  
   carbon-nitrogen bond formation, with nitrone 123

- cyclic 1,2-diones 102  
 cycloaddition 106  
 cyclopentannulation 110  
 domino reactions of 124  
   coumarin formation,  
     intramolecular 125  
   cyclopentane fused coumarins  
     125  
   stereoselective domino cyclization  
     124  
 enantioselective  $\beta$ -lactam synthesis  
   110  
 enantioselective cyclopentene  
   synthesis 109  
 enantioselective spiroannulation, of  
   isatin-imines 104  
 formal [3+2] cycloaddition 123  
 formation 99  
 intramolecular nucleophilic addition  
   95  
 metal-homoenolate reagents 96  
   with nitrosobenzene 124  
 precursors 126  
   deprotonation 126  
   electrophiles 126  
   from saturated esters 127  
 Hoveyda-Grubbs' catalyst 270  
 hydroacylation, of unactivated olefins  
   82, 84  
 1-hydroxy-7-azabenzotriazole 216  
 hydroxyl-functional acrylate monomers  
   335  
 hydroxymethylation 50  
 6-hydroxypyranone (hemiacetal) 292,  
   377  
 3-hydroxy-3-substituted oxindoles 291  
 4-hydroxy tetralone synthesis 81
- i**
- IDipp catalysts 335  
 imidazolium salt precursors 13, 14  
 imidazolium 263  
   derived-homoenolates 108  
   pre-catalyst 268  
 imidazolylidene-bearing palladium  
   species 7  
 imidazolylidenes 2, 4–6, 13, 19–21, 26,  
   265  
 indeno[2,1-c]pyran-1-one derivatives  
   140  
 infra-red (IR) spectrum 18  
 intermolecular Michael addition  
   reaction 272, 273  
 intermolecular Stetter reaction  
   asymmetric  
     aldehyde with chalcone 69  
      $\alpha,\beta$ -unsaturated aldehydes, with  
       modified chalcones 72  
      $\alpha,\beta$ -unsaturated aldehydes with  
       nitro olefins 73  
     glyoxamides with  
       alkylidenemalonates 69  
     heteroaromatic aldehydes,  
       nitroalkenes 72  
   asymmetric, *n*-butanal with chalcone  
     69  
   asymmetric,-unsaturated esters 71  
   enantioselective, *N*-acylamido  
     acrylates 71  
   mode of activation 73  
   synthetic utility, acetaldehyde 75  
   vinyl phosphonates 75  
   vinyl sulfones 75  
 intramolecular aldol cyclization 146,  
   303, 363  
 intramolecular cyclization 61, 64, 83,  
   272  
 intramolecular Michael spirocyclization  
   reaction 271  
 intramolecular Stetter reaction 61  
   activated alkynes 64  
   asymmetric,  $\alpha,\beta$ -disubstituted  
     Michael acceptor 63  
   asymmetric,  $\beta,\beta$ -disubstituted  
     Michael acceptors 65  
   asymmetric, vinylphosphonates 63  
   catalysts 62  
   desymmetrization  
     of cyclohexadienones 66  
     of spirocyclohexadienones 68  
   imidazolium salt 64



- intramolecular Stetter reaction (*contd.*)  
 isolation, aldehydes-NHC adducts  
   65  
   spiro-bicyclic 66  
   vinylogous Michael acceptor 64  
 5-*i*Pr-CO<sub>2</sub>, 320  
 isatin-derived unsaturated ester 232  
 isatin-derived ketimines 225  
 1-isopropyl-3-benzylimidazol-2-ylidene  
   322  
 isothioureia 256
- k**
- ketoaldehyde 346, 348, 351, 359  
 1,3-ketoester 270, 272  
 Kharasch oxidant 158, 160  
 kinamycins 349–351  
 kojic acid 162
- l**
- lactamization 113, 137, 141, 152, 165  
 lactide 264, 309, 310, 313, 314, 317,  
   322, 340  
   monomer 264, 322  
 lactone 99, 125, 135, 146, 163, 192,  
   195, 199, 303, 346, 368, 374, 380  
 laurolactam 314, 327  
 lever electronic parameter (LEP) 24  
 Lewis acid 103, 104, 107, 111, 116, 135,  
   254, 273, 274, 278, 292, 335–336  
 Lewis basicity 24  
 lomaiviticin aglycon 349  
 L-phenylalanine 163  
 L-pyroglutamic acid 228
- m**
- macrocyclization, of chalcones 110  
 maremycin B 102, 369, 370  
 masked NHCs 320  
 5-Me-CO<sub>2</sub> 320  
 medium-sized lactone products 292  
 5<sub>Me</sub>-*i*Pr 331  
 mercaptoacetaldehyde 276  
 5-Mes 317  
 mesitylene-derived NHC 282  
 metal-homoenolate reagents 96  
 metal-ligand electronic parameter  
   (MLEP) 26  
 metal-organic frameworks (MOFs) 8  
 (meth)acrylic monomers 310, 322, 340  
 methyl benzoates 265  
 methyl cation affinities (MCAs) 24  
 methyl esters 265, 384  
 methyl-3-menthoxymethyl  
   imidazol-2-ylidene 322  
 methyl 2-mercaptoacetate 276  
 methyl methacrylate 312  
 methyl substituted NHC 26, 265  
 Michael acceptors 59–61, 63–65,  
   68–71, 74, 76, 80, 82, 108–122  
 Michael-aldol condensation cascade  
   81, 82  
 Michael/aldol/lactamization cascade  
   reaction 113  
 Michael/aldol/lactonization reaction  
   136, 145  
 Michael/aldol sequence 145–149  
 Michael/aza-Dieckmann type  
   cyclization sequence 142  
 Michael-type spirocyclization 270  
 (+)-monomorphine I 363, 364
- n**
- Nair's interception, of Breslow  
   intermediate 98  
*N*-aryl-*N*-aroyldiazenes 222  
 natural inositols 355  
*N*-C<sub>6</sub>F<sub>5</sub> catalyst 282  
*N*-cyclohexyl substituted catalyst 265  
 NHC/Al(C<sub>6</sub>F<sub>5</sub>)<sub>3</sub> Lewis pair 336  
 NHC-amine complex 274  
 NHC-assisted desymmetrization,  
   bakkenolides 120  
 NHC-borane complex 261  
 NHC-bound heterocyclicortho-  
   quinodimethane 252  
 NHC-Brønsted acid cooperative  
   catalysis 103  
 NHC-catalyzed acylation  
   acyl azolium 288  
   alcohols 292–294  
   aldehyde as the reagent 290



- aliphatic alcohols 290–292
- amines and sulfoximines 297–299
- kinetic resolution of alcohols via acyl transfer 289
- phenols 294–297
- NHC-catalyzed amidation 129, 267
- NHC-catalyzed annulation, of enals 103
- NHC-catalyzed aroylation reactions 374–376
- NHC-catalyzed benzoin condensations
  - Cassialoin 348–349
  - (+)-7,20-diisocyanoadociane 357
  - kinamycins 349–351
  - lomaiviticin aglycon 349–351
  - natural inositols 355
  - pleospdione 354–355
  - (+)-sappanone B 346–348
  - (–)-seragakinone A 351–353
  - trans*-resorcylic 346
- NHC-catalyzed  $\beta$ -hydroxylation of  $\alpha,\beta$ -unsaturated aldehydes 204–205
- NHC-catalyzed homodimerization of enals 99
- NHC-catalyzed hydroacylation
  - of allenyl aldehydes 86
  - Stetter cascade 87
  - of unactivated double bonds 83
  - of unactivated internal alkynes 87
- NHC-catalyzed intermolecular dynamic kinetic resolution 104
- NHC-catalyzed intermolecular hydroacylation
  - of arynes 88
  - of cyclopropenes 85
  - of styrenes 86
- NHC-catalyzed intramolecular acylation, of allyl electrophiles 86
- NHC-catalyzed intramolecular hydroacylation of enol ethers 83
- NHC-catalyzed intramolecular hydroacylation-Stetter reaction cascade 89
- NHC-catalyzed isomerisation
  - of a chromene aldehyde to coumarin 121
- NHC-catalyzed Mannich reaction 217
- NHC-catalyzed redox and oxidative processes
  - bryostatin 7, 381–384
  - clavosolide A 381
  - Cyanolide A 380–381
  - (+)-dactylolide 379–380
  - (+)-davanone 377
  - (–)-7-deoxyloganin 384
  - gelsemoxonine 377–378
  - (1R)-suberosanone 385–386
  - (+)-tanikolide 378–379
- NHC-catalyzed redox esterification of enals 118
- NHC-catalyzed sila-Stetter reaction 76
- NHC-catalyzed  $sp^3$ -CH activation 127
- NHC-catalyzed Stetter–aldol–Michael cascade reaction 80, 81
- NHC-catalyzed Stetter–Michael cascade, indane synthesis 80
- NHC-catalyzed Stetter reaction 60, 81, 89, 358
- NHC–CO<sub>2</sub> adduct-catalyzed sulfa- and phospho-Michael addition 276
- NHC-derived homoenolates 98–100
- NHC-homoenolate equivalents
  - (*S*)-baclofen 374
  - bakkenolides 368
  - clausenamide 369–370
  - 3-deshydroxy secu'amine A 375
  - (–)-femoxetine 370–371
  - maremycin B 369
  - (–)-paroxetine 370–371
  - (*S*)-rolipram 374
  - Salinosporamide A 367
- NHC-homoenolates
  - with chalcones 113
  - with cross-conjugated dienones 111
  - Michael acceptors
    - $\gamma$ -lactones 108
    - Glorius–Bode  $\gamma$ -lactone synthesis 108

- NHC-homoenolates (*contd.*)  
 imidazolium derived-homoenolates 108
- NHC–Lewis acid cooperative catalysis 103, 104, 110, 111
- NHC-mediated polymerization  
 main NHCs and fundamental mechanisms 310–314  
 reaction with alkyl (meth)acrylates 328  
 ring-opening polymerization 314  
 step-growth polymerization 336–340
- NHC-OROP 314–321
- N-heterocyclic carbenes (NHCs) 97  
 acyl anion 100, 101  
 acyl azolium species 266  
 aldehyde 271  
 $\alpha$ -spirolactone 270  
 2-aminobenzenethiol 275  
 aminoindanol-derived triazolium 273, 278  
 aromaticity 261  
 asymmetric aza-Michael addition of aliphatic amines 282  
 asymmetric catalysis 263  
 aza-Michael addition reactions 275  
 azolium intermediate 267  
 $\beta$ -alkoxy ketone 273  
 $\beta$ -alkyl nitroolefins 278  
 $\beta$ -ketoesters 279  
 Breslow intermediate 271  
 chemical reactivity of 261  
 Claisen condensation 269  
 conjugate additions 263  
 control experiments 280  
 DFT calculations 268  
 dicarbonyl compound 270  
 1,3-diketone 272  
 enantioselective C–C bond formation reaction 279  
 enantioselective SMA reactions 281  
 enolate 100, 101  
 enone 273  
 first transesterification 265  
 homoenolate 100  
 homoenolate-enolate 100, 101
- Hoveyda–Grubbs' catalyst 270  
 imidazolium 263  
 imidazolium pre-catalyst 268  
 imidazolylidenes 265  
 intermolecular Michael addition reaction 273  
 intramolecular cyclization 272  
 intramolecular Michael spirocyclization reaction 271  
 1,3-ketoester 270, 272  
 kinetic acidities 263  
 kinetic resolution of secondary alcohols 268  
 lactide monomer 264  
 5-membered cyclic product 271  
 mercaptoacetaldehyde 276  
 mesitylene-derived NHC 282  
 methyl benzoates 266  
 methyl 2-mercaptoacetate 276  
 Michael-type spirocyclization 270  
 mode of action 263  
 $N$ -C<sub>6</sub>F<sub>5</sub> catalyst 282  
 NHC-amine complex 274  
 NHC-catalyzed amidation 267  
 NHC-catalyzed synthesis, of  $\gamma$ -lactones 99  
 NHC-CO<sub>2</sub> adduct-catalyzed sulfa- and phospho-Michael addition 276  
 oxy-Michael addition reactions 274  
 partially aromatic structure 261  
 $\pi$ -electrophilicity 261  
 poor asymmetric control 277  
 proposed mechanism 284  
 quantifying, electronic properties 16  
 computational methods 25–26  
 electrochemical methods 24–25  
 Lewis basicity 24  
 NMR measurements 21–23  
 nucleophilicity 24  
 $pK_a$  measurements, of azolium salts 16, 17  
 quantifying, steric properties  
 percentage buried volume 27–29  
 steric maps 29–30

- rationale design 278  
 ring-opening polymerization 264  
 robust  $\sigma$ -donors 261  
 $\sigma$ -donating ligands 7–10  
   nature of bonding 10  
   phosphine ligands 10–11  
 silyl transfer process 269  
 silyl transfer reaction 269  
 stable hydrogen bonding complex 269  
 structure  
   classes and stable carbenes 2–4  
   features 4–5  
   stabilization, carbene centre 5–6  
 sulfa-Michael addition 282  
 synthesis  
   free carbene 11–12  
   synthetic routes, azolium salt 12–15  
 terminal alcohol 274  
 tetrahedral zwitterion 267  
 tetrahydrothiophene 276  
 transesterification 265  
 transesterifications 263  
 triazolium 263  
 vinyl acetate 268  
 vinyl diphenylacetate 268  
*N*-hydroxyphthalimide ester 166  
 4-nitrophenyl isothiocyanate 229  
*N*-methylmorpholine (NMM) 238  
*N,N'*-carbonyldiimidazole (CDI) 247  
*N,N'*-disubstituted diimine 13  
*N,N'*-tosyl-protected hydrazine 168  
 noncatalytic reactivity 332  
*N-p*-toluenesulfonyl (*N*-tosyl=*N*-Ts)  
   aziridines 319  
*N*-sulfonyl- $\alpha$ -aminoketones 168  
*N*-sulfonylaziridines (2-methyl- and  
   2-benzyl-*N-p*-toluenesulfonyl  
   aziridines 319  
*N*-sulfonyl ketimines 108  
*N*-tosyl- $\beta$ -aminoester 214  
 nucleophilic  $\beta$ -carbon activation 195  
 nucleophilic Breslow intermediate 60,  
   63, 70, 74, 77, 80, 82, 83, 85, 133  
 nucleophilic heterocyclic carbenes  
   (NHCs) 96, 97  
 nucleophilicity 24, 262, 266, 269, 274,  
   281, 328
- O**
- o*-aminoarylideneaminomalonate  
   imines 152  
*o*-chlorobenzoic acid 106  
*o*-hydroxy chalcones 136  
*o*-quinomethides 116, 117  
 organic oxidant 159, 291, 292, 376, 379  
*o*-vinyl and methyl esters 265  
 1,3,4-oxadiazin-6-one 234  
 oxazolidinones 281  
 oxazolyldenes 2  
 oxidative esterification  
   bryostatin 7, 381–384  
   Cyanolide A 380–381  
   (+)-dactylolide 379–380  
 oxindole-containing spirocycle  
   construction 115  
 oxindole-derived tertiary alcohols 291  
 oxiranes 319  
 oxy-Michael addition reactions 274
- P**
- para*-toluenesulfonyl 21  
 (-)-paroxetine 370–371  
 P-containing bisphenols 297  
 peculiar cyclic monomers 323  
 pentafluorophenyl-substituted  
   derivative 23  
 phenolic esters 216, 371  
 phenols 163, 294–297  
 phosphorous esters 266  
 photoisomerization–Stetter reaction  
   66  
 phthalic acid anhydride (PhA) 339  
 $\pi$ -allyl palladium complex 121, 122  
 piperodione 366  
 platensimycin 358–360  
 pleospdione 354–355  
 poly(ethyleneterephthalate) (PET) 337  
 poly(*N*-functionalized carbonate) 325  
 polyamide-6, 314, 327

- polyamide-12 (PA 12) 314, 315, 327  
 polyhalides oxidants 206–208  
 polysiloxanes 314, 337, 339  
 polyurethanes 313, 337  
 preanthraquinones 42, 44  
 precarbenic carbon 13, 16, 17  
 prochiral 1,3-propanediols 294  
 1,3-propanediols 292, 294, 382  
 propylene oxide 319, 321  
 pyrazolinone 169  
 pyrrolidinones 281
- r**
- racemic  $\alpha,\alpha$ -disubstituted carboxylic esters 294  
 racemic cyclic amines 299  
 radical reactions catalysis  
   nature 199–200  
   pioneering SET reactions 200–201  
   reductive  $\beta,\beta$ -couplings of  
     nitroalkenes 201–202  
 recent activation modes, NHC organocatalysis  
   carboxylic acid derivatives activation  
      $\beta$ -carbon activation of  
        $\alpha,\beta$ -unsaturated carboxylic compounds 191–195  
      $\alpha$ -carbon activation, of saturated carboxylic esters 188–191  
      $\gamma$ -carbon activation of  
        $\alpha,\beta$ -unsaturated carboxylic esters 198–199  
     nucleophilic  $\beta$ -carbon activation 195–198  
   radical reactions catalysis  
     classical reactions, mechanisms 208–209  
     nature 199–200  
     pioneering SET reactions 200–201  
     reductive  $\beta,\beta$ -couplings of  
       nitroalkenes 201–202  
 redox esterification  
   (+)-davanone 377  
   gelsemoxonine 377  
   (+)-tanikolide 378–379
- redox isomerization, of alkynal aldehydes 159  
 resonance-stabilized hydroxyenamine 37  
 ring-opening polymerization  
   cyclic vs. linear polymers 321–328  
   NHC-OROP 314–321  
 (*S*)-rolipram 371–374  
 roseophilin 361–362
- s**
- salinosporamide A 106, 367, 368  
 (+)-sappanone B 346–348  
 securinega alkaloid synthesis 104  
 sequential Stetter 82  
 (–)-seragakinone A 351–353  
 Setter reaction  
   atorvastatin calcium 360–361  
   *cis*-jasmon 360  
   dihydrojasmon 360  
   (–)-englerin A 364–366  
   haloperidol 363–364  
   hirsutic acid C 358  
   (+)-monomorphine I 363  
   piperodione 366  
   platensimycin 358–360  
   roseophilin 361–362  
   *trans*-sabinene hydrate 362–363  
 Sheidt's oxidative desymmetrization 159  
 $\sigma$ -donating ligands  
   nature of bonding 10  
   phosphine ligands 10–11  
 sila-Stetter reaction mechanism 76  
 silyl ketene acetal (SKA) 310, 313, 334  
 silyl transfer process 269  
 silyl transfer reaction 270  
 single electron transferring (SET) processes 187, 199  
 singlet carbenes 5, 6, 316  
 $sp^3$ -CH functionalization 126  
 spirocycle synthesis, from  
   NHC-homoenolates and enones 116  
 spirocyclic dihydropyranones 179  
 spirocyclicoxindoles 168

- spirocyclic oxindolo-dihydropyranones 250  
 spirocyclic oxindolodihydropyridinones 255  
 spirocyclopentane oxindole fused  $\beta$ -lactams 141  
 spiro-cyclopentanones, from azaurones 116  
 stabilization, carbene centre 5–7  
 stable carbenes 2–4, 261, 314, 328–331, 340, 384  
 stable hydrogen bonding complex 269  
 step-growth polymerization 313, 314, 328, 336–340  
 stereoselective homodimerization 107 of enals 110  
 steric maps 29–30  
 Stetter reaction  
   aqueous medium 77  
   biacetyl, acyl anion generation 77  
   carbohydrates as formaldehyde 79  
   cascade processes  
     NHC-catalyzed 79  
     NHC-catalyzed Stetter–aldol–Michael cascade 80  
     NHC-catalyzed Stetter–Michael cascade, indane synthesis 80  
 intermolecular 68  
   asymmetric,  $\alpha,\beta$ -unsaturated aldehydes with modified chalcones 72  
   asymmetric,  $\alpha,\beta$ -unsaturated aldehydes with nitro olefins 73  
   asymmetric,  $\alpha,\beta$ -unsaturated esters 71  
   asymmetric, aldehyde with chalcone 69  
   asymmetric, glyoxamides with alkylidenemalonates 69  
   asymmetric, heteroaromatic aldehydes with nitroalkenes 72  
   asymmetric, *N*-acylamido acrylates 70  
   asymmetric, *n*-butanal with chalcone 69  
   asymmetric, of glyoxamides with alkylidene ketoamides 70  
   diamino cyclopropenylidene-catalyzed 79  
   enantioselective, *N*-acylamido acrylates 71  
   mode of activation 73  
   synthetic utility, acetaldehyde 75  
   vinyl phosphonates 75  
   vinyl sulfones 75  
 intramolecular 61  
   activated alkynes 64  
   asymmetric,  $\alpha,\beta$ -disubstituted Michael acceptor 63  
   asymmetric,  $\beta,\beta$ -disubstituted Michael acceptors 65  
   asymmetric, vinylphosphonates 63  
   catalysts 62  
   cyclohexadienones 67  
   desymmetrization, of cyclohexadienones 67  
   desymmetrization, of spirocyclohexadienones 67, 68  
   isolation, aldehydes–NHC adducts 65  
   spiro-bicyclic 66  
   vinylogous Michael acceptor 64  
 intramolecular, imidazolium salt 64  
 linear  $\alpha$ -diketones 78  
 mechanism 60, 61  
   NHC-catalyzed *C*-glycosylation 74  
 (1*R*)-suberosanone 385–386  
 sulfamate-derived cyclic imine substrates 193  
 sulfa-Michael addition 280, 282  
 sulfoximines 297–299, 301  
 symmetrical imidazolylidenes 13
- t**
- (+)-tanikolide 378–379  
 tautomerization 144, 163, 165, 170, 180, 295  
 5-*t*Bu 317  
 5-*t*Bu-CO<sub>2</sub>, 320, 331

- terminal alcohol 274
- tetrahedral intermediate 37, 60, 65, 72, 77, 83, 128, 268, 297, 384
- tetrahedral zwitterion 262, 267
- tetrahydrofuran (THF) 12, 40, 384
- tetrahydropyrimidinium-based  
(6-Cy-CO<sub>2</sub>) carbenes 327
- tetrahydrothiophene 276
- 2,2,5,5-tetramethyl-2,5-disila-  
1-oxacyclopentane 323
- 1,3,4,5-tetramethylimidazol-2-ylidene  
322
- thiazolium mediated benzoin  
condensation 97
- thiazolyldenes 2, 97  
catalysts 41
- thioesters 151, 152, 174, 175, 215
- thiophene-2-carboxaldehyde 41, 47
- (3 + n) annulation  
annulation, with enolates  
Bode's enantioselective 163  
Lupton's (3 + 3) annulation 161  
Lupton's total synthesis, of (-)-7  
deoxyloganin 161  
oxidative (3 + 3) annulations 162
- with enamines  
alternate annulation, from  
sulfonylimines 166  
Bode's (3 + 3) annulation, from  
sulfonylimines 165, 166  
Ender's 167  
Ye's, from amidine 167
- indolinone 164
- with, other nucleophiles  
Biju's (3 + 3) annulation, with  
dienolate 169  
Huang's (3 + 2) annulations, with  
in-situ formed benzil 169  
Ye's (3 + 2) annulations, with  
aminoketone 168
- three-member-ring hetrocycles 319
- Tolman electronic parameter (TEP)  
17–21
- trans*-cyclopentenes 110
- trans*-disubstituted pyrroloindolones  
222–223
- transesterification 265  
methyl benzoates 266  
*O*-vinyl and methyl esters 265  
phosphorous esters 266
- transresorcylic 144, 263–269, 294,  
314, 337, 384
- trans*-sabinene hydrate 362–363
- triarylmethanes 295
- triazolium 263  
catalyst 114  
salt p(re-catalysts) 44
- triazolyldiene-borane species 8
- triethyl orthoformate (HC(OEt)<sub>3</sub>) 13
- trifluoromethyl lactones 225
- trifluoromethyl *N*-Boc azadienes 219
- trimethyloxonium tetrafluoroborate  
14
- (2 + n) annulations  
(2 + 1) annulations 176–177  
(2 + 3) annulations,  $\beta$ -lactonization  
174  
(2 + 4) annulations, terminating,  
 $\beta$ -lactonization 170–174
- u**
- Umpolung triazolydene TPT catalyst  
337
- unsaturated acyl azolium-enolate  
intermediates  
Michael/aldol sequence 145–149  
Michael/Mannich reaction sequence  
152  
Michael/Michael addition sequence  
149–152  
Michael/S<sub>N</sub>2 reaction sequence 153
- v**
- vacuum-assisted resin infusion (VARI)  
339
- vinyl acetate 268
- vinyl diphenylacetate 268
- z**
- zwitterionic azolium carboxylate species  
12
- zwitterionic intermediate 224, 283,  
310, 317, 327