

Index

a

- absorption process 252, 253, 499, 555, 587, 588
- acentric factor 28, 43–45, 51, 69, 229, 231, 242, 520, 759
- activity coefficients 156, 157, 186–187, 192, 617
 - Bromley extension 361
 - Debye–Hückel limiting law 360–361
 - electrolyte-NRTL model 364–372
 - LIQUAC model 372–380
 - mean spherical approximation (MSA) model 381
 - measurements at infinite dilution 618–622
 - Pitzer model 361–364
 - pressure dependence 198
 - temperature dependence 198
- adiabatic compression and expansion 577–581
- advanced cubic equations of state 49–57
- α -function
 - generalized
 - Peng–Robinson 45
 - Soave–Redlich–Kwong 45
 - Mathias–Copeman 49
 - Twu 50
- adductive crystallization 406
- allotropy 390
- Aly–Lee equation 102
- analytical solution of groups (ASOG) method 284
- analytic methods 599
- Antoine constants 221, 222, 246, 315, 524, 525, 545
- Antoine equation 80–83, 207, 227, 245, 724, 738
- Antoine equation, extended 81
- apparent permeability constant 425
- applications
 - adiabatic compression and expansion 577–581
 - equilibrium thermodynamics limitations 586–589
 - flash 573–575
 - formaldehyde solutions 549–555
 - Joule–Thomson effect 575–577
 - pressure relief 581–586
 - vapor phase association 555–568
- ARTIST software package 63, 472, 633
- association model 97, 213, 222, 448, 555, 558, 564–566
- azeotropic behavior, conditions for 243–252
- azeotropic distillation 184, 491–499
- azeotropic points 195, 483–484
 - double azeotropy 735–736
 - in multicomponent systems 250–252
 - temperature dependence of
 - azeotropic composition 237, 245, 686–687

b

- Bancroft point 244, 249, 250
- Barker–Henderson perturbation theory 446
- Bender equation 30

- Benedict-Webb-Rubin equation 30
 Berlin form of virial equation 26, 158, 682–683, 695–696
 binodal line 432
 boiling point, normal 6–9, 69–71, 594
 Born term 364, 366, 370, 381
 Boyle curve 36, 37
 Boyle temperature 28
 Brock–Bird–Miller equation 129
 Bromley extension 361
- C**
- caloric properties 3, 10–14, 31–34, 63, 169, 323–349, 577, 594
 caloric equations of state
 entropy 326–327
 Helmholtz energy and Gibbs energy 327–328
 internal energy and enthalpy 323–326
 chemical reactions 343–349
 enthalpy descriptions in process simulation programs 329–343
G-minimization technique 535
 calorimeter 597, 605, 624–625
 Cannizzaro reaction 554
 Cardano's formula 39, 48, 51, 676–677
 carrier gas 597–598, 613–621
 Centre of Thermodynamics of Processes (CTP) 614
 chemical equilibrium 3, 28, 293, 347, 349, 358, 382, 406, 409, 511–531, 535, 536, 540, 541, 588, 616, 677
 influence of the real behavior 518
 multiple 530
 Gibbs energy minimization 535–544
 relaxation method 531–535
 chemical potential 149, 678, 681
 polymer solutions 434
 Chung equation 125, 126
 Clausius–Clapeyron equation 25, 54, 72, 79, 80, 95–98, 213, 231, 233, 336, 554, 598
 cloud point curve 432, 439–442, 461, 462
 complex electrolyte systems 385
 compressibility factor 16, 17, 21, 26, 28, 37, 42–45, 48, 53, 63, 66, 67, 557, 560, 561, 676
 compression 577–579
 computer operated static VLE apparatus 605, 606
 condensation, partial 587
 conditions for the occurrence of azeotropic behavior 243
 consistency test 218–221, 333, 601, 740, 741
 correlation and estimation of pure component properties 63–110
 of transport properties 110–135
 corresponding-states principle 28, 42–49, 69, 108
 COSTALD method 66, 92
 Cottrell pump 594
 Cottrell's ebulliometer 595
 Cottrell tube 594–596, 602
 Coulomb's law 354
 Cox charts 83
 cricondenbar 179
 cricondentherm 179
 critical data 41–45, 51, 64–70, 81, 82, 229, 281, 303, 305, 309, 310, 520, 599
 critical mass flow 584, 717–718
 critical opalescence 7, 8, 599
 critical point 7
 cross virial coefficients 158, 159
 cryoscopic constant 74, 401, 402
 cubic equations of state 37–42, 49–57, 63, 66, 69, 159–169, 187, 213, 230, 235–242, 302, 336, 577
- d**
- Dalton's law 150
 data types 730–731
 Deacon reaction 347–349
 degassing of pure substances 611, 612
 Debye–Hückel limiting law 360–361
 degrees of freedom 99–102, 175–176, 581

- density, pressure dependence 92–93
 density, mixing rule 93
 departure function 18
 dielectric constant 354, 427
 diffusion coefficient, liquid 134–135
 diffusion coefficient vapor 132–134
 dilutor 620–622
 dissociation 100, 351–354, 369,
 381–386, 424
 distillation boundaries 485–493
 Dortmund Data Bank (DDB) 4, 28,
 67, 79, 115, 280, 285, 292, 300,
 301, 303, 469–471, 484, 485, 495,
 633–634
 dynamic VLE stills development
 601–604
- e**
- ebulliometer 595–604
 elementary charge 351
 enantiotropy 390
 enthalpy 11–13, 72, 323–326, 692
 descriptions, in process simulation
 programs 329–343
 of formation 74–76, 505–507
 of fusion 72–74
 and internal energy 323–326
 enthalpy of reaction 505
 real gas behavior 509–511
 temperature dependence 507–509
 enthalpy of vaporization 7, 25, 52,
 54–56, 63, 64, 78, 80, 81, 94–98,
 213, 246, 248–250, 252, 331, 333,
 335–339, 554, 598
 entrainer selection for azeotropic and
 extractive distillation 491–499
 entropy 11, 17, 72, 151, 326–327, 394,
 433, 671–672, 691
 entropy, absolute 12
 entropy, of mixing 151, 327
 entropy, standard 12
 equations of state 25
 advanced cubic 49–57
 application to mixtures 157
 cubic equations of state 159–169
 virial equation 158–159
- caloric
 entropy 326–327
 Helmholtz energy and Gibbs
 energy 327–328
 internal energy and enthalpy
 323–326
 cubic 37–42
 generalized 42–49
 group contribution 306–315
 high precision 30–37
 polymer thermodynamics 444–460
 predictive Soave–Redlich–Kwong
 302–306
 process simulation programs
 329–343
 solubility of gases in liquids
 262–263
 van der Waals 37
 vapor–liquid equilibria calculations
 229–242
 virial equation 26–30
 VTPR group contribution equation of
 state 306–315
 equilibrium thermodynamics limitation
 586–589
 Euler theorem 681
 eutectic systems, and solid–liquid
 equilibrium (SLE) 394–402
 excess enthalpies 197–206, 224–228,
 247–249, 289–296, 624, 692
 excess properties 143, 150, 153–154,
 157, 197, 199, 203, 205, 326, 469,
 470
 extensive properties 10
 extractive distillation 491–499
 extrapolation 77–78
- f**
- Faraday constant 351
 Fenske equation 226
 Fick’s first law 131
 flash 2, 24, 295, 338, 339, 472,
 573–575, 577, 583, 584, 599,
 600
 Flory–Huggins equation 205–206,
 433–434

- fluid systems, phase equilibrium in
173
- application of activity coefficient
models 192–195
- g^E model parameters fitting
recommended model parameters
227–229
- VLE data check for thermodynamic
consistency 218–227
- liquid–liquid equilibrium (LLE)
266–280, 622–623
- calculation using the K -factor
method 274, 276, 277
- diagrams 267, 269
- isoactivity criterion 266
- pressure dependence 279–280
- temperature dependence of ternary
systems 277–279
- predictive models 280, 281
- group contribution methods
282–284
- predictive Soave–Redlich–Kwong
equation of state 302–306
- regular solution theory 281–282
- UNIFAC method 284–302
- VTPR group contribution equation
of state 306–315
- solubility of gases in liquids 253
- calculation using equation of state
262–263
- calculation using Henry constants
254–262
- prediction 263–265
- thermodynamic fundamentals
185–191
- vapor–liquid equilibrium calculation
using equations of state
229–235
- binary parameter fitting of cubic
equations of state 235–242
- vapor–liquid equilibrium using g^E
models 196
- formaldehyde solutions 3, 549–555
- fractionation effect 462
- freezing point depression 401–402
- fugacity and fugacity coefficient
19–22, 187
- for equations of state 692–707
- in mixtures 154, 692–694
- of ideal mixture 155
- phase equilibrium 155–156
- Fuller method 132, 133
- g**
- gas chromatographic activity coefficient
measurements 618–620
- gas constant, universal 14, 101
- gas solubilities 252–265, 303, 304, 306,
308, 310, 355, 415, 452, 623
- Gauss–Hermitian quadrature 462
- g^E mixing rule 3, 49, 53, 160, 161, 163,
165, 167, 230, 235–238, 242, 302,
307, 617
- g^E models 195, 433
- parameters fitting 212–229
- recommended model parameters
227–229
- generalized equations of state 42–49
- Gibbs–Duhem equation 134, 148–150,
157, 357, 381, 599, 604, 685, 741
- Gibbs energy 11, 12, 15, 17–20, 22, 25,
33, 196–198, 209, 212, 270, 327,
328, 346, 348, 392, 511, 512, 542,
678, 692
- of formation, standard 74–76,
513–514, 538–539
- minimization 535–544
- Δg plot 739–740
- Gibbs–Helmholtz equation 213, 215,
224, 225, 247, 359
- Gibbs phase rule 39, 175
- group contribution methods 64, 68,
70, 72, 250, 282–284, 292,
295–302, 314, 318, 396, 470, 472,
507, 513, 526
- group interactions 67, 71
- Guldberg rule 64
- h**
- Hayden and O’Connell method 28
- headspace gas chromatography (HSGC)
218, 613–614, 730–731

- heat capacity 5, 13, 14, 31, 54, 98–109, 199, 329–330, 333–335, 343, 394, 410, 558, 562, 617, 671–673, 675, 743
- Helmholtz energy 11, 12, 15, 16, 31–34, 53, 110, 161–163, 234, 323, 327–328
- Henry constant 187, 254–265, 302, 355, 499, 617
- Henry's law 255, 259, 262, 574
- Hess, law of 506–507
- high precision equation of state 30–37, 110, 663–668
- high pressure analytic-static VLE 614, 615
- Hoffmann–Florin equation 69, 83
- Huron–Vidal g^E mixing rule 161, 163
- i**
- ideal gases 14–16, 25
 heat capacity 98–105, 715–717, 743
 ideal mixture of 150–152
 polynomial coefficients for selected compounds 743
- ideal mixture
 of ideal gases 150–152
 of real fluids 152
- inert gas stripping (dilutor) 620–622
- inline true component analysis in reactive mixtures 616–617
- intensive properties 10
- interaction parameters 160, 163, 208, 210, 212, 214, 228, 230, 245, 246, 282, 285, 286, 289–293, 304, 308, 366, 368, 375, 378, 450, 452, 479, 549, 552, 708, 710, 748–750
- internal energy 10, 323–326
- inverse gas chromatography 438
- inverse reduced viscosity 116
- ionic liquids 292, 295, 498, 613, 621
- ionic strength 360
- isofugacity condition 186, 392, 414
- isoplethic/polythermal method 622
- isopleths 178, 183
- isoteniscope 596
- isothermal compressibility factor 16
- isothermal flow calorimeter 624
- ITS-90 9
- j**
- Jamieson equation 122
- Joback method 64, 84
 estimation formula 69
 group contributions 65
 for ideal gas heat capacities 103
- Joule–Thomson effect 575–577
- Joule–Thomson inversion curve 36, 37
- k**
- Kelvin equation 89, 677–678
- Kirchhoff equation 80, 81, 111, 112
- Kirchhoff's law 411, 507, 513, 524, 538
- Knudsen effusion method 596, 597
- Koningsveld–Kleintjens model 436, 438, 439
- Konovalov, laws of 176–177, 688–691
- Krichevsky–Kasarnovsky equation 260
- l**
- lattice cluster theory (LCT) 465
- Lee–Kesler approach 44, 158
- Lee–Kesler–Plöcker equation 158
- Leiden form of virial equation 26, 46, 158, 682–683, 694–695
- Lewis–Randall rule 155
- LIFAC method 304
- Li mixing rule 123–124
- limiting activity coefficients 617–622
- linear low-density polyethylene (LLDPE) 463, 464
- LIQUAC model 372–380, 413–414
- liquid density 51–54, 66, 90–94, 110, 233, 423, 444, 450–452, 574, 603, 607, 625
- liquid heat capacity 57, 105–109, 330–336, 343
- liquid–liquid equilibrium (LLE)
 266–280, 432, 451, 499, 622, 623
 polymer solutions 431, 432, 460, 462, 464, 465
 pressure dependence 279–280

- liquid–liquid equilibrium (LLE) (*contd.*)
 temperature dependence of ternary
 277–279
- liquid thermal conductivity 120–125
- liquid viscosity 110–116
- local composition 205, 211, 212, 364,
 734
- lower critical solution temperature
 (LCST) 266, 437
- Lucas equation 115, 116
- m**
- Mathcad examples 631–633
- Mathias–Copeman α -function 50
- Maurer model 550–552, 588
- maximum likelihood method 215
- maximum mass flux 584, 717–718
- Maxwell relations 13–15, 17
- Maxwell's equal area construction 40
- mean ion activity coefficients 380
- mean spherical approximation (MSA)
 model 381
- melting point 64, 72–74, 111, 279, 299,
 335, 390, 392, 394, 401, 409, 617
- membrane processes
 osmosis 421–424
 pervaporation 424–425
- Microsoft Excel and VBA 634
- Missenard method 123, 124
- mixture properties 53, 168
 activity and activity coefficient 157
 application of equation of state to
 mixtures 157
 cubic equations of state 159–169
 virial equation 158–159
 excess properties 153–154
 fugacity in mixtures 154–156
 Gibbs–Duhem equation 148–150
 ideal mixture 150–152
 partial molar properties 145–148
 property change of mixing 144–145
- molality 352, 355–358, 376, 379, 382,
 401, 686
- monotropy 390
- MSA model 380–381
- multiple chemical equilibrium 530,
 531
- Gibbs energy minimization
 535–544
 relaxation method 531–535
- n**
- Nannoolal / Rarey methods 64–71,
 113
- Nernst distribution coefficients 268
- normal boiling point 43, 51, 52, 64, 66,
 68–72, 83–86, 96, 106, 108, 113,
 185, 250, 333, 335, 480, 549, 594
- NRTL electrolyte model 364–372
- NRTL model 205, 209–210, 221, 364,
 381, 710–711, 727–730, 741
 recommended model parameters
 227–229
- Nußelt number 121
- o**
- objective functions 731–733
- opposite lever arms, law of 6, 177
- osmosis 3, 421–424
- osmotic coefficient 358, 359, 379–381
- osmotic pressure 358, 359, 421
- p**
- pair parameters 366
- partial condensation 587, 588, 602,
 603
- partial molar Gibbs energy 151, 152,
 155, 156
- partial molar properties 145–148
- Peng–Robinson equation 35, 38, 44,
 45, 52, 53, 96–98, 161, 163–165,
 213, 233–234, 236, 329, 336, 337,
 343
- permanent gases 8, 9
- Perturbed-Chain-SAFT EOS (PC-SAFT
 EOS) 445–460
- pervaporation 424–425
- pH value 383
- phase equilibrium 2, 3, 8, 22, 25, 39,
 40, 155–157, 159, 163, 185, 213,
 220, 227, 253, 256, 261, 280, 364,
 414, 421, 432, 435, 445, 451, 470,
 479, 544, 549, 593, 609, 679–680

- Pitzer model 361–364
- Planck–Einstein function 100
- polydispersity 431, 432, 440, 452, 460–464
- polymer thermodynamics
 equations of state 444–460
 g^E models 433–444
- polymorphism 389, 390
- Porter equation 147, 196, 254, 270, 404, 406
- Poynting factor (Poy_i) 187–190, 213, 214, 415, 416, 567, 620
- PPDS equation
 for density 90
 for enthalpy of vaporization 95, 558
 for ideal gas heat capacity 102
 for liquid heat capacity 106
 for liquid viscosity 112
 for vapor viscosity 125
- Prandtl number 121
- Prausnitz–Shair method 263, 264
- predictive models
 group contribution methods 282–284
 predictive Soave–Redlich–Kwong equation of state (PSRK) 49, 161–169, 263, 302–306, 472, 519–523, 698–702, 753–755
 regular solution theory 281–282
 UNIFAC method 284–302
 VTPR group contribution equation of state 161–169, 181, 306–315
- pressure dependence
 liquid–liquid equilibrium 432
 solid–liquid equilibrium 389
- pressure relief 340, 581–586, 717
- process simulation programs 3
 enthalpy descriptions in 329–343
 equation of state (PSRK) 49, 161–169, 263, 335–343, 472, 519–523, 698–702, 753–755
 model parameter verification 474
 g^E model parameter verification 475–482
 pure component parameter verification 474–475
- PT -diagram 9
- pure component properties, correlation and estimation of
 acentric factor 69
 transport properties
 diffusion coefficients 131–135
 liquid thermal conductivity 120–125
 liquid viscosity 110–115
 surface tension 128–131
 vapor thermal conductivity 125–128
 vapor viscosity 115–120
- critical data 64–69
 melting point 72–74
 normal boiling point 69–72
 standard enthalpy and standard Gibbs energy of formation 74–76
 temperature-dependent properties 77, 78
 enthalpy of vaporization 94–98
 heat capacity, ideal gas 98–105
 liquid density 90–94
 liquid heat capacity 105–109
 speed of sound 109–110
 vapor pressure 78–90
- pure components, PvT behavior of
 caloric properties 10–14
 equations of state
 advanced cubic 49–57
 cubic 37–42
 generalized 42–49
 high precision 30–37
 virial equation 26–30
- ideal gases 14–16
- real fluids
 auxiliary functions 16–17
 fugacity and fugacity coefficient 19–22
 phase equilibria 22–25
 residual functions 17–19
 Pv diagram 6, 7, 18
- PvT -diagram 6
- Pxy -diagram 176–178, 308

r

Rackett equation 90, 91
 Raoult's law 195, 203–205, 215, 216,
 220, 227, 228, 243, 244, 247, 266,
 269, 270, 281, 478, 728, 729
 Rarey/Moller method 69, 85–87
 reaction kinetics 1, 253, 554, 555,
 586–589
 real fluids
 auxiliary functions 16–17
 fugacity and fugacity coefficient
 19–22
 phase equilibria 22–25
 residual functions 17–19
 Rectisol process 256, 499
 Redlich–Kister expansion 196, 197,
 220
 Redlich–Kister test 219, 740
 Redlich–Kwong equation 38, 41, 42, 45
 refrigeration arrangement, scheme of
 580
 regression
 of pure component properties
 723–725
 of binary parameters 727–741
 Regula Falsi method 440
 regular solution theory 263, 264,
 281–282
 relaxation method 531–535, 541
 residue curves 484–491
 boundary residue curves 185
 residual functions 17–20, 29, 229
 retrograde condensation 178, 614
 reverse osmosis 421, 422, 424
 ROLSI-system 614
 Roy–Thodos method 126

s

salting out 304, 383, 384
 salt solubility 409–414
 Sato–Riedel equation 122
 saturated liquid 22–24, 55, 91, 106,
 111, 444, 450, 452
 saturated vapor 22–24, 40, 96, 97, 330,
 335, 581
 Schulz–Flory distribution 428–430

Schwarz theorem 13
 selective solvent 493–499, 620
 separation factor 216, 226, 471,
 480–482, 493, 500, 620
 separation technology, thermodynamic
 application in 469
 entrainer selection for azeotropic and
 extractive distillation 491–499
 model parameter verification, prior to
 process simulation 474–482
 residue curves, distillation
 boundaries, and distillation
 regions 484–491
 solvent selection, for separation
 processes 499
 shadow curve 461–462
 Simon–Glatzel equation 73, 74, 409
 Simplex–Nelder–Mead method 214
 Soave–Redlich–Kwong equation 38,
 44–45, 97, 160–161, 213, 231,
 234–242, 262, 329, 415, 519–523,
 696–698, 713–715
 solid–liquid equilibrium (SLE)
 diagrams 391
 with intermolecular compound
 formation in solid state
 406–409
 pressure dependence 409
 salt solubility 409–414
 of simple eutectic systems 394–402
 solubility of solids in supercritical
 fluids 414–416
 of systems with solid solutions
 ideal systems 402–403
 nonideal systems 403–406
 solubility, of gases in liquids 252
 calculation using equation of state
 262–263
 calculation using Henry constants
 254–262
 prediction 263–265
 solubility, of hydrocarbons in water
 300, 302
 solubility, of water in hydrocarbons
 301–302

- solution of groups concept 283–285, 288
 solvation 353, 354, 361, 618
 specific heat capacity 5, 13, 14, 31, 36, 54, 98, 101, 105, 106, 330, 558, 562
 speed of sound 31, 34, 53, 93, 100, 101, 109–110, 584, 586, 683–684, 717
 spinodal line 432–439, 461
 static high pressure VLE apparatus 615
 static methods 595, 599, 600
 static VLE measurements 605–611, 614–616
 stationary phase 618–620
 Statistical Association Fluid Theory (SAFT) 445
 Stiel–Thodos equation 127
 supercritical fluids, solubility of solids in 414–416
 surface tension 64, 89, 128–131, 594, 603
 Swietoslowski ebulliometer 601, 602
 synthetic methods 599, 622–623
 synthetic static VLE measurements 600, 604–610
- t**
- Tait equation 93
 ternary azeotrope 183, 184, 483, 486, 495
 thermal conductivity 120
 liquid 120–125
 vapor 125–128
 thermal expansion coefficient 16, 17
 thermodynamics
 first law 10
 second law 11
 third law 12
 thermostatted headspace cell 614
 throttle valve 573, 576
 transpiration 597–598, 622
 Tsonopoulos method 28
 two-film theory 587
 Twu- α -function 50, 53
Txy-diagram 176
 Tyn/Calus equation 134
- u**
- UNIFAC 3, 115, 167, 284–302, 501, 550–552, 745–746
 modified 291–295, 399–400, 497–499, 523–530, 747–750
 weaknesses of group contribution methods 295–302
 UNIQUAC equation 205, 209–212, 221, 237, 271, 275–277, 294–295, 710, 741
 recommended parameters 227–229
 upper critical solution temperature (UCST) 266, 437
- v**
- van der Waals equation of state 37, 39, 281, 302
 van't Hoff equation, application of 20, 198, 262, 407, 410, 538, 562, 674–675
 van Ness statement 218, 601
 van Velzen method 112
 vapor fraction 22–24, 179, 181, 339, 573, 581, 731
 vapor-liquid equilibrium (VLE)
 599–601
 calculation using, equations of state 229–242
 consistency test 218
 data check for thermodynamic consistency 218–227
 degassing of pure substances 611–613
 diagrams 194
 high pressure VLE 614–616
 salt influence on 383–384
 static techniques 604–611
 using g^E models 195–212
 vapor-liquid separator 573
 vapor phase association 3, 28, 333, 555–568
 vapor pressure 9, 24, 25, 39, 40, 64, 69, 77–90, 96, 97, 179, 186, 192, 195, 230, 244–246, 249, 392, 438, 444, 450–452, 469, 501, 502, 550, 594–598, 724–725

- vapor pressure shifting 738–739
 - vapor space correction 608–610
 - vapor thermal conductivity 125–128
 - vapor viscosity 115–120
 - Vignes correlation 134, 135
 - virial coefficient 26–30
 - virial equation 26–30, 158–159
 - Visual Basic for Application (VBA) 634
 - volume-translated Peng–Robinson equation (VTPR) 53, 161–169, 181, 231, 233–234, 306–315, 510, 519–523, 702–707, 730, 757–759
 - volume translation 52–54, 56, 165, 520
- W**
- Wagner equation 78, 81, 82, 98, 724, 725
 - Walden rule 72
 - Wassiljeva mixing rule 127
 - Watson equation 94, 95, 129
 - Wilke mixing rule 119, 127
 - Wilson equation 163, 207–212, 222, 228, 245, 478, 523–530, 707–713, 741
 - recommended model parameters 229
 - Wilson parameters 208, 224, 226, 246, 399, 403, 475, 479, 487, 488
 - Wood's metal 390
- Z**
- Zeno line 36, 37