

## Index

### **a**

- activation energy 44, 45
- active site/facet mapping 82, 83
- angle resolve photoemission spectroscopy 199
- anodization 124
- anti-Stokes Raman scattering 210, 211
- Arrhenius law 218
- atomic force microscopy (AFM) 49, 57, 60, 89, 108, 233
- attenuated total reflectance (ATP) 216, 245
- Avogadro number 265

### **b**

- beam expander 274
- bimetallic oxide photocatalysts 141
- Blink microscopy 67
- Bragg law 192, 194
- Bragg reflection 193

### **c**

- carbon fiber electrodes (CFEs) 124, 129
- carbon nanoelectrodes 263
- catalytic activation energy 44
- charge-coupled device (CCD) camera 147, 197, 198, 221
- chemical enhanced theory 212, 213
- chemical vapor deposition (CVD) 263
- coherent X-ray diffraction imaging X-ray holography 196
- Constable–Cremer law 44
- core-shell nanoparticles 226, 227

### **cresyl violet** 51–54

- cyclic voltammetry (CV) 109, 123, 236, 261
- cyclic voltammograms 50, 52, 53, 115, 132

### **d**

- dark-field microscopy (DFM) 154–155
- detuning technique 195
- diffraction microscopy 199
- digital holography microscopy (DHM) 273
- single particle electrochemistry 275–278
- 3D-superlocalization of nanoparticles 273–275
- and UME 277–278
- direct detection of plasmonic nanoparticles 156
- direct electrochemical detection method 109
- direct electrodepositing 121–123
- direct STORM (dSTORM) 67
- double crystal monochromator 192, 193
- duplex specific nuclease (DSN) 272

### **e**

- e-beam lithography 222
- electric field enhancement effect 218
- electroactive radii of substrate 125, 127
- electrocatalysts 4, 5, 50, 54, 56, 86–87, 130, 131, 137, 139

- electrocatalytic amplification method 269, 271, 272
- electrocatalytic amplification mode 266
- electrochemical cell coupled 52
- electrochemical double layer (EOL) 219
- electrochemical microflow cell 56
- electrochemical oxidation 51, 121, 171, 223
- electrochemical reactions 4, 52, 54, 57, 219–220, 225, 261, 264–266, 271, 272
- electrochemical redox process 219, 220
- electrochemical reduction 51, 129, 226, 264, 272
- electrochemical SERS/TERS (EC-SERS/TERS) 219–220
- electrochemical TERS (EC-TERS) 236–238
- electromagnetic enhanced theory 211–212
- electromagnetic radiation 107, 181, 185, 198, 209
- electromagnetic wave 208, 210, 211
- electron beam lithography 111–113
- electron-multiplying charge-coupled device (EMCCD) 50, 54
- electropolymerization 111
- energy selection 192–194
- enhanced infrared (IR) spectroscopy 244
- enhanced Raman scattering 5, 208, 211, 232
- enhanced Raman spectroscopy (ERS) 207
- electrochemical reactions 219–220
- hot spots 213–216
- light *vs.* metal nanostructure 208–209
- light *vs.* molecules 209–211
- metal nanostructure *vs.* molecules 211–213
- model chemical reactions 216–217
- plasmon assisted catalysis 217–219
- principles of 208–216
- extended nanospace 91
- extended x-ray absorption fine structure (EXAFS) 184, 186, 187
- f**
- Faraday's constant 127, 134, 149
- Faraday's law of electrolysis 54, 60
- film over the nanospheres (FON) 222
- fluorescence photoactivation localization microscopy (FPALM) 67
- focused ion beam (FIB) milling 222
- full-field transmission X-ray microscopy (full-filled TXM) 196, 197
- full width at half-maximum (FWHM) 64
- g**
- gamma distribution 18, 21
- glass-coated electrode 113, 114
- gold nanoparticles 26, 28, 29, 76, 159–161, 224, 225, 228, 255, 257
- ground-state depletion (GSD) microscopy 65
- h**
- half-wave plates 274
- heating effect 218, 232
- highly oriented pyrolytic graphite (HOPG) 121, 125
- high-resolution transmission electron microscopy (HRTEM) 163
- hot electron injection effect 218–219
- hot spots 207, 213–218, 224
- hydrogen evolution reaction (HER) 5, 130, 133–137, 263
- i**
- illumination geometries 234–235
- imaging chemical reactions 87–91
- indirect detection of plasmonic nanoparticles 156
- in-situ X-ray spectroscopy 182, 187
- inverse Fourier transformation 199

- inverted deposition technique 123  
IrO<sub>x</sub> NP 130–133
- k**  
Kirkpatrick-Baez (KB) mirrors 190, 203
- I**  
Langmuir–Hinshelwood equation 26, 38, 82  
Langmuir–Hinshelwood mechanism 3 for competitive heterogeneous catalysis 31 for noncompetitive heterogeneous catalysis 23–30 to oligomeric enzymes 35 overall turnover rate 29–30 for product formation 24–26 production dissociation for, two-pathway model 27–29
- Langmuir–Hinshelwood models nanocatalyst at subparticle level 42–44 non-competitive applications 35–40 Pt nanocatalyst reactions 41–42
- Laplace transform 14, 149
- laser interference lithography (LIL) 222
- layered double hydroxides (LDH) 2, 69, 72
- linear scanning voltammetric (LSV) 262
- localization microscopy, super-resolution imaging 66–68
- localized surface plasmon resonance (LSPR) 146 electron injection and spillover 152 experimental strategies 155–156 indirect strategies 163 plasmon coupling 153 PREF 153–154 sensing, principle of 150–152 single gold nanoparticles 159–161, 166
- single-particle catalysis/reaction 156–174
- longitudinal surface plasmon resonance (LoSPR) mode 255
- lowest unoccupied molecular orbital (LUMO) 216
- LSPR Dark-field microscopy (DFM) 154, 155
- m**  
magnetic force microscope (MFM) 108
- Maxwell–Boltzmann distribution 210
- metal nanoparticle (MNP) 3, 4, 41, 76–79, 108, 124
- metal-oxide electrodes 230, 231
- Michaelis–Menten equation 9, 10, 13, 16–18, 22
- Michaelis–Menten kinetics in absence of dynamic disorder 9–13 with dynamic disorder 13–19 for fluoresgenic reaction 21–22 multistate model 16–19 two-state model 14–16
- Michaelis–Menten mechanism coupled with multiple product dissociation pathways 32 product dissociation process 32–33 product formation process 33–34
- micrometer-and submicrometer-sized objects 189
- micrometer-resolved XAFS spectroscopy 186, 187
- microprobes 188–191 soft X-rays and hard X-rays 187–188 X-ray beam 191–196
- microprobes, X-rays 188–191
- microreaction cell 54
- microvoltammetric tip electrode 111
- micro zone plate (MZP) 196, 197
- monochromator 183, 186, 192–196
- multilayer laue lens (MLL) 191

***n***

nanocatalysts 1, 3, 9–46, 68, 79, 80  
 nanochemistry 91  
 nano-confinement effects 91  
 nanoelectrodes  
   preparation of 111–113  
   for single particle electrocatalysis 261–264  
 nanofluidics 91  
 nano-impacts 264  
 nanoimprinting 222  
 nanometer accuracy by stochastic catalytic reactions (NASCA) 68, 73  
 nanoparticle 32  
   blockage 267  
   coulometry method 268, 269  
   mechanical transfer of 123–124  
 nanopipette 263  
 nanopositioning stage 221  
 nanosphere lithography (NSL) 222, 223, 225  
 nano-XAFS 203, 204  
 near-field scanning optical microscopy (NSOM) 64  
 Nernst equation 134  
 Nile Blue (NB) molecules 220  
 nonplasmonic materials 161  
 numerical aperture 58, 64, 149, 190

***o***

optical super-resolution (SR)  
   techniques, principle 63–68  
 oxidation and reduction cycle(s) (ORC) 223  
 oxygen reduction reaction (ORR) 5, 137, 228, 261  
 catalysts screening 137–141

***p***

PALM with independently running acquisition (PALMIRA) 67  
 PEEM, SPEM and nano-ARPES 198–199  
 photo-activated localization microscopy (PALM) 67

photodetectors 2  
 photo(electro)catalyst, design 84–86  
 photogenerated charge separation 82–84  
 photoluminescence (PL)  
   directly observation of chemical reactions 258–260  
   of gold nanoparticles 255–257  
   revealing plasmon-enhanced catalysis 257–258  
 plasmon assisted catalysis 217–219  
 plasmon-assisted chemistry 218, 219  
 plasmon-based electrochemical current microscopy (PECM) 149  
 plasmon field-enhancement effect 162, 218  
 plasmonic materials 223–225  
 plasmonic photocatalysis, in TERS 238–241  
 plasmon-induced electromagnetic fields 162  
 plasmon resonance energy transfer (PRET) 153–154, 165–166  
 point spread function (PSF) 64, 275  
 principle of super-resolution  
   fluorescence localization microscopy 66  
 product formation rate 10, 22, 31, 34, 42–44  
 proton reduction reactivity 134, 135  
 Pt nanocatalyst reactions 41  
 Pt NPs/C UME/ proton reduction 128–130

***q***

quantum dot 58, 59, 199

***r***

Raman frequency shift 212  
 Raman scattering 5  
   detection instrumentation 221–222  
 Rayleigh scattering 210, 211, 221  
 reduced Planck constant 145  
 remote excitation SERS (Re-SERS) 220–221  
 remote plasmonic catalysis 231–232

- resonance Raman (RR) scattering 211  
 reversible chemisorption 161  
 reversible saturable optical fluorescence transitions (RESOLFT) microscopy 65  
 rotating ring-disk electrode (RRDE) 114, 117
- S**
- saturated structured illumination microscopy (SSIM) 65  
 scanning electrochemical microscopy (SECM) 4, 5, 107–141  
 operation modes of 113  
 collection mode 113–117  
 feedback mode 117–118  
 principles of 109–118  
 scanning potentiometry 111  
 scanning probe microscopy (SPM) 68, 107–109, 233, 234  
 scanning transmission X-ray microscopy (STXM) 68, 196, 198  
 scanning tunneling microscopy (STM) 5, 107, 233  
 scattering near-field optical microscopy (s-SNOM) 246  
 shell-isolated nanoparticle-enhanced Raman spectroscopy (SHINERS) 227–228, 246  
 shell-isolated nanoparticles (SHINs) 227  
 single Au nanoparticles 35–38, 167, 168, 170, 262, 263  
 single enzyme molecule 10, 11, 35  
 single metal nanoparticles (NPs) 4, 108, 124  
 electrochemical methods of preparing and characterizing 120–125  
 single molecule enzymology  
   Michaelis–Menten kinetics  
     in absence of dynamic disorder 9–13  
     with dynamic disorder 13–19  
     for fluorescent reaction 22  
 randomness parameter 20–21
- single-molecule fluorescence microscopy (SMFM) 3, 9, 76  
 AFM 57–60  
 electrochemical techniques 49–57  
 single-molecule fluorogenic reactions 87, 89  
 single molecule isomerization 238  
 single-molecule  
   Langmuir–Hinshelwood equation 26, 38, 82  
 single molecule nanocatalysts  
   Langmuir–Hinshelwood mechanism 23–30  
   physical models for kinetic and dynamic analysis of 23–31  
   on single Au nanoparticles 35–38  
 single-molecule photocatalysis, on  
   single TiO<sub>2</sub> nanoparticles 38–40  
 single-molecule reactions on different surfaces 89–91  
 single nanoparticle electrode (SNPE) 261  
 single TiO<sub>2</sub> nanoparticles 38–40  
 single-wall carbon nanotubes (SWCNTs) 50, 51, 87  
 single-wall nanotube (SWNTs) 50, 51  
 soft X-rays 200  
   and hard X-rays 187–188  
   microscopy 197  
 spatial resolution of optical microscopy 188  
 steady state electrochemical electron-transfer kinetics 50  
 stimulated emission depletion (STED) microscopy 65  
 stochastic optical reconstruction microscopy (STORM) 67, 274  
 Stokes–Einstein equation 265  
 Stokes Raman scattering 210, 211  
 structured illumination microscopy (SIM) 64, 65  
 super-resolution (SR) imaging  
   application of 68–92  
   applications of 91–92  
 fluorescence microscopy 3

- super-resolution (SR) imaging (*contd.*)  
 localization microscopy 67  
 with spatially patterned excitation 65–66  
 technique 84
- super-resolution optical fluctuation image (SOFI) 67
- supported metal nanocatalysts 79–80
- surface enhanced infrared adsorption spectroscopy (SEIRAS) 5
- principles of 244–247
- single-particle nanocatalysis 247–248
- surface enhanced Raman spectroscopy (SERS) 207, 220
- borrowing SERS activity strategy 225–227
- metal-oxide electrodes 230–231
- monitor plasmon-driven chemical reactions 228–230
- plasmonic materials 223, 224
- Raman scattering detection instrumentation 221–222
- remote excitation SERS (Re-SERS) 220–221
- remote plasmonic catalysis in Re-SERS 231–232
- shell-isolated nanoparticle-enhanced Raman spectroscopy (SHINERS) 227–228
- single particle catalysis/electrochemistry 228–230
- substrate 216
- substrate and applications 222–228
- surface plasmon resonance (SPR) 1, 3–4, 68, 145–174, 244, 255
- electrocatalysis of single Pt nanoparticles based on 150, 151
- experimental method of 149
- principle of 146, 148
- sensor 148
- surface plasmons 145, 255–257, 259
- surfaces adsorption of reactants 90
- synchrotron radiation 5, 181, 185, 189, 198, 247
- synchrotron-radiation-based infrared nanospectroscopy (SINS) 247
- synchrotron XAFS 202
- t**
- tag-redox coulometry (TRC) strategy 266
- thermodynamic parameters 44
- tip-enhanced Raman scattering (TERS) application 236–244
- configuration of illumination geometries 234–235
- scanning probe microscopy (SPM) 233–234
- working environmental control 235–236
- electrochemical TERS (EC-TERS) 236–238
- high resolution 241–244
- isomerization of single molecule 238
- plasmonic photocatalysis in 238–241
- tip generation/substrate collection (TG/SC) mode 113
- tip generation-substrate collection-tip collection (TG-SC-TC) mode 137, 138
- tip-induced metal deposition method 119, 133
- total internal reflection (TIR) 147
- fluorescence microscope 54
- transversal surface plasmon resonance (TSPR) mode 255
- transverse magnetic 146
- tunneling UME (T-UME) 267, 272–273
- u**
- ultrahigh vacuum (UHV) 235
- ultramicroelectrode (UME) 4, 109, 260
- single nanoparticle electrochemistry 267–273
- for single particle electrochemistry 264–273

- stochastic collision of individual nanoparticles 264–267  
tunneling 272–273  
ultra-microscopic substrate 124, 125  
underpotential deposition (UPD) 171, 242
- V**  
vibrational spectroscopies 5, 207
- X**  
X-ray absorption fine structure (XAFS) 182–186  
X-ray beam 186–196, 198, 201, 203  
optimization  
energy selection 192–194  
harmonic rejection 194–196  
X-ray fluorescence microscopy (XFM) 196  
X-ray microprobe methods 196  
diffraction microscopy 199  
full-field transmission X-ray microscopy (TXM) 197  
PEEM, SPEM and nano-ARPES 198–199  
scanning transmission X-ray microscopy (STXM) 198  
zernike phase-contrast X-ray microscopy 197  
X-ray microscopy 181  
synchrotron light sources 185  
X-ray photo emission electron microscopy (XPEEM) 196  
X-ray scanning microscopy 187, 188  
X-ray spectrometer 183  
X-ray spectromicroscopy 196
- Z**  
zeolites 69  
depth profiling with super-resolution imaging on 74–76  
super-resolution imaging on 69–74  
zernike phase-contrast X-ray imaging 196  
zernike phase-contrast X-ray microscopy 197

