

Index

a

- acceptor–acceptor carbenes, 346, 353, 436, 441–443, 455
- acceptor carbenes, 356, 436, 438–439
- acetanilides, 492, 522, 525, 545, 615–617, 620, 621
- acetophenone, 72, 404, 442, 522, 529
- 4-acetoxidydroindole, 353
- acetylenecarboxylates, 186, 207, 211
- acetylenic aldehydes, 148
- acetyl-masked glucose, 167
- acrylamides, 81, 207, 211, 212, 523, 540, 602, 609
- activated C–H bonds, 357, 361, 368, 400–411, 435, 558, 561
- acyclic electron-deficient ketones, 219
- acyclic non-strained ketone, 321
- acyclic secondary
N-mesyloxycarbamates, 397
- 3-acylcyclopropene, 302
- 3-acyloxy-1,4-enynes, 177, 178
- acylphosphonates, 219
- acyl-Rh(III) intermediate, 269
- adamantyl-derived catalyst
 Rh₂(*S*-PTAD)₄, 354
- air-stable azomethine ylides, 465
- alcohol-chelation-assisted
 hydroacylation, 73
- aldehydes, 49, 52, 53, 59, 65, 67–69, 71–76, 79, 81, 95, 133–135, 137–141, 145, 146, 148, 151, 162–171, 211, 218, 219, 255, 269, 308, 328, 332–333, 352, 462, 463, 472, 475, 552, 553, 555, 558, 577
- aldehyde tether, 308, 636
- aldimine, 143, 146, 149, 150, 454, 464
- aliphatic aldehydes, 164, 218, 333
- alkene first mechanism, 27
- alkene hydroformylation, 133–136, 156
- alkene tether, 307, 315, 321, 326
- 2-alkynyl acroleins, 218
- alkenylarene compounds, 111
- 2-alkynylbenzaldehydes, 218, 219
- alkenylheteroarene, 111
- alkylidenecyclobutane, 309, 317, 318, 321
- alkylidenecyclopropanes, 307, 308, 445
- alkylidenecyclopropyl methanimine, 452
- 4-alkyl-3-phenylisocoumarins, 490
- alkylrhodium intermediate, 324–326
- alkyl-substituted guanidine, 391
- alkynylrhodium species, 323
- allene, 55, 119, 124, 128, 207, 211, 212, 231, 235, 238, 239, 245, 251, 255, 261, 266, 268, 286, 314, 452, 473, 635
- allene-ACPs, 268
- allene–ene–ynes, 207, 212
- 1-allene-VCP, 257
- allenylcyclobutane, 302
- allenylcyclopropane (ACP), 230, 268
- allenyl-substituted alkynes, 453
- allenyne, 152, 189, 191, 309
- (+)-allocyathin B₂, 243
- allyl carbenoid species, 305
- allylcarbonates, 421
- allyl cation, 350
- allylic oxidation, 118
- allyltrimethylsilane, 384
- allyl vinyl ether, 459

- α -2 adrenoceptor antagonist, 99
- α -alkyl acrylates, 49, 50
- α -alkyl- α -diazoacetates, 356
- α -alkyl- α -diazoester, 356, 357, 449, 456, 472, 541
- α -alkylidenecyclopentanones, 64
- α -alkylidene- γ -butyrolactone derivative, 175
- α -alkyl substituted diazocarbonyl compounds, 438, 439
- α -allyl- α -amino ketone, 459
- α -allyl- α -sulfanyl imines, 460
- α -allyl diazoesters, 443
- α,α -bis(allyl) aldehydes, 65
- α,α -dimethylallyl alcohol, 491
- α,α -diphenylacetic acids, 515
- α,α -disubstituted benzyl alcohols, 490
- α -amino β -siloxy ketone, 461
- α -amino enamionone, 463
- α -aminomethyl- α,β -unsaturated carboxylic esters, 21
- α -amino silyl enol ethers, 461
- α,β -cyclohexenones, 232
- α,β -unsaturated acids, 19–21
- α,β -unsaturated aldehydes, 95–98, 462
- α,β -unsaturated amides, 102–105
- α,β -unsaturated enones, 177
- α,β -unsaturated esters, 98–102
- α,β -unsaturated ketone, 23, 285, 552, 553
 - chiral bis-sulfoxide ligands, 92
 - chiral diene ligands, 89–92
 - chiral hybrid ligands, 92–95
 - chiral phosphorus ligands, 85–89
- α,β -unsaturated oximes, 286, 287, 607, 609
- α,β -unsaturated phosphonates, 11, 105, 107
- α,β -unsaturated sulfones, 105
- α,β -unsaturated sulfonyl compounds, 105–107
- (–)- α -conhydrine, 459
- α -dehydroamino acids, 5, 9, 11, 12, 27
- α -diazoester, 449, 456
- α -diazoketones, 471–473, 481
- α -diazomalونات, 541
- α -ene–VCPs, 258
- α -imino carbenoid, 482
- α -imino nickel(0) carbene complexes, 450
- α -imino rhodium(II) carbene complexes, 449–467
 - reactions of carbon nucleophiles, 451–458
 - reactions of nitrogen nucleophiles, 464–466
 - reactions of oxygen and sulfur nucleophiles, 458–464
- α -keto aldehydes, 146, 147
- α -methylthiomethyl (MTM) ether substituted aldehydes, 75
- α -oxo rhodium(II) carbene complexes, 454, 456, 462, 466, 467
- α -vinylcyclopentanones, 66
- amide-directed enantioselective addition, to nitroalkenes, 641
- amino-acid derived azetidino, 324
- 1,3-amino alcohols, 461, 462
- 2-aminoaryl enone products, 69
- 9-aminofluorene derivatives, 515
- 5-amino-2-furancarboxitrile, 315
- aminoimidazolines, 389–391
- 2-amino ketone, 459
- 2-amino-3-picoline, 321, 322
- 8-aminoquinoline, 279, 285
- AmpaPhos, 75
- Ando and Omote's reductive Mannich coupling, 144
- anilides, 193, 195, 579, 617, 619
- anthracene derivatives, 511
- anthraquinone-derived diynes, 189
- anti-Markovnikov hydroamination, 56–60
- antiostatin A1, 199
- arenesulfonic acids, 504
- aroyl chlorides, 332
- aroyl cyanides, 332
- arylacetylenes, 184, 185, 203
- aryl and alkyl silanes, 290
- aryl azide *N*-atom precursors, 398–400
- aryldiazoacetate, 344, 349, 359, 361–363, 365

- aryl halide compounds, 581
 aryl(hydrido)rhodium complex, 309
 aryl hydroxamate/alkene annulations,
 600
 arylhydrazines, 124
 4-aryl-*N*-methanesulfonyl-1,2,
 3-triazoles, 358
 aryloxy-substituted dienyl esters, 217
 2-arylpiperidines, 200, 465, 466, 558
 arylrhodium(I), 323
 arylrhodium intermediate, 309
 arylrhodium species, 309, 323, 324, 328,
 330
 2-arylsuccinic esters, 99
 (λ pm)-aspidophytine, 478
 (+)-asteriscanolide, 255
 asymmetric hydroformylation, 49–52
 asymmetric hydrothiolation, 123
 atropisomeric bisphosphine ligands, 88
 atropisomers, 88, 193, 638
 atropselective biaryl synthesis, 191
 axially chiral 3-arylpiperidines, 200
 axially chiral 6-aryl-2-pyridones, 202,
 203
 axially chiral benzamides, 195, 196
 axially chiral biaryls, 191–193, 198, 200,
 207, 209, 213, 638
 axially chiral bipyridyl-based
 bisphosphine ligand (*S*)-P-Phos,
 88
 axially chiral dirhodium catalysts, 364
 axially chiral 3-(2-halophenyl)piperidines,
 202
 axially chiral spirobipyridines, 201
 7-azabenzonorbornadienes, 555, 557,
 560
 8-azabicyclo[3.2.1]octane, 214
 7-azaindoline (AI), 284
 azepines, 245, 248, 249, 264
 azides, 414–416, 451, 570–572
 aziridine, 237, 249, 377, 378, 391, 392,
 394, 404, 421, 429, 463, 561
 azobenzene, 501, 531, 580
 azocane, 301
 1-azadienes, 464
 azomethine imines, 480, 563
 azomethine ylides, 465, 466, 471,
 478–479
- b**
- benzaldehyde, 151, 164, 326, 462, 474
 benzamides, 193, 195, 196, 462, 494,
 511, 522, 525, 529, 531, 545, 550,
 565, 566, 582, 599, 604, 616, 624,
 625, 638, 641
 benzenoid [7]helicenes, 197
 benzimidates, 497
 benzobicyclo[3.2.1]octene, 314
 benzocyclobutenol, 327
 benzocyclobutenones, 314
 benzofurans, 72, 365, 429, 497
 benzophenone, 323, 327, 509
 benzophenone imine, 125, 498
 benzopyrans, 490, 492
 1,2-benzothiazines, 505
 benzothioamides, 497
 benzotriazoles, 124
 benzoxaphosphorin-1-oxide derivatives,
 507
 benzoxasiloles, 293
 benzoxazoles, 282
 benzoxepine derivative, 492
 benzoyl nitrene, 375
 BenzP*, 4, 12, 25–27, 49
 benzyl amines, 499
 benzyl formate, 171
 benzyl ketone, 315, 327
 β -alkoxy esters, 99
 β -alkoxyacrylates, 99
 β -amino ester derivative, 143, 349
 β,β -diarylenamides, 455
 β -dehydroamino acid derivatives, 4,
 12–18
 β -or γ -*N*-substituted α,β -unsaturated
 esters, 100
 β -H elimination, 119, 523, 543, 547, 555,
 557, 600
 β -hydride elimination, 55, 66, 107, 151,
 301, 543, 619
 β -hydroxy ester, 349
 β -(3-indolyl)enamides, 454

- β-ketoacids, 127, 128
 - β-ketoesters, 127, 128
 - β-oxygenated imine, 462
 - β-S-containing aldehydes, 75
 - β-substituted cyclopentanones, 65
 - β-sulfanyl enamide, 463
 - β-thioacetal-substituted aldehydes, 75
 - β-thio-substituted carbene complexes, 464
 - biaryl bis-phosphine ligands, 65
 - biaryls, 191–193, 529
 - bicycle[3.3.0]octadienone derivative, 173
 - bicycle[5.4.0] undecatriene, 266, 267
 - bicyclic α,β-unsaturated γ-butyrolactam derivative, 174, 175
 - bicyclic azepines, 248
 - 6,8-bicyclic compounds, 252
 - bicyclic cyclopentadiene, 302
 - bicyclic cyclopentenone, 166, 167, 171
 - bicyclic dihydrooxepins, 249
 - bicyclic furans, 304
 - 5,6-/5,7-bicyclic compounds, 258
 - 5,7-bicyclic cycloadduct, 243
 - 5,8-bicyclic cyclooctenones, 252
 - 5,5-bicyclic product, 257
 - 5,6/6,6-bicyclic [3+2+1] products, 262
 - bicyclo[2.1.0]pentane, 304
 - bicyclo[2.2.2]octadiene, 92
 - bicyclo[3.1.0] skeleton, 306
 - bicyclo[3.3.0]octadiene, 92
 - bicyclo[3.3.0]octane derivatives, 255
 - bicyclo[3.3.0]octenone, 251, 333
 - bicyclo[3.3.1]nonadiene, 92
 - bicyclo[3.3.1]nonane, 321
 - bicyclo[4.1.0]heptane intermediate, 444
 - bicyclo[4.3.0] derivative, 268
 - bicyclo[4.3.1]decane cycloadducts, 245
 - bicyclo[5.1.0] skeleton, 306
 - bicyclo[5.3.0] decatrienes, 268
 - bidentate BINOL-based ligands, 89
 - bidentate bisphosphoramidite ligands
 - Me-BIPAM, 89
 - bidentate phosphine, 241, 282, 306
 - bidentate phosphorus ligands, 9
 - binaphthyl catalyst, 365
 - binaphthyl derivative, 365
 - biologically active polycyclic molecules, 198
 - [1,1'-biphenyl]-2-ol, 513
 - 3,3'-bipyridine skeleton, 282
 - bisalkenylcarbinol esters, 135
 - bisaminophosphine ligands, 9, 11
 - bis(biphenyl)silanes, 293
 - bis-diazoimide, 476
 - 1,4-bis-(diphenylphosphino)butane, 85
 - BisP*-and MiniPHOS-based ligands, 4, 18
 - bisphosphacycle ligands, 4–5, 7
 - bisphosphine ligand (*R*)-H₈-BINAP, 257
 - bisphosphonite ligands, 89
 - bisphosphoramidite ligands, 89
 - 3,5-bistrifluoromethylphenyl-substituted (Cp**bis*CF₃) rhodium(III) catalyst, 621
 - B3LYP, 375
 - BoPhoz-Rh catalyst, 7, 26
 - boron aza-enolates, 461, 462
 - B₂(pin)₂, 44
 - branched allylic sulfones, 123
 - Breit's methodology, 119
 - Breit-type rhodium-catalysis, 129
 - bridged (η₆-arene)chromium-based planar chiral phosphine–olefin ligand, 95
 - 1,4-butynediol derivatives, 184–186
- C**
- carbazole, 189, 199, 516
 - carbene-induced C–H functionalization reaction, 347, 365
 - carboamination reactions, 607–612
 - carbon–hydrogen (C–H) bonds, 629
 - carbon nucleophiles, 451–458
 - carbonyl compounds and imines, 183, 211–214
 - carbonylative [2+2+1] cycloaddition, 174–176
 - carbonylative cycloaddition reactions, 300, 301

- catalyst controlled carbonyl
(Z)-dienylation, 149
- catalyst systems, 39–41, 69, 70, 166, 217, 241, 492, 497, 502, 505, 509, 510, 515, 623
- catalytic decarbonylation reactions, 311
- catalytic hydrogenation reaction, 312
- cationic Rh(I) catalysts, 284
- cationic rhodium(I)/(*S,S*)-Me-Duphos catalyst, 187
- C—C bond formation
allylations, 543–552
C—H alkynylation, 540–541
C—H couplings, diazo compounds, 541–543
- C=C bond formation
C—H alkenylation
alkenylations from alkynes, 525–529
oxidative dehydrogenative alkenylation reactions, 522–523
redox-neutral alkenylation, 523–525
C—H arylation, types, 533–539
- cesium 1-adamantanecarboxylate, 611
- C—H alkenylation, 283–285, 295, 522–529, 540
- C—H alkylation by alkene
directed, 279–281
undirected, 281–283
- C—H alkynylation, 540–542
- C—H arylation, 277–278, 295, 529–539
- C—H bond amination of ethereal bonds, 383
- C—H functionalization reactions
chiral dirhodium catalyst, 364–365
Cope rearrangement, 350–353
logic of chemical synthesis, 365–368
mechanistic insights and general considerations, 344–347
phthalimido amino acid-derived catalysts, 353–359
Rh₂(*S*-DOSP)₄, 347–350
triarylcyclopropane carboxylate Rh(II)-complexes, 359–364
C—H borylation, 288–290, 295
- (–)-chanoclavine I, 456, 457
- C—H hyperiodination of arenes, 583–584
- 2-chlorocyclopentadiene, 230
- 7-chloro-substituted pyridotriazole, 449
- C—H olefination, of arenes, 522
- chiral 4-aryl-2-piperidinones, 102
- chiral amidophosphine ligand, 95
- chiral β-amino acids, 12
- chiral BICMAP, 88
- chiral bicyclic bridgehead phosphoramidite (Briphos) ligand, 89
- chiral bicyclo[2.2.1]heptadiene ligands, 89, 99
- chiral binaphthol-based amidophosphine-olefin ligand, 95
- chiral bis-sulfoxide ligands, 92, 93
- chiral bis(*tert*-butylsulfoxide), 92
- chiral branched allylic ethers, 122
- chiral Cp ligands, asymmetric C—H functionalization
complexation methods, 633
development, 630–631
directed activation, of aryl C—H bond, 634
other directing groups, 641–642
families, 631–633
hydroxamate directing groups, 634–638
hydroxy directing groups, 639–640
pyridyl directing groups, 638–639
- chiral cyclopropane-fused oxasiloles, 294
- chiral diene, 70, 89–92, 97, 99, 102, 103, 105, 107, 108, 111, 216, 217, 220, 293
- chiral dirhodium catalyst, 345, 347, 364–365
- chiral ferrocene-substituted tetrafluorobenzobarrelene ligand, 99
- chiral fused azepine derivatives, 245
- chiral hybrid ligands, 92–95
- chiral Josiphos ligand, 55

- chiral lactones, 475
- chiral *N*-mesylamine, 454
- chiral, non-racemic sulfonimidamides, 418, 420
- chiralphos, 99
- chiral phosphine–olefin ligand, 92, 95, 108
- chiral phosphorus ligands, 3, 85
 - bidentate phosphorus ligands, 9
 - BisP*⁻- and MiniPHOS-based ligands, 4
 - bisphosphacycle ligands, 4–5
 - C₂ symmetric triaryl- or diarylphosphine ligands, 9
 - DuPhos, BPE, and analogous ligands, 6–7
 - ferrocene-based bisphosphine ligands, 7–9
 - monodentate phosphorus ligands, 11
 - phosphine-phosphite and phosphine-phosphoramidate ligands, 9
 - three-hindered quadrant ligands, 5
- chiral phosphine–olefin ligand, 92, 95
- chiral proline-based α,β -unsaturated ester, 99
- chiral scaffolding approach, 136
- chiral scaffolding ligand, 49, 135
- chiral sulfamide, 393
- chiral sulfinamide–olefin hybrids, 95
- chiral sulfoxide–olefin ligands, 95, 99, 108
- chiral 1,4-tetraphenylenes, 195
- chiral tribenzothiepins, 194
- cholesteryl acetate, 362, 363
- chromone derivatives, 492
- cinnamaldehyde, 97, 164–167, 404
- cis*-5,7-bicyclic products, 252
- cis*-cyclopropane, 410, 609, 610
- 1,2-*cis*-divinylcyclopropane intermediate, 441
- cis*-2-ene–VCPs, 243
- cis*-fused bicyclic product, 243, 255
- cis*-oxazolidinone, 397, 398
- Cl-MeO-BIPHEP, 146, 148
- C–N bond formation, 564–577, 600
- C,N*-cyclic azomethine imines, 264
- C-nucleophiles, 127
- C=O as a directing group, 79
- C–O bond formation, 580
 - Rh(III)-catalyzed non-annulative acylations, 577–578
 - Rh(III)-catalyzed non-annulative amidations, 579
- (–)-colombiasin A, 368
- combined C–H functionalization/Cope rearrangement (CHCR), 350–353
- Cp ligands, Rhodium(III)
 - electronically tuned Cp ligands, 612
 - electronic parameterization, 594–598
 - steric, 594–598
 - sterically tuned Cp ligands
 - isoquinolones, synthesis, 599–607
 - pyridines, synthesis, 607
 - pyridiones, synthesis, 599–607
 - results, 598–599
- C-pronucleophiles, 127
- Cp^X-ligated rhodium(III) complexes, 594, 595, 607, 609, 614, 621, 626
- Cp^XRh complexes, 631, 632, 638
- cross dehydrogenative coupling (CDC), 529
- C–Se bond formation, 585–586
- C2-substituted product, 363
- C3-substituted indoles, 454, 455
- C₂-symmetric spirobipyridines, 200
- C₂-symmetric triaryl- or diarylphosphine ligands, 9
- C₃-symmetric triangular macromolecule, 452
- C-tethered 6,6-bicyclic product, 262
- C–X bond formation
 - C–H hyperiodination of arenes, 583–584
 - non-annulative thiolation of arenes, 585
 - non-annulative halogenation of arenes, 581–583
- cyclic α,β -unsaturated amides, 104
- cyclic α,β -unsaturated- δ -lactam, 102
- cyclic α,β -unsaturated- γ -lactams, 103
- cyclic *N*-sulfonyl ketamine, 505

- cyclic silyl enol ether, 264
- [2+2+1] cycloaddition
- an alkyne, an alkene, and CO, 161–172
 - two alkynes and CO, 172–174
- hetero*-multiple bonds, 174–176
- [2+2+2] cycloaddition of alkynes
- with alkenes, 207–211
- allenynes with monoynes, 191
- anthraquinone-derived diynes, 189
- antiostatin A1, 199
- atropselective biaryl synthesis, 191
- axially chiral benzamides, 195, 196
- axially chiral biaryls, 191–193
- benzenoid [7]helicenes, 197
- biologically active polycyclic molecules, 198
- 1,4-butyne diol derivatives, 185, 186
- carbonyl compounds and imines, 211–214
- cationic rhodium(I)/(*S,S*)-Me-Duphos catalyst, 187
- chiral 1,4-tetraphenylenes, 195
- chiral tribenzothiepins, 194
- cycloparaphenylenes (CPPs), 188
- densely substituted triptycenediols, 189
- dialkyl acetylenedicarboxylates, 184–186
- 1,5-dibromoanthracene-9,10-dione, 189
- enantio-enriched chiral
- anthraquinone-derived diynediols, 189
- enantioenriched tripodal pyridinophanes, 187
- helically chiral 1,1'-bitriphenylenes, 198, 199
- [7]helicene-like molecules, 197, 198
- heteroatom-linked diynes with monoynes, 190
- heterocumulenes, 200–206
- metallabicyclo[2.2.0]heptadiene, 183
- metallabicyclo[3.2.0]heptatriene, 184
- metallacycloheptatetraene, 184
- metallacycloheptatriene, 184
- metallacyclopentadiene, 183
- metallacyclopentatriene, 184
- nitriles, 199–200
- N,N*-dialkylalkynylamides, 195, 196
- 2-oxazolone, 189
- 2-phenylnaphthalene-linked hexayne, 198
- phosphine oxides, 191
- phosphonate- or ester-substituted
- 1,3-butadiyne, 193
- planar chiral cyclophane, 186
- planar chiral paracyclophanes, 186
- racemic dibenzo[7]helicenes, 197
- substituted dibenzofurans, 189
- substituted heterofluorenes, 189
- substituted tetraphenylenes, 193
- substituted triptycenediol derivatives, 189
- tri-*ortho*-substituted
- pseudo- C_2 -symmetric axially chiral biaryl phosphine oxides, 193
- undesired achiral orthocyclophanes, 186
- unsymmetrical L-shaped diyne, 188
- vinylene carbonate, 189
- [3+2] cycloaddition reactions, 255
- of carbonyl ylides, 471–478
 - of dipolarophiles, 471–475
- 2π -components, 261–262
- [3+2+1] cycloaddition reactions, 262–264, 300
- [3+3] cycloaddition reactions, 264–265, 480, 481
- [3+4] cycloaddition reactions, 264–265
- [4+1] cycloaddition
- of all carbon 4π -conjugated systems with CO, 176–178
 - 4π -conjugated systems including nitrogen atom, 178–179
- [4+2] cycloaddition
- of alkynes with 1,3-dienes, 215–218
 - via C–H bond cleavage, 218–222
- [5+1] cycloaddition reactions
- derivatives, 233–237
 - intermolecular reactions, 237–239

- [5+1] cycloaddition reactions (*contd.*)
 - intramolecular reactions, 239–245
 - neutral rhodium complexes, 231
- [5+1+2+1] cycloaddition reactions, 251–255
- [5+2+1] cycloaddition reactions, 251–255
- [7+1] cycloaddition reaction, 266
- cycloadducts, 238, 239, 255, 262, 270, 476, 479
- 4-cycloalkenyl-*N*-tosyl-1,2,3-triazoles, 458
- cyclobutanes, 67, 299–310, 443
- cyclobutanone, 311–314, 316, 319, 321, 324
- cycloheptanone derivatives, 239
- cycloheptatrienes, 444
- cycloheptene derivatives, 238
- cycloheptene product, 308
- 1,4-cyclohexadiene, 344, 357, 358
- cyclohexadiene, 207, 215, 348
- cyclohexane, 211, 348, 396, 412, 413, 418, 454
- cyclohexene, 207, 215, 291, 352, 386, 422
- cyclohexenols, 209
- cyclohexenone, 95, 218, 231, 313, 319
- cyclometalated Rh(III) complex, 536, 553
- cyclooctanedione, 251
- cycloparaphenylenes (CPPs), 188
- cyclopentadiene, 92, 172, 302, 330
- cyclopentadienyl ligands, 330, 593, 598, 600, 602, 603, 605, 607, 610, 615–626
- cyclopentadienylrhodium complex, 330
- cyclopentanone, 63, 65, 66, 307, 311, 314
- cyclopentene, 230, 231, 304, 352, 373, 375, 562, 563
- cyclopentenones, 64, 161, 162, 166, 167, 169, 171, 173, 176, 219, 306, 307
- cycloprodigiosin, 453
- cyclopropanation, 343, 345, 347, 348, 359, 367, 433–445, 449, 452, 455, 476, 607–612, 626
- cyclopropane, 266, 359, 413
 - 3-acylcyclopropene, 302
 - aldehyde tether, 308
 - alkylidenecyclobutane, 309
 - alkylidenecyclopropane, 307, 308
 - allenylcyclobutane, 302
 - allenyne, 309
 - allyl carbenoid species, 305
 - aryl(hydrido)rhodium complex, 309
 - arylrhodium intermediate, 309
 - arylrhodium species, 309
 - azocane, 301
 - bicyclic cyclopentadiene, 302
 - bicyclic furans, 304
 - bicyclo[2.1.0]pentane, 304
 - bicyclo[3.1.0] skeleton, 306
 - bicyclo[5.1.0] skeleton, 306
 - carbonylative cycloaddition reactions, 300, 301
 - cycloheptene product, 308
 - cyclopentenones, 306, 307
 - cyclopropene, 302, 303
 - cyclopropyl(hydrido)rhodium complex, 299
 - cyclopropylimines, 302
 - cyclopropyl-substituted amines, 301
 - 1,3-diazepanes, 301
 - 1,6-diyne, 307
 - eight-membered *N*-heterocycles, 301
 - furvene, 307
 - indane skeleton, 309
 - indolizine, 302
 - multicyclic arene, 310
 - N*-allylsulfonamide tether, 306
 - nine-membered cyclic compound, 309
 - 3-(2-pyridyl)cyclopropene, 302
 - pyrone, 302
 - rhodacycle, 308, 309
 - rhodacyclic intermediate, 309, 310
 - rhodacyclobutene, 302, 307
 - rhodacyclopentane, 305
 - rhodacyclopentanone, 300
 - ring strain, 299
 - seven-membered cyclic ketone, 304
 - seven-membered oxacycle, 302
 - site-selectivity, 300
 - spirocyclic indane, 309
 - spiropentanes, 306

- substituted cyclopropenes, 301
- tetrahydrofuran, 306
- tricyclo[3.2.1.0_{2,4}]oct-6-ene, 305
- triene, 310
- cyclopropanecarboxaldehyde, 452
- cyclopropanecarboxaldimines, 452
- cyclopropane-fused
 - benzo[a][3.2.1]octane derivatives, 481
- cyclopropene, 237, 301–303, 444, 479, 481, 482, 604–607, 626
- cyclopropenone, 315, 577
- cyclopropenyl ketones/esters, 237
- cyclopropyl-benzocyclobutenes, 266
- cyclopropyl(hydrido)rhodium complex, 299
- cyclopropyl imines, 230, 236, 237, 245, 302
- cyclopropyl-substituted amines, 301
- cyclopropyl-substituted sulfamate, 404

- d**
- decarboxylative C—C bond forming reactions, 623
- 5-decyne, 514
- dehydropiperidine-fused
 - trans*-cyclononene, 452
- densely substituted triptycenediols, 189
- (±)-desoxyhypnophilin, 255
- DfsNH₂, 408–411, 413
- diacceptor carbenes, 436
- dialkyl acetylenedicarboxylates, 184–186
- 1,3-diamines, 393, 394
- diarylmethanes, 412, 534
- diarylmethyl silyl ethers, 293
- 2,5-diaryl substituted
 - bicyclo[2.2.1]heptadienes, 92
- diastereomers, 27, 28, 95, 107, 134, 207, 213, 217, 249, 258, 262, 351, 360, 364, 387, 393, 396–399, 401, 402, 404, 406, 412, 421, 422, 437, 473, 606, 609, 610
- 8-diazaobicyclo[5.4.0]undec-7-ene (DBU), 356
- 1,3-diazepanes, 301
- 2-diazo-3-butenolate, 367
- diazocarbonyl compound, 344, 346, 438, 439
- diazo derivatives, 351, 634, 638
- diazoimines, 358
- diazoketone precursor, 476
- diazo precursor, 475, 480
- dibenzofuran carboxylic acids, 516
- (1*R*,4*R*)-2,5-dibenzylbicyclo[2.2.1]hepta-2,5-diene, 89
- diboration
 - 1,1-diboration reactions, 45
 - 1,2-diboration reactions, 45–46
- 1,1-diboration reactions, 45
- 1,2-diboration reactions, 45–46
- 1,5-dibromoanthracene-9,10-dione, 189
- 1,5-dicarbonyl derivatives, 349
- 1,1-dichlorocyclopent-3-ene, 230
- 1,1-dichloro-2-vinylcyclopropane, 230
- Diels–Alder reaction, 89, 161, 229, 239
- dienes, 57, 70, 89–92, 97, 100, 102, 107, 108, 111, 145, 179, 215–217, 229, 239, 255, 293, 305, 421, 441
- 1,3-dienes, 16, 55–57, 215–218, 285, 452, 547, 551, 552
- dienones, 155, 213
- dienyl ether, 352
- dienynes, 210, 214
- dihydroazepine derivatives, 249, 261
- dihydroazepine products, 245
- 2,5-dihydroazepines, 452
- dihydrobenzofuran, 355, 357, 365
- dihydrofuran-3-ones, 459
- 3-dihydro-1*H*-indenylamine, 286
- dihydroisoquinolones, 599–601, 603–605, 626, 629
- dihydronaphthalene, 360, 367
- 3,6-dihydro-1,2-oxazine derivatives, 480
- dihydrophenanthrene, 321
- 2,3-dihydropyridine, 613, 614
- dihydropyrroles, 76, 261, 452, 453, 462, 505
- 2,3-dihydropyrroles, 452, 453, 505
- diketone, 255, 327, 376
- 1,3-diketones, 73, 127, 128
- dimeric ‘paddlewheel’ complexes, 433

- dimethyl acetylenedicarboxylate, 193, 466
- 2,4-dimethylbenzenesulfonic acid, 504
- 1,4-dimethylcyclohexanes, 412, 414
- 3,5-dimethyldiazole, 429
- dimethyl itaconate, 11, 19
- 2,4-dimethyl-3-pentyl- α -diazopropionate, 357, 358
- dioxygenated seven-membered cycloadduct, 239
- diphenylacetylene, 173, 317, 490, 622
- 2,4-diphenylcyclopenten-1-one, 171
- 1,1-diphenylethylene, 359
- 2,4-diphenyloxazole, 506
- diphenylphosphinic acids, 507
- 3,6-diphenylthienothiophene, 506
- DIPHONANE, 88
- diphosphine, 18, 72, 176, 216, 282, 291, 293, 322, 324
- 1,3-dipolar cycloaddition
- applications to natural product synthesis, 476–478
 - azomethine ylides, 478–479
 - chemoselective [3+2] cycloadditions of carbonyl ylides, 475–476
 - [3+2] cycloadditions of carbonyl ylides and dipolarophiles, 471–475
 - enoldiazo compounds, 479–482
- 1,5-dipolar cycloadditions, 471–484
- directed C–H alkylation by alkenes, 279–281
- directed Rh-catalyzed hydroformylation, 134–135
- dirhodium(II)-catalyzed C–H insertion reactions, 345
- dirhodium(II) tetraacetate, 433
- dirhodium(II) tetracarboxamidates, 344, 435
- dirhodium tetracarboxylate catalysts, 344, 345, 348
- disubstituted alkenes, 105
- 1,3-disubstituted allenes, 66, 79, 123, 124, 210, 600, 613
- 1,2-disubstituted cyclopropane substrate, 241
- 2,5-disubstituted furans, 453, 454
- 2,3-disubstituted indole, 401
- 2,2-disubstituted indoline, 399
- 1,4-disubstituted *N*-tosyl-1,2,3-triazole, 460
- 2,5-disubstituted thiazoles, 463
- 1,3-di-*tert*-butyl-cyclopentadienyl (Cp^t) ligand, 602
- 1,3-di-*tert*-butyl-cyclopentadienylrhodium(III) complex, 600, 607
- di-*tert*-butyl fumarate, 99, 101
- divinylcyclopropane rearrangement, 343
- diynes, 133, 173, 188, 189, 198
- with carbodiimides, 205, 206
 - with carbon dioxide, 206
- 1,3-diynes, 146, 150
- 1,6-diynes, 156, 186, 187, 189, 191, 193, 196, 199, 200, 202, 205, 207, 285, 307
- donor–acceptor carbenes, 343, 344, 346–348, 355, 356, 359, 360, 365, 436, 440–441, 443, 449, 451, 454
- donor–acceptor cyclopropenes, 479, 481
- intermediate, 481
- double-chelation' approach, 71, 72
- DpenPhos, 11, 18, 19
- [DPEphosRhCl]₂, 119
- DuPhos, 6–7, 12, 21
- BPE and analogous ligands, 6
- e**
- E*- δ -viniferin, 365, 367
- eight-membered *N*-heterocycles, 301
- electron-deficient alkenes, 73, 137–144, 282, 327, 611
- electron-deficient aryl sulfamate, 426
- electronically tuned Cp ligands
- pyridines and derivatives, synthesis, 612–614
 - Tanaka's ethoxycarbonyl-substituted cyclopentadienyl ligand (Cp^E), 615–626
- electron poor π bond coupling partners, 634–636, 638
- electron-rich C₂ symmetric ligands, 4–5

- electron-rich pincer-type Rh(I)
 catalyzed C—H borylation, 288
- electron-withdrawing group (EWG),
 282, 346, 394, 405, 406,
 436–438–437, 440–443, 450, 552
- (–)-elisapterosin B, 368
- enamides, 9, 12–18, 27, 71, 207, 209,
 213, 463, 466, 482, 493, 528, 579
- enantioenriched allenyl-substituted
 alkyne, 453
- enantioenriched benzopyranones, 219
- enantioenriched chiral
 anthraquinone-derived
 diynediols, 189
- enantioenriched cyclohepta-1,4-dienes,
 441
- enantioenriched
 6,7-dioxabicyclo[2.2.1]heptanes,
 356
- enantioenriched disubstituted
 spiroilabifluorenes, 293
- enantioenriched piperidines, 203
- enantioenriched spirocyclic
 benzopyranones, 219
- enantioenriched 4-substituted indole,
 353
- enantioenriched tripodal
 pyridinophanes, 187
- enantiomerically enriched substrate, 255
- enantiopure hydrocarbon, 452
- enantioselection mechanism, 27–28
- enantioselective dehydrogenative
 C–H/Si–H coupling, 293
- enantioselective Hayashi–Miyaura
 reaction, 111
- enantioselective reactions, 41–43
- enantioselective Rh2(II)-catalyzed
 sp^3 -C—H bond amination,
 422–429
- enantioselective rhodium-catalyzed
 arylation of maleimides, 103
- enantioselective synthesis, of spirocyclic
 sultams, 641
- endo-configured oxa-bridged
 piperidone derivative, 473
- 7-endo-dig cyclization, 285
- ene-allenes, 211, 215
- 1-ene-VCP substrate, 262
- ene-yne-enes, 233
- 1-ene/yne-VCPs, 255
- enoldiazoacetate, 480, 481, 483
- enoldiazo amides, 481, 482
- enol esters, 9, 18–19, 21, 49
- enone, 69, 76, 137, 139, 140, 179, 301,
 323
- enyne, 44, 133, 151, 152, 154, 155,
 162–172, 213, 218, 231, 233, 323,
 458, 492
- 1,3-enynes, 146–148, 150
- 1,6-enynes, 152–155, 207, 209, 210, 212,
 213, 286, 333
- (+)-erinacine A, 243
- (+)-erogorgiaene, 368
- ethoxycarbonyl-substituted
 cyclopentadienylrhodium(III)
 complex ($Cp^F RhX_2$), 615–626
- ethyl diazoacetate, 346
- ethyl diazomalonate, 346
- 4-ethyl-*N*-tosyl-1,2,3-triazole, 459
- 4-ethyltoluene, 361, 416
- Et_2MeSiH , 138
- exo*-methylene cyclic and acyclic
 carbonyl compounds, 208
- exo*-methylene product, 239
- f**
- FAPhos, 11, 22
- $Fe_2(CO)_9$ -mediated [5+1] cycloaddition,
 232
- ferrocene-based ligands, 7, 20, 95
 bisphosphine ligands, 7–9
- FerroTANE, 7, 12
- Fischer–Tropsch process, 134
- five-membered cyclic compounds, 481,
 482
- five-membered dioxolane, 475
- five-membered metallacycle, 57, 161
- five-membered rhodacycle, 315, 528,
 529, 570, 579, 584, 601, 635
- fluorenes, 515
- fluorinated bisphosphine ligand, 103
- formates, 171, 386

- formic acid, 171, 386
 Fujiwara–Moritani reaction, 522
 fully saturated oxepanes, 249
 functionalized alkenes, 21–25, 75, 525
 functionalized cycloalkanes, 139
 functionalized cyclohexane, 211, 358
 functionalized cyclohexanone products, 235
 functionalized furans, 76
 functionalized molecules, 39, 44, 46, 373, 420
 furvene, 307
 3,4-fused 3a,7a-dihydroindole, 455
 2,3-fused pyrroles, 458
 3,4-fused pyrroles, 453
- g**
 γ -aryl ketones/aldehydes, 553
 γ -cyclic carbamimidates, 391
 γ,δ -unsaturated ester, 349
 γ -lactam, 103, 176, 387, 389
gluco-enophos, 95
 glycans, 385
 and glycosides, 385–386
 glyceraldehyde derivative, 168
 guanidine, 389–391
- h**
 H_8 -BINOL congener, 89
 helically chiral 1,1'-bitriphenylenes, 198, 199
 helicascolide A, 128, 129
 helicascolide B, 128
 helicascolide C, 128
 [7]helicene-like molecules, 197, 198
 hemiaminal, 358, 454
 η^5 -cyclopentadienylmanganese-based ligand, 95
 η^5 -cyclopentadienylrhodium(III) complex, 619
 η^5 -*N*-silyliminylrhodium complex, 330
 η^5 -pentamethyl-cyclopentadienyliridium(III) [$Cp^*Ir(III)$] complex, 623
 heteroarenes, 24–25, 506, 531–533, 555, 556, 618
 heteroatom-linked 1,6-diyne, 189
 heteroatom-substituted olefins, 600
 heterocoupling, 529
 heterocumulenes, 200–206, 218, 465
 heteroles, 279, 439
 highly reactive dirhodium carbene, 344
 highly *Z*-selective hydrothiolation, 124
 (\pm)-hirsutene, 255
 (\pm)-hirsutic acid C, 255
 HIV drug abacavir, 126, 127
 homoallyl alcohols, 71, 328, 329
 homoallylic amine, 57
 homoallylic Rh(I) alkoxide, 151
 homocoupling, 188, 529, 540
 homolargazole, 127, 129
 hydrazones, 26, 357, 365, 440
 hydroboration
 development of catalyst systems, 39–41
 enantioselective reactions, 41–43
 functionalized molecules, 44
 hydroformylation
 directed Rh-catalyzed, 134–135
 Fischer–Tropsch reaction, 133, 134
 reversibly bound directing groups, 135–137
 hydrogenation
 α,β -unsaturated acids, esters, and related substrates, 19–21
 α -dehydroamino acid derivatives, 12–16
 enamides, 16–18
 enol esters, 18–19
 functionalized alkenes, 21–24
 heteroarenes, 24–25
 imines, oximes, and hydrazones, 26
 ketones, 25–26
 unfunctionalized alkenes, 24
 hydrogen-mediated reductive aldol reactions, 139–141
 hydro- or carbonylative
 silylcarbocyclizations, 151
 2-(hydrosilyl)arylmatalocenes, 293
 hydrosilylative carbocyclizations, 151, 152

- hydrosilylative carbonylative (2+2+2+1) cycloaddition, 153
- hydroxamate directing groups
 BINOL-derived Cp^X ligands, 635
 Cp^XRh(III)-catalyzed enantioselective C—H functionalization reactions, 634
 functionalization
 allene coupling partners, 635
 electrophilic coupling partners, 637
 methodologies, 636
- hydroxybicyclo[3.3.0] octanone, 251
- hydroxy-cis-nemorica acid, 473
- 4-hydroxycyclohexa-2,5-dienones, 536–538
- hydroxy directed [3+2] spiroannulation methodologies, 640
- hydroxy directing groups, 639–640
- hyprocroline A, 217
- i**
- imidazoles, 450, 464
- imidazolidinones, 389, 390
- imidazoline, 464
- imidazolone, 465
- imine controlled hydroacylation, 69
- imines, 3, 26, 55, 57, 69, 95, 125, 133, 178, 179, 183, 230, 237, 245, 286, 321, 449, 458, 460, 462, 467, 478, 498, 499, 558, 560, 563, 641
- iminium ion, 65, 384, 479
- imino-directed C—H alkylation
 aromatic, 279
 intramolecular, 280
- iminoiodinanes, 373, 402, 418, 420
- (-)-incarviate A, 365, 366
- indane, 309, 318, 319, 324, 356, 412, 414, 416, 422, 425, 427
- indenols, 492
- indenone derivatives, 497
- indoles, 7, 25, 124, 278, 285, 352, 353, 395, 401, 454, 455, 457, 458, 474, 482, 493, 525, 532, 548, 550, 560, 563, 577, 579, 615–618, 637, 638
- indolines, 55, 57, 398, 399, 497, 540, 541, 548, 555
- indolizidines, 203
- indolizine, 302, 532
- 1-(indol-1-yl)isoquinoline derivative, 501
- indoxamycin, 365, 367
- intermolecular C—H bond amination of activated C—H bonds, 400–411
- intermolecular [5+2] cycloaddition reactions, 237–239
- intermolecular cyclopropanation of alkenes
 electron-withdrawing group (EWG), 437
 via rhodium(II) carbenes bearing one electron-withdrawing groups, 438–439
 and one electron-donating group, 440–441
 via rhodium(II) carbenes bearing two electron-withdrawing groups, 441–443
- intermolecular diastereoselective C—H bond amination
N-tosylcarbamates, 422
 sulfonimidamides, 416–422
- intermolecular hydroacylation
 C=O as a directing group, 79–81
N-based chelation control, 69–70
O-based chelation-control, 70–73
S-based chelation control, 73–79
- intermolecular reactions catalyzed by neutral rhodium complexes, 231
- intermolecular Rh₂(II)-catalyzed sp³-C—H bond amination
 azides, 414–416
N-tosylcarbamates, 411–414
- internal alkynes, 55, 72, 75, 79, 118, 121, 122, 127, 129, 178, 218, 239, 249, 261, 266, 450, 451, 489, 490, 492, 516, 528, 615, 616, 639, 641
- internal disubstituted olefins, 49
- internal olefins, 49–52
- intramolecular asymmetric C—H bond amination, 422–429
- intramolecular [5+2] cycloaddition reactions, 239–245

- intramolecular cyclopropanation of alkenes, 443–444
- intramolecular hydroacylation, 268–269
larger ring synthesis, 66–68
small ring synthesis, 63–66
- intramolecular hydroacylation of VCPs, 268–269
- intramolecular Rh₂(II)-catalyzed
sp³-C–H bond amination
aryl azide N-atom precursors, 398–400
C–H bond amination of ethereal bonds, 383–384
glycans and glycosides, 385–386
medium-ring *N*-heterocycles, 387
MIDA-boronates, 386–387
NH₂-based N-atom precursors, 389–394
N-tosylcarbamate N-atom precursors, 394–398
spiroaminal scaffolds, 387–389
- isaindigotidione, 100
- isoamylbenzene, 409
- isoamyl benzoate, 408
- isobenzothiophene, 511
- isocyanates, 201–205, 219, 223, 261, 325, 386, 465, 579
- isonitrile ligand, 330
- isoquinoline, 8, 25, 387, 479, 498, 499
derivatives, 25, 498, 499, 501
salt, 499
- isoquinolinium methylide, 481
- isothiocyanate, 175, 261, 465
- isoxazoles, 76
- j**
- Josiphos, 7, 12, 16, 20, 22, 26, 55
- k**
- ketones, 3, 4, 23, 25–26, 45, 63, 67, 70, 72–75, 79, 81, 85–95, 137, 140–143, 149, 203, 213, 219, 230, 237, 279, 284, 285, 293, 304, 313, 315, 317, 321, 329, 455, 459, 461, 492, 529, 552, 553, 555, 561, 609
- kopsifolines, 478
- Krische's C-propargylation of alcohols, 150
- Krische's reductive coupling, 145
- l**
- largazol, 127
- leiodermatolide, 149
- ligands
bearing two or three aryl groups, 5–6
complexation methods, 633
development, 630–631
established families, 631–633
linear (*n*-) and branched (*iso*-)
aldehydes, 134
- linear free-energy relationships (LFERs), 607
- 2,6-lutidine, 378, 451
- (+)-lysergol, 456
- m**
- macrocyclic C₂-symmetric diolide
Clavosolide A, 128
- macrolactones, 118, 120
- macrolide Epothilone D, 128
- (–)-maoecrystal V, 365, 366
- Matsuda's reductive Mannich reaction, 143
- m*-benzenedichloroethane, 375
- mechanism of intramolecular
Rh₂(II)-catalyzed C–H bond
amination, 374–375
- medium-ring *N*-heterocycles, 387
- memantine, 408
- MeO-BIPHEP ligands, 88
- meso*-dienynes, 166
- metacyclophane, 186, 327, 328
- metal carbenes, 343, 433–437, 440, 445, 451, 538
- metallabicyclo[2.2.0]heptadiene, 183
- metallabicyclo[3.2.0]heptatriene, 184
- metallacycloheptatetraene, 184
- metallacycloheptatriene, 184
- metallacyclohexene, 237, 238
- metallacyclopentadiene, 183, 184
- metallacyclopentatriene, 184
- metallacyclopentene, 238, 241

- metal nitrene, 398, 406
 methyl (*Z*)- α -acetamidocinnamate (MAC), 12, 13
 4-methylbenzenesulfonic acid, 509
 methylenecyclopropane (MCP), 232, 452, 453
 3-methylene-2,3-dihydropyrrole, 453
 2-methylene-pyrrolidines, 262
 3-methylene-pyrrolidines, 262
 2-methylpentane, 362
 3-methyl-2-phenoxy-pyridine, 513
 methyl phenyldiazoacetate, 348, 440, 475
 8-methylquinolines, 521, 528, 543, 553–555, 561, 571, 578
 1-(2-methoxyethoxy)-VCPs/
 1-siloxy-VCPs, 238, 239
 Michaelis–Menten kinetics, 344
 MIDA boronates, 386–387
 mixed-valent Rh₂^{II,III} nitrenoid species, 379
 monodentate diamidophosphite, 89
 monodentate phosphorus ligands, 11
 MonoPhos, 11, 21
 monosubstituted alkenes, 209, 248
 Morken's asymmetric reductive aldol, 138
 morpholine, 57, 387
 multicyclic arene, 310
- n**
N-acetyl enamides, 493
N-acetylindole derivatives, 492
N-acetyl-*p*-toluenesulfonamide, 504
N-Ac or *N*-Boc dehydroalanines, 99
N-acyl-9-aminoanthracenes, 514
N-acyl-1-aminonaphthalenes, 513
N-acyliminopyridinium ylides, 480
N-acyloximes, 499
N-acyloxybenzamides, 497
N-alkylated carbanucleosides, 126
N-alkylated 4-pyridones, 126
N-allylic anilines, 50, 52, 55
N-allyl indolines, 55
N-allylsulfonamide tether, 306
 naphthaldehyde, 163
 naphthalene, 319, 333, 352, 511, 598
 1-naphthol, 491
 naphthopyran derivatives, 492
 naphthothiophene derivatives, 505
 naphthylamido catalyst Rh₂(*S*-NTTL)₄, 354
 2-(2-naphthyl)-2-propanol, 616
N-aryl benzamidine, 501
 natural linear triquinane skeletons, 252
N-based chelation control, 69–70
N-benzylideneanilines, 499
N-Boc-*N*-alkyl sulfamides, 393
N-Boc-pyrrolidine, 348, 349
N-carbamoyl indoline, 497
N-cyano-*N*-phenyl-*p*-toluenesulfonamide (NCTS), 579, 580
N-cyclopropylureas, 301
 nemorensic acid, 473
N-enoxyphthalimide, 607, 610, 611, 626
 NGF-inducing cyathane diterpenes, 243
 NH₂-based *N*-atom precursors, 389–394
N-homoallylic amines, 57
 nine-membered cyclic compound, 309
N-isopropylsulfonyl-1,2,3-triazole, 451
 nitriles, 175, 183, 199–201, 211, 309, 330, 331, 442, 450, 464
 nitrogen based pronucleophilic addition, 125
 nitrogen nucleophiles, 464–466
 nitrones, 480
 nitroolefin compounds, 107–111
N-Me-BIPAM, 89
N-mesyloxycarbamates (*R*), 398
N-mesyl-1,2,3-triazoles, 454, 461, 463, 464
N-methoxybenzamides, 525, 547, 635
N-methyl imine, 499
N,N-dialkylalkynylamides, 195, 196
N,N-diethylaniline, 455, 456
N,N-dimethylthiophene-2-carboxamide, 511
N,N-disubstituted benzamide, 511
N-nucleophiles, 124–127

- non-annulative C(sp³)-H alkenylation reactions, 528
- non-annulative halogenation of arenes, 581–583
- non-annulative oxidative dehydrogenative arylation, 529–533
- non-annulative thiolation of arenes, 585
- nonbridged cyrhetrene-based ligand, 95
- nonconjugated *substituted* alkynes, 149
- non-racemic sulfonimidamides, 418, 420
- nonselective monoamine reuptake inhibitor, 99
- norcaradiene intermediate, 455, 456
- N*-oxide-directed C8-selective C–H alkenylation, 284
- N*-phenoxyacetamides, 497, 525, 528, 529, 539, 541, 545
- N*-phenylanthranilic acid, 516
- n*-propylbenzene, 418
- N*-(2-pyridyl)anilines, 493
- N*-pyridyl imine, 321
- N*-(2-pyridyl)indoles, 493
- N*-pyridyl ketimine, 320, 321
- N*-sulfonyltriazoles, 357, 358, 434, 441
- N*-sulfonyl-1,2,3-triazoles, 449–467
reaction of, 450
synthesis, 451
- N*-*t*-butylbenzaldimines, 498
- N*-tosylcarbamate *N*-atom precursors, 394–398
- N*-tosylcarbamates, 394–398, 411–414, 422
- N*-tosyl-3,5-diphenyl-2,3-dihydropyrrole, 505
- N*-tosylhydrazones/diazoesters, 541
- N*-tosyl-1,2,3-triazoles, 450, 455, 457, 459–461, 463, 465
- N*-Troc substrates, 392
- nucleophile allylation, 117
- nucleophilic π -systems, 444–445
- nucleoside, 393
- N*-unsubstituted benzamides, 494, 511
- N*-unsubstituted isoquinolinones, 497
- O**
- o*-allenyl phenylacetonitrile, 175
- O*-based chelation-control, 70–73
- 1-(1,2,3,4,5,6,7,8-octaphenylanthracen-9-yl)pyrazoles, 511
- 4-octyne, 173, 498
- ω -allenyl carboxylic acids, 121
- O*-methyl benzhydroxamic acids, 599, 600
- one-carbon ring-expanded cycloheptanone, 457
- O*-nucleophiles, 117–122
- O*-pivaloyl benzhydroxamic acids, 599–601, 604, 606
- optically active β -aryl- β -pyrazol-1-yl propanoates, 99
- optically active oxetanol, 326
- optically active trienynes, 218
- ortho*-alkylated aromatic ketones, 279
- ortho-i*-Pr-dppe ligand, 75
- Ortho*-unsubstituted 2-arylpyridine, 289
- 1,3,4-oxadiazolines, 472
- oxalic acid, 171–172
- oxathiazinane, 384, 387, 428, 429
- oxazolidinones, 375, 394–398, 427
- oxazoline–olefin ligands, 95
- 2-oxazolone, 189
- oxidative olefination, of anilides, 617
- oxidative rhodium(III) catalysis, 618
- oximes, 26, 286, 550, 562, 565, 576, 577, 607, 609, 612
- oxygen and sulfur nucleophiles, 458–464
- P**
- paraformaldehyde, 50, 52, 166
- para*-methoxybenzenesulfonyl (Mbs), 392
- para*-quinone methides, 72
- Pauson–Khand product, 163, 170
- Pauson–Khand-type reaction
aldehydes as a C1 component, 162–171
formates as a C1 component, 171
oxalic acid as a C1 component, 171–172
supported carbon monoxide, 172

- P*-chiral ligand BenzP*, 49
P-chiral phosphinamides,
 synthesis, 642
P-chirogenic bisphosphine
 ligands, 4–6
 2 π -components, 176, 261–262
 4 π -conjugated systems including
 nitrogen atom, 178–179
 Pd-catalyzed allylation, 118
 2-pentane, 361
 pentylcyclohexane, 343
 3-phenoxybenzoic acids, 516
 phenyl-and styryldiazoacetate, 346
 phenylacetylene, 171–173, 616
 2-phenylbenzimidazole, 502
 3-phenylbenzofuran, 506
 phenylboronic acid, 97, 99, 103, 509
 2-phenyl-3-hydroxy-2-cyclohexenones,
 492
 phenyl ketones, 492
 2-phenylnaphthalene-linked hexayne,
 198
 4-phenyl-*N*-mesyl-1,2,3-triazole, 466
 4-phenyl-*N*-tosyl-1,2,3-triazole, 455
 2-phenyloxazoles, 511
 phenylphosphonamide, 507
 phenylphosphonic acid monoethyl ester,
 507
 phenylpropyne, 169
 1-phenylpropyne, 492
 5-phenylpyrazole, 502
 1-phenylpyrazoles, 503, 510
 2-phenylpyridine, 466, 503, 541, 561,
 567
 phenyl substituted heteroarenes, 506
 4-phenylthiazoles, 506
 3-phenylthiophenes, 505
 PhI(O₂CCMe₂Ph)₂, 404
 phosphaisoquinolin-1-one derivative,
 507
 phosphine–aminophosphine ligand, 7,
 11
 phosphine–NHC ligand, 95
 phosphine–olefin hybrid ligand, 92, 95,
 103
 phosphine oxides, 191, 193
 phosphine-phosphite and
 phosphine-phosphoramidate
 ligands, 9, 10
 phosphonate-or ester-substituted
 1,3-butadiyne, 193
 PhthalaPhos, 11, 21
 phthalimido amino acid-derived
 catalysts, 353–359
 pinacolborane, 39, 288
 piperidine derivatives, 203, 205
 planar chiral benzosiloloferocones, 293
 planar chiral bisphosphines, 88
 planar chiral cyclophane, 186
 planar chiral ferrocenes, 8, 293
 planar chiral paracyclophanes, 186, 187
 polycyclic amide, 476
 (*S*)-*P*-phos and phosphoramidite, 99
 [5+2] product dihydrooxepins, 249
 proline-based amidophosphine-olefin
 hybrids, 95
 propargyl alcohol, 151, 323
 propargyl ester, 235
 propargyltrimethylsilanes, 239
 propargyltrimethylsilanes reagent, 239
 2-(prop-1-en-2-yl)phenol, 492
 proton-coupled electron-transfer
 mechanism, 377–379
P-stereogenic molecules, 641
p-tol-BINASO, 92
p-tol-Me-BIPHESO, 92
p-tol-MeO-BIPHESO, 92
p-tol-MeO-SEGSO, 92
p-tol-MeO-SYNSO, 92
 push-pull type carbene, 347
 pyrazoles, 76, 124, 503, 510, 511, 522,
 619
 pyridazinones, 126
 pyridine-substituted isatin, 317
 pyridinium methylides, 480
 pyridinium zwitterions, 482–484
 pyridins, 124, 146, 199, 200, 202, 282,
 286, 482, 483, 576, 607, 612, 613,
 619, 638, 639
 pyridones, 124, 126, 599–607
 2-pyridones, 201, 290, 538
 2-(2-pyridyl)benzophenones, 315

- 3-(2-pyridyl)cyclopropene, 302
 pyridyl directing groups, 513, 638–639
 1-(2-pyridyl)indole, 503
 pyrimidines, 76, 531, 536, 541, 548, 574,
 580, 583, 585, 619
 pyrone, 302
 pyrrole, 76, 179, 237, 261, 278, 450, 453,
 454, 458, 465, 476, 478, 482
 pyrrolidines, 56, 153, 261, 358, 359, 387,
 442, 641
 pyrrolo[2,1- α]isoquinolines, 479
 pyrroloindolines, 454
 pyrrolylium cation, 458
- q**
- quinolines, 8, 76, 146, 284
 quinolizidines, 203
 quinolyl ketone, 315, 320
 QuinoxP, 4, 79, 88, 97
- r**
- racemic dibenzo[7]helicenes, 197
 racemic homoallyl alcohol, 329
 racemic macrolactonization, 119
 racemic 4-methyl-1,2-
 dihydronaphthalenes, 367
 (*R*)-Difluorophos, 88, 207
 reactions of alcohols via C—C bond
 cleavage, 323–330
 reactions via cleavage of C—CN bond,
 330–332
 reactions via cleavage of
 C(carbonyl)endash C bonds
 5-amino-2-furancarbonitrile, 315
 benzobicyclo[3.2.1]octene, 314
 benzocyclobutenones, 314
 catalytic decarbonylation reactions,
 311
 catalytic hydrogenation reaction, 312
 cyclobutanone, 314
 cyclohexenone, 313
 cyclopentanone, 314
 cyclopropenone, 315
 rhodacyclopentanone, 313
 seven-membered cyclic ketone, 313
 spirocyclic cyclobutanone, 313
- reactions via decarbonylation of
 aldehydes and carboxylic acid
 derivatives, 332–333
 reactions via directing group-assisted
 C—C bond cleavage, 315–322
 Re-based ligand, 88
 redox-neutral alkenylation, 523–525
 reductive aldol reactions, 137–143
 reductive C-C bond formation
 between alkenes and alkynes,
 151–154
 between alkenes and carbonyls,
 imines or anhydrides, 144–146
 between alkynes and alkynes,
 154–156
 between alkynes and carbonyls or
 imines, 146–150
 miscellaneous processes, 150–151
 reductive aldol reactions, 137–142
 reductive Mannich reactions,
 142–144
 reductive Mannich reactions, 142–144
 resorcinol-derived rhodium(II)
 complexes, 380
 Rh₂(5*S*-MEPY)₄, 443
 Rh₂(OPiv)₄, 439, 475
 Rh₂(*R*-3,5-di(*p*-*t*BuC₆H₄)TPCP)₄, 363
 Rh₂(*R*-*p*-BrTPCP)₄, 359, 360
 Rh₂(*R*-*p*-PhTPCP)₄, 359
 Rh₂(*S*-DOSP)₄, 347–351, 355, 359, 361,
 366, 440
 Rh₂(*S*-NTTL)₄, 357, 358, 442
 Rh₂(*S*-*o*-ClTPCP)₄, 360
 Rh₂(*S*-PTAD)₄, 351, 354, 355, 358, 365,
 440, 483
 Rh₂(*S*-PTTL)₄, 438
 Rh₂(*S*-TCPTAD)₄, 354, 362
 Rh₂(*S*-TCPTTL)₄, 354
 Rh₂(*S*-TFPTTL)₄, 354, 357
 Rh₂(*S*-TPCP)₄, 360
 Rh(Phebox-Bn) catalyst, 140
 Rh-catalyst comprising
 phosphine-sulfoxide ligand, 95
 Rh₂(II)-catalysts
 design, synthesis and performance,
 381–383

- mechanism of intramolecular
 - Rh₂(II)-catalyzed C—H bond amination, 374–375
- tetradentate carboxylate ligands for bimetallic rhodium(II) complexes, 375–381
- Rh(I)-catalyzed addition
 - application in total synthesis, 127–129
 - C-nucleophiles, 127
 - N-nucleophiles, 124–127
 - O-nucleophiles, 117–122
 - S-nucleophiles, 123–124
- Rh(III)-catalyzed allylation reactions, 545, 547
- Rh(III)-catalyzed allylations of arenes, 550
- Rh₂(esp)₂-catalyzed benzylic C—H bond amination reaction, 404
- Rh₂(*S-p*-BrTPCP)₄-catalyzed CHCR reaction, 361
- Rh(III) catalyzed dehydrogenative olefination reactions, 524
- Rh-catalyzed enantioselective C—H functionalization reactions, 630
- Rh-catalyzed hydrosilylative carbocyclization, 151, 152
- Rh-catalyzed intermolecular dehydrogenative C—H/Si—H coupling, 291
- Rh(III)-catalyzed non-annulative C—H addition of C—H Bond to C=C Bond, 552–555
- addition of C—H bond to C=N bond, 558–560
- addition of C—H bond to C=O bond, 555–558
- C=C bond formation
 - C—H alkenylation, 522
- C—C bond formation
 - allylations, 543–552
 - C—H alkynylation, 540–541
 - C—H couplings, diazo compounds, 541–543
- strained rings opening, 560–563
- transmetalation, 563–564
- Rh-catalyzed reductive aldol reaction, 137, 138, 142
- Rh-catalyzed reductive Mannich reactions, 142, 143
- Rh(I)-catalyzed undirected C—H borylation, 288
- Rh/chiral diene, 97
- Rh-chiral diphosphine ligands, 293
- RhCl(CO)(PPh₃)₃, 163
- [Rh(cod)Cl]₂, 66, 75, 119, 138
- [Rh(coe)2Cl]₂, 66
- RhCl(IPr)(COD)/AgSbF₆, 249
- RhCl(cod)]₂-chiral P-Phos system, 167
- [Rh(dppe)]ClO₄, 73, 75
- Rh-hydroxy complex-catalyzed reaction, 286
- Rh₂II,II nitrene, 379
- Rh^{II}–Rh^{II}–NH complex, 375
- rhodacycle, 66, 67, 142, 203, 215, 299, 308, 309, 317, 318, 528, 534, 535, 551, 562, 563, 579
- rhodacyclic intermediate, 308–310, 315, 319, 540, 541, 563, 585
- rhodacyclobutane complex, 299
- rhodacyclobutene, 302, 307
- rhodacyclopentane, 215, 305
- rhodacyclopentanone, 300, 301, 307, 313, 314
- rhodium-bound allyl species, 350
- rhodium(II) carbene complex, 449–467
- rhodium(II)-carbene-induced enantioselective C—H functionalization reactions, 343
- rhodium(II) carbenoid, 472
- rhodium-catalyzed asymmetric hydrogenation, 12–26
- rhodium(II)-catalyzed cyclopropanation
 - intermolecular cyclopropanation, 436–437
 - intramolecular cyclopropanation of alkenes, 443–444
 - mechanistic considerations, 434–436
 - poorly nucleophilic π -systems, 444
- rhodium(I)-catalyzed decarbonylation, 167

- rhodium(I)-catalyzed hydroamination
 anti-Markovnikov, 56–59
 asymmetric, 49–50
 transfer, 50–54
- rhodium-catalyzed hydroamination
 methodology, 125
- rhodium-catalyzed sulfur reduction, 76
- rhodium(I)/chiral phosphoramidite, 203
- rhodium enolate, 327
- rhodium(II)-enolcarbenoids, 479, 483
- rhodium-iminoiodinane, 375
- rhodium nitrene, 374, 375, 378, 385, 387,
 394, 395, 402, 408, 411, 420, 429
- rhodium pincer complex, 322
- rhodium/(*S,S*)-MeDuPhos catalyst, 123
- rhodium(I) triphenylmethoxide, 323
- rhodium(I)-Xantphos catalyst, 52
- (*R*)-homobaclofen, 103
- $\text{Rh}_2[\text{R}-3,5\text{-di}(p\text{-tBuC}_6\text{H}_4)\text{TPCP}]_4$, 360
- $\text{Rh}_2[\text{R}-\text{tris}(p\text{-tBuC}_6\text{H}_4)\text{TPCP}]_4$, 360,
 362, 363
- $[\text{Rh}(\text{dppp})]\text{SbF}_6$, 255
- $\text{Rh}_2[(\text{S})\text{-tcptad}]_4$, 426
- Rh(Phebox-*i*-Pr) system, 140
- ring-opened diketone, 326
- ring-opened ketone, 329
- (*S*)-rolipram, 99
- ruthenocenes, 293
- S**
- salicylaldehydes, 70–72, 492
- (*S*)-baclofen, 99
- S-based chelation control, 73–79
- s-cis*/boat conformation, 352
- s-cis*/chair conformation, 352
- selenylating reagents, 585
- seven-membered cyclic ketone, 304, 313
- seven-membered cycloadducts, 238, 239
- seven-membered *N*-heterocycle, 387
- seven-membered oxacycle, 302
- silane, 348
- silane/*n*/helices, 292
- silicon-and germanium-containing
 heterosumanenes, 292
- siloxycyclohexene, 351
- siloxy derivative, 349
- siloxymethylcyclopentene, 351
- siloxymethyldiazoacetate, 351
- silylacetylenes, 211
- silylated indane, 324
- silyl dienol ethers, 264
- silyl enol ether, 349
- 1-silylethynyl-1,2-benziodoxol-
 3(1H)-ones (silyl-EBXs), 540
- 3-(2-silylphenyl)cyclobutanol, 324
- silyl-substituted aziridine, 237
- single rhodium/phosphine catalyst, 168
- SIPHOS, 11
- six-membered lactam derivatives, 236
- six-membered oxacycle, 326
- 6-membered oxathiazinane, 387
- six-membered rhodacyclic intermediate,
 319
- S*-methyl-*S*-phenylsulfoximines, 505
- S*-nucleophiles, 123
- sp^3 C–H/ Si–H coupling, 293
- sphingosine, 76
- spiroaminal scaffolds, 387
- SpiroBIP, 11
- spirocyclic compound, 319
- spirocyclic cyclobutanone, 313
- spirocyclic indane, 309
- spirocyclic sultam derivative, 505
- spiro[indene-1,2'-pyrrolidine], 505
- spiroindenes, 492
- spiropentanes, 306
- stereoenriched diazocine, 484
- Sterically tuned Cp ligands
 carboamination reactions, 607–612
 cyclopropanation reactions, 607
 earlier results, 598–599
 isoquinolones, pyridones and
 derivatives, synthesis of, 599–607
 pyridines, synthesis of, 607
 strained olefins and aldehydes, 53
- styrene, 52, 280, 348, 451
- styryldiazoacetate, 352, 360
- 2-substituted-2-alkenols, 23
- substituted and unsubstituted
 β -pyrazol-1-yl *tert*-butyl
 acrylates, 99
- 2-substituted benzofuran, 429

- 5-substituted benzofuran, 429
 substituted cyclopropenes, 301
 substituted dibenzofurans, 189
 4-substituted ethyl benzenes, 402
 substituted heterofluorenes, 189
 substituted hydroquinone, 235
 3-substituted *N*-Boc-indole, 429
 substituted oxathiazinanes, 384
 2-substituted piperidines, 387
 2-substituted pyridines, 482
 substituted tetrahydropyridines, 464
 substituted tetraphenylenes, 193
 substituted triptycenediol derivatives,
 189
 sugar alcohols, 168
 sulfamate, 402
 sulfamate esters, 384, 425
 sulfamic acid, 382
 sulfamic ester, 380, 383
 sulfonamide-olefin hybrid ligands, 95
 sulfonamide, 376
 sulfonimidamides, 416, 422
 3-sulfonyl-4-oxazoline, 462, 463
 1-sulfonyl-1,2,3-triazoles, 482
 sulfoxide-olefin hybrid ligands, 95
 Sultam, 324
 supported carbon monoxide, 172
 Suzuki–Miyaura coupling, 287
 Suzuki-type cross-coupling, 76
 symmetric diketone, 255
 Synphos ligands, 88
- t**
- Taddol-derived chiral ligands, 41
 TADDOL-like phosphonite ligand
 system, 140, 141
 Tanaka's ethoxycarbonyl-substituted
 cyclopentadienyl ligand (CpE),
 615
 tandem reaction initiated by C–H
 activation, 285–287
t Bu-BisP*, 27, 88
t Bu-MiniPHOS, 27
 1,2,3,4-terasubstituted pyrroles, 450
 terminal alkynes, 57, 118
 terminal allenes, 121
 terpenes, 421
tert-alcohol, 323, 328
tert-butyl derivative Rh₂(*S*-PTTL)₄, 353
tert-butyl-derived catalysts, 355
tert-butyl 2,4-dinitrophenoxycarbamate,
 571
tert-butyl-tetramethyl-cyclopentadienyl
 ligand, 611
 1,2,3,4-tetrabutylanthracene derivatives,
 514
 tetradentate carboxylate ligands for
 bimetallic rhodium(II) C
 complexes, 375
 tetrahydrofuran, 306, 348
 tetrahydrofuran-substituted
N-tosylamine, 460
 tetrahydroisoquinolinones, 233
 tetrahydronaphthalene, 416
 tetralone, 321
 1,2,3,4-tetraphenylcyclopentadiene, 492,
 509
 1,2,3,4-tetraphenyl-naphthalene, 509
 2-(5,6,7,8-tetraphenyl-naphthalen-1-yl)
 phenol, 513
 1-(1,2,3,4-tetraphenyl-naphthalen-5-yl)
 pyrazoles, 511
 5,6,7,8-tetraphenyl-1-naphthol, 513
 tetrazoles, 124
 thiazol-2-imine, 465
 4-thiazoline, 463
 thiiranium intermediates, 464
 thioesters, 463
 thionoester, 463
 thio-tethered *N*-sulfonyl-1,2,3-triazoles,
 464
 three-hindered quadrant ligands, 5
 Tolman cone angles (TCAs), 598
trans-cyclopentanone, 354
trans-2,3-disubstituted dihydropyrrole,
 462
trans-2-ene-VCP substrate, 255
 transfer hydroformylation, 50
trans-fused bicyclic product, 245
 transition metal-catalyzed [2+2+2]
 annulation, of acetanilides, 620

- transition metal-catalyzed oxidative
 [4+2] annulations, 621
 transmetalation, 563
trans-oxazolidinone, 397
 triazole, 358
 1,2,3-triazole, 452
 triazole-directed *ortho* C—H
 alkenylation, 284
 2,2,2-trichloroethanol, 382
 tricyclic alcohol, 329
 tricyclic benzocyclobutenol, 327
 tricyclic carbocycles, 249
 tricyclic 1,2,4-hexahydrotriazines, 264
 tricyclic rhodacyclohexane
 intermediate, 233
 tricyclo[3.2.1.0_{2,4}]oct-6-ene, 305
 triethylsilyl ether, 421
 4-(trimethylsilyl)but-2-yn-1-ol
 (TMSBO), 239
 tri-*ortho*-substituted
 pseudo-*C*₂-symmetric axially
 chiral biaryl phosphine oxides,
 193
 1,3,4-triphenylisoquinoline, 498
 triphenylmethanol, 508
 trisubstituted ACP substrate, 235
 tritylamine, 515
 triyne, 310
 Troc-amines, 412
 Tsuji-Trost allylation, 118
 (+_−)-tuberostemospiroline, 460
 2*H*-azirine, 465
 2*H*-pyrans, 213
 type A annulation
 nitrogen-containing directing group,
 492–504
 oxygen-containing directing group,
 490–492
 phosphorus-containing directing
 group, 506–508
 sulfur-containing directing group,
 504–506
 type B annulation, 508
 type C annulation, 510
 type D cyclization, 515
- U**
 unactivated VCPs, 238
 undesired achiral orthocyclophanes,
 186
 undirected C—H alkylation by alkene,
 281–283
 undirected dehydrogenative C—H/Si—H
 coupling, 290–294
 unfunctionalized alkenes, 24
 unique biaryl-based chiral cyclic
 scaffolds, 193
 unsaturated mechanism, 27
 unstabilized' diazo compounds, 436
 unsymmetrical 1,3-dienes, 55
 unsymmetrical L-shaped diyne, 188
- V**
 vicinal 1,2-diamines, 392
 (−)-vindoline, 478
 (−)-vindorosine, 478
 vinylallene intermediate, 177
 vinyl arenes, 50
 vinylaziridine, 264
 vinylcyclopropanes (VCPs)
 [7+1] cycloaddition reaction of
 buta-1,3-dienylcyclopropanes,
 266
 [5+1] cycloaddition reaction of VCP
 and CO, 231–233
 cycloaddition reactions using VCPs
 3C synthon, 255
 intramolecular reactions of ACPs and
 2π-synthon, 266
 isomerization catalyzed by Rh,
 230–231
 rearrangement, 343
 vinyl cyclopropenes, 237
 4-vinyl-1,3-dioxolan-2-ones, 550
 vinylene carbonate, 189
 vinylic C—H activations, 286, 523
 vinylogous Mukaiyama Aldol reaction,
 352, 353
 vinyloxirane-diyne substrates, 249
 vinyloxiranes, 249
 2-vinylphenol, 492

2-vinyl pyridines, 146
Vinyltrifluoroborate, 600
Vinyltrimethylsilane, 600

w

Wilkinson complex ($\text{RhCl}(\text{PPh}_3)_3$), 300

y

ylide intermediate, 450, 458, 464
yne- β,γ -cyclohexenone, 232

1-yne-VCPs, 232
ynol ethers, 239

z

Z-selective hydrothiolation, 124
zwitterion, 344
zwitterionic intermediate, 455

