

Contents

Preface *xv*

Part I Rhodium(I) Catalysis 1

- 1 Rhodium(I)-Catalyzed Asymmetric Hydrogenation 3
Tsuneo Imamoto
 - 1.1 Introduction 3
 - 1.2 Chiral Phosphorus Ligands 3
 - 1.2.1 P-Chirogenic Bisphosphine Ligands 4
 - 1.2.1.1 Electron-Rich C₂ Symmetric Ligands 4
 - 1.2.1.2 Three-Hindered Quadrant Ligands 5
 - 1.2.1.3 Ligands Bearing Two or Three Aryl Groups at the Phosphorus Atom 5
 - 1.2.2 DuPhos, BPE, and Analogous Ligands 6
 - 1.2.3 Ferrocene-Based Bisphosphine Ligands 7
 - 1.2.4 C₂ Symmetric Triaryl- or Diarylphosphine Ligands with Axial Chirality 9
 - 1.2.5 Phosphine–Phosphite and Phosphine–Phosphoramidate Ligands 9
 - 1.2.6 Other Bidentate Ligands 9
 - 1.2.7 Monodentate Phosphorus Ligands 11
 - 1.3 Application of Chiral Phosphorus Ligands in Rhodium-Catalyzed Asymmetric Hydrogenation 12
 - 1.3.1 Hydrogenation of Alkenes 12
 - 1.3.1.1 Hydrogenation of Enamides 12
 - 1.3.1.2 Hydrogenation of Enol Esters 18
 - 1.3.1.3 Hydrogenation of α,β -Unsaturated Acids, Esters, and Related Substrates 19
 - 1.3.1.4 Hydrogenation of Other Functionalized Alkenes 21
 - 1.3.1.5 Hydrogenation of Unfunctionalized Alkenes 24
 - 1.3.1.6 Hydrogenation of Heteroarenes 24
 - 1.3.2 Hydrogenation of Ketones 25
 - 1.3.3 Hydrogenation of Imines, Oximes, and Hydrazones 26
 - 1.4 Enantioselection Mechanism of Rhodium-Catalyzed Asymmetric Hydrogenation 27

1.5	Conclusion	28
	References	29
2	Rhodium(I)-Catalyzed Hydroboration and Diboration	39
	<i>Kohei Endo</i>	
2.1	Introduction	39
2.2	Hydroboration of Alkenes	39
2.2.1	Development of Catalyst Systems	39
2.2.2	Enantioselective Reactions	41
2.2.3	Hydroboration of Functionalized Molecules	44
2.3	Diboration	45
2.3.1	1,1-Diboration Reactions	45
2.3.2	1,2-Diboration Reactions	45
2.4	Conclusion	46
	References	47
3	Rhodium(I)-Catalyzed Hydroformylation and Hydroamination	49
	<i>Zhiwei Chen and Vy M. Dong</i>	
3.1	Introduction	49
3.2	Rhodium(I)-Catalyzed Hydroformylation	49
3.2.1	Asymmetric Hydroformylation of Challenging Substrates	49
3.2.2	Transfer Hydroformylation	50
3.3	Rhodium(I)-Catalyzed Hydroamination	54
3.3.1	Asymmetric Rhodium(I)-Catalyzed Hydroamination	54
3.3.2	Anti-Markovnikov Rhodium(I)-Catalyzed Hydroamination	56
3.4	Conclusion	59
	References	61
4	Rhodium(I)-Catalyzed Hydroacylation	63
	<i>Maitane Fernández and Michael C. Willis</i>	
4.1	Introduction	63
4.2	Rhodium(I)-Catalyzed Intramolecular Hydroacylation	63
4.2.1	Small Ring Synthesis: Five-Membered Rings	63
4.2.2	Larger Ring Synthesis: Six-, Seven-, and Eight-Membered Rings	66
4.3	Rhodium(I)-Catalyzed Intermolecular Hydroacylation	68
4.3.1	<i>N</i> -Based Chelation Control	69
4.3.2	<i>O</i> -Based Chelation Control	70
4.3.3	<i>S</i> -Based Chelation Control	73
4.3.4	C=O as a Directing Group for Hydroacylation	79
4.4	Conclusion	81
	References	81
5	Rhodium(I)-Catalyzed Asymmetric Addition of Organometallic Reagents to Unsaturated Compounds	85
	<i>Hsyueh-Liang Wu and Ping-Yu Wu</i>	
5.1	Introduction	85

- 5.2 α,β -Unsaturated Ketones 85
 - 5.2.1 Chiral Phosphorus Ligands 85
 - 5.2.2 Chiral Diene Ligands 89
 - 5.2.3 Chiral Bis-sulfoxide Ligands 92
 - 5.2.4 Chiral Hybrid Ligands 92
- 5.3 α,β -Unsaturated Aldehydes 95
- 5.4 α,β -Unsaturated Esters 98
- 5.5 α,β -Unsaturated Amides 102
- 5.6 α,β -Unsaturated Phosphonates 105
- 5.7 α,β -Unsaturated Sulfonyl Compounds 105
- 5.8 Nitroolefin Compounds 107
- 5.9 Alkenylheteroarene and Alkenylarene Compounds 111
- 5.10 Conclusion 111
- References 112

- 6 Rhodium(I)-Catalyzed Allylation with Alkynes and Allenes 117**
Adrian B. Pritzius and Bernhard Breit
 - 6.1 Introduction 117
 - 6.2 Rh(I)-Catalyzed Addition of O-Nucleophiles 117
 - 6.3 Rh(I)-Catalyzed Addition of S-Nucleophiles 123
 - 6.4 Rh(I)-Catalyzed Addition of N-Nucleophiles 124
 - 6.5 Rh(I)-Catalyzed Addition of C-Nucleophiles 127
 - 6.6 Application of Rhodium-Catalyzed Addition in Total Synthesis 127
 - 6.7 Conclusion 129
 - References 130

- 7 Rhodium(I)-Catalyzed Reductive Carbon–Carbon Bond Formation 133**
Adam D. J. Calow and John F. Bower
 - 7.1 Introduction 133
 - 7.2 Hydroformylation 133
 - 7.2.1 Directed Rh-Catalyzed Hydroformylation 134
 - 7.2.2 Reversibly Bound Directing Groups in Rh-Catalyzed Hydroformylation 135
 - 7.3 Reductive C—C Bond Formation Between Electron-Deficient Alkenes and Carbonyls or Imines 137
 - 7.3.1 Reductive Aldol Reactions 137
 - 7.3.2 Reductive Mannich Reactions 142
 - 7.4 Reductive C—C Bond Formation Between Less Polarized Carbon-Based π -Unsaturated Systems and Carbonyls, Imines, or Anhydrides 144
 - 7.4.1 Reductive C—C Bond Formations Between Alkenes and Carbonyls, Imines, or Anhydrides 144
 - 7.4.2 Reductive C—C Bond Formations Between Alkynes and Carbonyls or Imines 146

7.4.3	Miscellaneous Processes	150
7.5	Reductive C—C Bond Formation Between Carbon-Based π -Unsaturated Systems	151
7.5.1	C—C Bond-Forming Reactions Between Alkenes and Alkynes	151
7.5.2	C—C Bond-Forming Reactions Between Alkynes and Alkynes	154
7.6	Conclusions	156
	References	156
8	Rhodium(I)-Catalyzed [2+2+1] and [4+1] Cycloadditions	161
	<i>Tsumoru Morimoto</i>	
8.1	Introduction	161
8.2	[2+2+1] Cycloaddition	161
8.2.1	[2+2+1] Cycloaddition of an Alkyne, an Alkene, and CO (Pauson–Khand-Type Reaction)	161
8.2.1.1	Pauson–Khand-Type Reaction Using Aldehydes as a C1 Component	162
8.2.1.2	Pauson–Khand-Type Reaction Using Formates as a C1 Component	171
8.2.1.3	Pauson–Khand-Type Reaction Using Oxalic Acid as a C1 Component	171
8.2.1.4	Pauson–Khand-Type Reaction Using Supported Carbon Monoxide	172
8.2.2	[2+2+1] Cycloaddition of Two Alkynes and CO	172
8.2.3	Carbonylative [2+2+1] Cycloaddition Including <i>hetero</i> -Multiple Bonds	174
8.3	[4+1] Cycloaddition	176
8.3.1	Cycloaddition of All Carbon 4π -Conjugated Systems with CO	176
8.3.2	Cycloaddition of 4π -Conjugated Systems Including Nitrogen Atom	178
8.4	Conclusion	179
	References	179
9	Rhodium(I)-Catalyzed [2+2+2] and [4+2] Cycloadditions	183
	<i>Yu Shibata and Ken Tanaka</i>	
9.1	Introduction	183
9.2	[2+2+2] Cycloaddition	183
9.2.1	[2+2+2] Cycloaddition of Alkynes	184
9.2.2	[2+2+2] Cycloaddition of Alkynes with Nitriles	199
9.2.3	[2+2+2] Cycloaddition of Alkynes with Heterocumulenes	200
9.2.4	[2+2+2] Cycloaddition of Alkynes with Alkenes	207
9.2.5	[2+2+2] Cycloaddition of Alkynes with Carbonyl Compounds and Imines	211
9.3	[4+2] Cycloaddition	214
9.3.1	[4+2] Cycloaddition of Alkynes with 1,3-Dienes	215
9.3.2	[4+2] Cycloaddition via C—H Bond Cleavage	218
9.4	Conclusion	222
	References	225

10	Rhodium(I)-Catalyzed Cycloadditions Involving Vinylcyclopropanes and Their Derivatives	229
	<i>Xing Fan, Cheng-Hang Liu, and Zhi-Xiang Yu</i>	
10.1	Introduction	229
10.2	VCP Isomerization Catalyzed by Rh(I)	230
10.3	Cycloaddition Reactions Using VCPs 5C Synthon	231
10.3.1	[5+1] cycloadditions of VCPs and CO	231
10.3.2	[5+1] Cycloaddition Reactions of VCP Derivatives and CO	233
10.3.3	Intermolecular [5+2] Cycloaddition Reactions	237
10.3.4	Intramolecular [5+2] Cycloaddition Reactions	239
10.3.5	[5+2] Cycloaddition Reactions of VCP Derivatives with 2 π Components	245
10.3.6	[5+2+1] and [5+1+2+1] Cycloaddition Reactions	251
10.4	Cycloaddition Reactions Using VCPs 3C Synthon	255
10.4.1	[3+2] Cycloaddition Reactions of VCPs	255
10.4.2	[3+2] Cycloaddition Reactions of VCP Derivatives and 2 π -Components	261
10.4.3	[3+2+1] Cycloaddition Reactions	262
10.4.4	[3+4] and [3+3] Cycloaddition Reactions of Vinylaziridines	264
10.5	Miscellaneous Cycloaddition	266
10.5.1	[7+1] Cycloaddition of Buta-1,3-dienylcyclopropanes	266
10.5.2	Intramolecular Reactions of ACPs and 2 π -Synthon	266
10.5.3	Intramolecular Hydroacylation of VCPs	268
10.6	Conclusion	270
	Acknowledgments	270
	References	271
11	Rhodium(I)-Catalyzed Reactions via Carbon–Hydrogen Bond Cleavage	277
	<i>Takanori Shibata</i>	
11.1	Introduction	277
11.2	C–H Arylation	277
11.3	C–H Alkylation	279
11.3.1	Directed C–H Alkylation by Alkenes	279
11.3.2	Undirected C–H Alkylation by Alkene	281
11.4	C–H Alkenylation	283
11.5	Tandem Reaction Initiated by C–H Activation	285
11.6	C–H Borylation	287
11.7	Undirected Dehydrogenative C–H/Si–H Coupling	290
11.8	Conclusion	295
	References	295
12	Rhodium(I)-Catalyzed Reactions via Carbon–Carbon Bond Cleavage	299
	<i>Masahiro Murakami and Naoki Ishida</i>	
12.1	Introduction	299

- 12.2 Reactions of Cyclopropanes and Cyclobutanes 299
- 12.3 Reactions via Cleavage of C(Carbonyl)—C Bonds 310
- 12.4 Reactions via Directing Group-Assisted C—C Bond Cleavage 315
- 12.5 Reactions of Alcohols via C—C Bond Cleavage 323
- 12.6 Reactions via Cleavage of C—CN Bond 330
- 12.7 Reactions via Decarbonylation of Aldehydes and Carboxylic Acid Derivatives 332
- 12.8 Conclusion 333
- References 334

Part II Rhodium(II) Catalysis 341

- 13 Rhodium(II) Tetracarboxylate-Catalyzed Enantioselective C—H Functionalization Reactions 343**
Sidney M. Wilkerson-Hill and Huw M. L. Davies
 - 13.1 Introduction 343
 - 13.2 Mechanistic Insights and General Considerations 344
 - 13.3 Development of $\text{Rh}_2(\text{S-DOSP})_4$ as a Chiral Catalyst for C—H Functionalization 347
 - 13.4 Combined C—H Functionalization/Cope Rearrangement 350
 - 13.5 Phthalimido Amino Acid-Derived Catalysts for Intramolecular C—H Functionalization 353
 - 13.6 Development of Triarylcyclopropane Carboxylate Rh(II) Complexes for Catalyst-Controlled Site-Selective C—H Functionalization 359
 - 13.7 Emerging Chiral Dirhodium Catalyst for Enantioselective C—H Functionalization 364
 - 13.8 New Paradigms in the Logic of Chemical Synthesis 365
 - 13.9 Conclusion 368
 - Acknowledgments 369
 - References 369

- 14 Rhodium(II)-Catalyzed Nitrogen-Atom Transfer for Oxidation of Aliphatic C—H Bonds 373**
Tom G. Driver
 - 14.1 Introduction 373
 - 14.2 Mechanism-Inspired Development of New $\text{Rh}_2(\text{II})$ Catalysts 374
 - 14.2.1 Mechanism of Intramolecular $\text{Rh}_2(\text{II})$ -Catalyzed C—H Bond Amination 374
 - 14.2.2 Tetradentate Carboxylate Ligands for Bimetallic Rhodium(II) Complexes 375
 - 14.2.3 Design, Synthesis, and Performance of $\text{Rh}_2^{\text{II,III}}$ Complexes 381
 - 14.3 The Development of New Intramolecular $\text{Rh}_2(\text{II})$ -Catalyzed $\text{sp}^3\text{-C—H}$ Bond Amination 383
 - 14.3.1 C—H Bond Amination of Etheral Bonds 383
 - 14.3.2 The Use of $\text{Rh}_2(\text{II})$ -Catalyzed C—H Bond Amination to Create Glycans and Glycosides 385

- 14.3.3 C—H Bond Amination of MIDA Boronates 386
- 14.3.4 Formation of Medium-Ring *N*-Heterocycles Through C—H Bond Amination 387
- 14.3.5 Synthesis of Spiroaminal Scaffolds 387
- 14.3.6 Expanding the Scope of C—H Bond Amination with New NH₂-Based N-Atom Precursors 389
- 14.3.7 *N*-Tosylcarbamate N-Atom Precursors in Rh₂(II)-Catalyzed C—H Bond Amination Reactions 394
- 14.3.8 Aryl Azide N-Atom Precursors in Rh₂(II)-Catalyzed sp³-C—H Bond Amination Reactions 398
- 14.4 Intermolecular Rh₂(II)-Catalyzed sp³-C—H Bond Amination Using an Iodine(III) Oxidant to Generate the Nitrene 400
- 14.4.1 Intermolecular C—H Bond Amination of Activated C—H Bonds 400
- 14.5 Non-Oxidatively Generated Nitrenes in Intermolecular Rh₂(II)-Catalyzed sp³-C—H Bond Amination 411
- 14.5.1 *N*-Tosylcarbamates as the Nitrogen-Atom Precursor in Intermolecular sp³-C—H Bond Amination Processes 411
- 14.5.2 Azides as the Nitrogen-Atom Precursor in Intermolecular sp³-C—H Bond Amination Reactions 414
- 14.6 Diastereoselective Rh₂(II)-Catalyzed sp³-C—H Bond Amination Using Chiral, Non-racemic Nitrogen-Atom Precursors 416
- 14.6.1 Intermolecular Diastereoselective C—H Bond Amination Using Sulfonimidamides 416
- 14.6.2 Intermolecular Diastereoselective C—H Bond Amination Using *N*-Tosylcarbamates 422
- 14.7 Enantioselective Rh₂(II)-Catalyzed sp³-C—H Bond Amination 422
- 14.7.1 Intramolecular Asymmetric C—H Bond Amination 422
- 14.8 Conclusion 429
- References 430

- 15 Rhodium(II)-Catalyzed Cyclopropanation 433**
Vincent N.G. Lindsay
- 15.1 Introduction 433
- 15.1.1 Mechanistic Considerations 434
- 15.2 Intermolecular Cyclopropanation of Alkenes 436
- 15.2.1 Via Rhodium(II) Carbenes Bearing One Electron-Withdrawing Group (Acceptor Carbenes) 438
- 15.2.2 Via Rhodium(II) Carbenes Bearing One Electron-Withdrawing Group and One Electron-Donating Group (Donor–Acceptor Carbenes) 440
- 15.2.3 Via Rhodium(II) Carbenes Bearing Two Electron-Withdrawing Groups (Acceptor–Acceptor Carbenes) 441
- 15.3 Intramolecular Cyclopropanation of Alkenes 443
- 15.4 Cyclopropanation of Poorly Nucleophilic π -Systems: Alkynes, Arenes, and Allenes as Substrates 444
- 15.5 Conclusion 445
- References 445

- 16 Reactions of α -Imino Rhodium(II) Carbene Complexes Generated from *N*-Sulfonyl-1,2,3-Triazoles 449**
Tomoya Miura and Masahiro Murakami
- 16.1 Introduction 449
- 16.2 Synthesis of *N*-Sulfonyl-1,2,3-Triazoles 451
- 16.3 Reactions of Carbon Nucleophiles with α -Imino Rhodium(II) Carbene Complexes 451
- 16.4 Reactions of Oxygen and Sulfur Nucleophiles with α -Imino Rhodium(II) Carbene Complexes 458
- 16.5 Reactions of Nitrogen Nucleophiles with α -Imino Rhodium(II) Carbene Complexes 464
- 16.6 Conclusion 466
References 467
- 17 Rhodium(II)-Catalyzed 1,3- and 1,5-Dipolar Cycloaddition 471**
Nirupam De, Donguk Ko, and Eun Jeong Yoo
- 17.1 Introduction 471
- 17.2 1,3-Dipolar Cycloadditions of Carbonyl Ylides 471
- 17.2.1 [3+2] Cycloadditions of Carbonyl Ylides and Dipolarophiles 471
- 17.2.2 Chemoselective [3+2] Cycloadditions of Carbonyl Ylides 475
- 17.2.3 Applications to Natural Product Synthesis 476
- 17.3 1,3-Dipolar Cycloadditions of Azomethine Ylides 478
- 17.4 1,3-Dipolar Cycloadditions of Enoldiazo Compounds 479
- 17.5 1,5-Dipolar Cycloadditions of Pyridinium Zwitterions 482
- 17.6 Conclusion 484
References 484
- Part III Rhodium(III) Catalysis 487**
- 18 Rhodium(III)-Catalyzed Annulative Carbon–Hydrogen Bond Functionalization 489**
Tetsuya Satoh and Masahiro Miura
- 18.1 Introduction 489
- 18.2 Type A Annulation 490
- 18.2.1 Annulation Utilizing Oxygen-containing Directing Group 490
- 18.2.2 Annulation Utilizing Nitrogen-containing Directing Group 492
- 18.2.3 Annulation Utilizing Sulfur-containing Directing Group 504
- 18.2.4 Annulation Utilizing Phosphorus-containing Directing Group 506
- 18.3 Type B Annulation 508
- 18.4 Type C Annulation 510
- 18.5 Type D Cyclization 515
- 18.6 Conclusion 516
References 517

19 Rhodium(III)-Catalyzed Non-annulative Carbon–Hydrogen Bond Functionalization 521*Fang Xie and Xingwei Li*

- 19.1 Introduction 521
- 19.2 Alkenylation and Arylation 522
 - 19.2.1 Rh(III)-Catalyzed Non-annulative C–H Alkenylation 522
 - 19.2.1.1 Oxidative Dehydrogenative Alkenylation Reactions 522
 - 19.2.1.2 Redox-Neutral Alkenylation with Internal Oxidizing Ability 523
 - 19.2.1.3 Alkenylations from Alkynes 525
 - 19.2.2 Rh(III)-Catalyzed Non-annulative C–H Arylation 529
 - 19.2.2.1 Non-annulative Oxidative Dehydrogenative Arylation 529
 - 19.2.2.2 Other Types of C–H Arylation 533
- 19.3 Alkynylation 540
 - 19.3.1 Rh(III)-Catalyzed Non-annulative C–H Alkynylation 540
- 19.4 Alkylation 541
 - 19.4.1 Rh(III)-Catalyzed Non-annulative C–H Couplings with Diazo Compounds 541
 - 19.4.2 Rh(III)-Catalyzed Non-annulative Allylations 543
 - 19.4.3 Rh(III)-Catalyzed Non-annulative Alkylations Through Addition of C–H Bond to C=X (X = C, O, N) Bonds 552
 - 19.4.3.1 Addition of C–H Bond to C=C Bond 552
 - 19.4.3.2 Addition of C–H Bond to C=O Bond 555
 - 19.4.3.3 Addition of C–H Bond to C=N Bond 558
 - 19.4.4 Rh(III)-Catalyzed Non-annulative Alkylations Through Opening Strained Rings 560
 - 19.4.5 Rh(III)-Catalyzed Non-annulative Alkylations Through Transmetalation 563
- 19.5 C–N Bond Formation 564
 - 19.5.1 Rh(III)-Catalyzed Non-annulative Aminations 564
 - 19.5.2 Rh(III)-Catalyzed Non-annulative Amidations 569
- 19.6 Introduction of C=O Bond 577
 - 19.6.1 Rh(III)-Catalyzed Non-annulative Acylations 577
 - 19.6.2 Rh(III)-Catalyzed Non-annulative Amidations 579
- 19.7 Cyanation 579
- 19.8 C–O Bond Formation 580
- 19.9 C–X Bond Formation 581
 - 19.9.1 Non-annulative Halogenation of Arenes 581
 - 19.9.2 C–H Hyperiodination of Arenes 583
- 19.10 Non-annulative Thiolation of Arenes 585
- 19.11 C–Se Bond Formation 585
- 19.12 Conclusion 586
- References 587

20 Sterically and Electronically Tuned Cp Ligands for Rhodium(III)-Catalyzed Carbon–Hydrogen Bond Functionalization 593*Fedor Romanov-Michailidis, Erik J.T. Phipps, and Tomislav Rovis*

- 20.1 Introduction 593

20.2	Quantitative Models for Steric and Electronic Parameterization of Cp Ligands on Rhodium(III)	594
20.3	Sterically Tuned Cp Ligands	598
20.3.1	Earlier Results	598
20.3.2	Synthesis of Isoquinolones, Pyridones, and Derivatives	599
20.3.3	Synthesis of Pyridines	607
20.3.4	Cyclopropanation and Carboamination Reactions	607
20.4	Electronically Tuned Cp Ligands	612
20.4.1	Synthesis of Pyridines and Derivatives	612
20.4.2	Tanaka's Ethoxycarbonyl-Substituted Cyclopentadienyl Ligand (Cp ^E)	615
20.5	Conclusion	626
	References	626
21	Chiral Cp Ligands for Rhodium(III)-Catalyzed Asymmetric Carbon–Hydrogen Bond Functionalization	629
	<i>Christopher G. Newton and Nicolai Cramer</i>	
21.1	Introduction	629
21.2	Seminal Work	629
21.3	The Ligands	630
21.3.1	Development	630
21.3.2	Established Families	631
21.3.3	Complexation Methods	633
21.4	Applications	634
21.4.1	Introduction	634
21.4.2	Hydroxamate Directing Groups	634
21.4.3	Pyridyl Directing Groups	638
21.4.4	Hydroxy Directing Groups	639
21.4.5	Other Directing Groups	641
21.5	Conclusion	642
	References	642
	Index	645