

## Index

### a

abiogenic methane 71  
 abiotic electrosynthesis 375  
 acetate synthesis  
   bacteria of 171  
   biochemistry of 168–171  
 acetoclastic methanogens 75–77, 80, 84  
 acetogens 8, 16, 18, 145, 164, 168, 169, 261  
 acetyl-CoA pathway 164, 169, 315  
 activated carbon (AC) 50, 269  
 activation overpotential 10, 263, 380, 382  
 active biomass controlling stage 372  
 adequate electrocatalysts 3  
 aerobic nitrification process 217  
 alcohol synthesis 173–175  
 alkalinity generation 147–149  
 ammonia stripping 25, 114, 142, 143, 218–220  
 ammonium 24  
   migration 218–220  
   recovery 113–115, 218–220  
 anaerobic ammonium oxidation 220–224  
 anaerobic digestion (AD) 60, 139, 344  
 anaerobic oxidation of methane (AOM) 333  
 ANAMMOX 218, 220–223  
 anion exchange membrane (AEM) 42, 147, 149, 191, 193, 226, 379  
 anode oxidation process 223  
 anode potential controlling stage 371

anode potential losses 312, 369, 372–374  
 anode-respiring bacteria (ARB) 55, 96, 312  
 anodic ammonium oxidation 217, 220–224, 227  
 anodic electrochemically active biofilm 320  
 anodic kinetics 363, 371–372  
 anthropogenic pathways 233  
 applied voltage 42, 46, 49, 51–53, 56–58, 61, 62, 72, 83, 85, 86, 96, 98, 100–107, 110, 111, 113, 115, 117, 137, 163, 166, 168, 174, 186, 194–199, 202, 205, 221, 224, 227, 339, 342, 343, 352, 354, 371, 377, 386, 387, 389, 391

### b

bacterial nanowires 284, 296  
 bed electrode 225  
 biocathodes 168  
   of BESs 76  
   and CO<sub>2</sub> removal 147–149  
   in MEC 51  
   methane production  
     AD+BES combination 139–143  
     BES+AD combination 143  
     BES within AD combination 143–144  
   cathode potential and mechanism of 133–135  
   current-to-methane efficiency 136  
   electron donor 138–139

- biocathodes (*contd.*)
  - rate 135–136
  - voltage efficiency 137
  - microbial communities of 77–81
- bioelectrochemical power-to-gas (BEP2G) 75
- bioelectrochemical systems (BES) 9, 129, 185, 217, 236
  - abiotic cathode with 238–244
  - ammonium migration and recovery 218–220
  - anodic ammonium oxidation 220–224
  - biocathode with 244–246
  - configuration 236–238
  - existing problems and challenges 227
  - heavy metal pollution
    - applications 238–246
    - control 234–236
    - in soils 246–247
  - hydrogen peroxide production
    - application 196
    - electrode optimization design 188–189
    - membrane material selection 189–194
    - operation condition optimization 194–196
  - inorganic production 185
  - nitrification/denitrification 224–226
  - nitrogen cycle 217
- bioelectrochemical technology 187, 264, 324
- bioelectrosynthesis
  - carbon-based electrodes 263–264
  - commercialization 257
  - electrosynthesis kinetics
    - cathode electrosynthesis processes 374–376
    - cathode potential losses 376–378
  - energy balance
    - electronic circuit 380–383
    - energy recovery efficiency evaluation 383–384
    - energy transfer and dissipation 378–380
  - evolution of 6–9
  - MES performance
    - cathode materials 27–28
    - electron transfer cathode to cell 26–27
  - metal-based electrodes 264–265
  - microbial community growth
    - anode biofilm formation 384–386
    - anodic biofilm structure 386–388
    - bioelectrochemistry and anaerobic digestion 388–391
    - bioelectrochemistry influence 324–325
    - electrochemistry effects 324
    - metabolism pathway 324
  - microbial ecological characterization
    - electroactive microorganisms
      - ecology characteristics 319–320
    - meta-omics characterization 322–323
    - microbial biofilms formation and characteristics 320–321
    - model electroactive microorganisms 318–319
  - microbial growth kinetics and energetic
    - bacterial energetics 317–318
    - carbon fixation pathways 315–317
    - electrode-respiring bacteria
      - kinetics 312–315
      - stoichiometry 309–312
  - microbial metabolism kinetics
    - anode potential losses 372–374
    - anodic kinetics 371–372
    - anodic processes 366–370
  - modified electrodes
    - carbon-based materials 265–269
    - electrode decoration 270–272
    - metal-based materials 269–270
  - plethora
    - alcohols production 16–17
    - ammonia production and nitrogen recovery 23–26

- application 11–26
  - hydrogen production 11–12
  - methane production 12–16
  - short-chain organic acids
    - production 17–23
  - principles 9
  - biogenic methane 71, 81
  - biological electrosynthesis 375, 376
  - bipolar ion exchange membranes (BPM)
    - 191, 193
  - buffer solution 62, 194–195, 197, 205
  - butanol production 16
  - Butler–Volmer equation 313, 314, 365, 370, 376, 382
  - butyrate 7, 8, 10, 17, 23, 76, 81, 107, 109, 112, 130, 142, 165, 166, 169, 260, 263, 269, 272, 312, 315, 320, 334, 343–345, 347–348, 350, 351, 389, 391
- C**
- Calvin–Benson–Bassham cycle 3, 317
  - Candidatus Tenderia electrophaga* 322
  - carbon-based electrodes 83, 138, 205, 263–264
  - carbon nanotubes (CNTs) 28, 48, 85, 174, 188, 264–266, 285–287
  - cathode electrosynthesis efficiency (CEE) 383–384
  - cathodic biofilm 7, 28, 225, 321, 339, 342, 343, 364
  - cathodic microorganisms 56, 325
  - cathodic side reactions 379
  - cation exchange membranes (CEMs)
    - 42, 131, 132, 149, 191–193
  - chemical oxygen demand (COD) 11, 86, 98, 315
  - chitosan (CHI) 18, 28, 257, 267, 270–272, 285
  - chromium 234, 235, 239, 244
  - CO<sub>2</sub> sequestration 6, 146, 164
  - coulombic efficiency (CE) 7, 44, 46, 58, 84, 86, 107, 136, 195, 220, 243, 282, 285, 312, 348, 350, 383
  - c-type cytochromes 57, 77, 145, 244, 258, 259, 283, 284, 290, 295, 296, 300, 349
  - cyclic voltammetry (CV) 283, 300, 301, 324
  - cytoplasmic reactions 354
- d**
- dark fermentation (DF) 41, 52, 61, 96
  - denaturing gradient gel electrophoresis (DGGE) 79, 145
  - denitrification 25, 143, 217, 218, 220, 224–226
  - diazonium salt 285
  - direct electron transfer (DET) 258, 259, 283, 311
  - direct interspecies electron transfer (DIET) 74, 75, 145, 272, 287, 289, 336–337
  - dissimilatory nitrate reduction to ammonium (DNRA) 224
  - distillery wastewater 113
  - domestic wastewater (DW) 23, 46, 55, 108, 219, 225–227
  - double potential step
    - chronoamperometry (DPSC) 300–302
  - dye-sensitized solar cell (DSSCs) 61
- e**
- electromethanogenesis 71–72
    - biogas upgrading 82–83
    - from electrode to methanogens 75–77
    - microbial communities of biocathode 77–81
    - organic waste treatment 83–86
    - renewable energy storage 81–82
  - electrosymbiotic methanogenesis
    - acetotrophic methanogens 336–337
    - hydrogen/formate electron transfer 333–336
    - hydrogenotrophic methanogens 337–339
  - multi-VFAs degradation disturbance
    - 343
    - DIET process 350–352
    - mechanism of methanogenic degradation 344–350

- electrosynthetic methanogenesis (*contd.*)  
 power drives interspecies electron transfer 339–343
- electric syntrophy 77, 85
- electroactive bacteria (129) 55, 58, 106, 295–297, 320, 344
- electroactive biofilms (EABs) 297  
 electrochemical characterization 300  
 electroactive bacteria 295–297  
 metallic-like conductivity 297–298  
 microbial community analysis in 58–59  
 redox conduction 298–300
- electroactive microbes 41, 63
- electroactive microbiome 42, 54–60
- electroactive microorganisms (EAMs) 12, 55, 143, 146, 281, 300, 318–320
- electrochemical impedance spectroscopy (EIS) 300, 383
- electrochemically active bacteria (EAB) 12, 42, 47, 325
- electrode optimization design 188–189
- electrode potential controlling 223
- electrofermentation 6, 84, 167, 175
- electromethanogenesis 71, 72, 145  
 application  
 biogas upgrading 82–83  
 organic waste treatment 83–86  
 renewable energy storage 81–82  
 development 73  
 mechanism  
 electron transfer 75–77  
 microbial communities of biocathode 77–81
- electron-donor concentration controlling stage 371
- electron mediators 16, 49, 172, 175, 259, 282–284, 325, 383
- electron recovery efficiency (ERE) 72, 384
- electron-release anodic biofilms 320–321
- energy crisis 71
- ethanol production 16, 107, 175, 312
- exoelectrogens 41, 55, 62, 74–76, 84, 96, 106, 112, 236, 333, 337, 339, 343, 346, 352, 354, 373
- external electron transfer  
 bioelectrosynthesis  
 carbon-based electrodes 263  
 metal-based electrodes 264  
 modified electrodes 265
- cathode  
 direct electron transfer 283  
 electroactive microorganisms 281  
 electron-driven intracellular reduction metabolism 281  
 indirect electron transfer 282  
 direct electron transfer 259–260  
 indirect electron transfer 260–262  
 interspecies electron transfer pathway  
 DIET mechanism 289–290  
 IET microorganisms 290  
 MIET mechanism 289  
 material development 262–265, 284–287  
 microorganisms 258, 259
- extracellular electron transport (EET)  
 electroactive bacteria 295–297  
*Geobacter*  
 electrochemical characterization 300–302  
 metallic-like conductivity 297–298  
 redox conduction 298–300  
 multiheme cytochromes 295–297
- f**
- fabrication method 189, 190
- fermentation bacteria competition 378–379
- Fick's law 313, 334, 369
- Firmicutes 112, 222, 295, 312, 315, 321
- flocculation-precipitation 233, 234
- formate 17, 18, 23, 27, 71, 76, 81, 133, 145, 170, 172–175, 259–262, 272, 283, 288, 317, 320, 333–339, 344, 346–349
- formic synthesis  
 direct and indirect conversion 172

- production yields and optimizations 173–174
  - four-electron reaction 186
- g**
- gas fermentation 163–165, 169–171, 175, 176
  - Geobacter sulfurreducens* 7, 80, 107, 244, 259, 295, 318, 339
  - Geobacter metallireducens* 80, 318
  - Gibbs free energy 11, 133, 137, 220, 289, 309, 310, 345, 385
  - global energy consumption 95
  - glucose 5, 41, 46, 51, 61, 106, 315, 324, 325, 345, 367, 389, 390
  - glycerol 53, 106–107, 109, 175
  - grapheme 28, 49, 50, 187, 265–269, 273, 351
- h**
- heavy metal pollution control
    - BES configuration 236–238
    - (bio)electrochemical processes 234–236
    - laden wastewater 238–246
    - limitations 233–234
    - polluted soils 246–247
  - hydraulic retention time (HRT) 106, 195, 239
  - 3-hydroxypropionate/4-hydroxybutyrate (3HP/4HB) pathway 316–317
  - hydrogen evolution reaction (HER) 11, 47, 86, 97, 321, 364, 375, 379
  - hydrogen production 11–12
    - AD–MEC-coupled system for 60–61
    - anode MEC 47–49
    - applied voltage effect 52–53
    - cathode MEC 49–51
    - conventional method 41
    - effect of substrates 51–52
    - laboratory-scale MEC 44–46
    - magnetic field 52–53
    - microbial electrolysis cell (MEC)
      - advantages of 97–99
      - applications of 113–117
      - waste feedstocks of 99–113
    - wastewaters as substrates 117–118
    - working principles 96
    - other modified MEC system for 61–62
    - pH effect 54
    - pilot-scale MEC 46–47
    - solar-powered MEC-coupled system for 61
    - temperature conditions 54
  - hydrogen-utilizing methanogens 73, 76, 80
- i**
- ideal CE 314
  - indirect electron transfer (IDET) 8, 145, 258–262, 282, 284, 344
  - industrial wastewater 99, 109, 196
  - inorganic compound synthesis
    - hydrogen peroxide production
      - application 196
      - electrode optimization design 188–189
      - membrane material selection 189–194
      - operation condition optimization 194–196
  - struvite crystallization recovery
    - applied in MEC 201
    - applied in MFC 200–201
    - principle of 200
  - waste treatment and metal reuse
    - metal reuse 198–199
    - metal waste treatment 197–198
  - interface electron transfer 370, 375
  - interspecies electron transfer (IET) 71, 81, 85, 272–273, 282–283, 287–290, 334
  - intracellular electron production 367, 368
  - intracellular methane evolution process 334
  - ion exchange membranes (IEM) 42, 115, 136, 147, 148, 173, 191, 192, 237, 238, 274, 379
  - ion transportation losses 379

**I**

landfill leachate sludge (LLS) 52  
 low-energy demand 227, 318

**m**

mediated interspecies electron transfer (MIET) 287, 289  
 membrane-based processes 234  
 membrane/electrode assemblies (MEAs) 224  
 metal-based electrodes 264–265  
 metal ions 129, 130, 185, 186, 198, 205, 234, 236, 238  
 metatranscriptomics 59, 322–323  
 methanation process 150, 153  
 methane oxidation 353  
 methane-production biocathode  
   AD+BES combination 139–143  
   BES+AD combination 143–144  
   biogas upgrading 145–149  
   cathode potential and mechanism of 133–135  
   current-to-methane efficiency 136  
   electron donor 138–139  
   mechanism 133–135  
   rate 135–136  
   renewable energy storage 150–153  
   voltage efficiency 137  
*Methanobacterium* spp. 73, 75, 79, 83, 321, 323, 376  
 methanogenesis 7, 42, 47, 54, 55, 59, 60, 71–73, 75, 76, 81, 84, 85, 111, 112, 133, 139, 144, 151, 153, 169, 204, 223, 333–354, 389  
 methanogens 12, 15, 16, 42, 45, 46, 54, 55, 59, 63, 71–77, 79–85, 130, 143–146, 167, 261, 272, 283, 290, 317, 321, 323, 333–339, 341, 343, 344, 346, 347, 349–354, 376, 378, 379, 388, 389  
*Methanosaeta* 76, 288, 289, 323, 334, 336, 337, 344, 351, 352  
*Methanosarcina* 76, 77, 80, 81, 145, 289, 336, 337, 344, 351  
*Methanothrix harundinacea* 78–80  
 methylotrophic methanogens 336

microbial desalination cell (MDC) 61, 238  
 microbial EET 258, 259, 270  
 microbial electrochemistry technologies (MET) 224  
 microbial electrolysis cell (MEC)  
   agricultural wastes and landfill leachate 113  
   current applications  
     ammonium recovery from urine 113–115  
     metal removal or recovery from waste 115–117  
 domestic wastewater 108–109  
 electroactive microbiome  
   biofilm formation in anode 55–56  
   cathode 56–58  
   microbial community 58–60  
   syntrophic interaction 58–60  
 hydrogen generation 41, 43  
 hydrogen production  
   anaerobic digestion coupled system for 60  
   anode 47–49  
   applied voltage effects 52–53  
   cathode 49–51  
   effect of substrate 51–52  
   magnetic field 51–52  
   pH effects 54  
   solar-powered 61  
   temperature effects 54  
   waste treatment technologies 97–99  
   working principles 96  
 industrial wastewater 109–110  
 laboratory-scale 44–46  
 lignocellulosic biomass materials 110  
 pilot-scale 46–47  
 syntrophic interaction 54–60  
 waste activated sludge 110–112  
 waste feedstocks 99–113  
 microbial electrosynthesis (MES) 4, 6, 9, 110, 163–168, 257, 282, 285–287, 309, 318  
 microbial electrosynthetic processes 9

- microbial extracellular electron transfer 258, 259, 270
- microbial fuel cells (MFCs) 9, 42, 60, 96, 129, 163, 174, 176, 185, 203, 217, 236, 238, 257, 285, 320, 348–350, 363
- microbial metabolic process 310
- Monod equation 313, 367, 368
- n**
- Nernst–Monod equation 313, 368, 370
- nickel foam 49, 115, 262, 264, 265, 267, 268
- nitrification/denitrification 217, 224–226
- o**
- Ohm's law 313, 314, 365, 369, 382
- organic substrates utilization 367
- organics synthesis at cathode
- acetate synthesis
    - bacteria 171
    - biochemistry 168–171
  - alcohol synthesis 174–175
  - carbon reduction
    - gas fermentation 164–165
    - microbial electrosynthesis 165–168
  - formic synthesis
    - direct and indirect conversion 172
    - production yields and optimizations 173–174
- osmotic microbial fuel cell (OsMFC) 238
- oxygen reduction reaction (ORR) 63, 186, 269
- p**
- particle electrode 188, 225
- photofermentation 41
- platform chemical synthesis 176
- polyaniline (PANi) 12, 48, 49, 270, 271, 285, 297
- power drives interspecies electron transfer 339–343
- propionate 107, 109, 112, 142, 165, 166, 312, 315, 343–351, 389, 391
- proteins 107
- r**
- renewable electricity 129, 150, 152, 165
- reticulated vitreous carbon (RVC) 28, 136, 264, 286
- reverse EET 283
- reverse tricarboxylic acid cycle (rTCA) 316
- rotatable bioelectrochemical contactor (RBEC) 86
- s**
- semi-infinite diffusion 300, 301
- Shewanella oneidensis* MR-1 259
- Shewanellaceae* 318, 319
- simple or defined substrates 99–108
- 16S rDNA analysis 222
- 16S rRNA gene 59, 221, 322, 323
- solar cells 26, 61
- struvite crystallization recovery
  - applied in MEC 201
  - applied in MFC 200–201
  - principle of 200
- syngas fermentation 175
- u**
- up-flow anaerobic sludge blanket (UASB) reactor 82
- v**
- valerate 343, 349, 350
- volatile fatty acids (VFAs) 41, 60, 85, 106, 107, 136, 282, 320, 333, 343
- voltage efficiency 137
- w**
- waste activated sludge (WAS) 74, 109–112, 143, 373, 379
- waste treatment and metal reuse
  - metal reuse 198–199
  - metal waste treatment 197–198
- Wood–Ljungdahl (WL) pathway 164, 315

