

Index

a

α -(acylamino)acrylic derivatives 222
 adamantane and diamantane amino acids
 102
 adamantane-containing perylene dye
 327
 adamantane-containing polymers 193
 adamantane-containing SAMs on surfaces
 137–146
 adamantane modified cytochrome 251
 adamantane porphyrin derivatives 251
 adamantane radical cation formation
 65, 66, 113, 115, 289
 adamantane-stabilized metal
 nanoparticles 160–162
 1-adamantanethiolate SAMs 139
 adamantanethione 319, 321
 1-adamantyl acetic acid 99
 1-adamantyl-1-adamantane 193–197,
 279–281, 284
 2-adamantyl-1-adamantane 284
 functionalization 284
 2-adamantyl-2-adamantane 284, 286,
 287
 1-adamantyl and 4-diamantyl complexes
 219
 2-(2-adamantylidene)adamantane 279,
 280, 288, 290
 AlBr₃/*tert*-BuBr sludge catalyst 10
 alkyladamantanes 39, 118
all-cis 1,3,5-trihydroxycyclohexane 286
 1-aminoadamantane 103, 118, 226
 γ -aminoadamantane carboxylic acids
 101

aminoadamantane dirhodium
 tetracarboxylate complex
 226–227
 amino alcohol derivative 105
 3-aminodiamantane 103
 4-aminodiamantane-9-carboxylic acid
 324
 4-aminodiamantane derivative 258
 5-aminoisophthalic acid 253
anti-tetramantane 4
 apical *bis*-dialcohols 88
 apical 4-bromodiamantane 77
 apical diamondoid thiols 150, 155
 artificially phosphorus-doped CVD
 diamond 305
 aryl ethers 218–220
 1-azadiazadamantane 307, 308, 316–317
 4-azadiazadamantane 315
 3-azidodiamantane 242
 azobis(isobutyronitrile) (AIBN) 100

b

Balaban–Schleyer nomenclature 4
 Balaban–Schleyer system 4
 bastardane 10
 benzo-fused cyclobutanes 224
 4-benzonitrile 324
 bicyclo[3.3.1]nona-2,6-diene 308
 2,6-bicyclo[3.3.1]nonane derivatives 308
 bicyclo[3.3.1]nonane system 308
 B3LYP/6-31G(d,p) optimized *bis*-apical
 diamantane dithiols 316
 binding energies 36, 150, 270
 bioactive diamondoid compounds 239

- biphenyl diamondoid phosphine ligand 219
- bis(adamantyl)-1,2-dioxetane 292
- 1,2-bis(alkylmethylphosphino)ethane 222
- 1,6-bis[4-(4-amino-3-hydroxyphenoxy)phenyl]diamantane 241
- 4,9-bis-4-(4-aminophenoxy)phenyl diamantane 205
- bis*-apical diamantane amino acid 239
- bis*-apical diamantane derivatives 204, 268
- bis*-apical 4,9-diaminodiamantane 205
- bis*-apical phosphonic acid dichloride 109
- bis*-diamantoidyl chlorophosphonates 109
- 4,9-bis[4(3,4-dicarboxyphenoxy)phenyl]diamantane dianhydride 205
- bis[(4,6-difluorophenyl)pyridinato-N,C2'](picolinato)iridium(III) (FIRpic)-based OLED device 324
- 1,3-bis-(1,2,4-triazol-4-yl)adamantane 196
- 1,6-bis(1,2,4-triazol-4-yl)diamantane 268
- 4,9-bis(1,2,4-triazol-4-yl)diamantane 268
- 3,5-bis(trifluoromethyl)phenyl moiety 226
- bitopic 1,2,4-triazole diamondoid ligands 268
- black oil reservoirs 41
- body-centered cubic structured gold nanocluster Au₃₈S₂(AdS)₂₀ 160
- bond dissociation energies (BDEs) 282
- 1-boraadamantane 308
- 1-boradiamantane 316–317
- 4-boradiamantane 315
- borane-methyl sulfide (BMS) complex 290
- “bromine-free” diamondoid derivatives 88
- “bromine-free” methods 83
- 1-bromoadamantane 63, 65, 181, 279
- 2-bromo-derivative 65
- 1-bromo-2-hydroxydiamantane 94
- 4-bromotoluene 217
- 1-bromo-3,5,7-tris(mercaptomethyl)adamantane 143
- Buchwald–Hartwig amination reactions 215
- bulky trialkylphosphines 215
- C**
- camphene 172
- carboxybenzyl-(Cbz) protected 1-aminoadamantane-3-carboxylic acid 226
- carboxylic acids and their derivatives 98–103
- cataCXium® 215–218
- catalysis, diamondoids in 213
- catalytically active gold(I) compounds 218
- cationic triamantane derivatives 262
- C–C bond forming methods 118
- C60(C70) endohedral complexes 306
- CD-adamantane conjugates 251
- C–H-bond functionalization 109, 110, 318
- chiral ligand 1,2-diaminodiamantane 241
- chloroacetamide diamantane derivative 104
- C–H-substituted 4-bromo derivative 290
- cis*-phloroglucin 308
- citraconimide derivatives 241
- citrofulvicin 245
- cluster halogenation 66
- combined distillation/crystallization technique 48
- congressane 5, 10
- copper (I)-catalyzed [3+2] azide-alkyne cycloaddition 244
- Corey–Chaykovsky methylenation reaction 92
- C_{3v}-tetramantane 2, 4, 8, 43, 67–68, 77, 86, 87
- [Cu₂(bipy)₂(DIENDIA)]²⁺ complex 120
- cucurbiturils 251, 255, 260, 262
- cyclic oligosaccharides 251
- β-cyclodextrin 252
- cyclodextrins 160, 251
- cyclohexamantane 2, 25, 46, 48, 279

d

- dangling bonds 35, 177
- daphnezomine A and B 245
- dapholdhamine B 245
- ([1231241(2)3]decamantane (C₃₅H₃₆) 5, 186
- 1,3-dehydroadamantane 90
- dehydrogenated octahedral and cuboctahedral nanodiamond 20
- 3,6-dehydrohomoadamantane 90
- deuterium-labeled diamondoids 45
- 1,7-diadamantane thioperylene-3,4,9,10-tetracarboxylic diimide 141
- 1,3-diadamantyl disubstituted imidazolium salt 224
- diadamantyl ether 265, 266
- dialkyl or alkylaryl phosphinic acid chlorides 110
- diamantane 1
- cucurbituril complexes 259
 - dichlorodicarboxylates 200
 - functionalized chelating triazacyclononane ligand 264
 - polyimides 204, 205
 - quaternary ammonium salt 256
 - radical cation 113, 116, 117
- 3-diamantane acrylates 198
- diamantane 5-aminoisophthalic acid derivative 253
- diamantane-based polymeric maleimides and acrylates 197
- 4,9-diamantane bis-carbaldehyde 107
- diamantane-containing polyamides 202
- diamantane 4,9-derivatives 182
- 4,9-diamantane dicarboxylate 269
- diamantine-1,6-dicarboxylic acid 11, 201
- diamantine-4,9-dicarboxylic acid 156, 182–184, 270
- diamantane-4,9-dicarboxylic acid dihydrazide 270
- 1,6-diamantanedichlorodicarboxylate 200
- 1-diamantane thiol 146
- 4,9-diamantyldithiol 147
- 4-diamantyl acrylate 198
- 4-diamantyl methacrylate 198
- 1-diamantylmethyl ketone 92, 93
- 1-diamantyl triflate 112
- 1,2-diaminodiamantane 241
- based platinum complexes 241, 242
- 1,6-diaminodiamantane 205
- 4,9-diaminodiamantane 205, 256
- diamond-3C-SiC microdomes 177
- diamond growth inside nanotubes 180–186
- diamond-like 2D-electronics 146
- diamondoid acetic and propionic acids 100
- diamondoid amine synthesis 103
- diamondoid amino acids 239, 240
- diamondoid carboxylates 225, 228, 269
- diamondoid carboxylic acids 98–100, 253
- diamondoid-containing p-σ-n type molecular rectifier 160
- diamondoid-decorated oligonucleotides 244
- diamondoid-decorated Sn/S clusters 269
- diamondoid dirhodium tetracarboxylate complexes 228
- diamondoid functionalizations
- alcohols and ketones 83–98
 - as alkane CH activation models 63–69
 - carboxylic acids and their derivatives 98–103
 - halogenations 75–83
 - nitrogen-containing compounds 103–108
 - other diamondoid derivatives 118–121
 - phosphorous-and sulfur-containing compounds 108–113
 - single electron oxidations 113–118
- diamondoid indices 40, 41
- diamondoid-modified oligopeptide catalysts 228
- diamondoid NHC ligands 224
- diamondoid nitrates 83
- diamondoid phosphine ligands 213, 218, 219
- diamondoid phosphonate
- 7-dichlorophosphoryl-[1(2,3)4]pentamantane 177
- diamondoid phosphonates 154, 177, 179, 180
- diamondoid phosphonic acid dichlorides 109, 110

- diamondoid polymers
- based on 1-adamantyl-1-adamantane 194–197
 - based on difunctionalized diamantanes 198–207
 - based on monofunctionalized diamantanes 197–198
- diamondoid-promoted growth of diamond under HT-HP or CVD conditions 171–177
- diamondoid self-assembly
- adamantane-containing SAMs on surfaces 137–146
 - adamantane-stabilized metal nanoparticles 160–162
 - applications of diamondoid SAM materials 160
 - other applications of diamondoid SAM materials 156–160
 - pristine diamondoids on surfaces 156
 - for SAM formation 146–156
- diamondoid thiols 50, 51, 52, 112, 146, 147, 150, 154–156, 158, 268, 322, 323
- diamondoid-to-diamond conversion mechanism 173
- diamondoid/Ru nanoparticles 229
- diamondoids
- defined 1
 - electron affinities 24–25
 - ionization potentials 23–24
 - molecular symmetry of 1
 - nomenclature 2–6
 - physical properties of 14–18
 - preparation of 8–14
 - spectroscopy of 18–23
 - strain 5–9
 - structures and symmetry of 2
 - synthesis from adamantane 182–186
 - vibrational spectroscopy 25–28
- diamond planets 36
- di-bora-di-azaadamantane 314
- 3,3'-dibromo derivative 284
- 4,9-dibromodiamantane 181–182
- 4,9-dichlorocarboxylates 201
- 7-dichlorophosphoryl-[1(2,3)4]pentamantane 44, 177, 178
- diethylaminosulfur trifluoride (DAST) 82
- 1,3-diethynyladamantane 194, 200
- 3,3'-diethynyl-1,1-biadamantane 194
- 4,9-diethynyldiamantane 198, 200
- 4,9-dihalodiamantanes 182
- 4,9-dihydroxydiamantane 182
- 4-dimethylaminodiamantane 258
- dioxiranes 90, 91
- 9,9-diphenyl-4,4-bis-diamantyl 285
- 4,9-dipenyldiamantane 285
- dirhodium adamantyl glycine catalysts 228
- dirhodium tetracarboxylate adamantane complex 225
- dirhodium tetracarboxylate adamantyl complex 226
- dispersion doping 305, 327, 328
- 1,3-disubstituted adamantane
- 1,3-phenoxy-carboxylic acid 204
- 1,1-disubstituted alkenes 225
- 2,6-disubstituted naphthalene derivative 257
- D-mannose-diamondoid conjugates 254
- 1-dodecanethiol 139, 140
- doped diamondoids
- @-doping 306–307
 - external doping 318–329
 - internal doping 308–318
- double Criegee rearrangement 308
- dualist graph convention, for diamondoids nomenclature 5
- e**
- electron affinities 24–25, 315
- electronic photodissociation 114, 116
- electrophilic nitronium species 83
- energy diagram 152
- ethanodiamantanes 40, 41
- ethanotriamantanes 40, 41
- external doping 305, 318–329
- f**
- farnesol carbamate 226, 227
- ferrocene-terminated alkane thiols 144
- “flexible steric bulk” concept 232
- fluorene 172
- fullerene C₆₀ 264
- g**
- GC-GC-TOFMS method 39
- gem*-dibromoadamantane 287

- Gramicidin S 240
 graphite-cluster diamond (GCD) 175
 guanosine monophosphate (GMP) 241
- h**
- H-abstraction/substitution reactions 64
 $\text{Hal}_3\text{C}\cdot$ steric factors 68
 halogenations 65, 68, 69, 75–83
 4-{3-[4-(9H-carbazol-9-yl)phenyl]
 adamantan-1-yl}benzotrile 326
 H-coupled electron transfer (HCET) 65,
 66
 Heck reaction 215, 216, 218
 [121321]heptamantane 5
 heteroadamantanes 309
 heterodiamantoids 245, 311
 [12312]hexamantane 5
 hexaoxadiamantane cages 308–309
 higher diamondoids for diamond
 nucleation 177–180
 homodiamantane 91
 10H-spiro[acridine-9,2'-adamantane]
 with 2,4,6-triphenyl-1,3,5-triazine
 324
 hybrid diamantane/aryl polyamides
 202–203
 hybrid diamond-SiC microdome
 structures 177
 hydride transfer 64
 hydrogen-coupled electron transfer
 (HCET) transition structures 67,
 68
 hydrogen-terminated diamonds 36
 hydrophobic effect 251
 β -hydroxy carboxylic acid derivatives
 106, 107
 1-hydroxydiamantane 93, 94
 4-hydroxydiamantane 242
 2-hydroxy-2-(1-diamantyl)acetic acid 93
 9-hydroxydiamantyl-4-phosphine 323
 hydroxy-diamondoids 83, 85, 88, 262
 9-hydroxyhomodiamantane 91
 hydroxyphosphine 267, 268
- i**
- ICl_6^+ heptahalogen (Hal_7)⁺ electrophiles
 66
 internal doping 18, 96, 305, 308–318, 324
 internally-doped adamantanes 308–309
 1-iodoadamantane 82, 280
 ionization potentials 23–24, 27, 113, 114,
 155
 isomeric alkyl diamondoid derivatives
 40
 isomeric γ -cations oxadimant-6-yl 97
 isomeric diamondoids 5, 41, 43
 isomeric hydroxy adamantanes 267
 isopropylidene diamantane 92
 iso-tetramantane 86
- k**
- kinetic isotope effect (KIE) 66
 Koch–Haaf reaction 98, 99, 101
 Koser's PhIOH reagent 290
- l**
- least sterically crowded pentamantanes
 43
 lectin concanavalin A (ConA) 254, 255
 London dispersion (LD) interactions
 137, 215, 224, 251, 258, 262, 265,
 267, 282, 289
- m**
- maleimide derivatives 241
m-chloroperbenzoic acid (MCPBA) 105
 Meerwein's ester 8, 9
meso-alkane-1,2-diols 230, 231
meta-bis(10-bromo-9-anthryl)benzene
 264
 methyladamantane 40, 91
 ω -(4'-methylbiphenyl-4-yl)ethane thiol
 141
 ω -(4'-methylbiphenyl-4-yl)propane thiol
 141
 methyldiamantane 40, 49
 7-methylenebicyclo[3.3.1]nonane-3-one
 308
 1-methylimidazole 88
 micellar adamantane-based capsule 264
 microwave-assisted nonionic surfactant
 extraction (MANSE) 50
 microwave plasma (MP) CVD techniques
 173
 molecular surgery 306
 molecular symmetry of diamondoids 1
 multicatalyst oligopeptide 230
myo-inositol 308

n

- nanodiamonds 1
 dehydrogenated octahedral and
 cuboctahedral nanodiamond 20
 particles 2, 20, 25, 35, 36, 151, 171,
 172, 175, 279, 287, 288, 305
 nareline 245
 naturally occurring diamondoids
 alternative natural sources of 48–50
 in the Earth's crust 38–40
 formation in the Earth's crust 42–44
 in geochemical studies 40–42
 large-scale isolation of 44–48
 other derivatives in nature 50–52
N-(1)-diamantylmaleimide 197
N-heterocyclic carbenes (NHC) 154,
 223–224, 231
N-heterocyclic diamondoid carbenes
 232
 nitrogen-containing compounds
 103–108
 nitronium tetrafluoroborate 82
 non-equilibrium Green's function
 (NEGF)–DFT method 316
 non-proteinogenic adamantane amino
 acids 240
 norbornene dimer 10, 42

o

- octahedral crystals 44
 oligomeric bis(2-ethylhexyl)-*p*-
 phenylenevinylene monomers
 206
 oligopeptide-based multicatalyst system
 231
 1D-diamond nanoscale materials 180
 orange 2,6-adamantanedithione 319
 organometallic diamondoid derivatives
 121
 oxaadamantane 96, 285, 308
 3-oxadamantane dimer 286
 oxadamantoids 96, 97
 5-oxatriamant-2-yl 97
 oxidative esterification 231
 oxindoles 215, 217
 oxygen-doped adamantane and
 adamantane dimers 286
ortho-methylated carbamoyl chlorides
 215

p

- palladium triadamantyl phosphine
 complex 221
 panacosmine 245
 paraffin wax 172
 Pd-catalyzed Buchwald–Hartwig
 amination 217
 Pd-catalyzed Sonogashira–Hagihara
 coupling 218
 Pd-catalyzed Suzuki coupling 216
 Pd-catalyzed synthesis of aryl ethers 219
 peanut-shaped nanostructures 264
 pentamantane 1, 5, 8, 21, 39, 43, 44, 46,
 47, 51, 92, 146, 151, 177–180, 186,
 316, 322, 323
 [12(1)3]pentamantane 179
 [1212]pentamantane 5, 92
 [1(2,3)4]pentamantane
 chlorophosphonate 179
 pentamantane thiols 146
 peptide-based bioactive compounds 239
 perylene-3,4,9,10-tetracarboxylic
 bis-imide moiety 326
 perylene-3,4,9,10-tetracarboxylic diimide
 141, 142
 pharmacophore TD550 242
 phenyl-1-adamantyl ketone 280
 phenylboronic acid 217
 phenylhydroxy adamantane 311
 phosphadamantane 308
 1-phosphadamantane 317
 phosphorous-and sulfur-containing
 compounds 108–113
 π -methyl histidine (Pmh) 229
 poly(amide-imide) adamantane
 co-polymers 206
 poly(amide-imide)s 206
 polyaryene ether ketone
 triphenylphosphine oxide
 polymers 201
 polyhalogen cations 66, 67
 polyhalogen electrophiles 66
 polymantanes 2, 3, 10, 15
 polymeric maleimides 197
 polymers based on
 1-adamantyl-1-adamantane
 194–197
 polymers based on difunctionalized
 adamantanes 198–207

- polymers based on monofunctionalized
diamantanes 197–198
- polyvinyl adamantane 193
- pristine diamondoids 50, 289, 305, 324
on surfaces 156
- 3-propyl-7-methylene-3-borabicyclo
[3.3.1]-nonane 308
- protobranching 6, 9
- pseudotetrahedral tetrahalogenated
adamantane 81
- pure type-IIa diamond 305
- q**
- quantitative diamondoid analysis 45
- quinclidine radical cation 68
- r**
- radical C–H-halogenations 78
- red-orange crystalline adamantanethione
319
- relatively stable primary diamondoid
phosphines 223
- rubrene endoperoxide 292
- ruthenium-substituted polyoxometalates
91
- s**
- saturated diamondoid oligomers
279–287
- scholarisine H 245
- Schotten–Baumann reactions 107
- secondary 1-adamantyl and 4-diamantyl
phosphine oxides 219–220
- secondary phosphine oxides 219
- self-assembled monolayers (SAMs) 25,
137–162, 289, 291
- self-healing polymers 197
- sesquihomoadamantene 292, 293
- shock-wave diamond formation 36
- single electron oxidations of diamondoids
113–118
- singly occupied molecular orbital (SOMO)
114, 116, 153, 322, 323
- skew-tetramantane 4
- Sonogashira coupling 217, 224
- spiro[adamantane-2,4'-homoadamantan-
5'-ol] 287
- spirooxindoles 215
- stabilomeric synthesis 9, 11, 42
- sterically-congested medial diamantane
dimer 285
- sterically crowded adamantane and
diamantane amides 107
- sterically demanding triadamantyl
phosphine 221
- substituted diamondoid phosphine
derivatives 224
- sulfamate ester 105
- supramolecular adamantane hydrogels
and polymers 251
- supramolecular architectures
adamantane modified cytochrome
251
- adamantane porphyrin derivatives
251
- 4-aminodiamantane mono derivative
258
- 5-aminoisophthalic acid 253
- binding constants 260–261
- biological cell membranes 254
- 1,6-bis(1,2,4-triazol-4-yl)diamantane
268
- 4,9-bis(1,2,4-triazol-4-yl)diamantane
268
- bitopic 1,2,4-triazole diamondoid
ligands 268
- cationic triamantane derivatives
262
- CD-adamantane conjugates 251
- cucurbiturils 251
- cyclic oligosaccharides 251
- cyclodextrins 251
- β -cyclodextrin 251–252
- diadamantyl ether 265–266
- diamantane 5-aminoisophthalic acid
derivative 253
- diamantane cucurbituril complexes
259
- 4,9-diamantane dicarboxylate 269
- diamantane functionalized chelating
triazacyclononane ligand 264
- diamantane-4,9-dicarboxylic acid
dihydrazide 270
- 4,9-diaminodiamantane 256
- diamondoid carboxylic acids 253
- diamondoid-decorated Sn/S clusters
269
- 4-dimethylaminodiamantane 258

- supramolecular architectures (*contd.*)
 D-mannose-diamondoid conjugates 254
 fullerene C₆₀ 264
 “hydrophobic” effect 251
 hydroxy-diamondoids 262
 hydroxyphosphine 267
 isomeric hydroxy adamantanes 267
 lectin concanavalin A (ConA) 255
 loop binding mode 260
meta-bis(10-bromo-9-anthryl)benzene 264
 micellar adamantane-based capsule 264
 primary ammonium binding mode 260
 quaternary ammonium binding mode 260
 supramolecular adamantane hydrogels and polymers 251
 tetrameric cubane-type alkoxide 267
 Suzuki–Miyaura couplings 217, 218
 of chloroarenes 221
- t**
- Taft polarizability parameter 221
 1,3,5,7-tetraboroadamantane 314
 terengganisine A 245
 terminal diamondoid 1,3-dienes 119
tert-butyldimethylsilyl (TBDMS) 88
tert-disubstituted diamantanes 76
tert-disubstituted triamantanes 75
 tertiary and secondary diamantane amines 104
 tertiary diamondoid phosphines 111
 1,3,5,7-tetraazaadamantane 312
 1,3,5,7-tetrabromoadamantane 79
 1,2,4,5-tetracyanobenzene (TCB) 115–117
 tetraester 8
 tetrahydrodicyclopentadiene (THCPD) 9, 42
 tetrakis[3,5-bis(trifluoromethyl)phenyl] borate 289
 [1(2)3]tetramantane 4, 43
 tetramantanes 21, 39, 40, 46, 47, 51, 86, 113, 156
 [121]tetramantane 4, 5, 279, 280
 [123]tetramantane 1–2, 4, 9, 25, 27, 75, 77, 78, 113, 156, 158
 tetramantane thiols 146
 1,3,5,7-tetramethyladamantane 7, 67
 tetrapeptide (Boc-L-Pmh-^AGly-L-Cha-L-Phe-OMe) 229
 1,3,5,7-tetraphenyladamantane 327, 328
 thiatriamantane 51, 311, 312
 Tolman cone angle 213, 214
T_d-pentamantane 8
trans-1,2-alkanediols 230
trans-cycloalkane-1,2-diols 230
 triadamantyl-1-phosphine 112
 triamantane 1, 45, 100, 146, 155, 198, 243, 253–255, 262, 263, 279, 314, 339
 triamantane thiols 146
 1,3,5-triazine-2,4,6-triamine 141, 142
 1,2,4-triazole linkers 196
 1,3,5-tribromoadamantane 79
 2,2,2-trifluoroethanol 88
 trioxaadamantane 244, 308, 309
 2,4,10-trioxaadamantane derivatives 308
 2,4,6-trimethyl adamantane 44
 3,5,7-trimethyladamantyl-1-acetamide 283
- u**
- unnatural amino acids 103, 239
 unsaturated oligomers 287–293
 unusually stable cyclic peroxide 291
 urea-functionalized adamantyl dirhodium tetracarboxylate complex 226–227
 urotropine/1,3,5,7-tetraboroadamantane molecular crystal 314
- v**
- valence photoelectron spectroscopy 27, 283
 vibrational spectroscopy 15, 25–28
 vinyl diamondoids 120
- w**
- Wurtz coupling of 1-bromodiamantane 281