

Index

a

- $A_xB_yC_zO_q$ mixed oxide structures 542
 ab initio molecular dynamics
 419–437, 454
 absorption energies, of reactants 170
 absorption-CT imaging 265–266
 accelerated degradation test (ADT)
 271
 acetylene cyclotrimerization 104, 108
 acetylenic chains 63
 acid leaching 71, 136–137
 acid liquid electrolyte water electrolyser
 (ACIWE) 535
 activated carbon (AC) 57, 58, 60, 68,
 74, 82, 89, 109, 120, 551, 605,
 625, 671, 677, 686
 activated carbon fibers (ACF) 686
 activation losses 583, 584, 588
 active carbon-supported
 nickel–tungsten carbide 605
 active HER electrocatalysts 547
 active sites 105–106, 152–156,
 363–373
 active species 92, 217, 295, 302, 357,
 363–373, 691
 profile of 365
 activity volcano curve 507
 adsorbate–adsorbate interactions for
 CO methanation 516
 adsorbate interactions 233, 507,
 516–518
 adsorbed CO species, classification of
 322, 325
 adsorption on metal oxides
 CO adsorption, on $TiO_2(110)$
 237–239
 HCOOH adsorption, TiO_2 239–243
 adsorption process 230, 231, 234, 463,
 507
 adsorption, on solid surfaces
 kinetically restricted adsorbate
 structures 229–231
 supported nanoparticle catalysts
 reactions 244–245
 thermodynamically driven reactions
 234, 237
 advanced NMR 123, 136, 153, 220,
 289, 295, 307, 358, 691
 advanced oxidation processes (AOPs)
 681
 aerosol particles formation 183, 184
 aerosol syntheses 183
 AgAu bimetallic alloy NPs 167
 agglomeration 50, 67, 128, 172,
 184–186, 273, 575, 585,
 661
 Ag_1H_2PW 600
 air-borne particles (or aerosols) 183
 alcohol dehydration catalyst 189
 alcohols synthesis 509–511
 algae feedstocks 595
 algebraic reconstruction technique
 (ART) 268
 aligned nanotube 45
 alkali metal hydroxide solution
 138

- alkaline liquid electrolyte water
 electrolyser (ALKWE)
 535–537, 539–541, 552
- alkoxysilanols 9
- alkynes 13, 85
- Al_2O_3 600
- Al_2O_3 supported Ni and Ni-Cu catalysts
 608
- aluminate (AlO_4^{5-}) 9, 172, 194, 273
- aluminium chloride 8, 131
- aluminophosphate 9, 131, 134
- aluminosilicates 8, 119, 600, 619, 686
- Amberlyst-15 599, 600, 603–605, 609
- Amberlyst-131 601
- amine organocatalysis 156
- amino functionalized material
 151–152, 155
- aminoterephthalates 151
- ammonia synthesis 5, 6, 533, 633, 636,
 641
- amorphous or crystalline structure 46
- amphiphilic organosilanes 130
- anion exchange membrane water
 electrolyzer (AEMWE) 539
- anion-doped TiO_2 560
- anion-ordered $\text{A}_2\text{B}_2\text{X}_6\text{X}'_{0.5}$ -type
 pyrochlore structure 564
- anionic silicate oligomers 130
- anisotropic adsorption 27–28
- anisotropic nanostructures 40, 42–44
- anisotropic NPs, encapsulation of 165
- anisotropic photocatalysts 11
- anisotropic properties, of crystal facets
 22, 27
- anisotropic surface energy 22
- anisotropic surface properties 32
- anisotropy
 of crystal lattice 27, 28
 of hexagonal CdS nanorods 165
- anodic electrophoretic deposition 48,
 49
- anodization 11, 15, 40–46, 50–52
 catalytic applications 44
 formation of, anodic oxide layer 42
 growth mechanism, anodized metal
 foil 43
 pulse/step anodization 45–46
- antibiotics 530
- anti-bonding orbital
 of H_2 71, 80, 81, 321, 566
 of N atom 71
- apparent diffusion coefficient 169
- aqueous polyalcohols 13
- arabinose 617
- arene (C_6R_6) ligands 85
- arithmetic mean velocity 226
- aromatic cyclopentadienyl (C_5R_5^-) 85
- aromatic polymer lignin 595
- array nanostructures, of nanotubes 42
- ascorbic acid 62
- “as-deposited” cluster-based catalysts
 90, 94
- atom motion 217
- atomic and molecular sorption 217
- atomic force microscopy 166, 253, 291
- atomic layer deposition (ALD) 72–73,
 111
- atomic orbital (AO) 29, 71, 80, 296
- atomic probe tomography (APT)
 272–273
- atomically-thick CoSe_2 nanosheets
 545
- ATR-IR spectroscopy 315–317,
 327–328, 331
 alcohol oxidation 331
- Au_{10} -cluster-based catalyst 79–96
- AuNi alloys 167
- AuNi Janus spindle nanostructures
 165
- AuSiO_2 Janus NPs 161, 167–169
- automobile three-way catalyst 190
- automotive catalysts 354
- Avantium 599, 624
- Avantium employed EMF 599
- average electron transfer number 580
- Avogadro’s constant 227
- b**
- π back-donation 71, 321
- background spectrum 312, 318, 319
- “ball-and-stick” representations 86, 87
- bamboo-type nanotubes 45
- band engineering, of semiconductors
 cocatalysts, loading of 212

- impregnation method 212
 - photodeposition method 212
 - photocatalyst materials 203–204
 - band structures design 206–210
 - main constituent metal elements 205–206
 - variety of 204–205
 - synthesis methods, of semiconductor photocatalysts 210–211
 - flux method 211
 - hydrothermal reaction 211
 - polymerized (polymerizable) complex method 211
 - precipitation method 212
 - solid-state reaction method 211
 - band-engineered photocatalysts 557
 - bandgap 11, 29, 32, 33, 67, 189, 203–210, 472, 673–677
 - barrier oxide layer 42
 - BASF 4, 6, 148, 633
 - $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ 543
 - B-doped MWCNTs 551
 - Beer–Lambert law 264, 378
 - benzene oxidation 107
 - benzenedicarboxylate 148–150, 155
 - 1,4-benzenedicarboxylic acid (BDC) linker 11
 - benzenetricarboxylate organic linkers 148
 - benzyl alcohol oxidation 92
 - BEP relation and the activation barrier 503–507
 - bidentate formate 241, 243, 331
 - bimetal interface 167
 - bimetallic Janus NP synthesis 168
 - bimetallic nanoparticles 70, 347, 608
 - bio-inspired hydrogen-producing catalyst 413, 415
 - biobutanol 594–596
 - biochemical methods 618, 650
 - biodiesel 595, 602, 639
 - bioethanol 594–596
 - biohydrogen 595, 596
 - biomass conversion 9, 11, 57, 528, 593, 610, 619, 640
 - biomass conversion/biomass upgrading 528
 - biorefinery concept 593
 - biphenyldicarboxylate linkers 151
 - 1,4-biphenyldicarboxylic acid (BPDC) 11
 - bis(dicarbonylcyclopentadienyliron, $\text{Fe}_2\text{O}_4\text{C}_{14}\text{H}_{10}$) 67
 - bismuth subcarbonate 171
 - bismuth tungstate (Bi_2WO_6) thin film 52
 - BiVO_4 single crystal 31, 198, 209
 - Blyholder model 231
 - B3LYP functional 410
 - Bohr excitonic radius 13
 - Bohr magneton 296
 - bond-counting contribution factor (BCCF) 516, 517
 - Born–Oppenheimer (BO) approximation 406, 409, 420, 483
 - bottom-up fabrication 162, 174
 - Brønsted acid 136
 - Brønsted acid catalysts 600
 - Brønsted–Evans–Polanyi (BEP) relation 497, 498, 502–507, 511, 513, 516, 517, 519, 520
 - Brillouin zone 32
 - brown solids 130
 - Brownian collision 184
 - Bruker EMX^{plus} cw-EPR spectrometer 299
 - BSCF electrode 356
 - bulk MOFs 546
 - bulk MoS_2 549
 - bulky molecules 121, 123, 140
 - 1,3-butadiene 105
 - butadiyne linkages 63
 - n*-butane 33, 128
 - 1-butene 105
 - t*-butyl hydroperoxid 170
- C**
- calcine 125
 - capillary plug-flow reactors 352
 - capped Ag NPs monolayers 167
 - capping agents 25, 26, 35, 61, 70, 86
 - carbocatalyst 57, 59

- carbohydrates 9, 57, 594–596, 602–605, 609, 610, 617–630
- carbohydrate-containing biomass 596
- carbonaceous materials 125, 662
- carbon allotrope, sp^3 hybridization 58, 63
- carbon-based catalysts 57, 75, 686
- carbon-based fuel 593
- carbon-based semiconductor material 74
- carbon capture and storage (CCS) technology 529, 649, 650
- carbon capture and utilization (CCU) 650
- carbon corrosion 266, 575, 585
- carbon dioxide (CO_2) emission 529
- carbon emissions 527
- carbon feedstock 528
- carbon nano-onions 63
- carbon nanotubes (CNTs) 58, 127, 497, 548, 551, 575, 587, 603, 662, 677
- carbon nitride 11, 14, 64, 67–68, 74, 387, 551, 662, 676
- carbon nitride (C_3N_4) catalyst 387–389, 551
- carbon steel reactor 6
- carbon-supported copper-ruthenium catalyst (CuRu/C) 604
- carbon-supported CuRu bimetallic catalyst 626
- carbon-supported platinum nanoparticle catalyst 625
- carboxylate ligand 148
- carboxylic acids 13, 602, 628
- carboxylic acid function 169
- catalyst deactivation 217, 268
- catalyst development 619–622, 630
- catalyst fabrication methods 79
- catalyst on graphene
 - graphene, as starting material 60, 61
 - graphene derivatives 62–64, 75
 - graphene oxide, as precursor 61–62
- catalyst precursor, deposition of 58
- catalysts preparation, new carbon materials
 - catalyst on GO 59, 60
 - catalyst on graphene
 - graphene derivatives 62–64
 - graphene oxide, as precursor 61–62
 - graphene, as starting material 60–61
 - catalyst on nanodiamonds 63, 66
 - catalyst on onion like carbon 63
 - CVD, techniques 72–73
 - dry mechanical methods 73
 - electrodeposition 73
 - from hydrothermal carbonisation 68–69
 - photodeposition 74
 - SACs, on carbon nitrides 67, 68
 - simultaneous metallic catalyst 73
 - techniques 69–74
 - wet-chemistry synthesis, optimization of 70, 71
- catalyst structure in flow reactors 353
- catalytic benchmarking 167
- catalytic CO-PrOx reaction 192
- catalytic cracking 8–11, 171, 273, 291
- catalytic $deNO_x$ 9
- catalytic Janus nanostructures 165
- catalytic Janus NPs 168
- catalytic lignite-to-gasoline process 8
- catalytic materials 5, 10, 39, 48, 52, 53, 81, 199, 253, 265–267, 271, 275, 286, 287, 317, 333, 342, 404, 497–520, 651, 656–658, 661, 663, 666, 685
- catalytic oxidation 14, 63, 105, 168, 170, 290, 674
- catalytic oxide films 42
- catalytic pyrolysis, of biomass 124
- catalytic reaction 5–8, 46, 363, 639–641
- catalytic supercritical water gasification (CSCWG) 640
- catalytic thin films 39–53
- catalytic transformations 169, 290

- catalytically active sites (CASs) 103, 105–106, 283, 673, 688
 - identification 103, 105–106, 283, 673, 688
- CatApp 502, 509
- cathodic electrodeposition 41, 46–48, 52
 - pulse electrodeposition 47–48
- cathodic electrolytic deposition 40
- cathodic electrophoretic deposition 48, 49
- cathodic pulse 47, 48
- cationic metals 148
- CATMAP 506, 511
- C₅ carbohydrates 617
- CCD (charged-coupled device) cameras 257, 259, 284–285
- CDFT 412
- cell holder 582, 583
- cellulose 595, 600, 602, 603, 609, 610, 617, 618, 620, 623
- cerium-rich quaternary systems 543
- cetyl trimethyl ammonium bromide (CTAB) 10, 13, 131, 132, 139
- chalcogen-based ligands 85
- charcoal-supported catalyst 68
- charge, of an electron 28, 456
- CHA-type silicoaluminophosphate 691–692
- CHA-type SSZ-13
 - Cu–SAPO-34 catalysts 691
- CHA-type zeolite catalysts 689
- chemical compounds, purification of 86
- chemical dissolution, of oxide layer 43
- chemical equilibrium 503, 634, 637–639, 643–645
- chemical etching 162, 165
- chemical imaging techniques 265, 275
- chemical methods, SAC
 - bottom-up synthetic methods
 - adsorption method 109–111
 - co-precipitation method 109, 110
 - galvanic-replacement method 112
 - top-down synthetic methods 112–113
- chemical reaction 103, 155, 203, 217, 220, 225, 256–257, 259, 284, 286, 288, 331, 369, 378, 380, 385–386, 402–403, 412, 419, 423–424, 439, 455, 463, 472, 484, 518, 520, 571, 623, 635, 653
- chemical transformation 220, 353, 363, 596
- chemical vapor deposition (CVD) 11
 - 12, 22, 69, 72, 172, 184, 190
- chemically synthesised metal clusters 85–95
 - catalysis using
 - homogeneous catalysts 89, 90, 92
- chemiluminescent transformation 168
- 18 C-hexagonal pores 63
- chloroplatinic acid method 576
- chrome aluminophosphate 134
- classical molecular dynamics (CMD) simulations 402
- clusters 3–16, 71–72, 79–96
- CO adsorption 231, 233, 237, 238, 321–324, 468
- CO adsorption metal surfaces 231
 - Au nanoparticles, CeO₂ 233
 - CO adsorption, on Pt(111) 231–232
 - CO adsorption, on TiO₂(110) 237–238
- coalescence 12, 71, 184–186, 190, 194
- coarse-grain approach 402
- cobalt aluminophosphate 134
- cobalt catalysts 7
- cobalt-time-yield (CTY) 194
- cocatalyst 31, 204, 212, 564, 565, 567, 665
- cocatalysts function 212
- co-electrolytic SOEWE 541
- CO₂ electroreduction process 655, 658
- co-embedded N-doped carbon nanotubes 548
- CoFe@N-rGO 549

- coherent diffraction imaging (CDI) 273
- CO hydrogenation catalysts 192
- CO₂ hydrogenation 84, 165, 194, 331, 638
- coke formation 124, 305, 611, 640
- collapsed bifunctional sites 95
- colloid nanoparticle dispersions 162
- colloidal silica particles 128
- colloidal stability 49, 50
- colloidal TiO₂ particles, interfacial electron/hole-transfer reaction of 380
- combinatory methods 40–42, 50–52
- Combined electrophoretic deposition–anodization (CEPDA) approach 51–52
- combined XAS-DRIFTS 367–368
- combustion, of metal precursors 185
- CO methanation reaction 196
- commercial SiN membranes 258
- CO Moiré structure 232
- complementary
 - metal–oxide–semiconductor (CMOS) 284
- complex metal oxide catalysts 197
- composite catalysts 46, 59
- composite metal oxide catalysts 192–197
- compositional homogeneity 211
- comprise mesoporosity 122
- computed tomography (CT) 264, 267–268, 270, 274
- computer simulations 401–403
- conduction band (CB) 29, 32, 190, 203, 205–210, 377, 378, 382, 384, 388, 389, 391, 392, 472, 557, 659, 673
- conduction band minimum (CBM) 32, 203, 557
- confocal laser scanning microscopy (CLSM) 284, 285, 287, 289, 291
- conformal coating 48
- Congo Red reduction 167
- CoNi@NC 549
- constrained density-functional theory (CDFT) 412, 416
- contact process 3, 4
- conventional absorption-CT 265–267
- conventional direct current method 48
- conventional heating 62
- conventional microporous zeolites 123, 126
- coordination number approximation 244–245
- coordination polymer 147, 148
- coordinative unsaturated metal sites (CUS) 71, 73, 153, 157
- CO oxidation 14, 81, 83–85, 92, 105–107, 168, 234–238, 245, 259, 325, 354, 355, 357, 516–517
 - on multi-component alloy surfaces 516
 - on Pt(110) 234–236
- CO (photo-)oxidation reaction 41, 193, 234, 236, 238, 392, 538, 559, 561, 624, 664
- copper based zeolite catalyst (Cu–SSZ-13) 354
- copper–zinc catalyst 7
- coprecipitation technique 13
- CO₂ reduction 27, 45
 - electrochemical reduction
 - electrochemical cell 655
 - GDEs 656
 - high Faradaic efficiency 657
 - improved/novel electrolytes 657, 658
 - in gas phase 657
 - low overpotential for 657
 - Sabatier principle 655
 - figures of merit 652–653
 - heterogeneous catalysts 653–654
 - photochemical reduction
 - efficient photocatalytic reactors 662
 - electron-hole pairs 659
 - factors 660–661
 - innovative photoactive materials 661–662

- photocatalyst surface 659
- photoelectro-chemical reduction
 - efficiency of 663
 - electrode configurations for 664
 - GaP semiconductor 662–663
 - inorganic binary compounds 663
 - photoactive materials 665–666
 - photoanode–dark cathode 665
 - photocatalytic reactors 666
 - photocathode–dark anode 664–665
 - photocathode–photoanode 665
 - redox potentials for 650
 - redox processes 651–652
 - reservoir and EOR 650
 - thermodynamically stable molecule 650–651
 - utilization of 650
- core-to-core XES 348
- CoSe₂ nanosheets/GCE 545
- counter electrode 11, 41, 42, 51, 225, 576, 577, 584
- covalent organic frameworks (COFs) 11
- covalent triazine frameworks (CTF) 64, 67–68
- Cr-doped rutile TiO₂ 560
- critical coupling 300
- critical process 217, 640
- crystal facet engineering 21
- crystal morphology 26
- crystalline materials 153, 171, 269
- crystalline microporous 8, 133
- crystalline microporous
 - aluminophosphates (AlPO₄) 8, 133–134
- crystalline nanoparticles 63, 186
- crystalline porous catalysts 171
- crystalline silicate-based catalysts 619
- crystalline V₂O₅ 194
- crystalline wall structure 128
- crystalline zeolites 9
- crystallization 7, 9, 22, 46, 52, 86, 124, 126, 128, 131, 132, 136, 153, 196, 197, 546, 625
- crystallization process 9, 46, 52, 124, 126, 128, 131, 135, 153
- Cs-exchanged silicotungstic acid 600
- C₆ sugars 617
- cubic topology 148, 151
- Cu₂O crystals 26
- cuprous oxide 48
- current efficiency 46–47, 652
- Cu–SZZ-13 catalyst 345, 354
- Cu-zeolite catalysts, in situ EPR study of 301
- Cu-zeolite systems 303–305
- cyclic voltammetry 440, 462, 552, 577–578, 581
- cyclohexanedimethanol (CHDM) 94
- cylindrical internal reflection (CIR) 327
- Cyrene™ 623
- d**
- data mining and machine learning in catalyst design 509
- Davy lamp 3
- 3D continuous macroporous structure 265
- dealumination 124, 136–137, 139, 140, 289, 290, 687
 - acid leaching 136–137
 - calcination process 136
 - mesopores, formation 137
 - steaming process 136
 - zeolite modification 136
- debris, of nanotubes 46
- delay time of probe pulse 378
- 3D electron density maps 92
- deNO_x reaction system 530, 609, 610, 622, 636, 680–681, 694
- deNO_x technology 685
- density functional theory (DFT) 106, 165, 235, 307, 403, 405, 497, 658
 - basis sets 409
 - Born–Oppenheimer approximation 406
 - calculations 565

- density functional theory (DFT) (*contd.*)
 Hohenberg–Kohn theorem
 406–409
 Kohn–Sham equation 407, 408
- density, of layer 46
- deposited metal (Met) 46
- deposited space 46–47
- design for energy efficiency 633
- desilication 124, 138–140
 ammonium surfactants 139–140
 high-silica zeolites 138
 modified procedure 139
 pore-growth moderator 139
- 3D graphene aerogel materials 679
- dhbdc linkers 150
- didactical approach 157
- dielectric constant 32, 50, 639
- diesel engine emissions 685
- differential pumping effect 256, 258
- differential pumping–type system 254,
 256–259
- diffraction anomalous fine structure-CT
 (DAFS-CT) 274
- diffraction/scattering techniques 264
- diffractive techniques 150
- diffuse reflectance Fourier transform
 infrared spectroscopy (DRIFTS)
 230, 316–317, 325, 329–331, 368,
 370, 433, 691
 cells 325, 327
 of CO adsorbed on various Pd/Al₂O₃
 samples 323
 isotopic transient kinetic analysis
 331
 on Pd/Al₂O₃ 331
 of V₂O₅–WO₃–TiO₂ 319
- diffusion coefficient 45, 169, 230, 287,
 579
- diffusion length 45, 124, 244, 377
- dihydrolevoglucosenone 620, 623
- 2,5-dihydroxymethylfuran 605
- diluted surfactant solution 130
- 3-dimensional ordered macroporous
 (3DOM) structures 162, 164,
 165, 170, 172, 174
- dimer (M₂) yields, formation of 80
- dimer methods 424
- 2,5-dimethylfuran (DMF) 594,
 604–606
- dimethyl hexahydroterephthalate
 (DMHT) 94
- dimethyl terephthalate (DMT) 94, 95,
 623
- dimethylformamide (DMF) 605, 623,
 656
- diquaternary ammonium surfactants
 131
- direct current (DC) 47, 48, 82
- direct inclusion methods 172
- discrete nanoflowers, of bismuth 170
- dispersed niobia particles 69
- dispersed technical catalyst 227
- dispersing and stabilizing
 nanodiamonds 63
- dispersive forces 59
- dispersive polychromators 353
- dissociative adsorption 28, 168, 234
 of water 28
- dissociative hydrogen adsorption 234
- 3D macrostructures 62
- 2D nanolace sheets, of alumina 45
- 2D NiFe-based bimetallic organic
 framework 546
- 3D NiFe hydroxide thin nanosheets
 542
- doped photocatalysts 206–208
- doped rutile TiO₂ photocatalyst
 559–564, 567
- doubled water electrolysis (DWE)
 538
- Dowex–type resins 603
- downstream mass spectrometer 81,
 108
- drive cycle testing 266
- dual-target magnetron sputtering
 system 84
- dual-templating approach 131, 161,
 170
- dye-sensitized heterogenous
 photocatalyst 384–386

- dynamically limited adsorption processes 234
- e**
- electrocatalysis 11, 21, 33, 39, 57, 68, 105, 110, 165, 225, 292, 440, 660, 665
- electrocatalyst inks 582
- electrocatalysts 167, 439–441, 541–551, 571–588
- electrocatalytic oxygen reduction 167
- electrocatalytic reactions 11, 39, 57
- electrochemical anodization 11, 15
- electrochemical configuration 46
- electrochemical method, fabricating thin film
- cathodic electrodeposition 46–48
 - pulse electrodeposition 47–48
- combinatory methods,
- electrochemical process 50–52
- electrophoretic deposition 48–50
- anodization 42–45
- catalytic applications 44
 - formation of, anodic oxide layer 42
 - growth mechanism, anodized metal foil 43
 - pulse/step anodization 45–46
- electrochemical processes 40, 441
- electrochemical reactor
- (electrocatalysis) 225, 439, 651, 654, 655, 658
- electrochemical reduction
- definition 651
- electrochemical surface area (ECSA) 545, 550, 574, 577–581
- electrochemical water splitting 39, 533, 534, 551, 552
- fundamentals of 533–535
 - hydrogen evolution reaction
 - electrocatalysts 547–549
 - liquid electrolyte water electrolysis 535–537
 - oxygen evolution reaction
 - electrocatalysts 541–545
- polymer electrolyte membrane water
- electrolysis 539–540
- solid oxide electrolyte water
- electrolysis 540
- electrodeposition 41, 46–49, 52, 73, 548
- electro-oxidative polymerization 40
- electron cloud 32
- electron configuration 205, 206, 303
- electron energy loss spectroscopy (EELS) 71, 217, 255, 256, 259, 260, 607
- electronic interactions 13, 333
- electronic transfer 168
- electronic wavefunctions 403, 406, 407, 409, 410
- electron magnetic resonance (EMR) 295
- electron nuclear double resonance (ENDOR) 299, 307
- electron paramagnetic resonance (EPR) 193, 219, 295–307, 658, 689
- active species 302
 - magnetic field intensity 298
 - principles of 296–298
 - spectra of Cu-CHA samples 305
- electron scattering 255, 256, 346
- electron spin echo envelop modulation (ESEEM) 299, 307
- electron spin resonance (ESR) 295
- electron transfer 60, 157, 217, 303, 306, 348, 380, 382, 383, 385, 386, 388, 389, 391, 392, 402, 412, 416, 478, 529, 541, 546, 579–581, 651, 653, 676, 677
- electron transfer number 579–581
- electrophoretic deposition 40, 41, 48–52
- electroplating 39, 41
- electroreduction 33, 46, 68, 504, 655–659
- electroreduction, of metal cations 46
- electrostatic repulsion 50
- electrooxidation 33, 68

- elementary reactions and materials
 - selection 498–502
 - Eley–Rideal (ER) mechanism 504
 - enantioselective hydrogenation 191
 - end plates 583
 - energetic efficiency 653
 - energetic photons (photocatalysis) 225
 - energy consumption 535, 536, 593
 - energy functionals, development of 410–412
 - energy levels
 - Zeeman splitting 297
 - energy-dispersive von Hamos type spectrometer 353
 - enhanced oil recovery (EOR) 650
 - epifluorescence microscope 281, 282
 - equilibrium adsorption 57
 - ethanol/dimethyl sulfoxide mixture 601
 - ethanol/tetrahydrofuran mixture 601
 - ethene photodecomposition 170
 - 5-ethoxymethylfurfural (EMF) 594–602, 609, 611, 624
 - ethyl levulinate (EL) 594, 602–604
 - European Synchrotron Radiation Facility (ESRF) 274
 - exchange-correlation density functionals 410
 - exchange-correlation functional 408, 410, 411, 414
 - excited electrons (e^-) 33, 203, 384, 472
 - exo- and endo-thermicity 220
 - exothermic metal precursors 186
 - explicit kinetic simulations based on DFT calculations 507
 - exsolution method 172
 - extended X-ray absorption fine structure (EXAFS) spectroscopy 109, 274, 345–347
 - extended X-ray absorption fine structure-CT (EXAFS-CT) 109, 274, 345
 - Extremely Brilliant Source (EBS) 274
- f**
- fabrication, of model catalysts 83
 - fabrication procedures 162
 - face-centered cubic (fcc) 22, 88, 413
 - crystal structure 27
 - facet engineering, on catalysts
 - anisotropic adsorption 27–28
 - anisotropic properties, of crystal facets 27–31
 - effects of 32–34
 - optical properties 32–33
 - activity & selectivity 33–34
 - mechanisms 22–27
 - solid-phase methods 22
 - solution-phase methods 22
 - vapour-phase methods 22
 - surface electric field 29–31
 - surface electronic structure 28–29
 - faceted nanocrystals 22
 - faceted semiconductor 29, 33
 - faradaic efficiency 567, 652–653
 - Faraday constant 47, 579, 651, 653
 - Faraday law for electrolysis 46
 - fcc-structured metal crystal 22–23
 - Fe-family-based OER catalysts 543
 - Fe_3O_4
 - clusters 62
 - $\alpha\text{-Fe}_2\text{O}_3$ nanotubes 11, 44
 - SiO_2 601
 - $\text{SiO}_2\text{-HPW}$ 601
 - $\text{SiO}_2\text{-SH-Im-SO}_4\text{H}$ 601
 - $\text{SiO}_2\text{-SO}_3\text{H}$ 601
 - FeO_x surfaces 104
 - Fermi level 28, 81, 351, 456, 457, 465, 546, 676, 677, 690
 - Fick's law 636
 - film thickness 46–47
 - filter-press electrochemical cell 657
 - first generation biofuels 595, 596
 - Fischer–Tropsch catalyst 69, 271
 - Fischer–Tropsch synthesis (FTS) 7, 8, 13, 69, 194, 196, 641
 - flame aerosol reactors 186
 - flame aerosol synthesis and reactors 185–189
 - flame-assisted spray pyrolysis (FASP) 185, 186, 189
 - flame spray pyrolysis 186
 - flame synthesis

- flame aerosol synthesis and reactors 185–189
 - multielemental oxide-based catalysts
 - complex metal oxide catalysts 197
 - composite metal oxide catalysts 192–197
 - solid solution metal oxide catalysts 192
 - from natural aerosols formation 183–184
 - simple metal oxide-based catalysts 189–192
 - flash photolysis time-resolved
 - microwave conductivity
 - experimental layout 390
 - flat thin films 39, 40
 - flow-field plates 583
 - flow reactors 352, 353, 664
 - fluidized catalytic cracking (FCC)
 - process 8, 27, 171, 321, 322, 413
 - fluorescence
 - basics of 280–282
 - CLSM 284, 285
 - contrast mechanism 283
 - strategies, resolve catalytic processes 283
 - super-resolution fluorescence
 - microscopy 285–286
 - WFM 284, 285
 - fluorescence-detected XAS 343
 - fluorescence microscopy 279–288, 290–292
 - fluorescence spectromicroscopy 220
 - fluorescent oligomers 289
 - fluorogenic aminophenyl fluorescein 290
 - fluorogenic molecules 283, 288
 - focused ion beam (FIB) milling 45, 253, 260
 - forbidden gaps 81
 - formation of, carboxylate dicopper 148
 - formic acid 33, 111, 239–242, 246, 499, 605, 636, 637, 655, 657, 665
 - fossil fuels 528, 533, 593, 596, 611, 649, 685
 - foundry resin 622
 - Fourier transform infrared (FTIR)
 - spectroscopy 229, 230, 327, 658
 - fourth generation biofuels 595
 - fragmentation 83, 86, 90, 162, 628
 - free electron laser (FEL) 274, 353
 - free energy calculations
 - metadynamics 430–432
 - reaction coordinate, defining 425
 - sampling points, selection of 428
 - thermodynamic integration
 - constrained MD simulations 425
 - ergodicity assumption 425
 - Lagrange formalism 426
 - Lagrange multipliers 427, 428
 - schematic illustration 425
 - umbrella sampling 428–430
 - free energy profile, for an elemental reaction 424
 - free-standing particulate 678–679
 - Friedel–Crafts alkylation 639
 - fructose 596, 599–601, 603–605, 609, 617, 620, 622, 624–625, 627–628
 - fuel cell test station 583
 - fuel cell vehicles (FCVs) 572, 574–575, 581, 636
 - fuel crossover 584
 - furandicarboxylic acid (FDCA) 539, 622–626
 - furfural 5, 196, 596, 603–604, 606–607, 611, 622
 - furfuryl alcohol (FOL) 289, 603–607, 622
 - oligomerization 290
- g**
- galactose 617
 - galvanic replacement, Au 167
 - galvanic-replacement method 109, 112
 - galvanostatic condition 48
 - galvanostatic method 46
 - γ -valerolactone (GLV) 594, 607, 622
 - GaN–ZnO 558–559
 - gas diffusion electrode (GDE) 582–583, 656–657

- gas diffusion layer (GDL) 266, 539, 574
- gas physisorption 150
- gas-to-particle formation 183–184, 186, 189
- gaseous nitrous acid (HONO) 693
- gaskets 539, 583
- Gauss–Lorentzian deconvolution 235
- gelled FeCoW oxyhydroxides 543
- Gemini-type surfactant 132–133
- generalized-gradient approximation (GGA) 411–412
- Gibbs energy 558
- Gibbs–Wulff theorem 22
- glucose 60, 68, 170, 196, 596, 600–601, 603, 605, 609, 617, 620
- gold-thiolate clusters 85–86
- gradual transformation of nanodiamond 66
- grafting metallocene complexes 104
- graphdiyne 62–64, 75
- graphene 62, 73
 - derivatives 62–64, 75
 - liquid cell 258
 - nanoplatelets 584
- graphene-like carbon foam 584–585
- graphene oxide (GO)
 - catalyst on 59–60
 - pre-impregnated metal precursor 62
 - structure of 59
- graphite intercalation compounds (GICs) 61
- graphite-like hexagonally-packed layered structure 549
- graphitic carbon materials 71
- graphitic carbon nitride (g-C₃N₄) 11, 64, 67, 662, 676
- graphitic/amorphous carbon 63
- graphyne 62–64, 75
- green chemistry principles 633, 634, 645
- greenhouse gases 529, 593, 623, 637
- Grove's fuel cell 573
- g*-value 296, 298
- h**
- Haber–Bosch process 4, 6
- half-cell measurements 576, 583–584
- half-reactions 41, 533–534, 572
- half-wave potential 579, 586–587
- hard and soft dual-templating 170
- hard templates
 - carbon nanotubes and nanofibres 127–128
 - ordered mesoporous carbons 128–130
 - space-confined method 125–127
- hard-templating methods 15, 124–125, 140
- hard X-rays 272, 339, 348
 - penetration depth of 342
- heat of adsorption 229–230
- Hellmann–Feynman theorem 409–410, 483
- hemicellulose 595, 606, 617–618, 622
- n*-heptane 33
- heptazine 64, 67
- heteroatoms 14, 59, 67, 71, 74–75, 545, 547, 550–551, 600, 620
- heterogeneity, of catalyst materials 219–220
- heterogeneous catalysis 21, 217, 401, 405, 597
 - biomass conversion/biomass upgrading 528
 - carbon capture and storage technology 529
 - carbon dioxide (CO₂) emission 529
 - carbon emissions 527
 - chemical and energy industries 527
 - density functional theory in 405–416
 - DFT applications 412–414
 - forces on the ions, calculation of 409–410
 - hydrogen 527
 - MD technique 419
 - nitrogen oxides (NO_x) 529
 - quantum mechanical techniques in 403–404

- SCR technology 529
- wastewater treatment processes 529
- heterogeneous catalysts 3–5, 83, 103–114, 147–158, 168, 170, 311–334, 619
- CO₂ conversion 653–654
- heterogeneous catalytic conversions
 - in high-pressure reaction condition 633–636
- heterogeneous photocatalysis 484, 567, 681
 - advantages of 671–672
- heterogeneous photocatalysts 380–384, 391–392, 530, 557–558
- heterogeneous reaction 15, 27, 70, 635, 640
- heterogeneous (solid) photocatalyst 203
- heterogenized Re-complex catalyst with TiO₂ nanoparticles 384
- heterojunction interface 168
- hexaethynylbenzene 63
- 1,6-hexanediol (1,6-HDO) 622, 623
- 1-hexanethiol 167
- 1,2,6-hexanetriol (1,2,6-HTO) 622
- hexapod-shaped building blocks 162
- hexoses 596, 617, 622, 627–628
- hierarchical and anisotropic nanostructured catalysts
 - Janus nanostructures 165, 167–169
- hierarchical porous catalysts 169–171
 - nanostructured assemblies 162
 - porous/anisotropic substrates, functionalisation of 170–174
 - shape anisotropy 162, 165
 - top-down vs. bottom-up approaches 162, 164
- hierarchical macroporous–mesoporous SBA-15 network 171, 173
- hierarchical macroporous–mesoporous silica 161
- hierarchical mesoporous–macroporous pore structure 170–171
- hierarchical porous catalysts 169–170
- hierarchical structure zeolites 122
- hierarchical titania 170
- hierarchical zeolites, synthesis strategies 122
 - advantages 123
 - changed product selectivity 124
 - decreased coke formation 124
 - increased intracrystalline diffusion 123
 - modern strategies for 124
 - dealumination 136–137
 - desilication 138–140
 - hard templates 124–130
 - soft templates 130–136
 - reduced steric limitation 123
- high-angle annular dark-field scanning transmission electron microscopy (HAADF-STEM) 14, 92, 104, 110, 112, 114, 162–163, 175, 563
- high-energy bottom-up ball-milling synthesis 109
- high-energy resolution fluorescence detection 349–350
- high-energy-resolution off-resonant spectroscopy (HEROS) 350–351
- high energy resolution (resonant) X-ray emission spectroscopy 347–351
- high-index facets 27
- high-performance computing (HPC) clusters 401, 493
- high-pressure catalytic reactions 5–8
- high-pressure hydrotreating processes 636
- high-pressure methanol synthesis process 633
- high-pressure reaction condition
 - advantages 633
 - catalytic processes 634
 - chemical equilibrium 634
 - CO₂ conversion
 - methanol synthesis 637
 - phase separation 638

- high-pressure reaction condition (*contd.*)
 - green chemistry principles 634
 - industrial chemical 634
 - mass transfer and kinetics
 - molecular diffusion 635–636
 - multi-phase reaction 636
 - microchannel reactor 641–643
 - phase separation 634–635
 - process efficiency and economy 636
 - supercritical fluid properties for 639–641
 - supercritical state 635
 - water-gas shift reaction 643–645
- high-pressure scanning tunneling microscopy 235
- high-pressure steel reactors 7
- high-pressure studies, of catalysts 226–229
- high-throughput (HT) computational catalyst design
 - activity volcano curve 507
 - adsorbate-adsorbate interactions for CO methanation 516–518
 - alcohols synthesis 509–511
 - BEP relation and the activation barrier 503–507
 - CO oxidation on multi-component alloy surfaces 516
 - data mining and machine learning 509
 - DFT calculations 498
 - elementary reactions and materials selection 498–502
 - explicit kinetic simulations based on DFT calculations 507–508
 - hydrogen evolution reactions (HER) 511–516
 - RhAu alloy nanoparticles for NO decomposition by machine learning 518–520
 - scaling relation and reaction energy 502–503
- highest occupied molecular orbital (HOMO) 80, 231, 280, 388, 485–486, 490–491
- highly active NiFe oxides/hydroxides 542
- hinder energy-dispersive X-ray spectroscopy 255
- 2H-MoS₂ polytype 549
- Hohenberg–Kohn theorem 406–409, 472
- hollandite-type manganese oxide (HMO) 106–107, 113–114
- HOMO 5σ CO molecular orbitals 231
- homogeneous catalysts 39, 68, 75, 89, 157–158, 302, 619, 624
- homogeneous or heterogeneous catalysts 157
- homogeneous Lewis–Brønsted acid mixture 605
- homogeneous (molecular) photocatalyst 203
- Houdry process 8
- HPW/k-10 clay 600
- HPW/MCM-41 600
- H-type cells 655
- Hubbard *U* corrections 412
- hybrid water electrolysis (HWE) 538
- hydrochloric acid 27, 127, 136
- hydrodeoxygenation (HDO) 596, 604, 606–607, 623
- HydrofactionTM 640
- hydrogen 527
 - bonds 59, 81, 595, 617
 - filled zeppelin airship 571
 - mass production 533
- hydrogenation 3, 5, 13, 57, 60, 63, 67–68, 84, 89, 94–95, 105, 121, 157, 165, 167, 191–192, 194, 272, 329, 331–333, 369, 505, 596, 604–609, 611, 619, 622–623, 625–626, 635, 637–638
- of *n*-olefins 121

- hydrogen evolution reaction (HER) 39,
63, 511–516, 534–535, 538–542,
545, 547–552, 651
electrocatalysts 548
 metal-free electrocatalysts 551
 noble metal-free alloys 548
 non-noble metals 547–549
 non-precious metal composites
 549–551
hydrogen oxidation reaction (HOR)
 572–573, 577
hydrophilic mesopores 171
hydrophobic macropores 171
hydrophobic metal precursors 68
hydro/solvothermal synthesis 11
hydrothermal carbon material 69
hydrothermal conditions 57, 68, 128,
619
hydrothermal method 22, 26, 62
hydrothermal modifications 124
hydrothermal procedure 61
hydrothermal treatment 52, 60, 68,
125, 130, 135
5-hydroxymethyl furfural (HMF) 196,
539, 596, 599–600, 603–606, 611,
620, 622–624, 626–628
5-(hydroxymethyl)furoic acid (HMFA)
626
2-hydroxypropionic acid 622
 γ -hydroxyvaleric acid 608
hyperfine sublevel correlation
(HYSCORE) 299
- i**
- Imperial Chemical Industries (ICI)
7
impregnation method 111, 212
increased intracrystalline diffusion
123
industrial catalytic process 636
industrial catalytic reactions 5
industrial Ruhrchemie catalyst 266
infrared (IR) spectroscopy 311
 attenuated total reflection mode
 314–318
 challenges 333
 frequency ranges 312
 of organic molecules, vibration types
 312
 theory on 311–313
 transmission mode 314–315
infrared microspectroscopy 317–318,
334
inherent microporosity 122
initial oxide layer 43
inorganic cluster 152
inorganic monolithic aerogels 265
inorganic radicals and radical ions
303
in situ and *operando* methodologies
220, 363
in situ EPR 302–303
 components 299
 of Cu-zeolite catalysts 301–302
 Cu-zeolite systems 303–305
 experimental methods and setup for
 298
 microwave frequencies 299, 300
 radicals and radical ions 305–306
 sample cavity 300
 setup issues 301
 signal channel 300
in situ flame deposition 192
in-situ measurement 301, 304
in situ transmission electron microscopy
 observation
 applications 259–261
 differential pumping-type system
 256–257
 in gas and liquid phases
 window-type system 254–256
 other systems 257–258
 π - π interactions 59, 71
intercrystalline mesopores 122
interfacial spillover 168
International Energy Agency (IEA)
 statistics 649
intracrystalline mesopores 122–123,
135–136
intracrystalline transport 123

- intrinsic Brownian (random) motion
169
- intrinsic reaction mechanisms
106–107
- invert enantioselectivity 158
- ion-exchanged zeolites 14, 302
- IR microspectroscopy 317–318, 334
- IRMOF-3 152, 155, 157
- iron carbonyl reaction 6
- iron oxide nanocrystallites (Pt₁/FeO_x)
109
- iron porphyrin 67, 72
- irreducible thorium oxide 7
- irregular nanoporous morphology 45
- IR spectroscopy 219, 327, 367
background spectrum 318–320
NH₃ 320
under operando conditions
325–328
using probe molecules 320–325
- isomerization, of hydrocarbons 8–9
- isorecticular linkers 157
- isorecticular MOFs 151–152
- j**
- Jablonski energy diagram 281, 377, 378
- Jacob's ladder of functional development
410, 411, 414
- Janus arrangement 168
- Janus AuPt systems 168
- Janus nanomaterials 165, 168
- Janus nanostructures 165–169
- k**
- K-edge XANES 343–345, 354
- kinetically controlled region 579
- kinetically restricted adsorbate
structures 229–231
- kinetic control, of zeolite seeds 131
- kinetic gas theory 226
- kinetic Monte Carlo simulations 245,
402
- Knøvenagel condensation 157
- Knudsen diffusion 123
- Kohn–Sham approach 406–409
- equation 407, 408, 471
wavefunctions 407–408, 413
- Koutecky–Levich (KL) theory 579
- Kubelka–Munk (K–M) function 317,
318
- Kuhlmann reaction 4
- l**
- lactic acid 622, 627–629
- lactide 627–630
- Lagrange formalism 426
- Lagrange multipliers 426–428
- Lambert–Beer law 317
- laminated graphene layers 258
- Langmuir–Hinshelwood (LH)
mechanism 504–505, 692
- lanthanum strontium manganite (LSM)
540
- La_{0.6}Sr_{0.4}MnO₃ (LSMO) 162, 165, 166,
172, 174
- lateral resolution 282, 285
- lattice constant 23
- layered (oxy)hydroxides 542
- Le Chatelier's principle 90, 634
- Lenz's law 32
- Lerf–Klinowski model 59
- Levich equation 579
- levulinic acid 196–197, 602, 622
- Lewis acid catalysis 148, 153, 157
- light absorption, of semiconductors
32–33
- lignin 120, 595, 617, 618
- lignocellulose 9, 594, 610–611, 617
conversion 57
- lignocellulosic biomass
biological and chemical pathways
594
composition and resources 595–596
cost of 593
DMF 604–606
ethoxymethylfurfural (EMF)
597–602
ethyl levulinate (EL) 602–604
γ-valerolactone (GVL) 607–610
2-methylfuran (MF) 606–607

- linear shrinkage 192
- linear sweep voltammetry (LSV)
578–581, 587
- liquid electrolyte water electrolysis
537
DWE 538
HWE 538–539
OWE 537–538
TWE 539
- liquid metal precursors 185
- liquid phase transformations 170
- liquid precursor formulations 187
- liquid water quantification method
266
- lithium-ion batteries 21
- load-cycling protocol 581
- local density approximation (LDA)
410, 411, 474
- localization-based super-resolution
microscopy 285, 289
- localized Gaussian-type basis 409
- localized SPR (LSPR) 15, 29, 169, 675
- low energy electron microscopy (LEEM)
217
- low-energy electron diffraction (LEED)
217–218, 233
- low-index facets 22, 24, 27
- lowest unoccupied molecular orbital
(LUMO) 80, 280–281, 388,
485–486, 490
- m**
- mackinawite-type nanosheet arrays of
FeS 545
- macrocycles 72
- macrocyclic molecules 71
- macroporosity 122, 125, 140, 161
- macroporous 124, 161, 162, 170–171,
173, 174, 265
- magnetic resonance imaging (MRI)
220, 295, 307
- mass activity 439, 579–580, 584–586
- mass transport limited current density
579
- mass transport losses 584
- mass transport-limited region 579
- mass-select nanoclusters 81
- material gap 218–219, 324
- Materials Project 509
- maximizing atom economy 633
- Maxwell velocity distribution 226–227
- mean jump distance 230
- Meerwein–Ponndorf–Verley (MPV)
reaction 609
- membrane-electrode assembly (MEA)
271, 539, 582–583
- Mercury–Cadmium–Telluride (MCT)
detectors 229
- meso/microporous MFI-Sn/Al zeolite
601
- mesoporous 161
aluminosilicates 600
carbon 130
silica supported Keggin
heteropolyacid catalysts 602
- mesoporous silica ([Si]MCM-41)
materials 110
- mesostructured architecture 162
- mesostructured frameworks 162
- meta-GGA functional 411
- metadynamics 420, 424, 430–432
- metal aerosol particles 183
- metal-based catalysts 79, 608
- metal-carbon hybrid materials 547
- metal carbonyl clusters 85, 88, 90
- metal catalysts, miniaturization 12–14
- metal cations 10–12, 46, 61, 109, 120,
205–207, 210, 212, 295, 620,
674
- metal cation-doping 207
- metal chalcogenides 545, 549
- metal clusters 3–16, 21, 58, 61, 71–72,
79–96, 105, 108, 244
- metal clusters-based catalysts
catalysts, deposition of clusters
81–85
chemically synthesised metal clusters
85–88
- metal clusters/single metal atom
deposition

- metal clusters/single metal atom deposition (*contd.*)
 - dopant elements, on carbon 71
 - metal clusters, immobilization of 71–72
- metal crystal catalysts 22
- metal deposition 674–677
- metal-exchanged zeolite 686–687
- metal-free carbon-based electrocatalysts 551
- metal-free catalyst 57, 59, 63
- metal-free electrocatalysts 551
- metal-ion doping 674–675
- metal-organic chemical vapour deposition 22
- metal–organic frameworks (MOFs) 10, 73, 546–547, 655
 - derived carbon (nano)materials 547
 - derived functional electrocatalysts 547
 - derived hybrid Co_3O_4 -carbon porous nanowire array 547
- metal halide precursors 185
- metallic cations 46, 48
- metallic foil 42–43, 51
 - oxidation of 42
- metallo-silicates 9
- metal oxides 61, 204, 542, 543, 545
 - catalysts 685
 - on graphene 61
 - interface 43
 - nanostructures 46
 - supports 584
- metal (oxy)nitrides 204–205, 208
- metal (oxy)sulfides 204–205, 208
- metal precursor 12, 57–62, 67–68, 72, 74–75, 108–109, 185–186
- metal precursor– O_2 73
- metal-to-metal charge transfer (MMCT) 14
- methanation of CO_2 329–331
- methanol 633, 637
 - synthesis 5–7, 15, 259, 633, 637–639, 641
 - to-hydrocarbon conversions 8
- methanol-to-olefins (MTO) reaction 128, 268
- 5-methylfurfural 605
- 2-methylfuran (MF) 594, 596, 597, 605–607, 611
- methyl tert-butyl ether (MTBE)
 - production 635
- methylene blue decomposition 170
- meticulous information 218
- MFI zeolite membrane 644
- micelle templating 170
- micro-and/or mesoporosity affords 161
- micro-channel plate (MCP) 387
- micro-reactors 352, 642–643
- microcanonical (NVE) ensemble 422
- microelectromechanical system (MEMS) 254–256, 258–260
- microkinetic modelling 497, 499, 502, 503, 506, 507, 511, 516, 520
- micropollutants 14, 16, 530, 671–682
- microporous 161
 - aluminophosphates zeolite analogs 131
 - channels 123
 - crystalline AlPO structure 134
- microwave-assisted heating 61
- mixed-metal clusters 71, 86, 94
- modified hierarchical zeolites 126
- modular infrared spectrometers 334
- modulation excitation (ME) technique 220, 325, 365–369, 371
- molar enthalpy, of metal sublimation 22
- molar weight, of materials 46
- molecular active sites, tools
 - post-synthetic methodologies 155–156
 - PSE 156
 - PSM 155
 - pre-synthetic methodologies 153–155
- molecular adsorption, of water 28
- molecular diffusion 217, 635–636, 645

- molecular dynamics (MD) simulations
420
- challenge 419
- conservation of total energy
422–424
- description 419
- examples of 433–437
- free energy calculations 425–432
- in canonical ensemble 422
- Neural Network 432–433
- in NVT ensemble 422
- TiO₂/H₂O model system 433, 435
- velocity Verlet algorithm 421–422
- Verlet algorithm 421
- water-gas shift reaction 436, 437
- molecular heterogeneous catalysis 58
- molecular heterogeneous catalysts
isoreticular MOFs 151–152
- MOF, catalysis
catalytic reactions, selectivity of
158
- monodispersion, of active sites
158
- standard heterogeneous catalysts
158
- SBU 151–152
- tools, molecular active sites
post-synthetic methodologies
155–156
- pre-synthetic methodologies
153–155
- molecular orbitals (MOs) 29, 80, 280,
388, 485
- molecular sieves 120, 130, 134,
619–620, 627–628
- molybdenum disulfide 11
- monodispersion, of active sites 158
- monolayer (ML) 83, 111, 167, 228,
461–468
- monometallic Ni catalysts 167
- monometallic systems 168
- monosaccharides 601, 604, 617
- MoO₃ truncated rhombohedral 44
- multidentate carboxylate linkers 148
- multielemental oxide-based catalysts
complex metal oxide catalysts 197
- composite metal oxide catalysts
192–197
- solid solution metal oxide catalysts
192
- multifunctional catalysts 611
- multi-phase reaction 636
- multivariate spectral analysis 220
in catalysis 371–372
- multiwall carbon nanotubes (MWNTs)
127, 551
- n**
- Nafion 271, 306, 539, 574, 577, 582,
655, 657
bound carbon layer 48
- nano-carbon 547, 554
- nanocrystalline metals 46
- nanodiamond core/graphitic shells
(ND@G) 63
- nanodiamonds 58, 63, 66, 74
- nanodumbbells 168
- Nanometer Accuracy by Stochastic
Chemical reActions (NASCA)
286
- type reactivity mapping 290
- nanomotors 169
- nano-onions 58, 63
- nanoparticles (NPs) 81, 103
propulsion 169
shape anisotropy 165
- nanoporous materials 161
- nanorods 10–11, 27, 40, 42, 44–45, 48,
62, 112, 165, 191, 545, 546
- nanoscale Mo₂C 550
- nano-sized zeolite crystals 122–123,
128
- nanostuctured metal oxide 42
- nanostuctured MoS₂ 549–550
- nanotomography 266
- nanotubular substrate 48
- National Institute of Standard and
Technology (NIST) 275
- natural emissions, of aerosols 183
- Nb₂O₅ nanorods 11, 44

- N-doped activated carbon 551
 N-doped hexagonal carbon 551
 N-doped TiO₂ 207, 560, 675
 near edge X-ray absorption fine structure (NEXAFS) 71, 343
 NEDO cell holder 582–583
 Nernst equation 577
 Neural Network (NN) 420, 432
 N/F-codoped rutile TiO₂ (TiO₂:N,F) 563
 NH₃ adsorption
 on a metal oxide 320
 on V₂O₅–WO₃–TiO₂ 318
 NH₃ assisted SCR reaction 303
 NH₃-SCR process 689, 691, 692
 Ni- and Mo-based HER catalysts 548
 Ni-based composites 540
 niche catalytic application 169
 NiFe hydroxides 542, 545
 based oxygen electrode 542
 NiFe mixed oxides 543
 NiMo ternary alloys 548
 Ni₃N nanosheets 546
 Ni₂P-based catalysts 607
 Ni₃S₂ nanorods/Ni foam 545
 4-nitrobenzaldehyde to 4-nitrobenzyl alcohol 14
 nitrobenzene 13, 147, 272
 3-nitrobenzene 13
 nitrogen (N₂)
 coordinated SACs 72
 fixation 5
 physisorption 148
 nitrogen-doped carbon decorated with iron atoms (Fe–N–C) 586
 nitrogen-doped TiO₂ 560
 nitrogen oxides (NO_x) 302–303, 529
 catalysts 272
 emissions
 NH₃-SCR of 687
 stationary and mobile sources 685
 zeolites 694
 inhalation 529
 nitrophenol 167, 169
 reduction, by NaBH₄ 167, 169
 N-methylpyrrolidone (NMP) 623
 NO, selective catalytic reduction of 197, 318, 328–329
 noble metal nanoparticles 60–62, 73, 676
 noble metal-doped titania 168
 noble metal-free alloying 548
 NOMAD 509
 non-conventional liquid water electrolysis 538
 non-empirical functionals 410
 non-equilibrium process 237
 non-noble metals and noble metal-free alloys 547–549
 non-noble transition metals 547
 non-polar solvent 61
 non-precious metal composites 549–551
 non-solubilizing solvent 94
 non-toxic green solvents 619–620
 Nosé–Hoover thermostat 422–423, 435–436
 nuclear magnetic resonance (NMR) 123, 136, 153, 220, 289, 295, 307, 328, 358, 691
 nudged elastic band (NEB) method 410, 413, 424, 504
 numerical aperture (NA) 281–282, 285

O
 octadecylamine 167
 octahedral geometry 148
 octahedrons 24–25, 29, 151
 O₂ dissociative adsorption 168
 OH desorption 165
 ohmic losses 536–537, 540–541, 573–575, 584
 one-dimensional (1D) photocatalysts 11
 one-pot synthesis 85, 603, 611, 620, 692
 one-step photoexcitation 209
 onion-line carbon (OLC) 63
 onset potential 539, 546, 579

- on-the-fly XAS 353
 - open circuit voltage 493, 584
 - operando IR spectroscopies, case study of 328–333
 - operando spectroscopy 219, 328, 352, 370
 - ordered mesoporous carbons 128–130
 - organic electrolyte 44, 51
 - organic/inorganic capping agents 25
 - organic linkers 10, 73, 148, 153, 155–157
 - organogold precursor 110
 - organometallic approach 61, 71–72
 - organometallic ligands 85
 - organometallic precursors 71
 - organosilane surfactants 131, 132
 - organosilanes 130
 - orifice 256–258
 - orthogonal catalysts 171
 - orthosilicic acid 9
 - O-, S-, N-, P-, and B-(dual) doped graphene 551
 - Ostwald ripening 113, 575, 581
 - overall water electrolysis (OWE) 537–538
 - overarching synthesis methodology 86
 - overpotentials 203–204, 356, 534–535, 538, 542–547, 551, 584, 652–653, 655, 657, 665
 - over-reactive anodization 46
 - oxidation
 - of pyrite (100) surface 413
 - of cyclohexane to cyclohexanone 13–14
 - oxidation rate 43, 355
 - oxidation–reduction (redox) reactions 40
 - oxidative coupling of methane reaction (OCM) 268, 303
 - oxide etching agent 42
 - oxide semiconductor 45, 259, 557
 - oxy-fuel combustion 185
 - oxygen adsorption 172, 234, 545
 - oxygen evolution reaction (OER)
 - electrocatalysts 39, 67, 533, 544
 - borides 546
 - carbides 546
 - metal chalcogenides 545
 - metal–organic frameworks (MOFs) 546–547
 - metal oxides 542–545
 - metal pnictides 546
 - oxygen reduction reaction (ORR) 14, 67, 72, 84, 105, 107, 507, 572, 576
 - oxynitrides (oxide-nitrides) 557, 559, 562, 564, 567
- P**
- paddle-wheel geometry 148
 - pair distribution function (PDF)
 - technique 269
 - pair distribution function (PDF)-CT 269–270
 - palladium–titanium oxide catalyst (Pd₁/TiO₂) 109
 - parallel macropore channels 170
 - partial oxidation, of *o*-xylene 194
 - particle detachment 575
 - particle–particle or particle–scaffold interactions 162
 - Pauli exclusion principles 29
 - Pb₂Ti₂O_{5.4}F_{1.2} 565, 566
 - Pd_xAu_y/C bimetallic catalysts 605
 - Pd-alloy membrane 644
 - Pd/Al₂O₃ catalysts 322
 - Pd nanoparticles 74, 161, 259, 333
 - penetration depth of hard X-rays 342
 - 1,5-pentanediol 622
 - pentoses 596, 617, 622, 627
 - Perdew–Burke–Ernzerhof (PBE)
 - functional 410
 - perfluorosulfonic acid (PFSA) polymers 539
 - periodic macropore arrays 170
 - periodic nanostructures 45
 - periodic stimulation 365
 - permselectivity 643–645

- perovskite based $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ (BSCF) oxygen evolution catalyst 356
- perovskite lattice 172–173, 197
- perovskite oxides 542
- persistent organic pollutants (POPs) 529–530
- petroleum hydrotreating 641, 643
- phase sensitive detection (PSD) 334, 357, 365–368
 - sensitivity enhancement by 366
- phenanthroline or 2,2-bipyridine 72, 676
- phosphines (PR_3) 85
- photo-Fenton process 74
- photo/electrochemical CO_2 reduction 39
- photoanode 45, 209, 567, 664–666
- photoanode–dark cathode 664–665
- photocatalysis 11, 21, 39, 45, 67, 74, 165, 225, 237, 292, 306, 377–393, 471–472, 484, 530, 567, 658, 660, 663, 665, 671–672, 679–681
- photocatalyst powder 212
- photocatalyst surface 203–204, 659
- photocatalytic abatement of
 - micropollutants, water and wastewater
 - heterogeneous catalysis 672
 - non-exhaustive 672
 - oxidative degradation 673
- photocatalysts components
 - optimization
 - carbon materials combination 677
 - metal deposition 676–677
 - semiconductor doping 674–676
 - semiconductors combination 677–678
 - surface sensitization 676
- photocatalysts configuration
 - optimization
 - 3D graphene aerogel materials 679–680
 - free-standing particulate 678–679
 - immobilization techniques 679
 - thin film nanocomposite materials 679
- reaction system optimization
 - reaction conditions 680
 - solar reactors 680–681
- photocatalytic H_2 reduction 392
- photocatalytic mechanism
 - mesoporous anatase 382, 384
 - mesoporous rutile with intelligent ink 383, 384
 - of Re-based photocatalyst
 - immobilized on TiO_2 386
- photocatalytic reaction 11, 27, 51, 205, 209, 377, 381–383, 386, 561, 660, 673, 676, 680
 - of mesoporous anatase 381
- photocatalytic water splitting 306, 484, 558, 559
- photocathode–dark anode 664–665
- photocathode–photoanode 664–666
- photocharge transport 45
- photocharge, for surface reaction 45
- photocorrosion 205, 209, 665
- photocorrosive material 205, 209
- photodegradation, of organic pollutants 27
- photodeposition method 212
- photoelectrocatalytic reactions 11
- photoelectrochemical catalysis 33
- photoelectrode systems 209
- photoelectrons, diffusion of 45
- photoelectrons, fraction of 45
- photoemission electron microscopy (PEEM) 217
- photoexcitation 45, 209, 385, 387, 390, 412, 559, 560
- photogenerated electron-hole charge generation 168
- photogenerated electron-hole pairs 165, 663, 674

- photogenerated electrons 29, 203, 207, 212, 383, 564, 659, 663, 673–674, 677
- photoholes 45, 94
- photon based techniques 229, 246
- phthalic anhydride 194
- pillared Zn porphyrins 157
- plane-wave basis set 409, 489
- plant-derived biomass 596
- plasmon frequency 32
- platinum catalyst 4, 588
- platinum dissolution 575, 581
- platinum electrocatalyst 572, 574–576, 585
- plug flow reactor 185, 352
- Pluronic P123 triblock copolymer 10
- Poisson distribution 227
- polarization modulation-infrared
 - reflection-absorption
 - spectroscopy (PM-IRRAS) 324
- poly(triazine imide) 67
- poly(vinylpyrrolidone) (PVP) 13, 25, 26, 169
- polybenzimidazole (PBI) 585
- polyether sulfone (PES) 424, 432, 536
- polyethylene 633–634
- polyethylene oxide templated 170
- polyethylene terephthalate (PET) 622–624
- polyethyleneimine 135
- polylactic acid (PLA) 174, 622, 627, 629
- polymer electrolyte fuel cells (PEFCs)
 - cyclic voltammetry 577–578
 - durability measurement 581
 - electrochemical surface area (ECSA) 574
 - electron transfer number 580–581
 - future perspectives 587–588
 - Grove's fuel cell 573
 - half-reactions 572
 - hydrogen oxidation reaction 572
 - linear sweep voltammetry (LSV) 578–580
 - MEA measurements 583–584
 - membrane-electrode assembly (MEA) 582–583
 - ohmic losses 573
 - operation principle 571
 - oxygen reduction reaction (ORR) 572
 - platinum electrocatalyst 574–576
 - research 584–586
 - solid polymer electrolyte 574
 - sulfuric acid 573
 - triple phase boundary 573
 - unoptimized electrode design 573
 - voltammetry 576–577
- polymer electrolyte membrane (PEM)
 - fuel cells 12, 39, 192, 571–588
- polymer electrolyte membrane water electrolyser (PEMWE) 536, 539–540
- polymer precursors 619, 622
- polymeric carbohydrates 595
- polymerized (polymerizable) complex method 211
- polyphenylene sulfide (PPS) 536
- popping 62
- pore dimensions 9, 122, 161
- porosity dispersion 126, 140
- porous/anisotropic substrates,
 - functionalisation of 17–0174
- porous carbon support formation 73
- porous catalysts 8–11, 169–171, 283, 287
- porous materials 10, 83, 95, 148, 152, 161, 171–172, 287, 684
- post-synthetic exchange (PSE) 154–157
- post-synthetic modification (PSM) 154–157
- potential energy, of electrons 28
- potentiostat 40, 42, 46, 48, 467
- potentiostatic condition 48
- potentiostatic method 46
- pre-edges 344
- pre-impregnated metal precursors 60, 62
- pre-synthesized nanoparticles 61

- precipitation method 212
- pressure gap 219, 225, 231, 246, 324, 339
- pressure gaps, in heterogeneous catalysis
- adsorption, on solid surfaces
 - kinetically restricted adsorbate structures 229–231
 - supported nanoparticle catalysts reactions 244–245
 - thermodynamically driven reactions 234, 237
 - high-pressure studies, of catalysts 226–229
- pristine carbon supports 72
- propane dehydrogenation 13, 63
- proton-exchange membrane fuel cells (PEMFCs) 48, 265, 665, 666
- protonic SOEWE 541
- pseudo-ternary $\text{Ni}_{0.2}\text{Co}_{0.3}\text{Ce}_{0.5}\text{O}_x$ 543
- Pt catalyst 72, 172, 237, 271, 272
- Pt loaded ceria-based catalysts 354
- Pt(acac) method 575–576
- Pt/CeO₂ 244, 349, 351, 355, 357, 370
- ptychographic X-ray CT 273, 274
- pulse current (PC) 47–48, 257
- pulse EPR 307
- pulse reverse current (PRC) 47
- pulse/step anodization 45–46
- pump–probe spectroscopy 378
- q**
- quantitative correlation 106, 354–355
- quantum mechanics 402–403, 406, 483, 488, 497
- quasi-in situ* measurement 301
- quenching process of triethanolamine (TEOA) 385
- quick XAS 353
- r**
- radiofrequency (RF) potentials 82, 295
- random walk motion 45
- Raney catalyst 5
- rate-determining steps (RDS) 123, 243, 355–356, 383, 502, 516, 625, 692–694
- rational catalyst design 263, 373, 509–520
- Rayleigh criterion 282
- reactive ion 42, 162
- reactive oxygen adatoms 165
- reactive oxygen species (ROS) 67, 539, 673
- red-hot metals 3
- redox processes 368, 472, 577, 651–652, 674
- redox reactions 11, 40–41, 52, 291, 306, 472, 576, 651, 660, 663, 676
- reduced graphene oxide (RGO) composite 51, 60–62, 549
- reduced Ni/Al₂O₃ catalyst absorbance spectrum of 312–313
- reduced steric limitation 123
- reduction-oxidation 651, 663
- reference electrode 40–41, 457, 576–577
- reference topology 152–154
- refractive index 282, 291, 315
- regioselectivity 158
- residence time 186, 189, 196, 197, 199, 230, 244, 325, 369, 640, 643
- resonant inelastic X-ray scattering (RIXS) 349
- resonant oscillation, of conduction electrons 29
- resonant XES (RXES) 340, 349–351, 353, 355, 357–358
- retrofitting 185
- retrosynthesis, of organic compounds 162
- reverse water-gas shift (RWGS) 331, 637
- revised lone pair (RLP) model 566
- Rh wet impregnation 172
- RhAu alloy nanoparticles for NO decomposition by machine learning 518–520

- rhodium–platinum gauze 4
- rhombohedral-shaped single nanocrystal 190
- ring electrode 580
- ring-opening, of epoxides 157
- rotating disk electrode (RDE) 578–579
- rotating ring-disk electrode (RRDE) 578, 580
- Ru nanoparticles 62
- Ru₅PtSn catalyst 94–95
- RuO₂/TiO₂:Ta,N photocatalyst 561
- ruthenium 5, 7, 535, 604, 676
- rutile TiO₂ photocatalysts 559–564
- S**
- Sabatier principle 507, 655
- sacrificial reagents 205–206, 208–209, 559
- sacrificial stabilizing agent 61
- “safer solvent or auxiliary,” 633
- salicylic acid 650
- scaling relation and reaction energy 502–503
- scanning electron microscopy (SEM) 31, 44, 134, 166, 244, 268, 290–291, 547, 586, 678, 679
- scanning probe microscopy 220
- scanning tunneling microscopy (STM) 228–229, 231–232, 235–237, 242, 253, 440, 658
- scanning-type atomic-scale imaging techniques 253
- Schrödinger equation 403, 405–407, 410, 419, 424, 432, 471–473, 477
- second generation biofuels 595
- secondary building units (SBUs) 151–152
- selective catalytic reduction (SCR) process 344, 529
- carbon-based catalysts 686
- CHA-type SSZ-13
- cation location 689–691
- copper status 691
- shape selectivity 688–689
- deNO_x methods 694
- HONO 693
- metal oxide catalysts 685–686
- microporous zeolites 693
- NH₃ 692–694
- of NO 328
- noble metal-supported alumina 685
- reaction sequence and reaction rate 694
- zeolite catalysts 686–688
- selective enzyme (catalase) tethering 169
- self-consistent field (SCF) calculations 408, 409, 479
- self-interaction error (SIE) 410, 412
- self-supporting wafer 314, 327
- semiconductor doping 674–676
- semiconductor photoanode 45
- semiconductor photocatalyst 13, 34, 203, 204, 210, 559–560, 660, 671–672
- synthesis methods
- flux method 211
- solid-state reaction method 211
- semiconductor-based photocatalytic processes 673
- semi-empirical functionals 410
- sequential and non-overlapping pulses 72
- shape anisotropy 162–165
- silanized zeolitic seeds 130
- silanol-rich domains 136
- silica-supported Wells–Dawson heteropolyacid 602
- silicate (SiO₄⁴⁻) 9
- silicate polyanions 130
- silicate polymerization 130
- silicoaluminophosphate 134, 691–692
- silylane cationic polymers 130
- simple metal oxide-based catalysts 187, 189–192, 197
- simultaneous metallic catalyst 73
- Si nanopillar/nanocones 162

- single atoms (SAs) 3–16, 34, 58, , 62, 68, 69, 71–74, 80, 103–114, 548, 551
- single crystal X-ray diffraction (XRD) 86, 150
- single-site catalysts 71
- single walled CNTs 60
- single-atom catalysts (SACs) 14, 58, 71, 104
 - advantages
 - CAS, identification 105–106
 - intrinsic reaction mechanisms 106–107
 - maximum atom efficiency 105
 - unique catalytic properties 105, 106
 - chemical methods 108
 - bottom-up synthetic methods 109–112
 - top-down synthetic methods 112–113
 - concepts 104
 - physical methods 108
 - synthesis 107
- SiO₂ nanoparticles 94
- SiO₂-supported Ni and Ni–Fe bimetallic catalysts 607
- “site-isolated” catalysts 89
- small angle X-ray scattering-CT (SAXS-CT) 274–275
- small Fe nanoparticles 61
- smooth overlap atomic position (SOAP) 519
- Sn-BEA zeolite 601
- Sn-containing molecular sieves 620, 628
- Sn-zeolites 600
- “soft-landing” conditions 83
- SO₃H-functionalized polymer catalysts 600
- SO₃H-silica catalysts 601
- soft templates
 - silanization templating methods 135–136
 - templating, with surfactants 130–135
- soft-templating methods 124
- sol–gel method 22, 675
- sol–gel silica particles 10
- solar reactors 680–681
- solar water photocatalytic reactors 681
- solid alkaline water electrolyzer (SAWE) 539–540
- solid materials 124, 148, 218
- solid molecules 153, 155
- solid oxide electrolyte water electrolysis (SOEWE) 536, 540–541
- solid polymer electrolyte 574, 657–658
- solid solution metal oxide catalysts 192
- solid-solution photocatalysts 209–210
- solid-state heterogeneous catalysis 58
- solid (semiconductor) photocatalyst 203
- solution-phase synthesis 25
- solvent assisted linker exchange (SALE) 155
- solvent-free aerobic oxidation, of cyclohexene 92
- solvothermal 153
- solvothermal method 22, 560
- solvothermal reduction, in liquid phase 61
- solvothermal synthesis method 62, 211
- Sonoco–Vacuum Oil Company 8
- space-confined method 58, 125–127
 - carbon nanotubes and nanofibres 127–128
- space-filled cluster representation 86, 87, 89
- spatial localisation 169
- spatially resolved surface photovoltage spectroscopy (SRSPS) 31
- special matrix isolation technique 303
- specific activity 165, 579–580, 585, 626
- specific surface area (SSA) 60, 68, 120, 189, 196, 439, 551, 679
- spectroscopic studies, issues in 363–364

- spectroscopic technique 229, 264, 271, 274, 279, 377–393
- sp²-hybridized carbon atoms 59
- spin-trapped OH radicals 306
- spin trapping process 303
- spin traps 303, 306
- spin/dip/doctor-blade coating 39
- spinel oxides 542
- spray pyrolysis 11, 15, 185–186
- sputtering 39, 84, 241
- stabilization of suspension 50
- standard Gibbs free energy change 505
- start–stop protocol 581
- steady-state isotope transient kinetic analysis (SSITKA) 220, 325, 334, 369–371, 373
- steam reformer 7, 636, 641–643
- steam reforming of methane 636, 641–642
- steric hinderance 123, 385
- strong metal–support interaction (SMSI) 63, 90, 104, 113, 172
- structure-directing agents (SDAs) 9, 11, 131–135, 138–139, 607
- sub-bandgap excitation 189, 676
- subnanometer Au regions 168
- sulfuric acid 3–4, 67, 573, 576
- super-resolution fluorescence microscopy 285–290
- case studies 286, 287, 289, 290
- superacid-like catalyst 238
- superatoms 81, 88
- supercritical fluids 327, 635, 639–641
- supercritical water gasification (SCWG) 640
- superimposed alternating current (AC) 82
- surface energy 12, 13, 22–24, 35, 259
- surface energy order 24
- surface grafting 14, 15
- surface metal-oxygen bond 42
- surface modification of metallic nanoparticles (NPs) 391
- surface plasmon resonance (SPR) effects 15, 29, 81, 168–169, 675–676
- surface science approach 226
- surface science studies 27, 322
- surface sensitization 676
- surfactant-silicate mesostructures 130
- sustainable chemistry 527
- Suzuki coupling 13
- synthesis process 7, 22, 79, 85, 119, 633
- synthetic zeolites 8
- t**
- Tamman temperature 218
- tandem water electrolysis (TWE) 538–539
- Ta₂O₅ nanotubes 11, 557
- temperature-programmed desorption (TPD) 140, 235
- terephthalic acid 153, 622–624, 626–627
- terminated nanocubes 165
- ternary NiMoTi alloy 548
- ternary oxide films 52
- tetradentate nitrile ligand 147, 148
- tetraethyl orthosilicate (TEOS) 9
- tetrahedral geometry, of ligand 147
- tetrahydrofurandimethanol (THFDM) 622, 623
- tetrahydrofurfuryl alcohol 622
- tetrakis(acetonitrile)copper(I) 147–148
- theoretical cell voltage 583
- theory of relativity 403
- thermal catalysis 21, 39, 225
- thermal decomposition method 22
- thermal stability 150, 156, 168, 192, 197, 689
- thermal treatment, in H₂ gas 58
- thermal/chemical/physical/vapour deposition 39
- thermochemical methods 650
- thermodynamic stability 113, 636
- thermogravimetric analysis (TGA) 150, 327
- thermophoretic deposition 185
- thiol ligands 81

- thiolate-protected metal nanoclusters
 - 86
 - third generation biofuels 595, 596
 - three-dimensional ordered
 - macroporous $\text{La}_{0.6}\text{Sr}_{0.4}\text{MnO}_3$ (3DOM LSMO) 172
 - three-dimensional ordered porous structures 162
 - three-electrode cell 576, 578, 580–582
 - three-electrode configuration 41
 - three-way catalysts (TWCs) 189–190, 192, 685
 - time-correlated single-photon counting (TCSPC) unit 386
 - time-resolved Cu K-edge XANES study 344, 354
 - time-resolved microwave conductivity (TRMC) 389
 - charge-carrier dynamics of Pd-Ni bimetal nanoparticles modified TiO_2 391–393
 - experimental setup 390
 - time-resolved photoluminescence (TRPL) 386
 - components 386
 - experimental setup for 386, 387
 - heterogenous dye sensitized- C_3N_4 catalysts 388
 - streak tube operating principle 387
 - TiO_2 nano-crystalline 676
 - TiO_2 nanorod 27
 - TiO_2 nanotube (TNT) 11, 42, 44, 51, 290
 - tip-enhanced Raman 220
 - titanium diisopropoxide
 - bis(acetylacetonate) precursor 168
 - titanium dioxide (TiO_2) 27, 44, 237, 660
 - nanotube arrays 42
 - 1T- MoS_2 polytype 549
 - tomographic data collection strategy 264
 - tomography, in catalysts design
 - conventional absorption-CT 265–267
 - imaging, with X-rays 264–265
 - PDF-CT 269–270
 - XRD-CT 267–268
 - top-down approach, of fabricating clusters 82, 108, 162, 164
 - transesterification, of bulk triacyl glycerides 170
 - transient absorption spectroscopy (TAS)
 - Beer–Lambert Law 378
 - history 378
 - schematic layout 379
 - uses 380
 - transition metal nanoparticles 61
 - transition state theory (TST) 420, 423–424, 497, 503, 505
 - transmission electron microscopy (TEM) 71, 88, 92, 94, 107, 113, 127, 129, 134, 139, 191, 193, 219, 231, 233, 253–255, 258–260, 291, 352, 547, 584–586
 - transmission IR spectroscopy 314, 315, 332
 - of CO adsorbed on Pd(111), Pd(100) and silica supported Pd catalyst 324
 - trickle-bed or slurry reactor 636
 - triethylamine (TEA) 306
 - trimethoxysilane (3-glycidoxypropyl) 135
 - triple phase boundary 573–575
 - tube-enclosed FSP configuration 190
 - tungsten disulfide 11
 - turbostratic structure 58
 - turnover frequencies (TOFs) 13, 92, 172, 245, 352, 519
 - σ -type donation 71
 - two half-reactions 41
- u**
- ubiquitous formation 183
 - ultrafast spectroscopic techniques 377
 - time-resolved microwave conductivity 389–393

- time-resolved photoluminescence 386–389
- transient absorption spectroscopy 377–386
- ultrafine nanoparticles 103
- ultrahigh-vacuum (UHV) 82, 217, 226–227, 324, 333
- ultrathin NiCo bimetal-organic framework nanosheets 546
- UMCM-1 topology 155, 157
- under ultra-high vacuum (UHV) 81–86, 94, 95, 217–219, 226–232, 234, 237, 240–241, 257–258
- unmodified Ag NPs 167
- unoptimized electrode design 573
- unprecedented narrow-gap oxyfluoride 564–566
- uronic acids 617
- V**
- vacuum-annealed rutile TiO₂ 108
- valence band (VB) 28, 29, 32, 203–206, 208–210, 377–378, 472, 490, 557, 564, 659–660, 665, 673–675
- valence band controlled photocatalysts 208–209
- valence band maximum (VBM) 32, 33, 203, 204, 557, 561, 566
- value-added chemicals synthesis from carbohydrates
- dihydrolevoglucosenone 623
 - furandicarboxylic acid (FDCA) 623–626
 - 1,6-hexanediol (1,6-HDO) 623
 - lactic acid 627–628
 - lactide 628–630
 - terephthalic acid 626–627
- van der Waals forces (polarization forces) 50, 59, 228
- vapor-fed flame synthesis (VFS) 185, 189
- vaporization/sublimation, of droplet 186
- vapour deposition methods 39
- vectorial charge transport 11, 44, 45
- velocity Verlet algorithm 421–422
- Velocys methane steam reformer 642
- Verlet algorithm 421–422, 427
- vibrational spectroscopy 246, 301, 307, 311, 312
- visible-light-driven overall water splitting 559
- visible-light-responsive narrow-gap photocatalyst 557
- visible-light-responsive photocatalysts
- GaN-ZnO 558
 - oxynitrides (oxide-nitrides) 557
 - rutile TiO₂ photocatalysts 559–564
- unprecedented narrow-gap oxyfluoride 564–566
- visible-light-driven overall water splitting 559
- water splitting 558
- ZnGeN₂-ZnO 558
- volatile organic compounds 183, 529
- volatile organic molecules 184
- voltammetry 440, 463, 468, 552, 576–581
- voltammogram 576–578, 585–587
- V-W-TiO₂-sepiolite catalyst for selective catalytic reduction (SCR) 328
- W**
- wastewater treatment plants (WWTPs) 681
- wastewater treatment processes 529, 671
- water-gas shift (WGS) reaction 13–14, 105–106, 110, 325, 331, 369–370, 436, 637, 641, 643–644
- water oxidation 204, 208–209, 533, 542, 558–565, 567, 635, 640, 659
- water photoelectrolysis 45
- water splitting 11, 14, 26, 27, 39, 49, 57, 84, 94, 165, 190, 192, 203–204, 206, 209, 306, 356, 484, 528, 533–552, 557–568
- water splitting reaction 49, 190, 192, 528, 536

- water-stable NH_2 -MIL-88B(Fe_2Ni)
 MOF materials 547
- wave-particle duality 403
- well-defined metal clusters 15
- wet-chemistry synthesis, optimization
 of
 colloidal nanoparticles, deposition
 71
 metal clusters/single metal atom
 deposition 71
 dopant elements, on carbon 71
 metal clusters, immobilization of
 71–72
- wet impregnation method 12, 69, 71,
 106, 109, 172, 190, 194
- wet synthesis techniques 194
- wide-field fluorescence microscopy
 (WFM) 284–286, 291
- window-type system 254–256, 258,
 259
- WO_3 52, 94, 185, 189, 380, 557–558,
 665, 674
 nanoflowers 44
 nanosheets 11
- Wulff construction 22, 24, 260
- X**
- X-ray absorption near edge structure
 (XANES) 343, 345
 energy resolution 357
 sensitivity 357
- X-ray absorption near edge
 structure-CT (XANES-CT)
 270–272
- X-ray absorption spectroscopy (XAS)
 219, 367, 368
 fluorescence-detected 343
 limitations 356–357
 time-resolved 353–356
 transmission signal 342
- X-ray damage 357
- X-ray diffraction (XRD) 113, 114,
 133–135, 150, 198, 269, 275, 307,
 325, 327, 346, 358, 367, 560, 689
- X-ray diffraction computed tomography
 (XRD-CT) 267–272
- X-ray emission spectroscopy (XES)
 347–351
 high energy resolution (resonant)
 348
 limitations 356–357
 sensitivity 357
 time-resolved 354
- X-ray fluorescence-CT (XRF-CT)
 270–272
- X-ray photoelectron spectroscopy
 (XPS) 71, 94, 165, 217, 219,
 235, 246, 358
- X-ray spectroscopy 339
 applications 341
 fundamentals of 339–342
in situ and *operando* cells 351–353
- xylose 596, 606, 617, 622
- y**
- yttria stabilized zirconia (YSZ) 540
- Z**
- Zeeman effect 296
- Zeeman splitting 297–298
- zeolite 110, 119
 catalysts 686, 688
 deactivation 124
 microporous framework of 121
 rings 120
 shape selectivity 121, 122
 structure 120
- zeolite-templated carbon (ZTC) 10
- zeolitic channels 644
- zeolitic materials 126, 130, 131, 139
- zero-gap electrode cell 537
- zeta potential 50
- ZIF-67 547
- zinc chromite (Cr_2O_3 -ZnO) catalyst
 6
- zinc oxide 48, 170
- zirconyl chloride 11
- ZnGeN_2 -ZnO 558
- ZrO_2 600
- Z-scheme system 209, 559–561, 564,
 567, 665

