

Index

- a**
- absorption 110
 - basic design data, of column for absorption of CO₂ in water 118
 - Bunsen absorption coefficient 113
 - chemical absorption of CO₂ in *N*-methyldiethanolamine 115–116
 - CO₂ in water, and subsequent bicarbonate formation 111–115
 - design of columns 116–118
 - equilibria of chemical absorption 111
 - equilibria of physical absorption, comparison 112
 - gas velocity and flooding of absorption column 118
 - height equivalent of one theoretical stage (HETS) 118
 - Henry coefficients for different gases 112
 - McCabe–Thiele diagram, for absorption process 117–119
 - packed columns 121
 - principles of chemical and physical absorption 110
 - Raoult's law 111
 - solvent, and solute activity 114
 - technical absorption processes 116
 - acetaldehyde 473, 486, 685
 - liquid phase oxidation 721
 - oxidation 722
 - acetic acid synthesis via 722–723
 - radical mechanism 723
 - production 473, 486
 - acetic acid 37, 479, 483, 487, 721
 - anhydride 37
 - commercial production technologies
 - direct ethylene oxidation 728
 - by ethane and methane oxidation 728
 - consumption 722
 - dominant manufacturing process 721, 722
 - production capacities 487, 722
 - synthesis 722, 723
 - via acetaldehyde oxidation 722
 - via butane or naphtha oxidation 723
 - via methanol carbonylation 724
 - acetone 103, 108, 109, 113, 487, 488, 690, 691, 724
 - acetylene 410, 412, 469, 473, 478, 483, 484, 609
 - from CaC₂ 478
 - industrial products from 478
 - acetyl radical 723
 - acid aerosols 572
 - acid–base catalyzed reactions 22–23
 - acid catalyst 22, 26, 476, 481, 507, 651, 652, 655, 657, 809
 - acid-catalyzed reaction 22, 488, 649, 656
 - acidity 21, 635, 648, 652, 680
 - acid-soluble polymers 650
 - acrolein 38, 483, 485–488, 512, 689
 - acrylamide 38, 492
 - acrylic acid 139, 474, 485, 487, 488
 - acrylonitrile 469, 474, 492–493
 - activation energy 34, 42, 193–195, 204, 695
 - apparent activation energy of
 - diffusion processes 216, 218
 - for chain transfer 786
 - correlation b/w activation energy and reaction enthalpy for a reversible reaction 202–203
 - influence on reaction rate
 - constant 195
 - negative 588, 590
 - active Phillips catalyst 788
 - active polymerization systems 788
 - activity coefficient 114, 139, 186, 187, 189, 764, 765
 - addition reactions 21, 22, 25, 27–29, 450, 473, 474, 479
 - adhesives 136, 424, 459, 488, 496, 502, 508, 512, 523, 527, 722
 - adiabatic beds 570, 572
 - adiabatic compression 158, 159, 169, 437, 438
 - adiabatic expansion 46, 68, 151
 - total work 52
 - adiabatic fixed-bed reactors 281, 342, 471, 549, 649
 - adiabatic multiple-bed reactor 684
 - adiabatic operation 281, 295, 296, 304
 - of a batch reactor 295
 - choice of best reactor type for adiabatic operation 307–309
 - of a CSTR 299–300
 - of a PFR 304, 308
 - adiabatic reactors with periodic flow reversal 342
 - commercial applications 342
 - temperature profiles 342
 - adipinic acid 22, 470, 472, 480, 488–489, 495, 501
 - adipodinitrile 469, 470, 472, 473
 - adiponitrile 479, 491–493

- adsorption 122, 451
 - application areas, liquid and gaseous components 131
 - bed zones 131
 - BET isotherm 124–127
 - BET theory, originators 127–128
 - breakthrough curves for H₂S
 - adsorption on a molecular sieve 133, 134
 - calculation of L_{ads}, ideal, HTZ, and LUB based on breakthrough curves 135–136
 - capillary condensation and adsorption/desorption hysteresis 127
 - competitive 128
 - design of a fixed-bed adsorption process 131
 - desorption 132
 - dissociative 128
 - equilibrium and isotherms 122–129
 - equilibrium of a binary system on zeolite 129
 - height of mass transfer zone HTZ 132
 - hysteresis loop during adsorption and desorption of N₂ in a cylindrical pore 127
 - kinetics (single particle) 129–131
 - length of unused bed of an adsorber 134
 - minimal ideal length of adsorber 133–134
 - total design length of an adsorber 134–135
- advanced solvents 37, 44
- after co-precipitation 680
- Ag-catalysts 687
- air pollutants, global emissions 512
- air separation processes 450
- air velocity 557
- Al-catalyzed reaction 735
- AlCl₃ 22, 26
- alcoholates 22, 499
- alcohol synthesis
 - by cycloalkane oxidation 482
 - by ethylene oligomerization and Al-complex hydrolysis 482
 - by fatty ester hydrogenation 482
 - global production 480
 - from olefin and syngas 482
 - by olefin hydration 482
- by sugar fermentation 482
- aldehydes 27
 - distillation column 708
 - hydrogenation 482, 703, 707
 - industrial production 486
 - linear 705–706
 - Rh-hydroformylation, selectivity for 720
 - Rh-loss 713
 - selectivity to linear aldehyde 703
- Alfol process 482
- aliphatic isocyanates 493
- alkanes 469, 471
 - applications 469
 - chlorination 23
 - from crude oil distillation 471
 - dehydrogenation 43, 471
 - industrial processes for 472
 - oxidation of 472
 - sulfoxidation 23
- alkenes 25, 27
- 1-alkenes
 - with chain lengths between C₆ and C₁₈ 731
- ethene polymerization 783
- industrial applications 473, 730
- Poisson distribution 731
- polymerization to 473
- production 730, 735
- SASOL commercially extract 736
- SHOP technology 735
- alkenylsulfonates 505
- alkylate quality 656
- alkylation 35, 205, 415, 447, 450, 471, 504, 610, 652, 654
 - of 2-butene with isobutane 650
 - commercially applied 656–657
 - of fatty amines 504
 - of hexanes with ethane 649
 - HF alkylation 656
 - of olefins with isoparaffins 649
 - with sulfuric acid as catalyst 651, 656
 - using hydrofluoric acid as catalyst 653
- alkylbenzene sulfonates 504, 506, 730
- alkyl cations 25
- alkyl chlorides 491, 504
- alkyl cyanates 493
- alkyl groups 20, 25, 478, 504, 612, 716, 734, 740, 787, 788
- alkyllithium 497
- alkylphenol 505, 689
- alkylphenyl polyether glycols 505
- alkyl polyglycosides 428, 505, 507
- alkylsulfonates 504, 506, 719
- alkynes 27, 412, 472
 - industrially important 473
- allyl chloride 474, 483, 494
- allylic alcohol (2-propen-1-ol) 483
- α -olefin sulfonates (AOS) 730
- α -phenylethanol 691
- α -SABLIN technology 735
- alumina 451
- aluminium-alkyl compounds 730
- aluminum 454
 - aluminum-alkyl-based
 - aufbaureaktion 730–733
 - based oligomerization processes 735
 - cell for fused salt electrolysis of aluminum 781
 - electrical energy consumption for production 780
 - production by electrolysis 779
- amination 491
- amines
 - absorption 146
 - amine as solvent 632
 - industrially relevant amine compounds 490
 - industrial routes for 491
- amino acids 469, 501
 - essential 807, 808
 - feed additives 807
- fermentation
 - bacteria 810–811
 - bioreactor 811, 812
 - downstream processing 812–813
 - substrates 811
- food sector 807
- industrial 807–810
- nonessential 807

- 6-aminopenicillanic acid 38
- ammonia 30, 448
 - catalytic oxidation 42, 577–583
 - concentration and temperature field 580
 - conversion and characteristic temperatures 585
 - technical reactor for 583
- reactor
 - inert gas, influence 543
 - pressure drop 542
- synthesis

- annual worldwide production, evolution 539
 Haber–Bosch process 38
 historical development 537–539
 kinetics and mechanism 540
 reaction scheme 540
 syngas composition 548
 technical ammonia process and synthesis reactors 542–547
 thermodynamics 539–540
 Amoco process 489, 721
 Andrussov process 469
 aniline 22, 26, 120, 490, 491, 510
 aniline-based herbicide (*S*)-metolachlor 510
 aniline hydrogenation 491
 anionic detergents 504–505
 anionic polymerization 19, 20, 499
 annual consumption, of crude oil 30
 annual global production, of chemicals 2, 452
 anthropogenic global warming 395, 396
 anthropogenic NO_x emissions 514
 anti-graying agents 503
 anti-icing agents 693
 Antoine equation 55
 apparent activation energy
 diffusion processes 216
 solid catalyzed reaction 242
 aqueous electrorefining, of copper 779
 ARGE catalyst 671
 ARGE fixed bed process 667–669
 aromatic compounds, industrially important 25, 473
 aromatic hydrocarbons 2, 372, 421, 512, 665
 aromatization 447, 610
 Arrhenius, Svante August 193
 Arrhenius equation 65, 195, 202, 235, 268, 299, 347, 367
 Arrhenius law 34, 193, 204, 587
 Arrhenius number 230, 231, 239, 240, 267, 297, 329
 Arrhenius plot 65, 193, 242, 366, 568
 Aspertame[®] 510, 807
 asphalt 414
 Aspirin[®] 507
 asymmetric carbon atom 28
 asymmetric catalysis 510
 asymmetric synthesis 28–30, 510
 atomic absorption spectroscopy (AAS) 40
 Aufbaureaktion 730–733
 autoclave process 785, 786, 790, 792
 automotive fuels 609, 664
 auto-refrigeration processes 655–656
 auxiliary induction 30
 Avogadro, Amedeo Carlo 47
 axial dispersion coefficient 316, 326, 341, 644, 646
 axial temperature profiles 326, 350, 354, 356, 558, 671, 672
 azeotropic distillation 724, 725
 heterogeneous 109
 homogeneous 109
 azeotroping agents 725
- b**
- back-biting process 785
 bacteria 481
 Barkleew diagram 297, 674, 699
 Barlow equation 153
 Barlow, Peter 153
 base chemicals 469
 BASF company
 annual capacity of ethylene oxide 692
 carbonylation process for acetic acid production 724, 725
 sales in 2007 and 2009 3, 4
 basicity 21
 batch operation mode 812
 batch reactor 203, 204, 278, 285, 286
 battery-electric vehicles 458
 Bechamp process 491
 Beckmann rearrangement reaction 492
 bentonite 481
 benzene 22, 26, 476
 chemis-tree, illustration 470
 chlorination 450, 494
 direct amination of 491
 Friedel–Crafts alkylation 477, 691
 important industrial products from 477
 nitration of 26
 produced together with toluene and xylenes 476
 Bergius, Friedrich 32, 422, 665, 666
 Bergius–Pier process 403, 422, 665, 666
 Bernoulli, Daniel 150
 Bernoulli equation 149, 151
 Berzelius 31
 Bessemer process 591, 593
 β-hydride elimination 734
 BET isotherm 124–127
 biocatalysis 30, 35–38, 44, 269, 481
 biodegradable detergents 730
 biogas 372, 390, 391, 393, 403, 406, 407, 469
 biomass
 to energy supply, global contribution 405
 gasification 564
 to liquid (BTL) processes 664
 particle transient heating, during pyrolysis 555
 pyrolysis 554–555
 renewable energy 390–392
 Biot, Jean Baptiste 47, 83
 Biot number 84, 240, 253, 555, 598, 609
 biotransformation 37
 biphasic system 271, 272, 502, 711, 713, 717
 BIPHEPHOS ligand 705
 Birkeland–Eyde process 574, 576
 bisphenol A 480, 488, 501
 bisulfite 28
 bite angle 705
 blast furnace coke production 2, 421, 593, 694
 brick wall and coal charge, thermal resistances 598
 coal coking 596
 blast furnaces 592, 599
 configuration and air preheating 600
 gasification of blast furnace coke 602
 reactions and reaction zones 600
 residence time distribution in 608
 temperature and CO/CO₂ content 606
 bleaching activators 503
 blow molding 783
 Bodenstein, Max 199, 666
 Bodenstein number 199, 316, 343, 607
 Bodenstein principle 199
 Boltzmann, Ludwig 47, 61, 81

- bomb calorimeter 180, 181
 Borsig transfer-line exchanger 614
 Bosch, Carl 538, 546
Boudouard reaction 189–190, 552, 600–602, 604, 609
 Boyle, Robert 46, 676
 Bridgman equation 66
 bromination 26
 2-bromopropane 27
 Brønsted acid 22, 499
 Brunauer, Stephen 40, 127
 bubble column 205, 210, 284, 478, 481, 486, 666, 675, 723
 Bucherer–Bergs synthesis 809
 builders 433, 434, 503, 504
 butadiene 20, 471, 474, 476, 483, 512, 609, 610, 615, 616
 butanal 474
 1,4-butanediol 410, 483–485
 butane 470, 471
 acetic acid synthesis via 723–724
 boiling and melting point 413
 dehydrogenation 471
 Gibbs enthalpy of system
 n-butane/*i*-butane 191
 major applications 470
 oxidation 471, 488, 723
 butanoic acid 483, 485, 724
 1-butanol 479
 2-butanol 28, 476, 480, 482, 488
 butanols 482, 711
 enantiomers 28
 global production 480
 isomers 482
 recycle 507
 tert-butanol 482, 691
 2-butenes 471, 474, 476, 483, 616, 649, 650, 705
 butylene hydroformylation 711
 butyllithium 499
 1,4-butyndiol 483
 butyraldehyde 479, 487, 708
- C**
- calcination of Al(OH)₃ 779
 calcium chloride 413, 686, 690
 capillary condensation 57, 125–127
 capillary method 66–67
 carbanions 19, 20, 23
 carbenium ions 22, 24, 27, 499, 650
 carboanions 20
 carbocations 19, 20, 22–27, 649–652
 carbohydrates 37, 423, 426, 481, 505
 starch 426–428
 sugar 428
 wood and cellulose 426
 carbonaceous materials, reactivity 555
 carbon/coke
 gasification 555–560
 oxidation 556, 557
 carbon dioxide 48, 136, 137, 177, 390, 451, 558, 659, 677, 686, 687, 728
 chemical absorption 115–116
 design data of a column for absorption 118
 diffusivity 67
 formation by water gas shift reaction 548, 659
 real gas factor and phase behaviour 49
 supercritical carbon dioxide (scCO₂) 717–718
 carbonization 419, 420
 carbon load 623, 635, 638–641, 643, 644, 646, 647, 649
 carbon nanotubes 364
 Arrhenius plot of oxidation based on isothermal and TG/DTG-measurements 366
 best fit of measurement and simulation 365
 comparison of kinetic data 366
 energy-dispersive X-ray image 364
 equation for TG analysis 365
 evaluation of kinetic parameters based on DTG data 365
 measured and simulated TG and DTG curves 365
 carbon numbers 25, 26, 476, 482, 616, 620, 629, 633, 660, 661
 carbonylation 721, 724, 725
 alcohol 488
 BASF 724–725
 methanol 486, 488, 721, 724, 727
 carbonyl group 25, 28
 carbothermic reduction of silica 797–798
 cascade auto-refrigeration refinery alkylation process 655–656
 catalysts 30, 720
 classification of pores of solid catalyst 214
 deactivation 41, 619, 638–649, 682
 deposition of residues 41–42
 loss via gas phase 42–43
 poisoning 41
 sintering 42
 for HDPE and LDPE 787–789
 homogeneous vs. heterogeneous catalysis 36
 immobilization 37, 701, 714–720
 market 30
 Nobel prizes in research 32
 recovery 36
 refinery applications 30
 specific surface areas 214
 and support materials 38
 catalytic ammonia oxidation, heat transfer role 579–580
 catalytic conversion into SO₃ 567
 catalytic cracking 25, 35, 41, 412, 415, 471, 619, 622–625, 638, 651
 catalytic cycles 30–32, 34, 42, 44, 269, 270, 486, 650, 703–705, 725, 726
 catalytic gasoline reforming
 high octane gasoline 633–649
 plants 637
 process 635–638
 reforming catalyst, deactivation and regeneration 635, 638
 coke burn-off within a single catalyst particle 638
 regeneration in a technical fixed bed reactor 643
 catalytic *o*-xylene oxidation
 data on chemical media and conditions 698
 simplified reaction scheme 695
 catalytic reforming, high octane gasoline by 633–649
 cationic detergents 504, 505
 cationic polymerization 25–27, 499
 Cativa process 721, 722, 724, 727–729
 caustic soda 371, 685, 690, 693
 C–C coupling reactions 30
 C₄ dimerization 705
 Celanese-LPO-process 724
 cellulose 43, 136, 367, 369, 426, 427, 447, 495, 772

- cement production 465
 centrifuges
 centrifugational number 167
 hydro-or aerocyclones 164
 sedimentation in 167–168
 ceramic materials 451
 ceramic monolith 753, 754
 C₁₈ fatty acids 23, 423–425
 chain-growth
 mechanism 787
 polymerization 498, 499
 chain length distribution 730, 732, 735, 736
 chain propagation 23, 610
 chain termination 23, 499, 610, 660, 723
 chain transfer process 785
 char combustion 555, 557
 char gasification, intrinsic and
 effective rate constants 555
 C–H bond breaking 610
 chemical conversion terms, quantify result 175
 chemical equilibrium 30, 110, 123, 178, 182
 chemical industry 2
 annual global production of chemicals 2
 biggest chemical nations 3
 largest chemical companies by sales 3
 pharmaceutical companies 6
 products of German chemical industry 9
 raw materials of 372
 world production of important chemicals 8
 chemical process structure 172
 chemical reaction engineering
 aspects 171–177
 basic definitions 171
 chemical reactors 276
 ideal and real reactors 277–278
 real reactors according to phases 279
 fluid–fluid reactions 282–283
 gas–solid reactions 281–282
 heterogeneously catalyzed
 gas–liquid reactions 283–284
 heterogeneously catalyzed
 single-phase reactions 280–281
 non-catalytic single-phase systems 279–280
 three-phase reactors 284
 real reactors based on mode of operation 278
 batch reactor systems 279
 continuous mode of operation 279
 discontinuous and semicontinuous mode of operation 278–279
 types and their characteristics (overview) 277–284
 chemicals 28
 manufacturing/fuels
 investment costs 530–532
 price of 530
 production costs 530
 variable costs 532–535
 production 28
 chemical thermodynamics 171, 177–192
 chemisorption 33, 40, 126, 217, 269
 chiller 654, 708, 709
 Chinese reed
 biomass coke from 556
 characterization 554
 rate of pyrolysis 555
 semi-technical gasifier of 559
 technical gasifier 560
 chiral alcohols 38
 chiral compound 28–30
 chiral induction 29
 chiral products 28, 30
 chiral synthons 38
 chloride process, titanium dioxide
 production 795–796
 chlorination 19, 20, 22, 23, 26, 43, 450, 478, 494, 795, 796
 chlorine 3, 19, 449, 472, 494, 679, 685, 690, 767, 771, 781
 chlorobenzene 450, 477, 478, 494–495
 chloroform 103, 113–114, 469, 493, 512
 chlorohydrin process 685, 689, 691, 693
 ethylene 685–686
 propylene 690
 chlorohydrin reactor 690
 chloromethane 19, 193, 469, 493, 494
 chloroprene 473
 1-chloro-2,2,2-trifluoroethane 495
 chromacycloheptane 736
 chromium-catalyzed ethylene
 oligomerization 736
 chromophores 508
 CIP system 28, 29
cis/trans-3-hexene formation 704
 Citronellal 37
 (*S*)-citronellol 508
 Clapeyron, Benoit Paul Émile 55
 Clapeyron equation 54–56, 68
 Clausius, Rudolf Julius Emanuel 53, 54
 Clausius–Clapeyron equation 54, 56
 Clausius inequality 53, 177
 Claus process 38, 406, 626, 632
 coal
 to acetylene 478
 chemical reactions 420
 chemis-tree, illustration 470
 combustion 420–421
 and electricity production 420–421
 fired power plant 576
 gasification 421–422, 547, 551, 564
 iron and steel production 421
 liquefaction 422
 processes and products 420–422
 properties 418–420
 pyrolysis 420
 regional distribution of worldwide production 418
 cobalt/iridium-catalyzed processes 726
 C–O bond 19
 Co catalysts 489, 669, 705–707, 736, 789
 cocurrent-flow tube-cooled ammonia reactor 545
 coke
 combustion and gasification 555–560, 600
 consumption in blast furnace 603–606
 coked reforming catalyst, regeneration 638
 coke-oven gas 372, 405, 407–409, 421
 coking process 41, 595–597, 599, 619, 620, 639, 641, 647
 coking time 595–599, 609
 Colebrook, Cyril Frank 152
 Colebrook's law 151

- colorants 508, 512
 combined cycle power plant 553, 554
 combustion of ammonia 573, 757
 engines 410
 of hot blast furnace coke, in
 contact with air 260
 promoter 623
 CoMo-catalysts 627
 composition of a reaction mixture 174, 177
 compressed natural gas (CNG) 408
 compressors 157
 conveyance of gases by 158–159
 condensation 39, 49, 57, 66, 87, 93, 104, 125, 127, 279, 610
 conduction (heat transfer) 82–86
 conjugative effects 19
 stabilization of the phenolate ion 20
 conjugative stabilization 27
 constant volume bomb calorimeter 181
 constrained catalyst geometries 789
 continuous amino acid fermentation 812
 continuous operation mode 812
 continuous stirring tank reactor (CSTR) 277, 284, 286, 287, 290, 291, 293, 299, 301, 310, 326, 552, 726, 786
 convection (heat transfer) 82–86
 coefficient 82, 555, 579
 conversion, definition 175
 cooled multi-tubular reactors 695
 coordination number 737
 copolymerization 476, 502, 788
 copper 454
 catalysts 679, 682
 copper–zinc–aluminum systems 680
 co-precipitation 38
 corrosion inhibitors 503
Corynebacterium glutamicum 810, 811
 Cossee–Arman mechanism 733
 cost optimum reflux ratio 107, 108, 551
 covalent anchoring 714–715
 covalent bonds 19–21, 23, 451
 Cowper, Edward Alfred 600
 Cowper stoves 599
 crack gas 614, 615, 618
 cracking 23, 30, 43, 412, 651
 alkane 613
 catalysts 30
 furnace 610, 611, 613
 steam 609–618, 705
 thermal 412, 415, 610, 619–621
 critical micelle concentration (CMC) 503
 cross-flow filtration reactor 715
 crude oil 411, 469, 472, 530
 distillation fractions, yields of 413
 fractions, composition 412
 in OPEC countries/non-OPEC countries 411
 paraffins/aromatics/naphthenes, typical contents 413
 price in 1865–2009 411
 production, reserves, and price of 410–412
 properties of 412–414
 refinery, flow-sheet of 416
 regional distribution of worldwide production 411
 sulfur content of 415
 typical nitrogen compounds 415
 typical sulfur compounds 414
 crushers 160–162
 cryogenic distillation, product separation 451, 615
 crystallization 139
 ideal binary eutectic phase system 139–140
 ideal binary phase system (both solids soluble in one another) 140–141
 Cu-catalyzed reaction 483
 cumene hydroperoxide (CHP) 484, 499, 689, 692, 694
 cumulative energy demand (CED), of PTFE 803, 806
 Cu/Zn-methanol catalyst 682
 cyanohydrin reaction 28
 cyclization 610, 648
 cycloaddition 610
 cycloalkanes 612, 614, 633, 648
 cyclododecanol 482, 483
 cyclohexane 22, 108, 469, 472, 477, 478, 481, 488, 491, 492, 740
 oxidation of 482
 solvent 791
 cyclohexanol 23, 472, 482, 484, 488, 491
 cyclohexanone 22, 472, 483, 492
 cyclohexanone oxime 22, 492
 production route to ϵ -caprolactam 492
 cyclone 164, 167, 552, 622, 623, 792
 cyclopentadienyl groups 789
 cylindrical mills 160, 162
- d**
- Dalton, John 101
 Dalton's law 101, 102, 174
 Damascus steel 591
 Damascus swords 591
 Damkohler number 196, 197, 204, 586, 607, 668, 696
 Darcy's law 144
 deactivation mechanism 41, 43
 decaffeination 138
 defoamers 693
 dehalogenation 22
 dehydration 22, 143, 148, 490, 531, 691
 dehydrochlorination 22, 450, 471, 689, 690
 dehydrocyclization 634, 635, 648
 dehydrogenation 22, 30, 39, 338, 471, 485, 487, 610, 633, 635, 648, 728, 741
 alkane 471
 catalysts 30
 oxidative 485, 487, 728
 dehydrohalogenation 22
 dehydrosulfurization 38, 43
 deisobutanizer 653, 655
 delayed coking 619
 data and conditions of 619
 stages 620
 dendrimers 715, 716
 dendritic ligand 715
 depolymerization
 of cellulose 43
 of lignin 43
 of PTFE 804
 desulfurization 625
 catalysts 30
 detergents 503
 anionic 504–505
 cationic 504
 enzymes 503
 molecules
 applications 503
 schematic representation 503
 neutral 507
 non-ionic 505–507
 schematic representation 503

- structure and properties 503–504
 - DFT calculations 736
 - 1,4-diacetoxy-2-butene 483
 - diamines 493, 498, 501
 - diaphragm process 769, 770
 - advantages 771
 - schematic 770
 - diastereomers 28, 29, 741–744, 748, 782
 - dibenzothiophene (DBT) derivatives 414, 627–629
 - HDS 627, 629
 - dibenzoyl peroxide 499
 - dicarbonic acids 488, 498, 501
 - dichlorobenzene 494, 495
 - dichloroethane 22, 450, 490, 494, 686
 - 1,2-dichloroethane 450, 473
 - dichloromethane 469, 493, 494
 - dielectric permittivity 24
 - Diels–Alder type reactions 27, 616
 - dienes 412, 610
 - diesel 402, 408, 471
 - fuel 414
 - oil, statutory sulfur content, historical development 625
 - diethylene glycol 483, 484, 689
 - diethyl ether 481, 484, 512
 - diethyl sulfate 481, 504
 - diffusion coefficient 61, 62, 67, 129, 233, 246, 359, 580, 586, 601, 746
 - diffusion of liquids 216
 - diffusivity 46, 58
 - of CO₂ in N₂ 67
 - Knudsen 90, 639
 - longitudinal 315, 343
 - molecular 234, 241
 - diisobutene 473
 - diisocyanates 498, 501, 768
 - dimerization 21, 196, 474, 476, 588
 - Dimersol-process 476
 - dimethylamine 490
 - 4,6-dimethyldibenzothiophene (4,6-DMDBT) 414, 628, 632
 - dimethyl ether 484, 651, 679, 680, 724, 725
 - dimethylformamide (DMF) 109, 110, 474
 - dimethyl sulfate 504
 - dimethyl sulfoxide 442, 477
 - dinitrogen oxide 488
 - dioctyl phthalates plasticizers 498, 701
 - diolefins 412, 413
 - diols 481, 483, 493, 498
 - 1,4-dioxane 484
 - dipole moment 20
 - direct ethylene oxidation process 721, 728
 - direct reduced iron (DRI) 592, 593
 - direct reduction 282, 283, 601, 604, 609
 - dispersion model 39, 315, 607
 - axial dispersion and residence time distribution 315–319
 - axial dispersion model, for turbulent flow in round tubes 323
 - dispersion of mass, and heat in fixed bed reactors 323–324
 - radial variations, in bed structure 324–325
 - calculation of conversion by 319–320
 - dispersion and conversion, in empty pipes 321
 - axial dispersion model for laminar flow in round tubes 321–322
 - determination of diffusion coefficients of fluids 322
 - and flow of two liquids in a pipeline 318
 - large deviation from plug flow 318–319
 - residence time distribution 320
 - small deviation from plug flow 316–318
 - disproportionation 477, 651
 - alkylate molecules 651
 - of carbenium ions 477
 - distearyl (dimethyl) ammonium chloride 504
 - distillation column (DC) 36, 93, 104, 733
 - distillations 99, 476, 481, 734
 - azeotropic 108
 - heterogeneous 110
 - homogeneous 109
 - design of column 104–108
 - extractive 109–110
 - number of theoretical stages 107–108
 - pressure swing 110
 - principles 100–104
 - reactive 110
 - reflux ratio 107–108
 - stages of industrially important distillation processes 109
 - D,L-methionine 469
 - Döbereiner 31
 - 1-dodecene 703
 - double absorption sulfuric acid process 572
 - drinking water 143, 145, 146
 - global drinking water coverage 522
 - dual-pressure HNO₃ plant 589
 - dyes 278, 374, 428, 447, 508
- e**
- Eadie–Hofstee plot 271
 - Earth's ecosystems 399
 - ecological footprint 399–401
 - economy of scale 684
 - E-factor 529, 530
 - effective diffusion coefficient 89, 90, 93, 129, 234, 250, 275, 556, 639, 662, 744, 746
 - effective dispersion coefficient 326, 644, 646
 - effectiveness factor 235, 639, 640, 642, 644, 744
 - for pore diffusion for macro- and micropores 250–251
 - for reversible first-order reaction 237–238
 - effective rate constants 226, 242, 267, 362, 557, 601, 602, 761
 - effective reaction rate 35, 174, 222, 224, 230–232, 237–238
 - effluent refrigeration 654, 655
 - Einstein, Albert 62, 128, 233, 764
 - elastomers 428, 496, 500, 801
 - electrochemical cell 765, 766, 781
 - electrochemical reactions 763, 764, 766, 779, 781
 - electrode reactions 766, 767
 - electrolysis 763, 779
 - potential–current curves 770
 - voltage 773
 - electrolytic copper refining 778
 - electromagnetic spectrum 81
 - electrometallurgy 778
 - electrolytic refining in aqueous solution 778–779
 - fused salt electrolysis 779–781
 - electron density 19–21, 25

- electronic nature of bonds and
 - atoms, factors influencing 19
 - conjugative effects 19
 - inductive effects 19
 - mesomeric effects 20
 - steric effects 20–21
- electrophiles 21, 25, 27
- electrophilic reagents 21
- electrophilic substitution reaction 25–27
- electrorefining 778–781
- electrostatic precipitator (ESP) 168, 756–758
- elephant function 221
- elimination reactions 21, 22, 731
- emissions, by mobile sources 512
- emission standards 750
 - composition of exhaust gas without treatment 751
 - from mobile and stationary sources 750–763
 - NO_x, selective catalytic reduction (SCR) from 756
 - catalysts and reactors 757–758
 - flue gas treatment from power plants 756–757
 - nitrogen oxides formation during fuel combustion in power plants 757
 - reaction chemistry of SCR 758–759
 - SCR reactor, reaction kinetics and design 759–763
- emissivity 81, 82, 579
- Emmett, Paul Hugh 40, 126, 128, 639
- emulsion 502, 503, 652, 655
 - formation 712
 - liquid 711
 - polymerization 502
- enantiomers 28
 - (*R*)- and (*S*)-enantiomers 29
 - 2-butanols 28
 - nomenclature 28
- enantioselective hydrogenation 35
- enantiotopic halves 28, 29
- end-of-life PTFE 802, 803
- energy barrier 23, 33, 34
- energy consumption 372–403, 429, 533
- enthalpy 50, 52–56, 68, 98, 124, 140, 178, 180, 186, 188, 202
- entrained-flow gasifier 552
 - zones for modeling 558
- entrained flow reactor 558
- entropy 53–55, 68, 177, 180, 191, 774
- environmental aspects 512
 - air pollution 512–515
 - green chemistry 527–529
 - water consumption and pollution 515–517
- environmental catalysts 30
- enzyme 29, 30, 32, 38, 269–276
- epichlorohydrin 483, 494, 690, 769
- epimerization 741–743
- epoxidation 689, 691, 692, 694, 730
- 1,2-epoxypropane 689
- ϵ -caprolactam 22, 470, 472, 480, 491, 492, 501
- equilibrium composition 576
 - SO₂ oxidation 183
- Escherichia coli* 810
- essential amino acids 807, 808
- ethane 469, 470
 - dehydrogenation 183, 611
 - oligomerization 269
- ethanol 481
 - age-old aerobic fermentation 721
 - alcoholic beverages 481
 - chemical production routes 481
 - isolation proceeds via distillative processes 481
 - as solvent 680
- ethene 22
 - decomposition 784
 - oligomerization 37
 - process for solution
 - polymerization of 791
 - single-site catalysts for ethene polymerization 789
- ethene/propene/diene copolymerizations (EPDM) 502
- ether, industrially importance 484
- ethylbenzene 22, 691
 - hydroperoxide 691
- ethyl chloride 487, 686
- Ethyl Corporation process 732
- ethylene 183, 191, 201, 469, 470, 486, 739
 - acetaldehyde, production of 486
 - direct oxidation 693
 - ligands, oxidative coupling 737
 - oligomerization 737, 739
 - partial oxidation 686
 - pipeline system 784
 - polymerization 785
 - schematic representation 787
 - production 469
 - silver-catalyzed direct oxidation 687
 - steam-cracking process 472
- ethylene chlorohydrin 685, 686, 693
- ethylenediamine 490, 491
- ethylene dichloride, via ethylene oxy-chlorination 371
- ethylene hydration 481
- ethylene oligomerization 730, 735, 736
 - aluminum-alkyl-based
 - Aufbaureaktion 730–733
 - linear 1-alkene production 729–740
 - nickel-catalyzed oligomerization, shell higher olefins process (SHOP) 733–735
 - 1-olefins, industrial relevance 729–730
 - selective, metallacycle mechanism 735–740
- ethylene oxidation
 - on Pt wire 227–231
 - Wacker–Hoechst process 486
- ethylene oxide 473, 479, 483–485, 499, 505, 685, 693
 - application 485
 - commercial production 685
 - chlorohydrin process 685
 - ethylene, direct oxidation 686
 - consumption 689
 - ethylene oxide, products made 688
 - industrial epoxides 484
 - production 685
- ethylene oxide plant
 - degree of utilization 535
 - fixed and variable costs 534
 - flow sheet 688
- ethylene trimerization 736
- eutectic phase system 139–140
- exhaust gas cleaning 30, 750
- exhaust gases treatment, automotive
 - emission control 750
 - car engine emissions reduction, catalytic converters 752–756

- engine emissions reduction and emission standards 750–752
 - experimental reaction orders, differ from stoichiometric coefficients 202
 - external effectiveness factor 230
 - Arrhenius number 230
 - for exothermic heterogeneously catalyzed gas reaction 230–231
 - Prater number 230, 231
 - Sherwood number 230
 - external heat transfer 266, 268
 - coefficient 304, 670
 - external mass transfer
 - coefficient 639
 - estimation of required length of fixed bed reactor for gas-phase reaction controlled by external mass transfer 224–225
 - external effectiveness factor η_{ex} 223
 - for Langmuir–Hinshelwood kinetics 223–224
 - for negative reaction order 224
 - influence of external mass, and heat transfer on effective rate 225–231
 - interaction with chemical reaction 222–225
 - through boundary layer 265–266
 - extra- and intraparticle mass and heat transfer limitations, criteria for 268
 - extractive distillation 474, 477, 481
 - extrusion 739, 740, 790
- f**
- falling film evaporator 711
 - Faraday, Michael 764
 - Faraday constant 763, 772
 - Faraday's law 763–764
 - fats and oils
 - composition and production 425
 - industrial routes to convert 425
 - fatty acid esters, hydrolysis 424
 - fatty acid methyl esters 23, 426
 - fatty alcohols 426, 480, 482, 505
 - ether sulfates 505
 - non-ionic surfactants based on 429
 - polyether glycols 505
 - fatty alcohol sulfates 505
 - fatty amines 490
 - fatty carboxylates 504
 - fatty nitrile 490
 - Fe–Cr catalyst 549
 - fed-batch operation mode 812
 - Fe-modified bismuth-phosphorous molybdate contact 493
 - fermentation processes 37, 721, 481, 810–812
 - fertilizers 30, 565
 - applications 449
 - Fick, Adolf Eugen 59
 - Fick's law 59, 87, 207, 582, 745
 - film diffusion 216
 - filtration 165
 - cake filtration 165
 - pressure 165
 - of a suspension of CaCO_3 165
 - fine chemicals 507, 740
 - adhesives 508
 - fragrance and flavor chemicals 508
 - menthol and menthol production 740–741
 - menthol isomers epimerization 741
 - mass transfer influence 744–748
 - pesticides 508–510
 - vs. petrochemicals, characteristic differences 508
 - pharmaceutical 510–511
 - vitamins, food, and animal feed additives 510
 - fine particles, fluidization regimes with 623
 - finite element method 580–582
 - first law of thermodynamics 68
 - first-order rate constants 621
 - first-order reaction 195, 196
 - Fischer, Franz 658
 - Fischer–Tropsch synthesis 38, 402, 403, 408, 657, 658
 - chemical media and reaction conditions 670
 - commercial plants 664
 - GTL plant, main parts 667
 - history, current status, and perspectives 663
 - intrinsic and effective reaction rate 662–663
 - kinetic scheme 659
 - mechanisms scheme 659
 - multi-tubular fixed bed Fischer–Tropsch reactor modeling 669–675
 - processes and reactors 666–669
 - product distribution 660
 - product streams 736
 - reactions and mechanisms 659–662
 - reactors used 668
 - fission power 390
 - fixed-bed reactors 280, 281
 - criteria used to exclude a significant influence of dispersion 327
 - axial dispersion of heat 329–330
 - axial dispersion of mass 327–328
 - radial dispersion of heat 330–331
 - radial dispersion of mass 328–329
 - radial variations in bed structure 331
 - dispersion processes 326, 327
 - fundamental balance equations 325–327
 - modeling 325
 - fixed-matrix regenerator system 599
 - flame velocity 407
 - flavor chemicals 508
 - flow-sheet 654
 - flue gas 756
 - treatment 763
 - flue gas desulfurization (FGD) 756
 - unit 758
 - fluid catalyst 621, 622
 - fluid catalytic cracking (FCC) 471, 622–624
 - block diagram 624
 - chemical media and reaction conditions, data on 623
 - heat balance 623
 - regenerator, minimum fluidization and discharging velocity 624
 - fluid–fluid reactions 273
 - industrial reactions 205
 - kinetics of 204–211
 - fluidization velocity 155
 - fluidized bed Fischer–Tropsch (FT) reactor 658

- fluidized bed reactor (FBR) 687, 789, 791, 805
- fluid–solid extraction 136
 design 138–139
 effective extraction rate, factors influencing 136
 ideal solvent, requirements 136
 influence of particle size on rate of external mass transfer 138
 principles 136–138
 solubility of caffeine in CO₂ 137
- fluorine 448
- fluorspar 448
- fluoropolymers 497, 802, 805
- fluorous phases 715–718
- food additives 510
- food grade phosphoric acid 448
- food industry 138, 139, 148, 425, 428
- food ingredients 38
- formaldehyde 109, 240, 267, 483, 485, 499, 685, 723
- formic acid
 methanol, carbonylation 488
 production capacities 487
- fossil fuels
 CHO content 406
 consumption 418
 crude oil 373
 reserves and resources 373, 388, 389
- fouling 502, 614, 706, 784
- Fourier, Jean Baptiste Joseph 58
- Fourier number 84, 92, 555, 598, 609
- Fourier's law 58, 83
- fragrances, role 503, 508
- Frasch process 448
- friction factor 150, 151
- Friedel–Crafts acylation reactions 25
- Friedel–Crafts alkylation 26, 477, 691
- Fritz Haber 538
- FT GTL plant, main parts 667
- FT multi-tubular reactor 658
- FT reactors, design 666
- fuels
 average price and world demand 530, 531
 consumption 603
 equipment costs 531
 production costs of 530
 purification 752
 solid, typical composition 419
- fugacity
 coefficients 677, 685, 764
 influence of pressure on 184, 185, 677
- functionalizations 30, 44
- fungicides 490, 508, 510
- fusion power 390
- g**
- galvanic cell 765, 767, 781
- gas compressor 437, 614
- gas hourly space velocity (GHSV) 176, 571, 683
- gasification
 chemical reactions 420
 computations 559
 reactors 282
- gas–liquid interfaces, mass transfer 205–207
- gas–liquid reactions
 equations according to two-film theory 212
 influence of Ha on enhancement factor E 211
 kinetics, on solid catalysts 273–276
 reactor types 273, 283
- gasoline 402, 414, 415
 limit values of sulfur in 626
 production of 410
- gasoline spark ignition engines 753
- gas-phase PE-process 791–792
- gas recycle hydroformylation processes 709
- gas recycle process 708, 709, 720
- gas–solid reactions 155, 168, 171, 176, 188, 189, 195, 556, 640
 equilibrium 188–190
 kinetics 253–264
 reactors for 281–282
 spectrum of factors influencing rate of 254–255
- gas-to-liquid (GTL) FTS technology 663
- generalized *Thiele* modulus 236
- Gibbs, Josiah Willard 178
- Gibbs enthalpy, of gas phase system 191
- Gibbs functions 178, 179, 182, 183, 188, 192, 565, 575, 627
- Gini coefficient 382
- glass 452
- global anthropogenic sulfur emissions 513
- global warming 395, 396, 488, 759
- glucose 426, 507
 non-ionic surfactants based 429
- glutaminic acid 510
- glycerol 423, 424, 480, 483, 690, 768
- glycidol 37
- glycol ethers 499, 505, 693
- greenhouse gas producers 43, 396
- Grignard reagents 20
- gross national product (GNP) 380, 381
- GTL plant 663, 666, 667
- guano 537
- Gulf process 731, 732
- gutta-percha
 (*trans*-1,4-polyisoprene) 429
- gypsum, applications 449
- h**
- Haarmann & Reimer process 740, 750
- Haber, Fritz 538
- Haber–Bosch* process 38, 440, 537–539, 546, 574, 666
- Hagen, Gotthilf Heinrich Ludwig 152
- Hagen–Poiseuille's law 150
- Halcon process 691
- Haldor Topsøe process for methanol production 684
- half-cell reaction 766
- haloalkane 24
- halogenated compounds 495
 applications 494
- happiness and life satisfaction of nations 385
- hard coal, liquefaction 422
- hardening agent 591
- Hastelloy 725, 729
- Hastelloy C 489
- Hatta number 212
- HDPE fluid bed process 792
- HDS process configuration 631
- heat 222
 capacities 50, 406, 784
 loss estimation
 hot wire by radiation and convection 82
 human body 82

- heat conduction 58
 Fourier's first law 69
 in spherical shell 69
 heat dispersion coefficient 645
 heat exchangers 45, 93, 94
 heat of polymerization 497, 784
 heat transfer
 analogy to mass transfer 583
 boiling 80–81
 coefficient 671, 697
 fluid and external surface of tube (cylinder) 75
 fluid and internal surface of empty tube 73–74
 fluid and particles of packed bed 79–80
 fluid and single particle 77–78
 local, for flow of fluid across cylinder 75–77
 plane walls and cylindrical shells surrounded by fluids 80
 by radiation 81–82
 heat transfer by convection
 contribution of free convection to overall heat transfer 78–79
 estimations of heat transfer coefficients, Nusselt number 71, 72
 from a stagnant or a flowing fluid to a solid 70
 heat transfer coefficient 555, 579
 heat transport, in chemical engineering 71
 heavy oils 38, 283, 406, 417, 422, 553, 614
 cracking
 fluid catalytic cracking (FCC) 622–625
 thermal cracking (delayed coking) 619–621
 gasification 560, 561
 height of transfer zone (HTZ) 135
 hemicellulose 426
 Henry, William 111
 Henry coefficient 67, 111, 112, 115, 144, 147, 206, 272, 274, 662
 Henry's law 111, 113–114, 144, 147, 206, 208, 627
 herbicides 492, 510
Herfindahl-Hirschman index (HHI) 461
 heterogeneous catalysts 30, 31, 36, 38, 255, 490, 737
 production and characterization 38–40
 properties 36
 role in chemical technology 35
 typical conditions, and catalyst lifetimes 41
 heterogeneously catalyzed hydrodesulfurization (HDS) 626, 627, 632
 heterogeneously catalyzed reactions
 kinetics of 213–252
 reactors used for 280
 spectrum of factors influencing 213–217
 steps of gas catalyzed reaction 216
 heterogeneously catalyzed surface reactions
 Eley–Rideal mechanism 219
 Langmuir–Hinshelwood–Hougen–Watson rate equations 219, 220
 Langmuir–Hinshelwood mechanism 218–219
 monomolecular mechanism 218
 rate equations for 217–221
 heteropoly acid 728
 hexafluoropropene (HFP) 805
 hexamethylenediamine 472, 490, 491, 512
 hexamethylene diisocyanate 472, 490
 1-hexene
 extrusion 739
 heterogeneously catalyzed gas phase hydrogenation 358–360
 hydroformylation 703–706
 selectivities 736
 HF-catalyzed reaction 656
 high-density polyethylene 502, 533, 782, 793
 high-dust system (in SCR) 758
 higher olefins 703, 711
 liquid–liquid multiphase hydroformylation 711
 Shell higher olefins process (SHOP) 733–735
 solubility limitation 713
 high fructose corn syrup 38
 high-pressure Hastelloy reactor 725
 high-pressure LDPE processes 793
 high-pressure methanol synthesis 538
 high-pressure steam 614
 high-throughput experimentation 44
 Hinterland ratio 209, 210, 212
 Hirschfelder equation 63
 Hock process, for phenol production 484
 Hoechst process 789
 H₂O electrolysis 773
 efficiency 776
 energy demand 774
 homogeneous catalysis 269, 714, 718
 advantages 714
 applications 701
 homogeneous catalysts 30, 35, 706
 advantages 36
 catalyst deactivation 42, 43
 chemical industry, examples 37
 filtration 715
 properties 35
 transition metal complex 37
 homogeneous reactions
 vs. heterogeneous catalysis 36
 kinetics of 192–204
 homogeneous two-phase catalysis 271–272
 Hougen–Watson type equation 567, 662
 human development index (HDI) 383
 vs. energy consumption per capita 387
 vs. gross national product (GNP) 380
 happiness and life satisfaction of nations 385
 purchasing power parity (PPP) 380
 subjective well-being index (SWB) 385, 386
 Hüttig temperature 682
 hydrated lime 685
 hydratization 27
 hydroamination 491
 hydrochloric acid 449, 450
 hydrochlorination 450
 hydrocyanation 37, 38
 hydrodealkylation 477
 hydrodesulfurization 273, 626
 and reaction engineering aspects 629–632

- hydrodesulfurization (*contd.*)
 - reaction network 628
 - thermodynamics and kinetics 626–629
 - hydrodynamic entrance region 75
 - hydroelectricity 391
 - hydrofluoric acid 650
 - alkylation process 652
 - hydroformylation 35, 37, 472, 474, 481–483, 486, 701
 - advanced catalyst immobilization technologies for 714
 - catalyst separation by size exclusion membranes 715
 - homogeneous catalysts immobilization on solid surfaces by 714–715
 - liquid–liquid biphasic reaction systems using 715–718
 - supported liquid hydroformylation catalysis 718–720
 - allyl alcohol 483
 - catalytic cycle 704
 - current catalyst and process technologies 706–714
 - 1-dodecene 703
 - ethylene 482
 - homogeneous nature 714
 - industrial relevance of 701–703
 - of internal olefins to linear aldehydes 705
 - plant 701, 713, 715
 - propene 482, 701
 - propylene 487, 702
 - supported liquid catalyst for 719
- hydrogen 451, 547
 - by gasification of biomass 553–560
 - chemical hydrogen storage 440
 - ammonia 440
 - Fischer–Tropsch syncrude production 442
 - formic acid 442
 - liquid organic hydrogen carrier (LOHC) systems 443
 - methane 440
 - methanol 442
 - hydrogen storage technologies 434
 - energy consumption for
 - compression 437
 - production and application 409
 - syngas and 547–564
 - hydrogenations 26, 27, 30, 32, 38, 39, 43, 196, 273, 358, 359, 482
 - aldehyde 707
 - catalysts 30
 - fatty ester 482
 - nitrobenzene 491
 - olefin 703
 - rate of octene 360, 361
 - selective 615
 - hydrogen bonding 718
 - hydrogen by gasification of biomass, options to produce 547–551
 - hydrogen cyanide 469
 - hydrogen fluoride (HF) 448, 802, 804
 - hydrogen peroxide to propylene oxide (HPPO) process 692
 - hydrogen sulfide 615, 626, 632, 679
 - hydrogen transfer 703
 - hydroperoxidation reaction 691
 - hydroperoxides 484, 689, 691, 692, 694
 - hydrophilicity/hydrophobicity 503, 505, 512
 - hydrothermal synthesis 39
 - hydrotreating 627
 - clean liquid fuels 625–633
 - equilibrium data 627
 - history, current status, and perspective 625–626
 - reactor 635
 - hydroxide 24, 767–771
 - hyper-branched polymers 715
 - hypochlorous acid 693, 767, 770
- i**
- ICI low-pressure process 682, 683
 - ideal gas behavior
 - compressibility factor 48, 50
 - magnitude of deviation 48–50
 - ideal gas constant 46
 - ideal gas law 46–48, 68
 - ideal isothermal reactors 284
 - comparison of ideal reactors 291–294
 - continuously operated
 - cascade of tank reactors 290
 - ideal tank reactor 286
 - ideal tubular reactor 286–287
 - tubular reactor with laminar flow 287–289
 - conversion for a given Da number 291, 292
 - equations for conversion of reactant in ideal reactors 292
 - influence of changing volume on performance 293
 - mixed flow reactor 293
 - plug flow reactor 293
 - influence of reactor type on product yields and selectivity 294
 - tubular recycle reactor 290–291
 - well-mixed (discontinuous) isothermal batch reactor 285–286
- I-effect 20
 - ignition–extinction behavior 226, 227, 253
 - ignition of Pt-wire during oxidation of ethylene 227, 228
 - ignition temperature 227, 300, 342, 406, 407
 - important industrial processes for conversion of 472
 - impregnation 36, 39, 686, 687, 788, 789, 802
 - indenoxy 37
 - indirect oxidation of propylene 689–692
 - inductive effects 19, 20, 24, 25
 - industrial amino acid production
 - biotechnological processes 809–810
 - chemical synthesis 808–809
 - protein-hydrolysates 807–808
 - industrial catalysts 30
 - application areas 43
 - chemical synthesis 44
 - environmental catalysis 43
 - importance for development of efficient processes 44
 - production of polymers and materials 43–44
 - refinery and energy applications 43
 - industrial coal liquefaction processes 422
 - industrial electrolysis 763
 - chlorine and sodium hydroxide 768
 - applications 768–769
 - chlor-alkali electrolysis processes 769

- diaphragm process 769–770
 membrane process 771–772
 mercury cell process 770–771
 electrochemical kinetics, and
 thermodynamics 763
 electrical work and
 thermoneutral enthalpy
 voltage 765
 electrochemical potentials
 764–765
 Faraday's law and current
 efficiency 763–764
 galvanic and electrolysis cells,
 Nernst's law 765
 overpotentials 767
 standard electrode potentials
 765
 electrolysis of water 773–778
 electrometallurgy 778–779
 industrial organic chemistry 469
 alkanes and syngas 469–472
 alkenes, alkynes, and aromatic
 hydrocarbons 472–479
 organic intermediates
 functionalized with oxygen,
 nitrogen, or halogens 479
 acids 488–489
 alcohols 481–484
 aldehydes 485–487
 amines and nitrogen-containing
 intermediates 490–491
 epoxides 484–485
 ether 484
 halogenated organic
 intermediates 493–495
 ketones 487–488
 lactams, nitriles, and
 isocyanates 491–493
 polymers 495
 polyesters, polyamides, and
 polyurethanes 501–503
 polyolefins and polydienes
 496–497
 vinyl-polymers and
 polyacrylates 497–500
 industrial processes
 acetic acid 721–729
 ammonia synthesis 537–547
 catalytic gasoline reforming,
 reactions and
 thermodynamics 633–635
 coke and steel 591–609
 ethylene and propylene oxide
 685–694
 exhaust gases treatment from
 750–763
 fine chemicals production
 740–750
 fuels and chemicals from syngas,
 methanol and
 Fischer–Tropsch synthesis
 657–675
 heavy oils cracking, liquid fuels by
 618–625
 hydroformylation (oxosynthesis)
 701–720
 hydrotreating, clean liquid fuels by
 625–633
 industrial electrolysis 763–781
 linear 1-alkene production,
 ethylene oligomerization
 processe 729–740
 nitric acid 574–576
 o-xylene to phthalic acid
 anhydride, catalytic oxidation
 694–701
 polyethene (PE) production
 782–793
 refinery alkylation 649–657
 steam cracking, basic chemicals by
 609–618
 sulfuric acid 565–573
 syngas and hydrogen 547–573
 industrial soda ash 450
 initiation 610, 650, 659, 723,
 784
 initiator 499, 502, 786
 injection molding 783
 inorganic non-metallic mass
 products 449
 inorganic fibers, applications 449
 inorganic products
 ammonia and nitric acid 448
 applications 449
 chemical technology 448
 chlorine and sodium hydroxide
 450
 phosphoric acid and phosphate
 salts 448
 soda ash (sodium carbonate)
 450
 structure 449
 sulfur and sulfur dioxide 448
 insecticides 508, 694
 insertion/elimination mechanism
 736–738
 insertion polymerization reactions
 499
 inspection, of equilibrium 183
 interfacial and internal mass
 transport effects,
 simultaneous occurrence
 240–245
 irreversible first-order reaction
 240–242
 overall effectiveness factor
 241–242
 interfacial transport of mass
 222–232
 intermediates 245, 247, 249, 250,
 253, 294, 344, 426, 437,
 469–512
 internal heat transfer 266–269
 internal mass transfer 136, 213,
 232, 242–245, 266
 internal olefins to *n*-aldehydes,
 selective hydroformylation
 705
 intraparticle T-gradients, for gas and
 liquid phase reactions
 239–240
 intrinsic pseudo-first-order rate
 constant 760
 intrinsic rate of chemical reaction
 216
 investment costs 33, 96, 98,
 107, 153, 337, 340, 530–532,
 691
 ionic liquid-organic biphasic
 catalysis 719
 ionic liquids (ILs) 67, 271, 630, 657,
 715
 application 718
 cations and anions 718
 ion pair 24
 iridium catalysts 728
 iron 81, 99, 164, 252, 254, 282, 421,
 448, 454, 456, 548, 591, 593,
 608, 682
 isenthalpic expansion 52, 53
 isobutane 471, 476, 649, 652, 655,
 691, 693, 791
 isobutane-to-olefin ratio (I/O)
 652
 isobutanol 482, 484
 isobutene 473–476, 482, 484, 490,
 499
 isocyanates 490, 491, 493, 508, 510
 iso-hexane 22
 isomerization 21, 22, 25–27, 30, 43,
 415, 477, 531, 610, 635, 637,
 705, 734, 735

- isooctene 476
 isophthalic acid 473, 478
 isopropanol 19, 20, 474, 482, 487, 512
 isotacticity 497
 isothermal compression 49, 158, 437, 774
 isothermal plug flow reactor 621
 isotope-labeled carbon dioxide 680
- j**
 jet fuel 2, 388, 396, 398, 408, 410, 411, 413, 414, 417, 418, 442, 447, 618
 Jost pot 746
 Joule, James Prescott 51
 Joule–Thomson coefficient 51–53, 68
 calculation 52
 liquids 53
 sign 53
 Joule–Thomson effect 45, 46, 50–53, 406, 451, 550
- k**
 Kármán, Theodore von 152
 Kármán's law 151
 Katzschmann process 489
 Keim, Wilhelm 714, 733
 Kellogg process 684
 Kelvin, Lord 51, 57, 394
 kerosene 318, 377, 381, 414, 418, 423, 626, 687, 778
 ketone 25, 487, 809
Khufu's Giant Pyramid 433
 kieselguhr 481
 kinetic data 344
 case studies 356–370
 heterogeneously catalyzed
 hydrogenation of hexene 358–360
 heterogeneously catalyzed
 multiphase reaction 360–363
 non-isothermal oxidation of
 carbon nanotubes and fibers 363–369
 thermal conversion of
 naphthalene 356–358
 evaluation of 347–350
 laboratory-scale reactors for
 kinetic measurements 350–351
 measurement and evaluation 344–369
 principal methods for determining 345–347
 laboratory reactors 345–347
 macrokinetics 345
 microkinetics 345
 pros and cons of integral and
 differential method 347
 kinetic energy 40, 61, 64, 65, 149, 151, 193, 204
 kinetic racemic resolution 29
 kinetic resolution 38
 kinetics 31
 of biochemical reactions 172–174
 of birth and death of a rumor 199–200
 kinetic theory of gases 4, 54, 61, 63, 68
 Kirchhoff's law 81
 Knudsen diffusivity 90, 91, 93, 232, 639
Koppers–Totzek process 552
 Kuhlmann process 707
- l**
 laboratory-scale continuous fixed bed reactor 742
 laboratory-scale reactors for kinetic measurements 345, 350, 369
 batchwise operated stirred tank reactor 352
 classification of laboratory reactors 350
 fixed bed reactor with taps 352
 gradientless reactor 345
 with internal recycle 353
 integral reactors 346
 differential evaluation of data 346–347
 laboratory-scale trickle bed reactor 631
 laboratory-scale semi-batch reactor 741
 lactams 491–493, 501
 lambda value 751, 753, 763
 Lame, Gabriel 154
Lame equation 154
 laminar flow 71, 73, 86, 87, 142, 160, 287–289, 321–322, 340, 761
 Langmuir, Irving 123
 Langmuir–Hinshelwood–Hougen–Watson (LHHW) model 219–221, 681
 Langmuir–Hinshelwood mechanism 218–219, 252, 686, 744
 Langmuir's adsorption isotherm 217
 L-asparaginic acid 510
 LD converter 593
 LDPE autoclave process 786, 792
 LDPE tubular process 786
 leaving group 24
 Le Chatelier, Henri Louis 182
 Le Chatelier's principle 182, 192, 613, 773
 length of unused bed (LUB) 134
 Lewis acids 22, 25, 26, 499
 Liebig 31
 life expectancy index (LEI) 384
 ligand association 733, 737, 738
 ligand back bone 705
 ligand bite angle 705
 ligand dissociation 738, 739
 ligand effect 36, 714
 ligand–metal complexation equilibria 714
 light crack-fuel, composition 617
 light heating oil 414, 416
 light hydrocarbons, autothermic reforming 564
 lignin 43, 426, 447
 lignite, liquefaction 422
 limestone, applications 449
 limit cycle 301, 302
Linde process for air separation 550
 linear alkylbenzene sulfonates (LABS) 504, 730
 linear low-density polyethylene 730, 782, 793
 Lineweaver–Burk plot 271
 liquefied natural gas (LNG) 387, 408
 liquefied petroleum gas (LPG) 2, 411, 414
 liquid acid catalysts 652
 liquid catalysis 718, 719
 liquid filled porous catalyst 662, 675
 liquid fuels 663, 664
 production capacity 665
 liquid hourly space velocity (LHSV) 176, 637

- liquid–liquid biphasic catalytic reaction 36, 38, 491, 713, 715, 717, 719, 720, 733
- liquid–liquid equilibrium
calculation based on Gibb's enthalpy 189
and link to gas-phase reaction 187–188
- liquid–liquid extraction 118
design 120–122
number of theoretical separation stages of extraction 121–122
principles 118–120
- liquid–liquid phase separator 711, 716
- liquid–liquid reactions
equilibrium of 186–188
industrial reactions 205
- liquid phase esterification, equilibrium of 188
- liquid recycle process 709, 720
- liquid–vapor equilibrium 102, 104, 551
- living polymerization 499
- logarithmic mean temperature 94, 95, 147
- loop reactor process 469, 790
- Loschmidt, Johann Joseph 47
- Lotka–Volterra model 302, 303
- low-density polyethylene 501, 782
autoclave process 785
formation, free-radical process 784–785
tubular reactor process, schematic view 786
- lower heating values (LHV) 532, 543, 774, 777
- low-pressure methanol
carbonylation 725
- low pressure oxidation process (LPO) 708
- lubricants 414, 498, 693, 730, 732, 740, 769
- Lurgi process, methanol production 684
- Lurgi reactor, coal gasification 552
- lynx-hare cycle 302
- m**
- macropores 40, 129, 250, 251
- macroradical 499
- magnetic suspension balance 67–68, 661
- maleic acid anhydride 38, 470–472, 478, 487, 488
- maleic anhydride 471, 476, 483
- Mariotte, Edme 46–47
- Markovnikov's rule 27
- mass transfer
analogy to heat transfer 583
by diffusion 59
with fast/instantaneous reaction near/at gas/liquid interface 208–213
with (slow) homogeneous gas/liquid reaction in bulk phase 207–208
- mass transfer coefficient 87, 274, 577, 578, 582, 601
- mass transfer resistance
heterogeneously catalyzed gas or liquid reaction 215, 274
- mass transport 86
diffusion in porous solids 89–91
forced flow in empty tubes 86–87
- hydrodynamic entrance region 86
- interrelation of diffusion and convection 88
- Knudsen diffusion, and related phenomena 91–92
- limitation 686
- steady-state and transient diffusive mass transfer 87–89
- Maxwell–Boltzmann distribution 61, 62, 64, 65, 162, 193, 204
- McCabe–Thiele approach 104, 116, 118, 120, 147, 148
- mechanical unit operations 149
compressors and pumps 157
conveyance of gases by compressors 158–159
conveyance of liquids by pumps 157
estimation of energy requirement, conveyance of fluids 159
- contacting and mixing of fluids 159–160
- conveyance of fluids 149
pressure loss in empty tubes 149–154
pressure loss in fixed, fluidized, and entrained beds 154–157
- crushing and screening of solids
- particle size analysis 160–164
- particle size reduction 160
- sieve analysis and particle size distribution, granular material 162–164
sieve analysis of sand 163
- cyclone for separation of solid particles from gases or liquids 167
- plate-type electrostatic precipitator 168
- screening and classification of particle sedimentation in centrifuges 167–168
sedimentation in electrical fields 168
- separation of solids from fluids 165
filtration 165
sedimentation 166–167
- solid–solid separation (sorting of different solids) 164
- tubular electrostatic precipitator 168
- mega methanol 684
- melting enthalpy 55–57, 140
- melting point of selected liquids 55
- melting temperature 55, 56
- membrane process 144, 533, 769, 771–772
- membrane reactors 284, 337, 339, 715, 716
- membrane separation 451
applications of 144–148
principles 141–144
- Menten, Maud Leonora 270
- menthol diastereomers 748
epimerization, reaction scheme 742
equilibrium concentrations 743
structure 741
- menthol isomers, diffusion coefficients 746–747
- menthol stereoisomers 746
- mercury cell process for chlor-alkali electrolysis 767, 770
- mercury porosimetry 40
- mesomeric effects 20
- mesopores 40, 126
- metabolism 31, 172, 810, 811
- metal atoms 20, 39, 40, 42, 269
- metal carbonyls 42, 44, 725, 727
- metal hydrides 28

- metallacycle mechanism 715, 735–737
- metallocene catalysts 30, 788–789
- metallurgical grade silicon
economics of 798
photovoltaic grade silicon
production
fluidized bed reactor process 799–801
Siemens process 798–799
refining, casting and crushing of 798
- metal–organic chemical vapor deposition (MOCVD) 39
- metal oxide 136, 467, 680, 755
- metal plating 710
- metals 453–469
amount of selected metals in computers and mobile phones 462
battery-electric vehicles 458
critical metals 460
estimated consumption of primary energy for the production of metals 463
global mine (primary) production and reserves of metals 456
global mine production and reserves 457
global production of metals (mined from the respective ore) and of metal ores 462
important applications and end-of-life (EOL) recycling rates (RR) 454
lithium-ion battery 458
reserves, remaining recoverable amounts 457
- metathesis 734
- methacrylic esters 469
- methane 20, 469
chemical products from 470
chlorination 19, 450
coal mining 418
equilibrium content during steam reforming 562
equilibrium of methane pyrolysis 190–191
formation in Fischer–Tropsch synthesis 659–662
hydrogen cyanide production 471
natural gas 403–406
syngas production 471
- methanol 20, 67, 102, 107, 112, 342, 421, 479, 484, 489, 657, 676, 679, 682, 685
carbonylation, catalytic cycle and mechanism 725–727
co-catalyzed carbonylation 726
industrial production 677
Ir-catalyzed carbonylation 727
oxidation 485–487
production
copper–zinc–alumina catalyst 680–681
high-pressure plant 679
Rh-catalyzed carbonylation, catalytic cycle for 726
synthesis 34, 657, 663, 676
catalysts for 679–682
equilibrium 678–679
flow sheet 683
kinetic mechanism 681–682
processes and synthesis reactors 682
reaction steps 681
synthesis thermodynamics 677–678
- methanol carbonylation 486, 721, 724–729
- methanol-to-olefin (MTO) 442, 684
- methylaluminoxane (MAO) 497, 500, 736, 788
- methylamine 490–491
- methyl carbocation 25
- methyl chloride 487, 493
- methylene diphenyl diisocyanate (MDI) 501
- methyl ethyl ketone 487, 488, 512, 724
- methyl iodide 725–727, 729
- methyl *tert*-butyl ether (MTBE) 338, 473, 484, 685
- metolachlor 37
(*S*)-metolachlor stereoisomer 510
- Michaelis, Leonor 269
- Michaelis–Menten equation 270, 271
- Michaelis–Menten kinetics 38
- microorganisms 37, 481, 810, 812
- micropores 40, 129, 250, 251, 747
- microreactor technology 44
- middle temperature pyrolysis 609, 610
- mixing, fluids 159–160
- molar heat capacity 50, 51, 97, 295
- molecular interaction forces 48
- molecular speeds in gas, distribution 64
- molybdenum naphthenate 691
- monocrystalline silicon 797
- monoethylene glycol 689
- monomers 23, 31, 472, 495, 499
- monophasic reaction system 713
- monopropylene glycol 690
- monosodium glutamate (MSG) 807
- Monsanto low-pressure process, for acetic acid 725–727
- Monsanto process 724–729
- montmorillonite 481
- motor octane numbers 633, 649
- moving-bed process 638
- multibed ammonia reactor 544
- multifunctional reactors 44, 284, 337, 344
- multiphase catalytic processes 37
- multiple-bed reactor 684
- multiple catalyst bed reactors 567, 682, 685
- multi-purpose plant (MPP) 507
- multi-scale modeling 44
- multistage cascade reactor 655
- multi-tubular reactors 685, 687, 695, 701
cooling temperature, influence 673
FT reactor 671, 672
modeling and simulation 669
runaway diagram 673
- n**
- n*-alkanes
boiling and melting point 413
as feedstock 612
- nanofiltration 715, 812
- naphtha 414, 471, 613, 614, 721–723, 729
- naphthalenes 139, 329, 344, 356, 412, 694, 701
- naphtha oxidation 723–724
- naphthenes 183, 412, 633, 635, 637
- natural dyes 428, 447
- natural gas 472
autothermic reforming 564
based plant for ammonia 543
composition 406
conditioning 406
conversion 406

- overview of processes based on
 - natural gas 407
 - production 404, 406, 408
 - properties of 403–406
 - reforming 562–564
 - used for heating and electricity 408
- natural oils 23, 425, 506
- natural rubber (*cis*-1,4 polyisoprene) 429, 497
- n*-butanol 448, 482
- n*-butenes 473, 476, 488, 615
 - important industrial products 476
- Nernst, Walther Hermann 120
- Nernst equation 764–766, 769, 773
- Nernst's partition coefficient 119
- neutral NaCl solution, scheme of electrolysis 767
- Newton Isaac 58, 59, 764
- Newton number 160
- Newton's law 58
- NH₃ combustion 41
- n*-hexane 22
- NH₃ synthesis 41, 128, 183, 539, 540, 542, 543, 550
- Ni catalyst 272, 358, 360, 476, 733, 750
- nickel alkyl 733
- nickel catalyst 270, 360, 361, 488, 562, 733, 738
- nickel hydride 733, 738
- nitration reaction 26
- nitric oxide (NO) 449, 574–576
 - ammonia, catalytic oxidation kinetics
 - equilibrium content in air 576
 - in industrial reactor, on series of Pt gauzes 583–587
 - NO oxidation 587
 - on single Pt wire for cross-flow of gas 577–582
 - processes 588–591
 - block diagram 574
 - reaction scheme 574
 - production
 - reactions and thermodynamics 574–576
 - thermodynamics of 575
- nitriles 491, 492
- nitrobenzene 22, 26, 478, 491
 - hydrogenation 26, 478, 491
- nitrogen by air separation 550
- nitrogenous fertilizers 574, 590
- nitrogen fertilizers 537, 546
- nitrogen oxides 488, 512, 513, 750, 757, 763
- N*-methyldiethanolamine 115–116
- N*-methylpyrrolidone (NMP) 474, 477, 712
- N*-methylpyrrolidone/water mixtures 477
- N,N*-azobisisobutyronitrile 499
- nonessential amino acids 807
- non-ideal flow, and residence time distribution 310, 311
- nonionic alkylphenol ethoxylates 689
- non-ionic surfactants 429
- non-isothermal ideal reactors 294
 - adiabatic operation of a batch reactor 295–298
 - choice of best reactor type, for adiabatic operation 307
 - continuous ideal non-isothermal reactors 307–308
 - optimum operating lines 306–310
 - continuously operated
 - non-isothermal ideal tank reactor 299–300
 - continuously operated
 - non-isothermal ideal tubular reactor 303–306
 - cooled batch reactor, with exothermic reaction 295–298
 - cooling stirred tank reactors 296
 - and criteria for prevention of thermal runaway 294–295
 - critical condition for thermal runaway, for a zero-order reaction 299
 - decomposition of H₂O₂ in
 - adiabatic batch reactor 295
 - evolution of reactor temperature, in cooled batch reactor 296
 - optimum operation line for
 - non-adiabatic operation of PFR 307–309
 - optimum path to minimize
 - volume of PFR 309–310
 - wall-cooled ideal tubular reactor 304–306
 - well-mixed (discontinuously operated) non-isothermal batch reactor 295–298
- non-solar renewables 401, 446
- normalize standard electrode potentials 765, 781
- normal temperature and pressure 47, 68, 179, 225, 553
- northern hemisphere (NH), temperature deviation 395
- NO_x adsorber catalyst 755
- NO_x emissions 512–514, 529, 752, 757
- NO_x storage catalysts, principle 755
- nuclear power 389–390, 392, 399, 402, 435
- nucleophiles 21, 25
- nucleophilic additions 28, 29
- nucleophilic reagents 21
- nucleophilic substitution reactions 24, 25
- Nusselt, Wilhelm 71
- Nusselt number 71–79, 92, 93, 230, 577, 579, 580, 583
 - for cross flow over a long cylinder 75, 79
 - and heat transfer through fluid between two parallel plates 72
 - local and average Nu number for laminar flow in a circular tube 74
- O**
- octane number (ON) 25, 412, 415, 471, 633, 648, 652, 666, 675
- 1-octene
 - hydroformylation 715
 - hydrogenation 360, 361
 - liberation 739
 - liberation from 738
 - selectivity 736
 - trans*-4-octene, isomerization/hydroformylation of 705
- octol process 476
- olefins 413
 - hydroformylation 705
 - hydrogenation 703
 - isomerization 703
 - sources 651
- 1-olefins 500
 - Schulz–Flory type distribution 732
 - solubility 711
- oligomerization 651, 783
 - aluminum-based 735
 - catalytic cycle of ethene 270

- oligomerization (*contd.*)
 1-decene 730
 ethylene oligomerization for linear
 1-alkene production 729
 Ni-catalyzed 733–735
 reactor 734
 oligomers 505, 612, 732
 one-dimensional fixed bed reactor
 model 672–675
 one dimensional
 pseudo-homogeneous
 reactor model 643
 operation conditions of sieve tray
 118
 optical brighteners 503
 optimum operation line (of reactor)
 306, 307, 343
 ores, of catalyst pore diameter 215
 organic acids, production capacities
 487
 organic S-species, reactivity 629
 organic sulfur compounds 448,
 510, 547, 548
 organic transformations 19
 organocatalyst 30
 organometallic catalyst 717, 787
 complexes, immobilization 717
 system 787
 organometallic complexes 719
 organophosphorous 713
 osmosis 144, 145, 519, 523
 Ostwald, Wilhelm 31, 32
 Ostwald process 38, 42
 overall turnover number 30
 overheating of coke particle, during
 combustion with air
 268–269
 oxidations 30, 273
 acetic acid synthesis
 by ethane and methane
 oxidation 728–729
 via acetaldehyde oxidation
 722–723
 via butane or naphtha oxidation
 723–724
 alcohol 488
 aldehyde 488
 alkene 486
 catalytic oxidation of ammonia on
 577–583
 catalytic oxidation of *o*-xylene to
 phthalic acid anhydride
 694–701
 combustion chamber for
 oxidation of sulfur 566
 cycloalkane 482
 direct oxidation of ethylene 685
 ethylene 486
 equilibrium composition of SO₂
 oxidation 183–184
 ignition of a Pt-wire during
 oxidation of ethylene
 227–229
 indirect oxidation of propylene
 690–692
 intrinsic rate constants for
 oxidation (and gasification) of
 coke 556
 non-isothermal oxidation of
 carbon nanotubes 363–365
 NO oxidation to NO₂ 576
 number 737
 partial oxidation (of methane,
 heavy oil) 469, 560
 reactions 23
 oxidative addition 703, 725–727,
 738
 oxidative coupling 469, 736–740
 oxidative dehydrogenation 485,
 487, 728
 oxide-supported catalyst 787
 oxidizing agent 566, 688, 764
 oxosynthesis 701–720
 oxychlorination 371, 450, 494
 oxygen 450
 content 403, 557
 oxygenates 414–415
o-xylene 478, 489
 oxidation
 effective rate 700–701
 multi-tubular reactor 694
 to phthalic acid anhydride
 catalytic oxidation 694
 multi-tubular reactor, design
 and simulation 695–700
 phthalic anhydride, production
 and use 694–695
- p**
 paraffins 131, 403, 412, 415, 633,
 651
 para-formaldehyde 485
 parallel reactions 197–200,
 247–248, 251–253, 650
 particle and surrounding fluid 226
 particle size
 analysis 160–163
 distribution curve
 Rosin–Rammler–Sperling–
 Bennett (RRSB) function
 163
 distribution of a granular material
 162–164
 influence on pressure drop of fixed
 bed 155–156
 reduction 160
 reduction ratios
 and maximum sizes (charge) of
 crushers and millers 161
 particle temperature 226
 maximum temperature difference
 between center and outer
 surface 238
Peclet number 316, 321, 324, 326,
 328–330
 perfect gas equilibria 177–182
 perfluorohexane 716, 717
 peroxidation reactor of propylene
 oxide process 691
 peroxides 691, 694, 723, 785
 pesticides 508–510
 petrochemistry 610
 base chemicals, global production
 422
 vs. fine chemicals production
 508
 petroleum industry 410
 petroleum residues 618, 625
 Petukhov's law 151
 pharmaceutical 3–7, 28, 37, 171,
 453, 510, 530, 768
 phenol production 484
 Hock process 487
 Phillips catalyst 784, 788, 791
 Phillips Particle Form process 790,
 791
 phosgene 493, 501
 phosphates 448, 695
 phosphate salts 448
 phosphite ligands 713
 phosphoric acids 448
 phosphoryl chloride (POCl₃) 552
 phosphotungstic acid 728
 photosynthesis 31
 photovoltaic grade silicon,
 purification
 metallurgical grade silicon 798
 phthalic acid 489
 anhydride 473, 533
 esters 498
 production capacities 487, 489

- phthalic anhydride 694, 695, 697, 701
 cooling temperature influence 698
 physical transformations, of pure substances 53–57
 physisorption 40, 125, 217
 Pier, Matthias 666
 pig iron production, in blast furnace 599
 coke consumption 603–606
 residence time distribution 606–608
 π -electron systems 20, 25, 508
 pinch technology 96–99
 Planck, Max 47
 plants, extracts/excreta 428, 510
 plasticizer alcohol 701, 703, 740
 plastics 523–529
 global annual production of
 plastic by polymer type 524
 plastic waste 526–528
 recycling of plastic waste 526
 utilization of plastic waste in Germany 528
 material flow data for plastics for Germany 528
 platinum-rhodium gauzes 576
 alloy ammonia oxidation gauze 577
 platinum-rhodium wire 577
 plug flow behavior 323, 326, 328, 341, 351, 352, 607, 667
 plug flow reactor 204, 247, 249, 277, 284, 286–288, 291, 293, 324, 325, 329, 346, 351, 621, 628, 644, 696, 744, 762
 adiabatic 644
 continuous 744
 ideal 277, 286, 289, 292, 324, 327, 351, 607, 628
 Poiseuille, Jean Louis Marie 152
 poisoning 41, 44, 682
 polarization 24
 of bonds 20
 poly(ethylene terephthalate) (PET) 489, 499, 689, 722
 poly(methyl methacrylate) (PMMA) 497–499
 poly(vinyl acetate) (PVA) 499, 722
 poly(vinyl chloride) (PVC) 23, 494, 497, 498, 703
 polyacrylates 497, 499, 508, 512
 polyacrylonitrile 497, 499, 502
 polyaddition 498, 499, 501
 polyamide 6, 499–501
 polyamides 490, 492, 500, 501
 applications 501
 formation, from diamines and dicarbonic acids 498
 polyarylate 499
 polybutadiene 473, 496, 497, 499, 512
 polycarbonate 488, 500, 501, 512
 polycondensation 498, 499, 501
 polydienes 496–497, 499, 508, 512
 polyester fibers 689, 722
 polyesters 501
 applications 501
 formation, from diols and dicarbonic acids 498
 polyethylene (PE) production
 classification and industrial use 782–783
 HDPE and LLDPE, catalysts for production 787
 Phillips catalyst systems 788
 single-site metallocene catalyst systems 788–789
 Ziegler catalyst systems 787–788
 LDPE production, reaction mechanism and process equipment 784–786
 production economics, and modern development 792–793
 production processes, characteristics 784
 purity 784
 polyether polyols 693
 polyethylene (PE) 30, 495, 496, 730
 polyisobutene 473
 polyisoprenes (IR) 497
 polymerization 19, 27, 501, 651, 688
 cationic 25, 27, 499
 emulsion 502–503
 exothermicity 792
 grade 615
 grade ethene, specification 784
 in-substance 501
 mechanism 496
 precipitation 502
 reaction mixture vs. monomer conversion, viscosity 502
 reactor 789
 slurry-phase 502
 in solution 501
 suspension 502
 polymer process technologies 496
 polymers 23, 469, 512
 polymethacrylate 23, 501
 polyolefins, applications 496
 polyols 481, 483, 693, 701
 polypropylene (PP) 474, 496, 801
 polysiloxanes 715
 polystyrene (PS) 23, 497, 499, 501, 502, 512, 691
 polysulfide 499
 polytetrafluoroethylene (PTFE) 497
 process 802
 production of 801–802
 treatment of
 chemical recycling of 805–806
 incineration and disposal of 804
 reprocessing 804–805
 use of 802
 polyurea 498
 polyurethanes 480, 492, 498, 501, 512, 689
 pony-tails 716
 pore diffusion 541, 662, 759
 and intraparticle heat transport 238–239
 limitations 249
 pore diffusion resistance 216, 232–237, 639, 642, 643
 pore effectiveness factor 250, 251, 541, 542
 pores, of catalyst 214
 overall pore length 215
 pore dimensions 214
 porosity 36, 80, 93, 130, 142, 154–156, 224, 234, 250, 324, 556, 624
 of membrane 142
 porous catalyst
 particles 234
 pore diffusional limitations 249–250
 with slab geometry in case of consecutive first-order reactions
 potassium nitrate (KNO₃) 537, 574
 potential energy surface 194
 Power-to-X 434
 practical cell voltage 774

- Prandtl, Ludwig 73
 Prandtl number 73, 87, 226
 Prandtl's law 150
 Prater number 230, 231, 239, 240, 267
 precipitation 38
 pre-desulfurized diesel oils 630
 pre-exponential factor 42, 65, 204, 369, 370
 presaturated one-liquid flow (POLF) reactor 741, 743, 748
 pressure 182
 pressure drop
 comparison in a fixed bed and in a monolith 762
 empty tube 149–154
 entrained bed 155–156
 fixed (packed) bed 154–156, 542
 fluidized bed 155
Presto program 641, 644
 primary amines 490
 primary cracking 612
 primary energy consumption
 global 392
 forecasts 393, 402
 regional distribution of 402
 shares 373–380
 probability, of chain growth 660
 prochiral compound 28, 29
 products extracted, using
 supercritical CO₂ 137
 propagation 23, 199, 610, 660, 723
 propane 470, 471
 1,3-propanediol 480, 483
 propanols 482
 propene 27
 gas-phase hydroformylation 719
 rhodium-catalyzed
 hydroformylation 708
 propionic acid 724, 725, 727
 propylene 470
 direct oxidation 689
 indirect propylene oxidation 691
 oxidation, pilot plant reactor 693
 Rh-catalyzed hydroformylation processes 712
 Wacker–Hoechst oxidation of 488
 propylene glycol ether 484, 512
 propylene oxide 474, 479, 485, 693
 applications 485
 chlorohydrin process, flow sheet 690
 commercial production 689
 chlorohydrin process 685–686
 propylene, indirect oxidation 690–692
 propylene oxide, products made 692–694
 Halcon process, flow sheet 692
 industrial epoxides 484
 polyethers from 693
 protein-hydrolysates 807
 PS–butadiene-acrylonitrile (ABS) copolymers 497
 PS–butadiene rubber 497
 pseudo-first-order rate constant 662, 760
 PtRh-gauze 586
 geometry 584
 pumps, conveyance of liquids by 157
 purchasing power parity (PPP) 6, 17, 380, 385
 purified enzymes 37
p-xylene 3, 139, 140, 473, 477, 478, 489
 pygas 614–616, 618
 pyrolysis gasoline 614
 pyrolysis of biomass
 isothermal thermogravimetric measurements 554–555
 pyrolysis of solid fuels (coal, biomass) 553
 chemical reactions 420
 pyrolysis oil 616
- q**
 quenching 260, 485, 590, 595, 614, 618
 quench-system 614
- r**
 racemic mixture 29, 689, 740, 750, 809
 racemic resolution processes 29
 racemization processes 29
 radial carbon profiles 642
 radial dispersion 324, 327–331, 344, 352–354, 696
 radial effective thermal conductivity 670, 675
 radial heat dispersion 324, 330, 353
 radial heat flux 674
 radial heat transfer in packed bed reactors 332
 effective radial conductivity λ_{rad} of a packed bed 335–336
 heat transfer coefficient and Nu number 336
 and methods to account 332–336
 one-dimensional model of a wall-cooled reactor 333–335
 two-dimensional model of a wall-cooled reactor 332–333
 radiation 81
 zone 613
 radical chain propagation 23
 radical chlorination 469, 493, 495
 radical cracking taking place in a steam cracker 610
 radical mechanism of acetaldehyde oxidation 723
 radical polymerization reactions 23, 499
 radical reactions 23
 steam cracking 609–618
 radicals 19, 495
 radicals I 499
 Raffinate 1 476
 Raffinate 2 476
 Raffinate 3 476
 Raney-copper 38, 39
 Raney-nickel 38, 488
 Raoult, François-Marie 101
 Raoult's law 101–103, 113, 147, 187
 rare earth (RE) elements 455
 rate equation 192–196
 rates of reactions 173
 raw coke oven gas, composition 595
 reaction energy 180, 181
 reaction mechanism 22, 27, 193, 269, 649–651, 687–688
 reaction of gases
 with a non-porous solid 255
 border cases and models 255
 chemical reaction determines effective rate 258
 conversion different cases 259
 effective rate limited by external diffusion 258–260
 equations 258
 rate limited by film diffusion and internal diffusion 257
 reaction and external mass transfer 257

- shrinking non-porous
 - unreacted core, gaseous product(s) 257–260
- shrinking non-porous
 - unreacted core, solid product layer 255–257
- slow chemical reaction 257
- solid product layer 255–257
- with a porous solid 260
 - basic equations for conversion 261
 - border cases and general situation 261
 - border cases and models 260–261
 - chemical reaction, rate-determining step 263–264
 - equations for conversion 264
 - general closed solution by combined model 261–263
 - homogeneous uniform conversion model 263
 - rate controlled by diffusion through solid product layer 264
 - reaction and diffusion in product layer determine rate 264
 - shrinking unreacted core model 263
- reaction of n -th order 196
- reaction quotient Q_R 179
- reaction rates 33, 34
 - different forms and units 216–217
- reactions 21
 - in series 197
 - time 175–176
 - with varying volume 203–204
- reactions, general classification 21
 - acid–base catalyzed reactions 22–23
 - addition reactions 22
 - electrophilic addition reactions 27–28
 - electrophilic substitution
 - reactions at aromatic compounds 25–27
 - nucleophilic substitution reactions 23
 - reactions via carbocations 24–25
 - reactions via free radicals 23–24
- rearrangement/isomerization reactions 22
- substitution reactions 21
- reactors
 - batch 176
 - catalytic 33
 - chemical reactor
 - disciplines needed for design 172
 - scale-up dimensions 172
 - influence of mixing on the reactor size 174
 - influence of reactor type on productivity 174
 - reactor technology, novel developments 336
 - adiabatic reactors, with periodic flow reversal 342
 - hybrid (multifunctional) reactors 337
 - catalytic distillation 338
 - coupling membranes and reaction 337
 - coupling reaction and adsorption 337–338
 - microreactors 339
 - advantages 339
 - drawbacks 340
 - heat transport 341–342
 - mass transport, and residence time distribution 340–341
 - typical values of characteristic parameters 340
 - monolithic reactors 338–339
- reactor tube 43, 558, 613, 655
- reagent induction 30
- reagents classification 21
- real gas
 - adiabatically expansion 52
 - equilibria 177, 184, 187
 - properties 46
- reciprocal reaction rate 569, 571
- recycle compressor 630, 633, 709
- recycle gas, composition 675
- recycle ratio 290, 291, 667–669
- recycle reactor 290–291, 347, 667
- Redlich–Kwong equation 49
- reducing agent 589, 680, 757, 788, 796
- reductive cleavage 740
- reductive elimination 703, 705, 726, 738
- refineries
 - flow-sheet of a crude oil refinery 416
 - products, properties of 414–415
- refinery alkylation 471, 649
 - alkylation feedstock and products 651
 - commercial alkylation processes
 - commercially applied alkylation processes comparison 656–657
 - using hydrofluoric acid as liquid catalyst 653–654
 - using sulfuric acid as liquid catalyst 654–656
 - process variables
 - acid strength and composition 652
 - effect of mixing 652
 - isobutane concentration 652
 - reaction temperature 651–652
 - reaction and reaction mechanism 649
- refinery processes 415
- reforming catalysts (reforming of gasoline) 635, 638
 - characteristic data 640
 - deactivation and regeneration 638
 - mechanisms 635
- refractory-lined furnace for sulfur combustion 566
- regeneration process (decoking of reforming catalyst) 643
- regioisomers 27, 703
- regioselectivity 26, 27, 406, 720
- regulators 503, 751
- renewable energy 390, 393, 403
- renewable raw materials
 - base chemicals 422–423
 - carbohydrates 426–428
 - extracts and excreta from plants 428–429
 - fats and vegetable oils 423–426
- research octane numbers (RONs) 633, 649
- reserves of fossil fuels 387, 389
- residence time 175, 310, 612
- resources of fossil fuels 387, 389
- reverse osmosis 144–146, 519, 523
- reversible reactions 200, 201
 - activation energy 202
 - first-order reaction
 - effectiveness factor (pore diffusion) 237–238

- reversible reactions (*contd.*)
 exothermic 243–245
 with influence of external and internal mass transfer 242–245
 ratio of rate constants 202
 relation between equilibrium and rate of forward and reverse reaction 202–203
 standard reaction enthalpy and entropy 202
 Reynolds, Osborne 73
 Reynolds number 59, 73, 78, 79, 86, 154, 167, 328, 749
 Rh-based hydroformylation 706, 707, 713, 720
 Rh-BIPHEPHOS 705
 Rh-catalyzed propene hydroformylation 712
 rhodium catalyst 708, 713, 714, 721, 726
 riboflavin 510
 riser-type reactor 653
 Roelen, Otto 701
 Rosin–Rammler–Sperling–Bennett (RRSB) function 162, 163, 169
 Ruhrchemie/Rhône-Poulenc process 710, 711, 715
- S**
- saccharose (α -D-glucopyranosyl- β -D-fructofuranoside) 428
 Sachsse–Bartholomé process 469, 479
 sanitation, global 522
 saponification 504, 689
 SASOL tetramerization system 738
 saturated fatty acids 423
 saturated monoalcohols, industrial production 482
 schematic energy profile 33, 541
 Schmidt, Ernst 87
 Schmidt number 87, 226
 Schulz–Flory product distributions 731, 734
 SCR reactor 759
 pressure drop 762
 scrubbers 93, 110, 116, 514, 529, 654
 secondary amines 490
 second law of thermodynamics 53–55, 68, 98
 second-order reaction 196, 204, 273
 selective catalytic reduction (SCR) 589, 756–763
 selective hydrogenation reactions 615
 selectivity 34, 175
 selectivity of reactions 245
 influence of external mass transfer on
 selectivity of parallel reactions 247–248
 selectivity of reactions in series 245–247
 influence of pore diffusion on selectivity of parallel reactions 251
 on selectivity of reactions in series 248–249
 self-alkylation 650, 651, 657
 self-ignition 688
 semi-batch stirred tank reactor 742, 743
 semi-regenerative reforming process, flow scheme 636
 sequestrants 503
 Shell catalyst system 695, 700, 707
 Shell higher olefins process (SHOP) 35, 729, 733, 735
 Sherwood, Thomas Kilgore 87
 Sherwood numbers 577, 578, 586, 639, 761
 shrinking core model 254, 261, 263, 264, 642
 side-fired primary reformer 563
 Siemens–Martin (SM) process 593
 Siemens process 798–801
 sigmoidal heat production function 300, 343, 579, 590
 silicates 449, 452, 686, 796
 silicones 449
 carbothermic reduction of 797–798
 metallurgical grade 798
 production and use of 796–797
 silicon carbide 451
 silicon nitride 451
 silicotungstic acid 728
 simultaneous equilibria, calculation 190–192
 single-phase system 269
 homogeneous and enzyme catalysis 269–271
 mechanism of homogeneous catalysis 270
 turn over number 269
 single-pressure nitric acid plant 589
 single-site catalysts 788–789
 single-stage reactor 655
 sintering 42–44, 280, 638, 648, 682, 758
 size exclusion membranes 715, 720
 slurry-phase polymerization 502
 slurry process 782, 789, 791, 793
 Smoluchowski, Marian 233
 Snia–Viscosa process 492
 S_N1 reaction 24
 S_N2 reaction 24
 soap formation 506
 Soave–Redlich–Kwong equation 49, 677
 soda ash (sodium carbonate) 450
 sodium hexafluoroaluminate 781
 sodium hydroxide 2, 450, 690, 768–772, 779
 sodium nitrate ($NaNO_3$) 537
 sodium salt of
 tris(*m*-sulfonatophenyl) phosphine ($Na-TPPTS$) 710
 Sohio process 469, 492, 493
 solar energy 1, 374, 391, 395, 397, 402, 436
 sol–gel processes 39
 solid catalysts
 individual steps of catalysis 274
 kinetics of gas–liquid reactions on 273–276
 reaction and interfacial transport of mass and heat 222–229
 sorption on surface of 217
 solvation 24, 137, 148, 717, 718
 Solvay process 450
 soot–naphtha suspension 560
 sour gases 417
 space–time yield 33, 176, 501, 679
 space velocity 176, 542, 683–685
 spectrum of factors, influencing rate of reaction 213–216
 speed of reactions 172
 sprouting of PtRh catalyst for ammonia oxidation 576
 S-sensitive $DeNO_x$ -storage catalysts 626, 632

- standard ambient temperature and pressure (SATP) 179
- standard Gibbs function of reaction 182
- standard of living 381, 383, 384, 387
- standard potentials 764–766, 778, 781
- standard reaction enthalpy 180
calorimetric measurements 181
- standard reaction entropy 180, 588
- standard reference conditions 178
- standard temperature and pressure (STP) 176, 179, 553
- starch 426, 495
molecular segments 428
- starch-containing substrates 481
- steam cracker unit
mass balance 616–617
simplified scheme 615
- steam cracking 22, 471, 472, 478, 609, 610
basic chemicals by 609
benzene 476
butadiene, isobutene, and butenes 474
C₄-cut, technical processing 474
economics 617–618
ethylene 472
general and mechanistic aspects 609–612
industrial steam cracker process 613–616
product distribution, influencing factors 612
applied feedstock 612
hydrocarbon partial pressure in the cracking oven 613
residence time 612–613
temperature in the cracking oven 612
product separation and purification 616
propylene 473
simplified scheme 617
steam cracker process, economic aspects 618
- steam reforming process 41, 562
ammonia plant, block diagram and temperature profile 563
feed for 547
- steel 608
iron ore to 608
production processes
based on scrap and direct reduced iron (DRI) 593
based on the blast furnace route 592–593
coal and coke in 421, 591
- Stefan, Joseph 81
- Stefan–Boltzmann* law 81, 82
- Stefan flow 87, 88
- step-growth polymerization 498, 499
- stereochemical environment 789
- stereoisomers 28, 741, 746–748, 809
- steric demand 24
- steric effects 20
reactivity of two trityl radicals 21
- stirred tank reactors 726
adiabatic operation 299–300
derivation of E_{θ} - and F-function 313
dynamic behavior and oscillations 302
dynamic stability 301
equations 300, 301
heat production function, and heat removal lines 299
parameters of styrene polymerization 301
static stability 301–303
typical devices for 296
- stoichiometric coefficient 175, 192, 195, 202, 566, 763, 795
- straight-run gasoline 633, 648
- stranded gas 388, 664, 684
- Strecker synthesis 809
- stripper 589, 614, 622
- styrene 473, 478, 495, 499, 691
- subjective well-being index (SWB) 385, 386
- substitution reactions 21, 26
- substrate induction 29, 30
- sugar based surfactants 428
- sulfate process, titanium dioxide production 793
- sulfochlorination 23, 472, 505
- sulfolene 473
- sulfonation 26, 504
- sulfoxidation 505
route 472
- sulfur 448
emissions 625
- sulfur dioxide (SO₂)
catalytic conversion into SO₃
selectivity conversion vs. dimensionless reactor volume 571
selectivity of reactions
conversion vs. temperature plot 570
production routes 566–567
- sulfuric acid 448, 481, 565
production, reactions and thermodynamics 565–566
- sulfur dioxide conversion into SO₃ 567–568
- sulfuric dioxide production 566–567
use as catalyst for alkylation 654
- supercritical carbon dioxide (scCO₂) 717–718
- supercritical fluids 94, 136–138, 148, 490, 717
- superheated steam 613
- supported Ag particles, REM pictures 687
- supported aqueous phase (SAP) catalysts 719
- supported ionic liquid phase (SILP) 719, 720
- surface kinetics 217
- surface renewal theory for gas-liquid mass transfer 205
- surfactants 503
applications 504
molecules
application field 503
schematic representation 503
neutral, applications 504
structure and properties 503
- suspension polymerization 497, 502, 790
- sustained strong economic growth 392
- Sutherland, William 62
- Sutherland* constant 62
- symrise process 740, 741
- syndiotacticity 497
- synfuels, limitations 664
- syngas 469, 547, 701
from solid fuels (coal, biomass)
basic principles and reactions 551–552
by gasification 552–553
by gasification of biomass 553–555
treatment 548

- synthetic ammonia 537, 546
 synthetic fuels 675
 production 658, 665
 synthetic hydrocarbons (SHC) 730
 synthetic lubricants 730
- t**
 Takasago process 740, 750
 tanks-in-series model 313, 607
 calculation of conversion by
 tanks-in-series model 315
 derivation of number of
 tanks-in-series by E_θ function
 314–315
 residence time distribution of
 cascade of 313–315
 tensides 426, 485, 507
 terephthalic acid 473, 478, 487,
 489, 501, 721, 722
 terephthalic dimethyl ester 489
 tert-butanol 476, 482
 tert-butyl alcohol 691
 tert-butylamine 490
 tert-butyl cation 25, 650
 tertiary amines 490
 tetrachloromethane 493
 1,1,1,2-tetrafluoroethane 495
 tetrafluoroethylene (TFE) 775, 801,
 802, 806
 tetrahydrofuran (THF) 110, 484
 Texaco process
 feedstock and raw syngas
 composition 561
 for heavy oil gasification
 560–562
 thermal conductivity 83, 92
 thermal conductivity 72, 216, 555,
 578, 582, 596–598, 640
 thermal cracking 23, 279, 415, 560,
 619–621
 thermal diffusion 61
 thermal entrance region 73, 74, 341
 thermal runaway during PE
 production 784
 Thermodynamic data
 NH₃ synthesis 185–186
 thermodynamic data, selected
 species 179
 thermogravimetry (TG) 92, 363,
 370
 thermoplastic polymers 496
 thermoset resins 496
- thickness δ of thermal boundary
 layer 71
 Thiele modulus 232, 233, 235, 238,
 240, 252, 266, 639, 642, 662,
 700
 Thomson, William 51
 three-phase system 502, 629, 633
 three-way catalyst 752, 753, 755,
 763
 tidal power 391
 time-tank process for alkylation
 654
 titania pigment 793, 794
 titanium dioxide (TiO₂)
 production of 793
 chloride process 795–796
 sulfate process 793–795
 use of 793
 titanium metal sponge 793, 794
 titanium-silicate catalyst 692
 toluene 100, 101, 103, 444, 471,
 476–478, 493, 616
 2,4-toluene diisocyanate (TDI)
 493, 501
 total oxidation 686–689, 693
 transalkylation reactor (TR) 477,
 732, 733
 transfer-line heat exchangers, design
 objectives 614
 transient heat
 coke production from coal 596
 of plate for Bih 84
 transfer by conduction and
 convection 82–84
 transition states 33, 34, 194
 transport coefficients of gases 61
 binary gas mixtures 63
 binary gas diffusion coefficients
 64
 calculation of binary diffusion
 coefficients 63
 experimental values, correlation
 63
 Hirschfelder equation 63
 special diffusion volumes
 derived 63
 experimental values deviation
 63
 gas mixture, more than three
 components 63
 for ideal gases 61
 influence of T and p 62
 mean free path 62
- mean velocity of molecules
 61
 Sutherland constant 62
 transport coefficients of liquids
 66–68
 transport limitations, in
 experimental catalytic
 reactors
 criterion to exclude influence of
 dilution of catalytic fixed bed
 355–356
 gradientless ideal particle behavior
 352
 ideal plug flow behavior
 351–352
 transport properties 46, 58–68
 trays 104, 106, 117, 147, 551, 615,
 706
 trickle bed reactor 283, 354, 362,
 629–631, 633
 triethylene glycol 483, 689
 triglycerides 183, 423, 483
 trimethylamine 490
 trioxane 485, 499
 triphenylphosphine 719
 ligand 708
 tris(*m*-sulfonatophenyl)phosphine
 (TPPTS) 710, 720
 trityl radicals 21
 Tropsch, Hans 658
 Trouton, Frederik Thomas 55
 Trouton's rule 55, 68, 630
 turnover frequency (TOF) 30, 269,
 272
 turnover number (TON) 30, 31,
 33, 269, 272
 two-dimensional finite element
 method 580
 two-dimensional fixed bed reactor
 model 669–672, 675, 696
 two-film theory 205–208, 211, 272,
 273, 276
 two first-order reactions in series
 197–200, 249, 294
 two parallel first-order reactions
 197
 two-phase reactor 630, 631
- u**
 Union Carbide Corporation (UCC)
 686
 Union Carbide/Davy Powergas gas
 recycle process 708
 disadvantages 709

- schematic view 708
 Union Carbide's Ethoxene process 728
 Union Carbide's induced phase separation process 712
 unsaturated fatty acids 423
 UOP process 653, 654
 urea 45, 418, 448, 493, 510
 UV-irradiation 472, 495
- V**
- vacuum distillation 415, 618, 625
 vacuum residue oil 621
 valence electrons (VE) 737
 valuable organic intermediates 701, 702
 vanadium-based catalyst 567
 van der Waals, Johannes Diderik 47
 van der Waals constants, of selected gases 48
 van der Waals equation 48
 estimation of critical data based on 50
 van der Waals interactions 718
 van't Hoff, Jacobus Henricus 182
 van't Hoff equation 182
 vaporization 53
 change of entropy 54
 enthalpy 54, 55
 Trouton's constant 55
 vapor pressure equation 54
 vapor pressures 54–56, 550
 for curved systems 58, 68
 variable costs 532–536
 vegetable oils 136, 148, 423–426, 483
- Verbund 618
 vinyl acetate (VAM) 473, 721, 729
 vinyl chloride 22, 473, 479, 494
 vinyl ester 473
 vinyl ether 473, 499
 vinylidenes 736
 vinyl-polymers 496–499, 512
 viscoelastic polymer 783
 viscosity of gases and liquids 58
 vitamin B₃ 510
 vitamin C 510
 vitamin E 510
 vitamins 37, 510, 512, 812
 V₂O₅ catalyst 566, 567, 573
 volatile platinum oxides 576
- W**
- Wacker–Hoechst process 486, 487
 washing machine powder 503
 washing powders 38, 504
 washing towers 614
 waste-heat boiler (WHB) 560, 561, 567, 570
 water alkaline electrolyzers 774
 water consumption, domestic 518, 519
 water content/consumption, virtual 518
 water electrolysis 408, 436, 442, 447, 766, 773–778, 781
 water footprint 515–523
 water-gas shift reaction 34, 549, 550, 552, 559, 560, 562, 604, 659, 663, 677
 water/NMP/catalyst 713
 water resources
 global 516
 renewable 517
- Weisz modulus 238
 whole cell 30, 35, 37
 Wilke–Chang equation 66, 662, 746, 747
 wind turbines 379, 391, 459
 Winkler process 552
- wood
 to cellulose 427
 constituents of 427
 production of forest product 426
- X**
- xenon 448
 X-ray diffraction 40
 X-ray photoelectron spectroscopy 40
 XTL plant 666, 667
 xylenes 471, 476, 477, 616
- Y**
- yeasts 37, 481
 yield, definition 175
- Z**
- Zeldovich, Yakov Borisovich 233
 zeolites 35, 39, 123, 129, 719
 Ziegler Aufbaureaktion 730–733, 735
 Ziegler, Karl 730
 Ziegler–Natta catalysts 32, 496, 497, 499, 502, 787
 Ziegler–Natta polymerization 496
 ZnO/Cr-oxide catalysts 679
 zirconia 451

