

Index

a

aerospace 7, 24
 air 19–22
 conditioning 326
 separation 6–7
 air separation unit (ASU) 97, 235,
 355–356, 362, 366, 373–374
 aluminum plate-fin heat exchanger 102,
 435–437
 mechanical design 102–104
 restrictions and limitations 107
 thermal and hydraulic design 104–105
 argon 5, 7, 16, 19, 22–26, 99, 122,
 181–182, 192, 207, 216, 279, 373,
 392

b

basis of design 12, 194
 bath evaporator 194–195, 245
 bearing system 118–121, 124, 129–131,
 133
 booster 455
 Brayton process 169, 331
 assessment 235–236
 cold gas heat exchanger 224–226
 compressor and expander 226–227
 control of Brayton refrigerator 233
 cooling capacity 217–219
 cooling temperature 217
 definition 220
 expander loss 229
 expander specification 226
 hardware components

 applications 235
 compressors 234
 expanders 234
 heat exchanger 233
 heat exchanger 224
 loss in cold gas heat exchanger
 227–228
 loss in compressor 227
 overall performance 227
 phase state conditions 216
 process analysis 227–229
 process and hardware concepts
 220–222
 process description 215–216
 process optimization 230–232
 process simulations 223–224
 properties data 220
 reversible Brayton process 219–220
 typical process pressure levels 217
 working fluids 216
 Brayton stage 135, 238–240, 257, 261,
 276–277, 343–345, 346, 351–352,
 360, 362–363, 371–372, 385, 445
 bulk helium liquefiers 374–375
 bypassing 147

c

capital expenditures 439
 carbon monoxide 19
 Carnot efficiency 181, 202, 381
 Carnot engine 40–41, 46
 Carnot equation 42, 46, 47, 177–181,
 202, 219, 335–336, 375

- centrifugal compressor (booster compressor) 69–70, 234
- control of 146–149
- electric motor 149
- gas turbine 149
- impeller design 141–142
- mechanical design 139–141
- multi-staging 142–144
- pressure ratio for light gases 145–146
- pressure ratio in single stage 144–145
- principle of compression 139–141
- steam turbine 149
- thermodynamics of 143–146
- classical Joule Thomson process 107, 206–208, 213, 279, 280, 441
- variables 208–209
- Claude liquefier
 - liquefaction capacity of 341–342
- Claude process 169, 331, 340, 342, 445
 - air gases 241
 - compressor 253–254
 - cooling capacity of 241–242
 - evaporator 252–253
 - expander and expansion valve 253–254
 - extended definition of 238
 - heat exchangers 249–252
 - helium 241
 - helium Claude process 257–276
 - high-pressure level and pressure dilemma 240–241
 - loss in compressor 254
 - loss in evaporator 257
 - loss in expander 256
 - loss in expansion valve 256–257
 - loss in heat exchanger 254–256
 - low-pressure level 241
 - main idea of 238–239
 - morphology 237–238
 - nitrogen Claude process 243–245
 - non-ideal gas, infinitely large heat exchanger 242
 - overall performance 254
 - process analysis 254
 - process and hardware concept 245–247
 - process description 239–240
 - process simulations 247–249
 - process units 249–252
 - real gas, real heat exchanger 242–243
 - simulation sequence 248–249
 - special feature 238
- coefficient of performance (COP) 180–181, 194, 208, 209, 220, 231, 232, 245, 261, 309, 439, 440
- coldbox
 - mechanical design 397
 - thermal insulation 397–398
- cold compressed fluid 215, 409
- cold expander Brayton stage 363, 372
- cold-expander stream 345, 358, 360–363, 372, 387
- cold gas heat exchanger 214–215, 217, 219, 221–230, 238, 344
- cold surface 99, 172–175, 183
- compressed multicomponent refrigerant 408–409
- compressed refrigerant 212, 213, 215, 239, 243, 294, 344
- compressor 453, 458, 464, 465, 472
 - energy transformation chain 137–138
 - housing, tightness of 152
 - lubrication 138
 - oil, selection of 152
 - wheel 125
- constraints 15, 110, 122, 230, 276
- conventional refrigeration 2, 38, 152, 154, 326–327, 407
- cooling capacity, Joule–Thomson process 5, 173, 191
- cooling temperature, refrigerator 172
- counter-current heat exchanger 182, 215, 239, 243, 259, 294, 344, 387
- cryogenic engineering 1, 4
- cryogenic refrigeration

- Brayton process 331
- Carnot efficiency 181
- classification of cryogenic processes 170–171
- Claude process 331
- coefficient of performance (COP) 180–181
- definition 172–173
- energy conservation 177
- energy conservation law for 173–176
- Joule Thomson process 330–331
- minimum power requirement, for typical temperature levels 179–180
- mixed fluid Joule–Thomson process 331
- parasitic heat flow 176–177
- reversible and Carnot equations 177–179
- second law of thermodynamics 179
- specific power 181
- standard cryogenic processes 169
- three interfaces 174, 175
- cryogenics
 - applications 5–9
 - history 3–5
- cryotechnology 1, 2
- d**
- data package, for fluid properties 457
- degrees of freedom 109–110, 153, 208, 230, 238, 323, 352, 355, 360, 386, 417, 420, 431
- Dewar vessel 99–101, 376, 378
- distribution fins 103, 104
- double-tube (multitube) heat exchanger 72–74, 183
- driving power 16, 42, 50, 83, 84, 89, 91, 173, 174, 177, 178, 180, 229, 313, 362, 371, 444
- dry air 19, 21
- D-type separator 420
- dual-expander Claude process 344, 346, 351, 352, 358, 360, 361, 366–369, 371
 - for nitrogen liquefaction 366–369
- dynamic gas-lubricated bearing 129, 131, 133
- e**
- early liquefaction processes 338, 342–343
- electric generator 40, 69, 70, 136, 220, 234, 238, 246, 278
- electric motor 40, 45, 142, 148, 149, 160, 161, 174, 234
- electric power tariff 439
- Elliot Corporation 451
- energy balance 14, 177, 187, 188, 217, 218, 241, 413–415
 - equation 415–416
- energy conservation law 42, 52, 63–64, 68, 78, 79, 82–83, 85, 92–93, 173–177, 335
- energy transformation chain 137–138, 160
- enthalpy balance 223, 339, 341, 346, 413, 417, 456
- entropy 42
 - to Boltzmann 44
 - to Rudolf Clausius 42–43
 - for thermodynamic analysis 44
- evaporator, cold surface 183
- exergy 45, 336, 337
 - applications 49–50
 - balance sheet 57
 - of cold/cooling power 47
 - of heat/heat flow 46
 - of material/material stream 47
 - of mechanical and electrical energy 45
 - for multicomponent materials/material flows 49
- expander-booster units 360, 361, 372, 459–460
- expanders 453, 464, 467
 - bearing system 118–121

expanders (*contd.*)
 expansion process 116–117
 helium 127–133
 isentropic efficiency 118, 119
 large turboexpanders with oil bearings
 123–127
 limited pressure ratio 121–122
 no phase state change 122–123
 wheel 125
 expansion device design 52, 60, 183
 expansion valve, mechanical design
 136
 external cooling
 flash-gas management 353–354
 vs. internal 354–355
 liquefaction process with 351–352
 principle of 348–351
 external pre-cooling stage
 cooling capacity 429–431
 primary concept 427–429
 process variations 431
 working fluids 431
 external refrigeration process 351, 353

f

feed gas
 and product 404
 specifications for 453
 flash-gas 450
 fraction 404
 management 353–354
 subcooling by 364
 flow arrangement 110–111
 fluids 19, 21
 lubricated bearings 131
 properties 15
 fluorine 19

g

gap seal 125
 gases
 brake 383
 data properties 19, 20
 industry 2
 gas-lubricated bearings 120, 129, 133

h

hardware components, development of
 11, 14
 heat exchanger 297, 357, 442, 452, 453,
 456, 457, 464, 465, 473, 475, 478
 aluminum plate-fin 102–107
 configuration 357
 double tube 72
 duty 426
 efficiency 81
 energy loss 78–81
 logarithmic temperature difference
 74, 75
 loss 411–412
 mean logarithmic temperature
 difference 74–75
 multi-stream heat exchanger 77–78
 natural gas liquefaction 406
 Q/MTD and UA 75–76
 spiral-wound 108, 115
 heat flow
 through heat bridges 96
 through thermal insulation 97
 heat leak, simulation procedure 275
 helium 31–33
 plants 7
 purification system 392–393
 helium Claude process
 evaporator 269
 expander 269–270
 expansion valve 270
 heat exchangers 264–269
 loss by heat leak, thermal insulation
 274
 loss in compressor 271
 loss in evaporator 274
 loss in expander 273–274
 loss in expansion valve 274
 loss in heat exchanger 271–273
 mechanical design 258, 260
 overall performance 270
 process analysis 270
 process and hardware concept
 261–264
 process simulation 264

- simulation procedure 275
- staging 260, 261
- helium expander
 - bearing system 129–131
 - control and instrumentation 133
 - mechanical design 128–129
 - utilization of expander power 132–133
- helium liquefaction process
 - Claude process 393–394
 - compressor 382–383, 396–397, 465
 - core process for 386–388
 - expanders 467
 - expansion valve 469
 - features of 385–386
 - feed gas and product 376–378
 - formal task definition 463–465
 - heat exchanger 381, 465
 - helium expanders 383
 - liquid nitrogen 469
 - mechanical design 397
 - overall performance and losses 469–470
 - performance comparison 380–381
 - power requirements 378–379
 - process design 395
 - process extension 392–393
 - process simulation 465, 466
 - process-to-hardware-design 462–463
 - status quo 398–400
 - thermal insulation 397–398
- high-energy physics 7
- high-pressure processes 171, 183, 240, 242, 249, 277, 447
- high-temperature superconductors (HTSC) 2, 8, 9, 26
- hydrogen 27–31
 - based economy 8
 - liquefaction 235
- i**
 - impeller design 124, 141–142
 - industrial plant
 - mechanical design 372
 - process design 370–371
 - process specification 372
 - infrastructure process chain 403–404
 - inlet guide vanes (IGV) 126, 127, 140, 147–148
 - inlet nozzle assembly 116
 - integrally geared compressor 142–143, 458
 - integrated purifier 392, 395
 - intermediate-pressure approach 445
 - internal cooling 348, 353–355
 - irreversibility 39–40, 42, 44, 50, 80, 83, 239, 257, 274, 314
 - isenthalpic expansion
 - expansion valve 53
 - flash gas 61
 - Joule–Thomson coefficient 53–54
 - Joule–Thomson effect 51–52
 - Joule–Thomson expansion 60–61
 - loss of exergy 57, 60
 - in temperature enthalpy diagram (nitrogen) 54, 56, 57
 - isentropic efficiency, impact of 84, 118, 119
 - isentropic exponent 67, 84–85, 145, 152, 160
- j**
 - Joule–Thomson coefficient 53–57, 60, 92, 190–192, 207, 340, 441, 444
 - Joule–Thomson effect 51–52, 54, 57, 216, 242, 340, 441, 445
 - Joule–Thomson expander 386
 - capacity 135
 - mechanical design 136
 - techno-economics 135
 - Joule–Thomson expansion 60–61, 133, 136, 195, 201, 204, 214, 245, 253, 259, 270, 274, 294, 296, 309, 342, 345, 353, 362, 363, 367, 372, 387, 406, 455, 456, 469
 - Joule–Thomson heat exchanger 268, 277, 343, 388, 443
 - Joule–Thomson liquefier
 - liquefaction capacity of 339–340

- Joule–Thomson process 169, 330, 338, 340, 439
 compressor 183
 control 211–213
 cool-down procedure 185–187
 cooling capacity 187–188, 192
 evaporator 183–184
 expansion valve 183
 heat exchanger 182–183
 high-pressure level 192
 with infinitely large heat transfer exchanger 189–190
 low-pressure level 192–193
 with real heat exchanger 190–191
 sub-atmospheric ($p < 1$ bar) conditions 193
- Joule–Thomson refrigerators 182, 183, 213, 303, 321, 323, 327, 439, 442
- Joule–Thomson system 325, 327, 440
- Joule–Thomson valve 68, 182, 194, 211, 233, 256, 257, 274, 280, 314, 325, 338, 345, 362, 363, 372, 380, 387, 395, 397, 406, 410, 455, 456, 469
- k**
- Kapitsa process 243, 447–451
- Kapitsa, Peter 5, 243, 447–451
- Kapitsa-type expander 451
- l**
- laboratory helium liquefiers 376
- Lachmann process 451
- lambda line 32, 33
- large turboexpanders with oil bearings
 control and instrumentation 126–127
 labyrinth sealing 125–126
 mechanical design 124–125
 nitrogen liquefiers 125–126
 seal gas 125–126
- Linde dual pressure process 441
- Linde process 339, 340, 348, 445
- liquefaction
 capacity 335
 connection to refrigeration processes 335
 helium liquefaction process with integrated liquid nitrogen precooling 462–470
 Kapitsa process 447–451
 liquefier 334–335
 mixed fluid Joule–Thomson process 470–478
 nitrogen liquefaction process 452–462
 original Claude process 445–447
- liquefied natural gas (LNG) 6
 infrastructure and process chain 402–404
- liquid air 3, 22, 26, 279, 339
- liquid hydrogen 1, 7, 8, 28–31, 99, 179
- liquid nitrogen (LIN)
 evaporation 364–366
 helium liquefaction process 469
 precooling 395, 464
- logarithmic temperature difference 74, 75
- low-pressure processes 171, 207, 217, 234, 240, 447
- lubrication 82, 125, 138, 151–153, 161, 162, 221, 305, 327
- m**
- magnetic bearings 120, 121, 129, 130, 331, 400
- magnetic levitation 121
- main air compressor 86–88, 235
- maldistribution 111, 112, 327, 418–421, 422, 426, 432, 471, 486
 management of 419–421
- material stream, Kapitsa process 449
- mean logarithmic temperature difference 74, 75
- medical applications 8
- metastability 321–323
- methane (CH_4), cryogenic gases 25
- middle pressure process 171
- minimum liquefaction power 335
 via Carnot equation 335–336
 efficiency of 338
 via exergy 336–337

- specific liquefaction power 338
- typical cryogenic gases 337
- miniREFPROP 15, 196, 220, 247, 264, 465
- mixed fluid composition
 - ballast gas addition 319–320
 - initial mixed fluid composition 316, 318
 - optimization 316
 - solidification 320–323
- mixed fluid Joule–Thomson process
 - 169, 323, 331
 - challenging issues 330
 - comparison mixed fluid vs. nitrogen 291–294
 - components 281
 - compressor power 310
 - control of 323–324
 - cooling capacity 301–303
 - elements 280
 - evaporator 310
 - exchangers 327
 - hardware components 324–330
 - heat exchanger 297–304, 308–309
 - high efficiency 314
 - infinitely large heat exchanger 302–303
 - isobaric cooling/heating 289–291
 - location of pinch point 300
 - loss in compressor 313–314
 - loss in evaporator 314
 - loss in expansion valve 314
 - loss in heat exchanger 312–313
 - for or natural gas liquefaction
 - compressor 476, 477
 - definition 471–472
 - heat exchanger 475–478
 - overall performance and losses 478–479
 - process and hardware concept 472–474
 - simulation result 475
 - and nitrogen Joule Thomson process 298
 - overall performance 311
- phase state conditions 294–297
- pressure levels 303–304
- process analysis 311–315
- process and hardware concept 305–307
- process feature 294–304
- process simulation procedure 301
- process simulations 307–308
- process unit 308–311
- properties data 305
- with single phase separator
 - compressor 482, 483
 - heat exchanger 479–480
 - overall performance and losses 483
 - simulation results 479, 482
 - task definition 479
- T,h diagram 286–289
- T,s diagram 282–286
- task definition 305
- temperature difference at cold end 315
- temperature difference at warm end 315
- thermodynamic fundamentals 281–282
- with two/multiple phase separators
 - brief assessment 486
 - mixed-fluid composition 486
 - primary concepts 484–486
 - process variations 486
- mixed fluids
 - compositions 423
 - refrigerator 325–327
 - thermodynamic properties of 416–417
- multi-component mixture over 114
- multicomponent refrigerant 408
- multi-phase flow 114
- multi-stage compressors
 - compression processes, adiabatic and isothermal 94
 - energy conservation law 92
 - energy loss, isothermal compression 93–94
- main air compressor 86–88

- multi-stage compressors (*contd.*)
 - non-reversible isothermal compression
 - 89–91
 - reversible isothermal compression
 - 88–89
 - rule of thumb for isothermal
 - compression 91
 - second law of multistage compressor
 - 92–93
- n**
 - natural gas liquefaction 6
 - capacity 413–417
 - composition 401–402
 - compressors 406
 - efficiency 418
 - heat exchanger 406
 - Joule–Thomson process 408–418
 - LNG infrastructure and process chain
 - 402–404
 - maldistribution 418–421
 - mixed fluid composition 410
 - mixed fluid process 410–413
 - power requirements 404–405
 - neon 7, 19, 23–27, 67, 99, 216, 230, 235, 279, 280, 319, 337
 - isotopes 27
 - nitrogen, cryogenic gases 22–23
 - nitrogen Joule–Thomson process 192
 - compressor specification 202
 - exergy losses in process units of 203
 - loss in compressor 204–205
 - loss in evaporator 206–207
 - loss in expansion valve 203–204
 - loss in heat exchanger 205–206
 - performance of design 202
 - process analysis 202–203
 - nitrogen liquefaction process
 - compressor 458–459
 - core process for 361–363
 - dual expander Claude process for
 - 366–369
 - evaluation 462
 - expander-booster units 459–460
 - feed gas and products 355–356
 - guidelines/principles of 360–361
 - heat exchanger 357, 457–458
 - large expander 357
 - losses 461–462
 - overall process 461
 - power requirements 356
 - process and hardware concept
 - 452–454
 - process design calculation, cold part of
 - the process 454–457
 - process extension for pressureless LIN
 - 364–366
 - process extension for pressureless
 - nitrogen 366
 - recycle compressor 356
 - nitrogen liquefier operation
 - as cold carrier 373
 - power bill optimization 373–374
 - status quo 374
 - o**
 - objective functions 15, 16
 - oil-brake/gas-brake 70
 - oil-lubricated bearings 120, 125, 129–131, 133
 - oil lubrication 82, 151, 153, 162, 221, 305
 - oil removal system (ORS) 138, 153, 221, 246, 261, 305, 306, 327, 453, 473
 - on-site cryogenic plant 5
 - optimization, process 15–17
 - overlapping Joule–Thomson subprocesses
 - 442
 - oxygen
 - cryogenic gases 23–24
 - liquefaction 3, 447
 - p**
 - phase separator, process design 456
 - phase separator S2 407, 421–424, 426, 484
 - plate fin heat exchanger (PFHE) 77, 96, 102–108, 114, 115, 183, 220, 233, 246, 261, 277, 305, 312, 357, 371, 422, 433–437, 452, 473

- power consumption, total and specific 452
 - precooling cycle 427–432, 434
 - pressure drop, heat exchangers 52, 114, 275
 - pressurized gaseous nitrogen (PGAN) 355, 356, 362, 363, 366, 452
 - pressurized liquid nitrogen (PLIN) 355, 356, 363, 364, 373, 452
 - process calculation procedure
 - compressor power 201
 - evaporator 200–201
 - heat exchanger 199–200
 - output process data 199
 - process and hard concept 194–196
 - process simulation 196–199
 - process concept 11–13, 95, 220, 245, 261, 305, 394, 408–410, 421, 447, 452, 462–463, 472
 - process design
 - Brayton stage 343–346
 - expander power on 359
 - for nitrogen liquefaction 359–363
 - heat exchanger design on 357–359
 - liquid nitrogen pre-cooling 346–348
 - process design sequence 15, 455–456
 - process optimization
 - applications 279
 - assessments 279
 - Claude refrigerator 277
 - constraints 276
 - hardware components 277–278
 - variables 276
 - process parameters, Claude process 452
 - process simulation, selected parameters 454
 - product, and cooling water 453, 473
 - propane pre-cooling 432–435
- r**
- Rankine-type refrigerator 343, 349
 - reciprocating compressor
 - control 165
 - design and working principle 154–159
 - impact of the isentropic exponent 159
 - isentropic efficiency 159
 - load range 162–165
 - mechanical design 161–162
 - mechanical efficiency 160
 - multistage compressor 160–161
 - pulsation and pulsation control 165–166
 - short assessment of 166–167
 - single-stage compressor 160–161
 - recycle compressor, compression device 356, 458
 - refrigeration system, control 17
 - refrigeration technology 1, 2
 - refrigerator/liquefier 173
 - remote cryogenic plant 5
 - reversibility 39–50, 80, 83, 239, 257, 274, 314
 - concept 39–50
 - reversible adiabatic compression 83–85
 - reversible expansion process 64–66
 - reversible isothermal compression 88–89, 93
 - reversible processes 40, 42, 44, 178
 - reversible refrigerators 179, 335
- S**
- screw compressors
 - assessment of 153–154
 - compressor control 153
 - design and working principle 150–152
 - oil lubrication 151–152
 - oil removal system ORS 153
 - process parameters 152–153
 - tuning of 152
 - working principle 150–151
 - second Joule–Thomson subprocess 443
 - shaft power 138
 - Sharples Corporation 451
 - shroud 108
 - simulation 15
 - process simulations 247–249
 - sequence 248–249
 - step 13
 - single adiabatic compression stage
 - energy conservation law 82

- single adiabatic compression stage
(*contd.*)
 - energy loss, adiabatic compressor stage 85–86
 - non-reversible process 83–85
 - reversible adiabatic compression stage 83
 - single phase separator
 - assessment 426–427
 - cooling capacity 423
 - example of 423–426
 - mixed fluid composition 423
 - primary concept 421–423
 - single-shaft compressor 143
 - Soave–Redlich–Kwong (SRK) equation
 - of state (EOS) 282, 305, 457
 - solidification 24, 281, 320–323, 330, 410, 421, 424, 426, 432, 486
 - solid-liquid equilibria 321–322
 - spiral-wound heat exchangers (SWHE) 433, 434
 - mechanical design 108–113
 - restrictions and limitations 114
 - thermal and hydraulic design 110–114
 - static gas-lubricated bearing 129, 131, 133
 - steam turbine 124, 149, 161, 449
 - subcooler 364, 366, 373
 - subcritical processes 171, 304
 - subprocess 238, 257, 277, 348–352, 364, 366, 407, 408, 431, 442–443
 - supercritical processes 171
 - superfluidity 3, 5, 32–33
 - supplements
 - Joule Thomson process 441–445
 - for liquefaction 445–157
 - techno-economics 440–441
 - surge phenomenon 148–149
- t**
- techno-economical optimization 439–441
 - temperature-enthalpy diagram 19, 34–36, 54, 55, 319
 - temperature-entropy diagram 19, 36–38, 54–57, 60, 64, 68, 71, 86, 189, 204
 - thermal insulation/cold box 453, 473
 - Dewar vessel 99–101
 - high-performance insulation 97–99
 - low-performance insulation 97
 - thermal radiation 96, 101
 - thermodynamic analysis 44, 49–50
 - thermodynamic rule 3
 - thermomechanical stress 107
 - thermos flask 97, 100
 - thrust bearings 119
 - total plant cost 13, 14
 - total power consumption 13, 14, 194, 220, 245, 261, 305, 384, 452, 471
 - tube bundle 108–111, 114
 - turbine wheel or impeller 116
 - Turbo–Brayton refrigerators 235
 - turboexpanders 122, 383
 - energy conservation 63–64
 - energy loss 68–69
 - generated power, loading devices 69–70
 - isenthalpic expansion and expansion 70, 71
 - non-reversible expansion 66–68
 - reversible expansion process 64–66
 - two/multiple phase separators
 - assessment 486
 - mixed-fluid composition 486
 - primary concept 484–486
 - process variations 486
 - typical design procedure 12
- v**
- vacuum furnace 105–107
 - variable frequency driver 148
 - virtual evaporator 410
- w**
- warm expander Brayton stage 362–363, 371
 - warm-expander stream 344, 358, 360, 362–363, 371–372
 - working fluid, air-based 449

