

Index

a

[ACA]₂[KFe(CN)₆] 203, 206, 207, 212
 acetamidinium (ACA) cation 203,
 204, 206, 207, 213, 214
 alkali metal ion 79
 Al_2O_3 39–40, 54
 5-ammoniumvaleric acid (5-AVA) 40
 amplified spontaneous emission (ASE)
 49, 50
 anti–anti coordination mode 79, 82,
 225, 227
 anti–ferroelectric (AFE) 63, 65
 anti–ferroelectricity 174–176
 anti–ferroelectric ordering 12, 91, 123
 A-site AZE cation 92
 A-site organic amine cations 7, 10, 12,
 25, 29, 91, 94, 102, 121, 129,
 132–134, 152, 155, 156, 164, 165,
 167, 184, 200, 202–204, 206, 208,
 214, 236, 246, 255
 Au-based dicyanometallates 221
 Avogadro constant number 141
 [AZE][M(HCOO)₃] 82, 102, 103
 [AZE][Mn(HCOO)₃] 92–95, 98–100,
 103, 114–116, 118, 129–132, 138,
 139
 [AZE][Zn(HCOO)₃] 103, 133
 azide HOIPs 154
 amine cations 152
 chemical variabilities 152, 153
 hydrogen-bonds 155
 manganese family 154, 155
 monovalent and trivalent metals
 155, 156

non-aqueous solvent 151
 phase transitions 152, 153
 lattice dynamics calculations
 161
 differential scanning calorimetry
 159
 high temperature (HT) phase
 157–164
 low temperature (LT) phase
 157–164
 RUS 160
 [TMA][Mn(N₃)₃] 157
 vibrational entropy change 157
 physical properties 152, 153
 anti–ferroelectricity 174–176
 dielectricity 167–174
 ferroelectricity 174–176
 magnetism 164–167
 mechanical properties 177–178
 thermal expansion 176–177
 shape and configuration 152–153
 TMA templated compounds 152
 tolerance factor (TF) 152
 TrMA 152

b

barocaloric effects 7, 72, 141, 143,
 183, 185, 188, 195, 196
 benzyltributylammonium (BTBA)
 181
 benzyltriethylammonium (BTEA) 181
 bis(triphenylphosphoranylidene)
 ammonium chloride (PPNCl)
 219, 220

- Boltzmann equation 64, 185, 237
borohydride perovskites 223
B-site metal effect 134
- c**
cadmium compound, [TMA][Cd(N₃)₃] 167
caloric effects 71–73, 139–145, 195
 dicyanamide 195–196
[(CD₃)₂ND₂][Co(DCOO)₃] 106, 107, 118
[CF₃CH₂PH₃][Mn(HCOO)₃] 113
2-chloroanthraquinone 103
[(CH₃)₃NOH]₂[KFe(CN)₆] 216, 217
Clausius–Clapeyron equation 141, 142, 186, 188
cobalt formate perovskites 100
conduction band minimum (CBM) 30–32
conjugated polymers 102
copper formate perovskite 98, 128, 129
crystal field splitting energy (CFSE) 89
CsCo(HCOO)₃ 79, 82, 87
CuO₆ octahedra 11, 89, 126, 127, 129
Curie–Weiss law 104, 119, 120, 123, 192, 222, 231, 258
cyanide perovskites
 crystal structures 202
 imidazole 200
 phase transitions 204–210
 dielectricity 211–215
 ferroelectricity 215–217
 second-harmonic generation 211
 organic amine cations 200
cyclopropylaminium (CPA) 167
- d**
[DABCOH₂][K(BF₄)₃] 248
[DABCOH₂][(NH₄)(BF₄)₃] 249
[DABCO][K(ClO₄)₃]
 atomic structures 240
 cell volume 240
 DFT calculations 245
 elastic properties 240, 241
 framework structure 241
- high pressure synchrotron powder X-ray diffraction 240
K–J equation 245
linear compressibility 240
Poisson's ratio 242
shear moduli 242
Young's modulus 242
[DABCO][Na(ClO₄)₃] 236, 237, 244, 245
[DABCO][NH₄(ClO₄)₃] 235, 236, 253, 254
[DABCO][Rb(ClO₄)₃] 236
Debye-type relaxation 107, 170, 172
density functional theory (DFT)
 calculations 30, 31, 63, 66, 68, 98, 108, 113, 132, 161, 174, 175, 240–242, 245, 254, 260, 261, 264, 265
deuterated cobalt formate
 [(CD₃)₂ND₂][Co(DCOO)₃] 118
dicyanamide (dca) perovskites
 HOIPs 181, 183
 phase transitions 185–188
physical properties
 caloric effects 195–196
 dielectricity 188–190
 magnetism 191–193
 mechanical properties 193–195
 optical properties 190–191
 second-harmonic generation 190–191
 thermal expansion 193–195
 synthesis and structures 181–185
dicyanometallate perovskites
 HOIPs 219, 220
 physical properties 222–223
 synthesis, structures 219–222
dielectricity 7, 12, 102–103, 185
azide perovskites
 [DMA][Cd(N₃)₃] 170, 172
 [TMA]₂[BB'(N₃)₆] 167, 169
 [TMA][Cd(N₃)₃] 167
 [TMA]₂[CrK(N₃)₆] 168, 169
 [TrMA][Mn(N₃)₃] 171–174
cyanide 211–215
dicyanamide 188–190

- dielectric permittivity 102, 107, 118, 120, 121, 167–170, 188, 211, 212, 248, 268
- dimethylformamide (DMF) 36, 80–81
- direct bandgap 29, 31, 32, 59, 254
- [DMA][Cd(N₃)₃] 151, 156, 170, 175
- [DMA][Cu(HCOO)₃] 98, 99
- [DMA]₂[KCo(CN)₆] 208, 209
- [DMA]₂[KFe(CN)₆] 199, 200, 207, 208, 214, 215
- [DMA][M(HCOO)₃] 81, 96, 105, 114, 118, 126
- [DMA][Mg(HCOO)₃] 89, 108, 140
- [DMA][Mn(HCOO)₃] 91, 92, 94, 98, 99, 106, 118, 119, 123, 177
- [DMA][Mn(N₃)₃] 151, 156, 167, 177, 178
- [DMA]₂[NaAl(HCOO)₃] 108
- [DMA]₂[NaCr(HCOO)₃] 108
- [DMA]₂[NaFe(HCOO)₃] 108
- [DMA]₂[NaFe(HCOO)₆] 96
- [DMA][Na_{0.5}Al_{0.5}(HCOO)₃] double perovskite crystals 81
- [DMA][Zn(HCOO)₃] 105, 106
- doping 3, 32, 42, 108, 214, 215, 225, 233
- double perovskites 4, 5, 16, 18, 19, 22–24, 28, 31, 66, 79, 80, 81, 87, 90, 96, 108, 151–153, 155, 156, 167, 168, 199, 200, 202, 205, 208, 210, 229
- Dresselhaus effect 65
- Dzyaloshinskii–Moriya interactions 94, 101, 123, 124
- e**
- [EA][Cu(HCOO)₃] 81, 83
- [EA][Mg(HCOO)₃] 81, 84, 89
- [EA][Mn(HCOO)₃] 81, 83, 94, 95, 98, 99, 100, 112, 113
- [EA]₂[NaAl(HCOO)₆] 81, 84
- [EA]₂[NaCr(HCOO)₆] 81, 84
- [EA]₂[NaFe(HCOO)₆] 81, 84
- EA templated double perovskite formates 81
- electric-magneto-optical Kerr effect (EMOKE) 124, 125
- electrocaloric effect 72, 268
- electroluminescence 55–58
- electron spin resonance (ESR) 120
- electron–hole pair 34, 35
- external quantum efficiency (EQE) 38, 56, 60
- f**
- Fabry–Pérot (FB) modes 51
- [FA][M(HCOO)₃] 81
- [FA][Mg(HCOO)₃] 84, 89
- [FA][Mn(H₂POO)₃] 225, 227–229, 231, 233
- FAPbCl₃ 17, 20
- FASnI₃ 17, 21, 65, 261
- Fermi level 29
- ferroelasticity 7, 12, 114–118, 123, 174–176
- ferroelectric (FE) 19, 63
- ferroelectricity 1, 7, 10, 22, 26, 63–66, 73, 92, 94, 102, 105–114, 121, 123, 124, 175, 204, 256–260
- cyanide 215–217
- ferroelectric ordering 91
- ferro-orbital ordering 108
- ferrous formate perovskites 100
- formamidinium (FA) 15, 19, 21, 22, 24, 25, 79, 81
- format-based perovskites 79
- FP cavities 52
- frequency dependent dielectric permitivities 107
- FWHM 52, 54
- g**
- Glazer notation 25, 28, 219
- Goldschmidt tolerance factors 7, 15, 182
- group theory analysis 24, 110, 115, 159
- [GUA][Co(HCOO)₃] 86, 96, 100, 134
- [GUA][Cr(HCOO)₃] 110, 113, 124
- [GUA][Cu(HCOO)₃] 86, 89, 90, 98, 101, 108, 110, 122, 123, 126–129, 136–138
- [GUA]₂[KFe(CN)₆] 200, 203, 206, 207, 214

- [GUA][M^{II}(HCOO)₃] 97
 [GUA][M(HCOO)₃] 81, 89, 90, 96, 134
 [GUA][Mg(HCOO)₃] 86, 89
 [GUA][Mn(HCOO)₃] 86, 100, 113, 123, 129–132, 134, 139, 225, 227, 231
 [GUA][Mn(H₂POO)₃] 225, 227, 229, 231, 233
 [GUA][Ni(HCOO)₃] 86, 96, 101
 [GUA][Zn(HCOO)₃] 86, 89, 90, 126–129, 132, 133, 136–138
- h***
 halide HOIPs 16, 17, 19–22, 24–26, 28, 29, 30, 34–36, 51–54, 56, 59, 60–66, 70–72
 [HAZ][Co(HCOO)₃] 80, 83, 100, 101
 [HAZ_xMA_{1-x}][Mn(HCOO)₃] 108
 [(HAZ)_x(MA)_{1-x}][Mn(HCOO)₃] 82, 104
 [HAZ][Mn(HCOO)₃] 80, 83, 100, 101, 104, 108
 [HAZ]₂[NaAl(HCOO)₆] 80, 83
 [(HAZ)_x(NH₃OH)_{1-x}][Zn(HCOO)₃] 82
 [HAZ]_x[NH₃OH]_{1-x}[Zn(HCOO)₃] 86, 108
 [HAZ][Zn(HCOO)₃] 80, 83
 highly polarizable perovskite oxide relaxors 102
 hinge-strut model 137–139
 [HIM]₂[KCo(CN)₆] 200, 205, 212
 [HIM]₂[KFe(CN)₆] 200
 crystal structures 204
 dielectricity 212
 [HIM][M(HCOO)₃] 82
 [HIM][Mg(HCOO)₃] 86, 89
 [HIM][Mn(HCOO)₃] 82, 86, 93
 [HPZ][K(ClO₄)₃] 236–238, 243
 hybrid borohydride perovskite 223
 hybrid formate perovskites
 caloric effects 139–145
 dielectricity 102–105
 ferroelasticity 114–118
 ferroelectricity 105–113
 magnetism 94–102
- mechanical properties 125–134
 multiferroicity 118–125
 order-disorder 91–94
 phase transitions 91–94
 symmetries and structures 83–91
 synthesis and chemical diversity 79–82
 thermal expansion 134–139
- hybrid halide perovskites
 bandgap structures 29–32
 caloric effects 71–73
 chemical diversity 15, 19
 ferroelectricity 63–66
 laser physics 49–54
 light-emitting diodes 54–59
 mechanical properties 66–70
 other properties and applications 73
 phase transitions 24–28
 photodetectors 59–62
 photovoltaics 32–49
 Rashba effect 63–66
 semiconductivity 29–32
 symmetries and structures 19–24
 synthesis 15–19
 thermal conductivity 70–71
 transport properties 32–49
- hybrid improper ferroelectricity 110, 112
- hybrid organic–inorganic perchlorates
 ABX₃-type structures 235
 chemical variability 236
 hydrogen-bonds 237
 organic diamine cations 235, 237
 phase transitions 236, 237
 physical properties 236
 dielectric properties 243
 mechanical properties 240
 structures 236
- hybrid organic–inorganic perovskites (HOIPs)
 chemical variations 4, 5
 classification 4, 5
 cyanide 201
 dicyanamide 183
 dicyanometallate 220
 hypophosphite 227

- phase transitions 10, 12
tolerance factor 7, 10
hybrid organic–inorganic
tetrafluoroborates
[DABCO][K(BF₄)₃] 246, 247
[MDABCO][(NH₄)(BF₄)₃] 246, 247
molecular structures 246
organic diamine cations 246
phase transitions 246, 247
physical properties 246–249
[PIP][Na(BF₄)₃] 246–248
structures 246, 247
hydrogen-bonded [AZE][Mn(HCOO)₃]
139
hydrostatic compression 68, 72, 73,
186, 240
hydrostatic stress 68, 70, 72, 265
hydrothermal method 16, 18, 81
hypophosphite perovskites
magnetism 231–233
mechanical properties 231
phase transitions 229–230
symmetries and structures 227–229
synthesis 225–227
- i**
impedance spectroscopy 64
Imma structure 110, 111
incident photon-to-current quantum
conversion efficiency (IPCE)
36
isolated single-ion quantum magnetism
101, 102
isomorphous metal–formate
perovskites 125
isostructural [DMA][Fe(HCOO)₃]
120
isostructural [DMA]Mn(HCOO)₃
123
- j**
Jahn–Teller active [GUA][Cu(HCOO)₃]
126
Jahn–Teller anti-ferrodistortions 121
Jahn–Teller perovskite oxides 117
Jahn–Teller effect 89, 94–98
- k**
KCo(HCOO)₃ 79, 82, 83, 87, 100
KCuF₃ perovskite 108
Kerr rotation 124, 125
KMn(HCOO)₃ 79, 82, 83, 87
- l**
Landau potential 117
ligand field stabilization energy (LFSE)
126, 133, 193, 194
light-emitting diodes 54–59
linear thermal expansion 195
load-penetration depth 68, 177, 231
long-range canted anti-ferromagnetism
101, 102
- m**
MA template formate HOIPs 80
[MA][Co(HCOO)₃] 80, 83, 100, 123
MAGeI₃ 16, 17, 20–22, 31
magnetic coupling constant 96
magnetism
dicyanamide 191–193
hypophosphite perovskites
231–233
JT effect 94–98
quantum tunnelling 101–102
spin-canting 94–98
spin-flop 98–101
[MA]₂[KFe(CN)₆] 199, 207, 214, 215
[MA]₂[K_{1-x}Rb_xCo(CN)₆] 209, 214,
215
[MA][Mg(HCOO)₃] 80, 83, 89
[MA][Mn(HCOO)₃] 3, 4, 80, 83, 94,
95, 98, 99, 100, 101, 104, 105, 108
[MA][Mn_{1-x}Zn_x(HCOO)₃] 98
manganese formate perovskites 87,
94, 112, 227
[MA][Ni(HCOO)₃] 80, 83
MAPbBr₃ 16, 17, 31, 36, 47, 52,
54–57, 62, 66, 68, 71
[MA][PbI₃] 19, 25, 26
MAPbI₃ 3, 7, 16, 17, 25–27, 29–32,
34–39, 41–43, 46, 49, 51–53,
59–65, 68–73, 256, 261
MAPbX₃ 49, 50, 61, 66, 67, 71, 72
MASnBr₃ 17, 21

- [MA][Zn(HCOO)₃] 80, 83
 [MDABCO]NH₄I₃ 252, 256–260
 [MDABCO][(NH₄)(BF₄)₃] 246, 247
 [MDABCO][NH₄I₃] 255, 256
 mechanical properties
 dicyanamide 193–195
 hypophosphite 231
 memory effect 124
 meso-superstructured solar cell 39
 metal-free perovskites
 [DABCO][NH₄(ClO₄)₃] 254
 [MDABCO][NH₄(BF₄)₃] 254
 phase transitions 255
 physical properties
 dielectricity 256–260
 ferroelectricity 256–260
 mechanical properties 260–265
 photoluminescence 255–256
 [PIP][{(NH₄Cl)₃}·H₂O] 250
 [PIP][{(NH₄X)₃}·H₂O] 252, 254
 methylammonium (MA) 3, 15, 16, 19,
 22, 24, 25, 30, 79, 199
 M^{II}(HCOO)₂·2H₂O 81
 MHy formate perovskites 81
 [MHy][M(HCOO)₃] 81
 [MHy][Mg(HCOO)₃] 85, 89
 MnN₆ octahedra 157–159, 178, 185,
 186
 monoclinic KCo(HCOO)₃ 100
 multi-ferroicity 3, 7, 12, 94, 118–125,
 267
- n**
- Na^ICr^{III}, double perovskites 81
 Na^IFe^{III}, double perovskites 81
 nanoplatelets 57, 59
 nanoindentation 66, 68, 125, 127, 130,
 177, 193, 194, 231, 261, 262
 nanometres 35, 43, 46
 nanowires 51, 52
 neutron diffraction 64
 [NH₄][Cd(HCOO)₃] 79, 80, 82, 83, 87
 [NH₄][Mn(HCOO)₃] 79, 83, 87
 [NH₄]₂[NaAl(HCOO)₆] 80, 83
 nickel formate perovskite 101
 NiSO₄·6H₂O 123
 n-type TiO₂ 39

- o**
- octahedral tilting 10, 11, 25, 91, 92,
 93, 115, 117, 138, 157, 158, 160,
 174, 204, 221, 267, 268
 onset of amorphization 68, 70
 optical absorption edge 69, 70
 optical properties, dicyanamide
 perovskites 190–191
 organic amine cations 3, 5, 7, 10, 12,
 15, 18, 19, 22, 24–26, 28, 29, 63,
 79, 82, 91, 94, 102, 121, 129,
 132–134, 151, 152, 155, 156, 164,
 165, 167, 170, 176, 181, 184, 185,
 199, 200, 202, 204, 206–208, 214,
 225, 227, 236, 246, 255, 268

- p**
- paraelectric-ferroelectric phase
 transition 105, 120, 123
 paramagnetoelectric coupling 123
 partial density of states (PDOS) 254
 perovskite absorbers 43, 48
 perovskite bandgap 57
 perovskite film 40, 43–47, 50, 56, 59
 perovskite-like metal-formate
 frameworks 79
 perovskite nanocrystals 37, 41, 46, 47
 perovskite oxides 1–4, 7, 10, 12, 24,
 25, 64, 91, 92, 108, 114, 115, 117,
 131, 145, 156, 157, 164, 204, 221,
 267, 268

- phase transitions
- azide perovskites 156–164
 cyanide perovskites
 [GUA]₂[KFe(CN)₆] 206
 (HIM)₂[KCo(CN)₆] 205
 (HIM)₂[KFe(CN)₆] 204
 [MA]₂[K_{1-x}Rb_xCo(CN)₆] 209
 motion models 209
 structural 207
 [TrMNO]₂[KFe(CN)₆] 210
 dicyanamide perovskites 185–188
 dicyanometallate perovskites
 219–222
 formate perovskites 91–94
 halide perovskites 24–28

- hypophosphite perovskites 229–230
 metal-freeperovskites 255
 organic–inorganic perovskites 10–12
 organic–inorganic tetrafluoroborates 246–248
 photo absorbers 37, 38, 41
 photocurrent–voltage (I–V) properties 36, 38
 photodetectors 59–62
 photoluminescence (PL) 46, 49, 54, 190, 191, 255–257
 photovoltaic cells 36, 37, 70
 photovoltaic halide HOIPs 19, 34, 35
 piezoelectric force microscopy (PFM) 63, 216, 259
 piezoelectric nanogenerators 73
 π - π interactions [PPN] 221, 222
 [PIP][Na(ClO₄)₃] 236, 239, 243, 245
 [PIP][(NH₄)X₃]_n.H₂O 254, 255, 260, 261, 264
 polar manganese formate HOIPs 112
 poly(3,4-ethylene dioxythiophene):poly(styrene sulfonate) (PEDOT:PSS) 55
 poly(methyl methacrylate) (PMMA) 47, 48
 polycrystalline perovskite oxides 3
 polyethylenimine ethoxylated (PEIE) 44
 polyethylenimine (PEI) 56
 power conversion efficiency (PCE) 36, 38, 41–47
 [PPN][Mn{Au(CN)₂}₃] 219
 [PPN][Ni{Au(CN)₂}₃] 219, 222
 pressure-induced amorphization 68
 pressure-induced entropy change 145
 protonated amine cations 79, 151, 181
 [PTEP][Cd(dca)₃] 183, 185, 186, 189, 190
 p-type hole conductor 38
 pulse fluence 53
- q**
 quantum dots (QDs) 37, 55
- quantum tunnelling 101–102, 120, 121
- r**
 Rashba effect 63–66
 Rashba texture 65
 RbMn(HCOO)₃ 79, 82, 83, 87
 refrigerant capacity (RC) 143, 144
 resonant ultrasound spectroscopy (RUS) 117, 118, 160
- s**
 second-harmonic generation (SHG) 64, 185, 216
 cyanide 211
 dicyanamide perovskites 190–191
 second-order improper ferroelastic transition 118
 Shockley–Queisser model 29
 six-coordinated divalent metals 79, 151, 181, 225
 solar-cell halide HOIPs 29
 solar cell structure 39
 solvent accessible volumes (SAVs) 133, 134
 specific heat 145
 spin-canted anti-ferromagnetism 94, 98, 120
 spin-canted weak ferromagnet 124
 spin-canting 94–98
 spin-flop 98–101
 spin orbit coupling (SOC) 30, 65
 square-planar Cu–O_{eq} units 108
 stoichiometric 16, 18
- t**
 [TEA][Ca(N₃)₃] 151, 153
 tetrachlorophthalic anhydride polymer 103
 tetramethylammonium (TMA)) 4, 79, 151, 199
 thermal expansion 7, 28, 134–139, 153, 176–177
 dicyanamide 193–195
 [TMA]₂[BB'(N₃)₆] 167, 169
 [TMA]₂[CrK(N₃)₆] 168, 169
 [TMA]₂[KCr(CN)₆] 152, 153, 202

- [TMA]₂[KFe(CN)₆] 207, 208
 [TMA][Mn(N₃)₃] 153, 167
 anti-ferroelectricity 175
 DFT calculations 174
 magnetic susceptibility 164
 octahedral tilting of MnN₆ 157
 phase transition 157
 polar/non-polar order 174
 synthesis 151
 thermal expansion behaviour 176
 tolerance factors (TFs) 7–10, 15, 82,
 152, 182, 202, 219, 223, 227, 235,
 246
 [TPrA][M(dca)₃] 181, 182, 185, 186,
 189, 193
 [TPrA][Mn(dca)₃]
 barocaloric effect 196
 dielectricity 188
 DSC 188
 magnetic structure 193
 phase transition 187
 trimethylammonium *N*-hydroxyl
 (TrMNO) 202
 [TrMA]₂[KFe(CN)₆] 199, 207, 214
 [TrMA][Mn(N₃)₃] 151, 153, 155, 166,
 167, 172–175
 [TrMNO]₂[KFe(CN)₆] 202, 209, 210,
 211, 216, 217
 triphenylsulfonium triflate 181
- V**
 valence band maximum (VBM)
 30–33, 254
 van der Waals interactions 29, 35,
 204
 vapour-deposited perovskite 43
 vertical piezoelectric force microscopy
 (VPFM) modes 217
 volume thermal expansion coefficient
 142
- W**
 whispery gallery mode (WGM) 51,
 52
- X**
 X-ray diffraction 18, 68, 115, 129, 132,
 134, 136, 139, 157, 159, 176, 206,
 216, 219, 239, 240, 261
- Z**
 ZnO₆ octahedra 89, 126, 127