

Index

a

acceptorless dehydrogenation 180–181
acetal pool 279
aceto- and benzophenones 81
acetophenone 122
 derivatives 80
acrylates 78, 179, 208, 210
active monomeric species 122
acyclic enamines 118
adenosine monophosphate (AMP) 249
adenosine triphosphate (ATP) 249
Ae amide catalyst 152
Ae catalyzed hydrogenation 153
AeN[”]₂ catalysts 154, 161, 162
air-stable FLPs 184–186
Al-based complex 71
alcohol dehydrogenases
 in multicatalytic processes 232–236
 in non-conventional media 229–230
aldehydes and ketones 29–31, 186,
 199, 270
aldimines 29, 32, 33, 153, 154, 161,
 170, 187–193, 235
aliphatic imine 269
aliphatic PNP-pincer ligand-based
 cationic and neutral nickel(II)
 complexes 68
alkenes 7, 9, 23, 26, 30, 40, 45, 47, 48,
 52–54, 57, 65–78, 82, 83, 89,
 95–98, 100–102, 105, 112, 114,
 115, 118–120, 134, 135, 137, 143,
 145, 147–150, 152, 153, 160, 161,
 215
alkoxide intermediate 121

alkoxide species 122
alkyl amines 181
alkyl-and aryl-substituted alkenes
 65–76
3-alkyl-3-hydroxyisoindolin-1-ones
 270, 271
alkylidene malonates 207–211
alkyl-substituted ketones 81
alkynes 6, 7, 10, 13, 23, 24, 26–28, 52,
 54, 55, 78–79, 98–106, 114, 119,
 120, 137, 184, 215, 216
allylbenzene 68, 69, 71
allylic substitutions with a hydride
 nucleophile generated from H₂
 95–98
allyl N-(1-methyl-4-oxocyclohexyl)-
 carbamate 239
α-alkyl β-keto esters 231
α-alkyl esters 130
α-amino acid esters 130
α-amino-β-ketoester hydrochlorides
 80
α-amino-γ-butyrolactones 235
α-and/or β-substituted aldehydes,
 ketones or esters 76
α-branched aldehydes 270
α-diimine ligand 74
α-fluoroketones 236
α-halogenated-α,β-unsaturated chiral
 alcohol key intermediate 237
α-halohydrins 234, 236
α-haloketones 234
α-imino esters 268
α-methyl styrene 152

- α-mono- or β-disubstituted
 α,β-unsaturated carbonyl
 compounds 76
 α-tocopherol 263
 α,β-disubstituted β-trifluoromethyl
 nitroalkenes 266
 α- or β-substituted hydrocinnamates
 76
 α,β-unsaturated acids 134
 α,β-unsaturated aldehydes 262, 264
 α,β-unsaturated carbonyl and carboxyl
 compounds 105
 α,β-unsaturated ketones and
 aldehydes 91–92
 conjugate reduction 88–91
 simple (non-conjugated) ketones and
 aldehydes 92–93
 α,β-unsaturated carboxylic acids 242
 α,β-unsaturated (di)esters 242
 α,β-unsaturated ester precursors 242
 α,β-unsaturated esters 77, 249
 α,β-unsaturated ketones and aldehydes
 91–92
 α,β-unsaturated lactones 242
 α,β-unsaturated nitriles 242
 Ambrox® 130
 amides 32, 132, 149–154, 156, 157,
 161, 266
 amines 30, 32, 33, 45, 46, 48, 50, 51,
 100, 153, 154, 170, 176–181, 187,
 188, 193, 200, 228, 245, 248–250,
 261, 266, 269, 270
 amine-tethered cyclopentadienyl ligand
 118
 4-amino-1-phenylpentan-2-ol 234
 ammonia borane 104–105, 191, 205
 (–)-angustureine 274
 aniline 105, 180, 251
 aniline-derived aminoboranes 182
 ansa-aminoborane 192
ansa-ammonium borates 191
ansa (bridged) cyclopentadienyl ligands
 113
 anthracene 55
 anti-aminoalcohols 80
 anti-cancer agent 10, 51, 52
 arene cobalt complexes 53
 aromatic benzothiazole 261, 268
 [Ar₃P–H][H–B(C₆F₅)₃] 213
 3-arylalkan-2-ones 232
 aryl-bridged phosphonium-borate 187
 aryl ketones 92, 93
 aryl-linked phosphonium-borate FLP
 system 187
 (S)-2-arylpropanols 230
 2-arylpropionic acids 242
 3-arylquinoxalines 205
 aryl substituted Z-allylic chlorides 96
 asymmetric counteranion directed
 catalysis (ACDC) 264
 asymmetric FLP-catalyzed
 hydrogenation 189, 205
 asymmetric transfer hydrogenation
 C=C bonds 262–266
 C=N bonds 266–273
 C=O bonds 273–274
 heteroaromatics 274–279
 atorvastatin 238, 240
 axially chiral biaryls scaffolds 278
 axially chiral 1,1'-binaphthyl-2,2'-
 diamine (BINAM) 273
 axially chiral 5-/8-substituted quinolines
 278
aza-o-xylene and *o*-quinone methide
 imine (AOX) 272
 azepanes 248

b
 B(2,4,6-F₃–C₆H₂)₃ 175, 181, 208
 B(2,6-F₂–C₆H₃)₃ 175, 185, 200, 209,
 210
 B(C₆F₅)₃ 144, 170, 172, 173, 185,
 193–195, 198
 B(C₆F₅)₃-activated nitriles 187
 Baeyer–Villiger monooxygenase
 (BVMO) 246
 base and bulk chemicals 1
 base-catalyzed hydrogenation of ketones
 160
 6*H*-benzochromenes 279
 benzodiazepinones 268
 (benzo)quinolines 205
 1,4-benzoquinone 87
 benzothiazines 248, 268

- benzothiazoline 261, 268, 269, 271
 benzoxazines 268
 benzoxazinones 268
 benzyl complexes $(DMAT)_2Ca$ -(THF)₂ 145
 benzyl cyclohexane carboxylate 44
 β -activated vinylphosphonates 242
 β -acyl amino-substituted nitroolefins 78
 β,β -disubstituted nitroolefins 265
 β -cyanoacrylate esters 243
 β -cyano- α,β -unsaturated esters 242
 β,γ -alkynyl- α -imino esters 268
 β -hydroxy acids 233
 β -hydroxy nitriles 233
 β -hydroxytriazoles 234
 β -keto nitriles 233
 β -nitroacrylates 265
 β -tetrahydrocarbolines 248
 bidentate bis(silylene)xanthene ligand 72
 bidentate phosphine ligand 48, 65, 77, 79
 binaphthophosphepine (*S*) 92
 1,1'-binaphthyl system 191
 ((*S*)-Binapine) 78
 biocatalysis 3, 227, 236, 251
 biocatalysts 4, 227, 228, 232, 234, 248, 249, 252
 biocatalytic (hydrogen transfer) reductions
 carboxylic acid reductases 249–250
 ene-reductases 241–247
 imine reductases 248–249
 ketoreductases 228–241
 nicotinamide cofactor 227
 biologically active 5 β -dihydrosteroids 265
 biphenyl-bridged titanocene catalyst 118
 bisiminopyridine complex 28
 bisigated iron(0) complexes 24
 1,1'-bisnaphthyl-derived aminoborane 191
 bis(N-heterocyclic silylene) ligand 73
 bis(pentafluorophenyl)boron chloride $((C_6F_5)_2BCl)$ 182
 bis(pentafluorophenyl)-pentachloro-phenyl borane $(C_6F_5)_2B(C_6Cl_5)$ 185
 bisphosphines 170, 195, 200
 bis(4-toloyl)silyl amine 217
 1-(3,5-bis(trifluoromethyl)phenyl)ethanol 239
 BoPhoz ligand (*R,S*) 92
 borane-based FLPs 172, 185
 borane-based strong Lewis acid 167
 boranes 55, 81, 82, 170, 172, 184–187, 190–192, 198, 199, 202, 213, 215, 217, 236
 borohydrides 167, 170, 176, 179, 200, 213
 2-bromoacetophenone 49
 3-bromoacetophenone 50
 (*S*)-bromo-2-cyclohexen-1-ol 237
 bromo substituted styrene 101
 Brønsted acid 121, 170, 172, 179, 181, 266, 274
 (*R*)-butane-1,3-diol 238
 2-butanone 122
- C**
- camphor-derived borane structures 189
Candida krusei ZJB-09162 238
Candida parapsilosis carbonyl reductase (CPCR) 230
 carbapenem antibiotics 231
 carbon dioxide 20, 22, 25, 40, 41, 63, 81–83, 93, 132–134
 carboxylic acid reductases 228, 249–250
 carboxylic acids 40–46, 48, 57, 228, 242, 243, 246, 249–250
 carboxylic esters 40–48
 and acids 44
 (-)-carnegine 278
 (*S*)-carvone 207, 210
 cascade reactions 54, 234, 262
 catalyst choice 4
 catalyst productivity 4
 catalytically active $[CuI(dbu)_2]$ 21, 22, 24, 66, 94, 95, 113, 115, 116, 142, 155, 185

- catalytically active hydride species 128
 catalytically inactive complex
 $[(\kappa^4\text{-PNNP})\text{Fe}(\text{CO})]$ 21
 catalytic hydrogenation 1, 18, 20, 28,
 32, 69, 72, 111, 112, 127, 141,
 142, 146, 148, 151, 153, 154,
 156–160, 172, 176, 195, 217
 cationic Me_3TACD -stabilized calcium
 hydride complex 147
 $\text{C}=\text{C}$ double bonds 43, 47, 92, 97,
 144–151
 chemoenzymatic oxidative system 246
 chemoselective hydrogenation 1, 5, 47
 chiral alcohol (*S*) 241
 chiral alkylboranes 54
 chiral amine 33, 188, 244, 265–267,
 269, 270
 chiral amino acids 49
 chiral 1,3-amino alcohols 234
 chiral anti-cancer agent 52
 chiral 2-(1-arylethyl)phenols 266
 chiral azadecalinones 277
 chiral benzyl-substituted silanes 54
 chiral binaphthol-derived phosphoric
 acids 264
 chiral 1,1'-binaphthyl derivative 183
 chiral bis-boranes 191
 chiral catalyst 3, 83, 125, 191, 272, 278
 chiral 3,4-dialkyl-3,4-dihydroiso-
 coumarins 231
 chiral diphosphine ligand
 (R) -DTBM-Segphos 89
 chiral 4*H*-chromene derivatives 278,
 279
 chiral indolines 191
 chiral intramolecular frustrated Lewis
 pairs 184, 190, 191
 chiral (*1R,2R*)-*N,N'*-dimethyl-1,2-
 diphenylethane-1,2-diamine
 127
 chiral N-protected dihydroquinolines
 278
 chiral partially oxidised tetradentate
 PNNO ligand 49
 chiral phosphoric acids (CPA) 261,
 262, 266, 275, 276, 280
 chiral pincer-type ligand 51
 chiral *tert*-butylsulfonimide 191
 chiral thiourea catalysts 266
 chiral thioureas 265, 269
 2-chloro-1-(3,4-difluorophenyl)acetone
 240
 chloroiminium chlorides 200
 2-chloropyridines 188
 4*H*-chromene derivatives 279
 $-\text{CH}_2\text{PPh}_2$ ligand 114
 chromium 121–122
 cinnamyl alcohol 249
 $(1S,2S)$ -*cis*-alcohol 233
 cis -allyl *N*-(4-hydroxy-1-methyl-
 cyclohexyl)-carbamate 240
 cis -and *trans*-4-substituted-4-amino-
 cyclohexanols 239
cis-cyclooctene 71
cis-2,6-substituted piperidines 204
cis-4-*tert*-butylcyclohexanol 238
(*R*)-citronellal 264
 $\text{C}=\text{N}$ double bonds 47, 143, 153–158
 cobalt-catalyzed Diels–Alder reactions
 45
 cobalt-catalyzed hydrogenations
 carbon dioxide 40
 carboxylic acids 40–46
 carboxylic esters 40–46
 $\text{C}=\text{C}$ 46–57
 $\text{C}\equiv\text{C}$ 46
 $\text{C}=\text{N}$ 46–57
 $\text{C}=\text{O}$ 46–57
 dihydrogen-complexes *vs.* dihydride
 complexes 39–40
(hetero)arenes 46–57
 nitriles 40–46
 cobalt complex 53
 $\text{Co}(\text{dppe})(\text{CH}_2\text{SiMe}_3)_2$ 48
 $\text{CoH}(\text{N}_2)(\text{PPh}_3)_3$ 46
 cobalt dihydride species 41, 42
 cobalt-hydride complexes 40, 52
 cobalt monohydride species 41
 cobalt-phosphine type complexes 42
 cobalt(I) species 44
 Co catalyzed hydroboration/
 hydrogenation sequence 10, 13
 Codexis 5, 239
 $\text{C}=\text{O}$ double bonds 106, 157–160

- cofactors/coenzymes 227
 commercially available diphosphine
 (S,S) 92
 commercially available perfluorinated
 borane $B(C_6F_5)_3$ 172
 conjugate Brønsted acids 172, 176
 cooperative ligands 18, 23, 25, 26, 29,
 34
 copper(I) acetate ($CuOAc$) 87
 copper-catalyzed hydrogenations
 allylic substitutions with a hydride
 nucleophile generated from H_2
 95–98
 α,β -unsaturated ketones and
 aldehydes 91–92
 ammonia borane 104–105
 conjugate reduction 88–91
 dihydrogen mediated cross-coupling
 of internal alkynes and aryl
 iodides 105–106
 early studies on 87–88
 reduction of CO_2 to formate 93–95
 simple (non-conjugated) ketones and
 aldehydes 92–93
 Z-selective alkyne semihydrogenation
 98–104
 copper hydride monomer triphos/ CuH
 95
 copper(II) salts 87, 88, 93
 $Co(BF_4)_2$ /triphos system 43
 CPA-catalyzed asymmetric transfer
 hydrogenation 267, 268, 274
 $[Cp_2Mo(\mu-OH)_2MoCp_2](OTs)_2$ 122
 $[Cp_2ZrH(CH_2PPh_2)]_n$ 114, 119
 Cu carbene catalyst 9
 Cu catalyzed deuteride transfer 11
 Cu/NHC complex [SIMesCuCl] 91
 $[Cu(NO_3)(PPh_3)_2]$ 89
 $(+)$ -cuspaine 274
 7-cyano-7-deazaguanine 250
 cyclic and linear enones 264
 cyclic benzylic ethers(\pm) 279
 cyclic enones 89, 242, 264, 265
 cyclic imines 115–118, 248, 250, 268
 cyclohexane 44, 120, 132, 152, 233
 cyclohexenyl phosphines 182
 cyclohexyl and cycloheptyl keto nitriles
 233
 cyclohexyl-substituted ligands 66
 cyclooctene 54, 66, 71, 73, 113
 cyclopentadienyl cobalt complexes 42
- d**
- deep-eutectic solvents (DES) 229
 dehydro amino acid derivatives 8
 dehydrogenative coupling 179–180
 δ -keto acids 249
 δ -keto aldehydes 249
 (S,S) -3-dialkyl-3,4-dihydroisocoumarins
 232
 2,3-dialkylquinoxalines 206
 dialkyl-substituted 1,3-diynes 98, 102
 diamagnetic and trigonal bipyramidal
 complex 19
 di-and trisubstituted *E*- α,β -unsaturated
 esters 105
 di-and trisubstituted quinolones 205
 diaryl-substituted 1,3-diynes 102
 dibenz[c,e]azepines 248
 dibenzylamine by-products 46
 dibenzyl amine-type side-products 46
 dicationic dimeric complex
 $[(Me_4TACD)_2Ca_2H_2]^{2+}$ 161
 dichloride complex 44
 dicopper hydride complex 95
 dideuterated Z-allylic chloride 97
 diethyl ether 170, 213
 2,3-dihydrocarvone 47
 (R) -dihydrofarnesal 264
 dihydrogen mediated cross-coupling of
 internal alkynes and aryl iodides
 105–106
 3,4-dihydro-2*H*-1,4-benzothiazines
 248
 dihydronaphthalenes 51
 1,4-dihydropyridine structure 261
 1,2-dihydroquinoline 203, 271
 1,4-dihydroquinoline 203, 276
 2,6-di-*iso*-propylphenyl-substituted
 bis(imino)pyridine ($iPrPDI$) 23
 diketone 5-phenylpentan-2,4-dione
 234
 (dimeric) copper(I) complex 87

- dimethoxymethane (DMM) 42, 43
 2,3-dimethyl-but-2-ene 214
 3,3-dimethyl-1-butene 68, 71
 (3*R*,5*R*)-diol 240
 1,4-dioxane 79, 100, 125, 126, 128, 198
 1,2-diphenylethane 54, 127
 1,1-diphenylethylene 146–148, 152
 1,2-diphenylethylene 152
 diphosphane-borane ligand supported
 nickel complex 70
 diphosphine Xantphos 73
 $[(\text{DippNacNac})\text{CaH}\cdot(\text{THF})]_2$ 145
 $[(\text{DippNacNac})\text{CaH}\cdot(\text{THF})]_2$
 (DIPPnacnac = HC[(CMe)
 N(C₆H₃-2,6-*i*Pr)]₂) 144
 direct hydrogenation 26, 39
 1,1-disubstituted alkenes 118
 1,1-disubstituted α -methylstyrene 68
 3,4-3,5-, and 4,5-disubstituted
 γ -butyrolactones 245
 1,2-disubstituted indenes 75
 2,9-disubstituted 1,10-phenanthrolines 276
 2,3-disubstituted quinolines 205, 276,
 277
 2,4-disubstituted quinolines 205
 2,3-disubstituted quinoxalines 205
 1,4-disubstituted cyclohexenes 75
 1,3-diyne 98, 102–104
 $(\text{DMAT})_2\text{Ca}\cdot(\text{THF})_2$ 145, 152, 154, 161
 $(\text{DMAT})_2\text{Sr}\cdot(\text{THF})_2$ 145
 1-dodecene 73
 double axially chiral phosphoric acid 275
 Dowex MWA-1 231
 dynamic kinetic resolution (DKR) 80,
 81, 230, 270
 dynamic reductive kinetic resolutions
 (DYRKRs) 230
- e**
- E*-and *Z*- α,β -unsaturated iminium ion
 intermediates 263
E-and *Z*-isomers 27
 Ebalzotan 245
E,E-1,3-dienes 102
 electron deficient alkenes 76–78
 electron deficient allenes 208, 211
 electron-donating bisphosphine ligands 66
 electron-donating fluorinated
 phosphines 172
 electron-donating Lewis bases 172,
 213
 electronically modified moisture-
 tolerant triaryl boranes 186
 electrophilic phosphonium cations
 (EPC) 169, 170, 215–217
 elemental magnesium 112
 enamides 49, 271
 enamines 118, 137, 182, 183, 191,
 193–198, 201
 enantioenriched tetrahydro- β -
 carbolines 271
 enantiomerically pure mono-and
 disubstituted piperidines and
 pyrrolidines 249
 enantiomerically pure (*R*)-profen
 derivatives 242
 enantiopure (*R*)-2-bromo-1-(4-
 fluorophenyl)ethanol 236
 enantiopure bromohydrin 237
 enantiopure *cis*-(3*S*,5*R*)-amino lactone 235
 enantiopure (*S*)-pentane-1,4-diol 235
 enantioselective catalysts 4
 enantioselective hydrogenation 5, 6,
 8–10, 29–31, 33, 47, 51, 52, 78,
 83, 92, 124, 191, 193, 197, 207
 encounter complex 169
 ene-reductases
 multicatalytic processes 244–247
 substrates 242–244
 enoates 91
 enones 89–91, 197, 207–211, 242, 264,
 265
 enzymes 5, 15, 64, 142, 227–229, 232,
 234, 235, 237, 239–241, 247–252,
 261
E-selective hydrogenation of alkynes 6, 7
E-selective semihydrogenation of
 alkynes 79, 80

- esters 6, 11, 31, 55, 80, 91, 98, 99, 101, 105, 113, 127, 128, 130, 132, 242, 245, 280
 hydrogenation 6
 and lactone hydrogenation 130
 (R,R) -EtDuphos 49
 ethylarenes 73
 ethyl β -methylcinnamate 76
 ethyl (S) -4-chloro-3-hydroxybutanoate [(S)-CHBE] 238
 ethyl 4-chloro-3-oxobutanoate (COBE) 238
 ethylene-bridged ligand complex 66
 ethylene-bridged phosphino borane 182, 193
 (S) -ethyl-4-hydroxypentanoate 232
 ethyl levulinate 232
 $\text{Et}_2\text{O/B(C}_6\text{F}_5)_3$ 214
 extracellular-regulated kinase inhibitor GDC-0994 240
E/Z-stilbene mixture 54
- f**
 ferrate complex 24
 ferrocenophane-derived dienamine 194
 flexible ethylidene-bridged phosphinoborane 167
 FLP-catalyzed hydrogenations 170, 171, 185, 194, 196, 198, 201, 204, 207
 fluorinated phosphines 172, 213
 2-fluorobenzyl zinc chloride 49
 (S) -5-fluoro-3-methylisobenzofuran-1 ($3H$)-one 240
 (R) -flurbiprofen 243
 formamides 32, 56, 133
 frustrated Lewis pair (FLP) 2, 143
 acceptorless dehydrogenation 180–181
 air-stable FLPs 184–186
 alkylidene malonates 207
 choice of Lewis acids 171–173
 dehydrogenative coupling 179–180
 electrophilic phosphonium cations (EPC) 215–217
 hydrogenation of
- aldimines and ketimines 187–193
 enamines 193–198
 enones 207–211
 heterocycles 201–207
 ketones 198
 olefins 178–179
 polycyclic aromatic hydrocarbons 211–215
 silylenol ethers 193–197
 unpolarized olefins 211–215
 intramolecular 181–184
 Lewis acid and Lewis base 171–173
 Lewis acidity vs. Lewis basicity 173–186
 mechanistic considerations 168–171
 nitroolefins 207–201
 reductive deoxygenations 198–201
 Stephan's intramolecular 167
 furyl imidazolidinone 264
 fused piperidine 270

- g**
 $(+)$ -galipinine 274
 γ -aminobutyric acid analogs 243
 γ -deuterated terminal alkenes 96
 γ -valerolactones 235
 geminal FLPs 183
 genetically engineer enzymes 5
 greenhouse gas and waste product CO_2 81
 Grignard reagents 49, 144, 186
 Guerbet alcohols 246, 247

- h**
 hafnium 112–119
 4-halobut-2-enals 247
 Hammett substituent constant 176
 Hantzsch esters (HEHs) 3, 11, 261, 268, 269, 280
 HelionalTM 242
 hemiaminals 270
 (hetero)arenes 46–57
 heteroaromatic compounds 6, 8, 10
 heteroaromatics 99, 261, 274–280
 heteroatom-based ether 88
 heterobimetallic complexes 162

- heterocycles 48, 54–56, 170, 201–206,
 212, 270, 274
 heterogeneous catalysts 1–3, 5–8, 26,
 45, 47, 55, 68, 141
 heterogeneous Pd, Pt, Rh, Ru and Ni
 catalysts 5
 heteroleptic boranes 186
 heterolytic dihydrogen activation 88,
 89, 95
 hexamethylphosphoramide (HMPA)
 146
 hexan-1-ol 246, 247
 1-hexene 113, 134, 147–149, 152, 153,
 161
 2-hexene 113, 150, 152
 H_2 -mediated *formal* alkyne
 semihydrogenation 98
 homogeneous nickel catalyzed
 hydrogenations
 alkenes 65–76
 alkynes 78–79
 carbon dioxide 81–83
 ketones 79–81
 homogeneous non-noble catalysts 6
 homogeneous transition metal
 hydrogenation catalysts 142
 homogenous catalyzed olefin
 hydrogenation 113
 homoleptic dibenzyl calcium complex
 (DMAT)₂Ca·(THF)₂ 146
 HOMO–LUMO combinations 16,
 141, 142
 homolytic dihydrogen activation 88
 horse liver alcohol dehydrogenase
 (HLDH) 230
 hydricity 20, 28, 82
 hydrogenases 15, 142, 228
 hydrogenated quinolines 11
 hydrogenation
 aldehydes and ketones 29–31
 aldimines and ketimines 187–193
 alkylidene malonates 207–211
 alkynes 27–28
 amides 32
 C=C double bonds 144–153
 chemoselective 6–8
 C=N double bonds 153–157
 C=O double bonds 157–160
 of enamines 193–196
 enantioselective 8–9
 enones 207–211
 esters 31–32
 heterocycles 201–206
 ketones 198
 nitroolefins 207–211
 olefins 26–27, 178–179
 polycyclic aromatic hydrocarbons
 211–215
 reductive deoxygenations 198–201
 silylenol ethers 193–198
 unpolarized olefins 211–215
 hydrogen–dihydrogen complexes *vs.*
 dihydride complexes 39–40
 hydrogenolysis 5, 66, 88, 114, 270, 272
 hydrogen source 19, 53, 55, 104, 135,
 191, 261, 262, 266, 268, 269, 274
 hydrometalation 39, 78, 142
 hydrosilanes 81, 82, 87, 88, 95, 106,
 112, 122, 180, 198
 1,4-hydrosilylation 195
 hydroxyaniline 273
 2-hydroxycyclopentanecarbonitrile
 233
 hydroxyethylamine moieties 237
 hydroxyethylene 237
 2-hydroxylchalcones 278
 (R) -3-hydroxy-2-methylpropanoate
 242
 4-hydroxy-5-phenylpentan-2-one 234
 hydroxy-substituted quinoline 56
- i**
- imido complex 128
 imine-based iron pincer complex 30
 imine reductases 228, 248–249
 imines 8, 29, 30, 33, 34, 48, 57,
 115–117, 122, 125, 135, 136, 144,
 153, 156, 170, 171, 176, 183, 187,
 189, 193, 201, 212, 228, 248–249,
 267–270
 indenes 51, 52, 75
 3*H*-indoles 268
 indole-substituted 1,1-diaryl ethylenes
 266

- indolines 191, 248
1-H-indolinium 181
in situ product removal (ISPR) approach 238
 intermediate copper-*O*-enolate 89
 intermolecular “frustrated” Lewis pairs 167
 internal alkynes and aryl iodides 12, 105–106
 intramolecular frustrated Lewis pair (FLP) 168, 181–184, 191
 2'-iodo-[1,1'-binaphthalen]-2-amine 183
 [IPrCuOH] 101, 102, 104
 iron-catalyzed homogeneous hydrogenation of C–C multiple bonds 27–28
 alkynes 26–27
 iron-catalyzed homogeneous hydrogenation reactions carbon dioxide 25
 HOMO-LUMO-combinations 16
 nitriles 26
 noble *vs.* 3d metal complexes 17–22
 non-polar substrates 22–24
 polar substrates 24–25
 iron-catalyzed hydrogenation of C–N-multiple bonds 32–34
 iron-catalyzed hydrogenation of C–O-multiple bonds aldehydes and ketones 29–31
 amides 32
 esters 31–32
 iron(II) complex $[(PP_3)_2Fe(H)(H_2)](BPh_4)_2$ 23
 iron pincer catalyst 26, 28
 (*S,S*)-isochroman 232
 isochromananes 279
 1*H*-isochromenes 279
 isolable cationic triphos/copper(I) complex 95
 isolable copper hydride hexamer $[PPh_3CuH]_6$ 88
 isolated cationic dicopper hydride complex 95
 isolated copper(I) formate complex 95
 isophorone 89–91
 isopropanol (IPA) 3, 19, 43, 53, 122, 126–128, 132, 135, 136, 229, 261
 isoquinolines 278
 isosolenopsin A 204, 206
- j**
 Josiphos-type ligand 80
- k**
 Kempe catalyst 48
 ketimines 33, 81, 154, 170, 187–193, 266–268
 ketones 6–8, 19, 26, 29–31, 44, 45, 47–50, 79–81, 89, 91–93, 121–127, 136, 137, 159, 162, 198, 229, 230, 245, 246, 270
 ketoreductases (KREDs) alcohol dehydrogenases in multicatalytic processes 232–236
 in non-conventional media 229–230
 coupled enzyme approach 229
 coupled substrate approach 229
 dynamic processes 230–232
 valuable molecules 236
 Knölker’s catalyst 30
 Knölker’s complex 29
- l**
 lactone-fused quinolines 276, 277
 lanthanide catalyzed alkene hydrogenation 143
 levulinic acid 232, 233, 235
 Lewis acidic ligands 64
 Lewis acidity *vs.* Lewis basicity 173–186
 Lewis acids 172–173
 $B(C_6F_5)_3$ 144
 $(HSiR_3/B(C_6F_5)_3)$ 134
 and Lewis base 171–173
 Lewis adduct 167–169, 172, 182

- Lewis base 143, 144, 167, 169–174, 178–182, 187, 191, 198, 200, 201, 209, 213, 217
 Lewis pair's heteroatoms 169
 Lilial™ 242
 linear imines 268
 lorlatinib 240
 low-valent titanocene species 112
 2,6-lutidine 168, 200, 201, 209
- m**
 macrocyclic alkyne 79
 malonates 179, 185, 207–211
 manganese 121–136
 marine macrolide (+)-neopeltolide 263
 Me-DuPhos 76
 Meerwein–Ponndorf–Verley reduction mechanism 122
 (+)-menthol 115
 $\text{MesB}(\text{C}_6\text{F}_4\text{H})_2$ 202
 mesitylcopper(I) and imidazolinium salt 99
 Mes_3P 170
 $(\text{Me}_4\text{TACD})_2\text{Ca}_2\text{H}_3^+$ 148
 Me_4TACD -stabilized cationic calcium hydride complex 148
 Me_4TACD -stabilized dicationic calcium hydride complex 148
 metal
 abundance 2
 catalyst separation and trace metal removal 3
 cost 2
 different reactivity 3
 toxicity 2
 metal-free imine hydrogenation 143
 metal-free *syn*-selective hydrogenation of alkynes 182
 metalloenzymes 15, 34
 methyl aryl ketimines 189
 methyl (2*S*,3*R*)-2-benzamidomethyl-3-hydroxybutyrate 231
 methyl 2-benzamidomethyl-3-oxobutanonate 231
 methyl (*S*)-2-bromobutanoate 243
 2-methylcyclohexanone 47
 methylcyclohexene 74, 214
 3-methylcyclohex-2-enone 241
 2-methyl-6-fluoroquinoline 276
 4-methylheptan-3-ol 245
 2-methyl-3-substituted tetrahydrofurans 245
 $\text{Mg}(\text{I})$ complex 162, 163
 Michael-initiated ring closure (MIRC) reaction 247
 moisture-tolerant $(\text{C}_6\text{F}_5)_2\text{BC}_6\text{Cl}_5/\text{THF}$ system 186
 moisture tolerant FLP-catalyst 185
 molecular hydrogen 39–40, 153, 167–217
 molybdenum 121–122, 137
 mono-and di-substituted olefins 26
 Montelukast sodium (Merck) 238
 Muguesia® 245
- n**
 NADH-dependent KRED 230
 N-alkyl imines 268
 (S) -*N*-Boc-3-hydroxypiperidine 239
 N -Boc-pyrrolidinone 241
 n -butyllithium 112
 (-)-neomenthol 115
 neutral tetradentate ligand Me_4TACD 148
 NHC/copper(I) complex 95
 N-heterocyclic carbene 68
 N-heterocyclic silylenes 71
 $[\text{Ni}(\text{dppe})_2]$ 81
 nickel ammonia complex 67
 nickel-bis-silylene complex 74
 nickel catalyzed olefin oligomerizations 63
 nickel, properties of 63
 $\text{Ni}(\text{CO})_4$ -promoted cyclooligomerizations 63
 nicotinamide biomimetics (mNADHs) 242
 nicotinamide cofactor 227–229, 241, 245, 249, 251
 niobium 119–121
 nitriles 40
 reductases 250–251
 nitroalkenes 242, 266

- nitrobenzene 251
 nitroolefins 78, 79, 179, 185, 207–210,
 212, 265, 266
 4-(4-nitrophenyl)butan-2-one 246
 nitroreductases 250–251
N-methylhexahydrocarbazole
 181–182
 noble *vs.* 3d metal complexes
 catalytically inactive complex
 $[(\kappa^4\text{-PNNP})\text{Fe}(\text{CO})]$ 21
 diamagnetic and trigonal bipyramidal
 complex 19
 hydricity 20
 penta-coordinated iron(0) complexes
 21
 pincer-type complexes 21
 potentially paramagnetic,
 penta-coordinated intermediates
 20
 ruthenium(II) complexes 18
 Shannon radii 17
 square planar and diamagnetic
 Vaska's complex 18
 square pyramidal amido iron complex
 19
 square pyramidal complex 19
 two-electron-redox steps 18
 non-functionalized olefins 8
 non-innocent/redox-active ligands 23
 non-noble metal catalysts 2–3
 non-polar substrates 20, 22–24, 29, 34
 non-traditional hydrogenation catalysts
 2
 norbornene 71, 72, 152, 153, 161
 Noyori's Ru-catalyzed asymmetric
 hydrogenation of ketones 159
 N-protected chloroketones 237
N-tbutylimines 174, 176
 N-terminal prolyl peptide 264
- O***
- 1-octene 53, 65–68, 71, 112, 149
 2-O*i*Pr-5-*t*Bu-C₆H₃-derivative 205
 olefins 26–27
 hydrogenation 23, 24, 26–27, 113,
 142, 153, 179–180, 215
 oligomeric products 146
- optically active α -alkyl β -hydroxy esters
 231
 optically active 3-arylpropan-2-ols 232
 optically active β -hydroxy ketone 236
o-quinone methide (*o*-QM)
 intermediate 266
 organocatalytic metal-free
 hydrogenation 143
ortho hydroxyaryl ketimines 268
ortho-substituted aromatic ketones
 125
ortho-substituted aryl ketones 92
 Osborn complex 88
o-Tol₃P 173
 oxalyl chloride 198–201
 oxime ethers 195
 2-(3-oxobutan-2-yl)benzonitrile 231
 oxygen-trapping reagents 198
- p***
- [2.2]paracyclophane
 bisphosphine-derived FLP 195
para-hydrogen induced polarization of
 NMR (PHIP) signals 40
p-chlorobenzaldehyde 236
 pentacarbonyl metal acetate 121
 pentacarbonyl metal hydride 121
 penta-coordinated iron(0) complexes
 21
 pent-4-yn-1-ol 235
 1-phenyl-but-1-yne 55
 1-phenyl-1-cyclohexene 75
 S-1-phenylethanol 30, 31, 49
 1-phenylethylene-bridged ammonium
 borate 194
 [PhMe₂NH][B(C₆F₅)₄] 119
 phosphine-derived Lewis base 167
 phosphine-free imine hydrogenation
 201
 phosphine oxide 199–200
 phosphinimines 170
 phosphinoborane 167, 182
 phosphothreonine (pThr) 277
 phthalic acid 43
 Piers' borane (HB(C₆F₅)₂) 182, 191,
 204, 205, 214

- pincer-type complexes 21, 26, 32, 44, 45
 pincer-type ligand design 42
 piperidines 204, 248, 250, 270
 planar chiral phosphoric acid 275
 (–)-platensimycin 265
 platinum black 141
p-methoxy styrene 152
 polar silanes (R_3SiH) 162
 polar substrates 22, 24–25, 34
 polycyclic aromatic hydrocarbons 211–215
 polyoleucine tether 264
 potentially paramagnetic, *penta*-coordinated intermediates 20
 $[PPh_3CuH]_6$ 87, 88
 pregabalin [(S)-3-aminomethyl-5-methylhexanoic acid] 243
 prochiral aryl-alkyl ketones 49
 prochiral 1,1-diarylethene derivatives 51
 prochiral ketamines 188
 yields chiral secondary amines 33
 prochiral ketone 30, 237–240
 prodrug (S)-licarbazepine 239
 prokaryotic [NiFe]-hydrogenases 64
 propane-1,2-diol 249, 250
 propargylic silyl ether 97
 propylene-bridged ligand 66
 protodemetalation 39, 103, 104
 pyrene 55
 pyridine-based iron pincer complex 29, 32
 pyridines 3, 101, 124, 168, 204–206, 277
 2-and 4-pyridyl substituted alkynes 79
 pyrophosphate (PPi) 249
 pyrrolidine heterocycles 270
 pyrrolidines 118, 248, 249, 270
- q**
 quinazolines 193
 quinoline-derivatives 202
 quinolines 8, 87, 191, 203, 205, 209, 274–278
 quinoxalines 205–207
- r**
rac-cuspaine 203
 racemic 2*H*-chromenols 279
 racemic 3-phenylbutan-2-one 232
 Raney cobalt 46, 50
 Raney Co 2724® 50
 Raney nickel 50, 63, 141
 reactive bisalkenyl derived bisborane 196
 Red-Al ($[LiH_2Al(OCH_2CH_2OCH_3)_2]$) 115
 redox active bis(imino)pyridine ligand 26
 redox-active ligands 17, 23
 reduction of CO_2 to formate 93–95
 reductive aminases 249
 reductive deoxygenations 198–201
 $RhCl(PPh_3)_2$ 142
 rhenium 122–136
 rhodium complex $[Rh(nbd)PPh_3^+]$ $[PF_6^-]$ (nbd = norbornadiene) 142
 (+)-ricciocarpin A 263
 rigid tetrafluorophenylene bridged phosphonium fluoroborate 167
 Robalzotan 245
 Roche ester 242
 Rotigotine 245
 ruthenium(II) complexes 18, 20
- s**
 saturated alcohols 89
 scandium 111–112, 137
 Schlenk equilibrium 144
 Schwartz's reagent 114
 selective C=O reduction of unsaturated carbonyl groups 6–8
 semihydrogenation 7, 23, 27, 78–80, 97–105
 Shannon radii 17
 Shvo/Noyori catalysts 155
 Shvo's ruthenium catalyst 135, 136
 σ-bond metathesis 89
 mechanism 145
 silylene-based ligands 73
 silylenol ethers 193–196
 simple enamines 182, 194

- simple (non-conjugated) ketones and
 aldehydes 92
 (+)-solifenacin 278
 square pyramidal amido iron complex
 19
 square-shaped tetrametallic Ni(I) cluster
 68
 stable and isolable secondary ketimines
 33
 Stephan's intramolecular frustrated
 Lewis pair 167
 stereodivergent catalyst system 52
 sterically demanding β -diketiminato
 ligand 144
 sterically encumbered
 mesityl-substituted borane 184
 sterically hindered chiral phosphoric
 acid 266
 sterically hindered TRIP anion and
 morpholinium ion 264
 sterically hindered
 triphenylsilyl-substituted chiral
 phosphoric acid 270
 sterically nonhindered α,β -unsaturated
 aldehydes 264
 stilbene 105
 stronger/weaker Lewis-acidic boranes
 172
 strongly Brønsted acidic 3-H-indolium
 181
 Stryker's reagent 87, 88
 styrene-butadiene-styrene (SBS)
 copolymer 115
 styrene-divinylbenzene co-polymers
 113
 styrenes 47, 70, 73
 2-substituted acetophenone derivatives
 49
 3-and 4-substituted aryl derivatives 49
 2-substituted piperidines 250
 2-substituted quinolines 275–277
 3-substituted quinolines 276
 4-substituted quinolines 276
 substituted quinolines and quinoxalines
 10
 2-substituted quinoxalines 276
 2-substituted tetrahydroquinolines
 275
 synthetically valuable allylic alcohols
 91
t
 tantalum 119–121
 (TBD)-protected propargylic alcohol
 102
 $t\text{-Bu}_3\text{P}$ 170
 terminal alkenes 9, 53, 95–98
tert-amyl alcohol 125
 4-*tert*-butylcyclohexanone 238
tert-butyl-(5*R*)-6-cyano-5-hydroxy-
 3-oxohexanoate 240
 tertiary borane $\text{C}_6\text{F}_5\text{-CH}_2\text{CH}_2\text{-}$
 $\text{B}(\text{C}_6\text{F}_5)_2$ 204
 tethered NHC/copper(I) alkoxide
 complex 99
 tetracarbonyl metal acetate 121
 tetradentate monoanionic ligand
 Me_3TACD^- 147
 tetradentate N,N,O,O -ligand 68
 1,2,3,4-tetrahydroisoquinolines 248
 tetrahydropyridines 277
 tetrasubstituted acyclic alkenes 75
 tetrasubstituted indene 75
 tetrasubstituted silyl enol ethers 195
 tetrasubstituted tetramethylethylene
 73
 3-thiazolidines 248
 thiophene-substituted internal alkene
 101
 thiophenyl-or furyl-substituted
 nitroolefins 185
 thiourea-based bifunctional
 organo-catalyst 274
 3d metals 15, 17–22, 34
 three point interaction model 268
threo-or *erythro*-N-protected
 chlorohydrins 237
 Ticagrelor 240
 titanium 112–119, 122
 titanocene catalyst 115, 118, 143
 transfer hydrogenations (TH) 3, 19,
 28–30, 39, 52–56, 76, 79, 81,
 104–106, 122, 123, 125–127, 135,

- transfer hydrogenations (TH) (*contd.*)
 161, 180, 191, 236, 248, 252,
 261–279
- trans*-2-octene 71
- triarylboranes 185, 186
- trichloroacetic acid (TCA) 262
- tridentate *N,N,O*-ligand 68
- 3-trifluoromethyl substituted quinolines
 276
- trimethylborane 168
- trimethylcyclohexane 56
- 1,4,7-trimethyl-1,4,7,10-tetraaza-
 cyclododecane 147
- triphenylphosphine oxide (O=PPh₃)
 199
- triphos/copper complex 94
- triphos-type ligand 42, 57
- trisubstituted alkenes 53, 74, 105,
 118
- tri-substituted β -trifluoromethyl
 nitroalkenes 266
- trisubstituted methylcyclohexene
 74
- tungsten 121–122
- u**
- unfunctionalized tetrasubstituted
 olefins 119
- unfunctionalized trisubstituted alkenes
 118
- unpolarized olefins 211–215
- unreactive dicarbonyl complex 44
- unstabilized Meisenheimer anion
 (C₆H₇[−]) 161
- unsymmetrically substituted ketimines
 188
- unsymmetrical PNN-Pincer ligand 46
- v**
- valuable chiral *cis*-2-substituted
 cyclohexylamines 270
- valuable molecules 236
- vanadium 119–121
- Verkade's* base 41
- very strong Lewis acid B(C₆F₅)₃ 172,
 175
- vicinal B/N-based *intramolecular*
 frustrated Lewis pairs 194
- vicinal Lewis pairs 183
- vinyl phenols 266
- w**
- water-tolerant borane-derived FLP
 194
- y**
- ynones 207, 211
- yttrium 111–112, 137
- z**
- Z-acrylate 98, 102
- Z-allyl amine 101
- Z-allyl silylether 102
- Z-enyne 103
- zirconium 112–119, 168
- Z-selective alkyne semihydrogenation
 98–104
- Z,Z*-1,3-dienes 102