

## Index

### a

Activators generated by electron transfer (AGET) ATRP 183

Activators regenerated by electron transfer (ARGET) ATRP 183

Active layer thickness, in organic photodiodes 559–561

Aggregation-induced emission (AIE) 444

materials 415

phenomenon 416

Aggregation-induced emission enhancement (AIEE) 444

Ag-In-Zn-S nanocrystals 110

Ag<sub>2</sub>Se-In<sub>2</sub>Se<sub>3</sub> 86

Ag<sub>2</sub>S-In<sub>2</sub>S<sub>3</sub> 86

Ag<sub>x</sub>In<sub>(1-x)</sub>[S<sub>2</sub>CN(C<sub>2</sub>H<sub>5</sub>)<sub>2</sub>]<sub>(3-2x)</sub> 109

Ag<sub>x</sub>In<sub>1-x</sub>(S<sub>2</sub>CNEt<sub>2</sub>)<sub>3-2x</sub> 88

Alkylammonium (MA) cation-based organic-inorganic hybrid perovskites 149

3-Alkylthiophene 13

Alloyed CuInS<sub>2</sub>-ZnS nanocrystals 106

Alloyed quaternary Cu-In-Zn-S (CuInS<sub>2</sub>-ZnS) 62

Alloyed ternary CdS<sub>x</sub>Se<sub>1-x</sub> nanocrystals 100

Alloyed (AgInS<sub>2</sub>)<sub>x</sub>(ZnS)<sub>1-x</sub> nanocrystals 109

All-polymer ambipolar transistors 378, 380

Alumina (Al<sub>2</sub>O<sub>3</sub>) nanoporous templates 142

Ambipolar charge transport 369–371

Ambipolar OFET 369–371

Anthracene crystal 261

Anti-1,4-bis(4-halophenyl)-1,4-dimethoxycyclohexadiene 21

Artificial interfaces 501

Atomic layer deposition (ALD) technique 201

Atom transfer radical polymerization (ATRP) 182

Autoionization 261

### b

Back side illuminated (BSI) CMOS image sensor technology 564

Band-bending, at metal semiconductor junction 500

Benzene-based poly-1,4-phenylene (PPP) 7

1,2-, 1,3-, 1,4-Benzenedithiol (BDT) 122

Benzenethiol (BT) 122

Bifunctional 1,4-dihalobenzene monomers 10

Bifunctionalized cyclopentadithiophene 17

Bimolecular recombination coefficient 297

Binary nanocrystals 69–78

Binary, ternary and quaternary nanocrystals 59

Biphenyl synthesis 9

- 1,4-Bis(phenyldichloromethyl)benzene 18
- Bis[2-(4,6-difluorophenyl)pyridinato-N, C<sup>2'</sup>]iridium(III)picolinate 442
- Bis(trimethylsilyl)selenium (Se(TMS)<sub>2</sub>) 69
- Bis(trimethylsilyl)sulfide (S(TMS)<sub>2</sub>) 69
- Bis(*tert*-butyldimethylsilyl)tellurium (Te(BDMS)<sub>2</sub>) 69
- Bisterpyridine Zn<sup>2+</sup> coordination polymers 443
- 6,13-Bis((triisopropylsilyl)ethynyl)-5, 7,12,14-tetraazapentacene (TIPS-TAP) 390
- Blending organic semiconductors 402–405
- Bloch function 315
- Block copolymer (BCP) 373
- Blocking layers, in organic photodiodes 561–562
- Blue phosphorescent 3,6-carbazole-alt-tetraphenylsilane rigid-flexible copolymers 442
- Boltzmann approximation 489
- Branched (dibutylbutylphosphonate (DBBP) 76
- 12-( $\alpha$ -Bromoisobutyramido) dodecanoic acid (BiBADA) 189
- $\alpha$ -Bromoisobutyrate-functionalized  $\beta$ -cyclodextrin 185
- 12-( $\alpha$ -Bromophenylacetamido) dodecanoic acid (BPADA) 190
- 4-Bromotoluene 10
- Brownian motion 261
- Bruggeman Effective Medium Approximation (BEMA) 633
- Bulk heterojunction (BHJ) 271, 319, 372–376, 540, 630
- Bulk heterojunction organic solar cell simulation 519–524
- Burst nucleation 66
- C**
- Cadmium-based QDs 138
- Capacitor-based memory 598–599
- Carbazoles 7
- 11-(9H-Carbazol-9-yl)undecane-1-thiol (CB) stabilized red CdSe/ZnS core-shell QDs (QD-CB) 146
- Carbon nanotubes (CNTs) 31
- Carrier extraction by linearly increasing voltage (CELIV) 351–352
- Catechols 189
- Cationic iridium(III) complexes 428
- C<sub>60</sub> diodes 262, 263
- CdSe nanocrystals 61, 72, 114
- CdSe-nanocrystals-poly (3-hexylthiophene) (P3HT) system 125
- Cd<sub>1-x</sub>Zn<sub>x</sub>Se nanocrystals 99
- Cetyltrimethylammonium bromide (CTAB) 120
- Chain transfer agent (CTA) 183
- Chalcopyrite 89
- Chalcopyrite structure 80
- Chalcopyrite-type CuInS<sub>2</sub> 106 or wurtzite-type nanocrystals 81 stoichiometric CuInS<sub>2</sub> nanocrystals 81 structure 80
- Charge carrier transport inorganic semiconductors band structure 315–317 conductivity and mobility 322–323 doped conjugated polymers 264–268 Holstein model 323–324 organic semiconductors (*see* organic semiconductors)
- Charge recombination geminate recombination 290–292 non-geminate recombination bimolecular process 292 bimolecular recombination coefficient 297 diffusion coefficients via Smoluchowski equation 292 OSCs 295 time-delayed collection-field (TDCF) 293, 294

- time-resolved microwave conductivity (TRMC) technique 295
- Charge transfer (CT) 399
  - donor-acceptor interface 278
  - effective-mass model 283–287
  - electron-hole separation 274
  - interfacial charge transfer states 279
  - thermalization 264
  - two-photon photoemission 279
- Charge transfer complex (CPX) 327
- Charge trapping mechanism
  - OFET memory device 612–615
  - resistive memory 605
- Chloride ions-capped CdSe nanocrystals 120
- 1-Chloronaphthalene (CN) 386
- Chromophores, supramolecular organization of 444
- Clausius-Mossotti approximation 399
- Colloidal CuInS<sub>2</sub> nanocrystals 80
- Colloidally stabilized nanocrystals 58
- Colloidal semiconductor nanocrystals
  - basic physical properties 57–65
  - basic principles governing the synthesis 65–69
  - binary nanocrystals 69–78
  - core/shell and alloyed nanocrystals 92–112
  - primary ligands (*see* primary ligands)
  - ternary and quaternary nanocrystals 78–92
- Color CMOS imagers 564
- Colour rendering index (CRI) 458
- Commission International d'Eclairage (CIE) colorimetry system 429, 458, 459
- Complex index of refraction 504
- Concentrated polymer brush (CPB) regime 194
- Conjugated polymers 146, 264–268, 345, 346, 551
  - beyond solution synthesis 30–33
  - binary systems 69–78
  - molecular structure, supramolecular structure and interfaces 23–30
  - polymer synthesis 6–23
  - vertically separated bilayer structures 376–378
- Continuous activator regeneration (ICAR) ATRP 183
- Continuous Inkjet (CIJ) printing mode 453
- Controlled MW distribution (MWD) 181
- Controlled radical polymerization (CRP)
  - mechanism 181
  - surface-initiated 183
- Core/shell and alloyed nanocrystals 92–112
- Core shell (CdSe/ZnS) monodisperse nanocrystals 57
- Correlated color temperature (CCT) 458
- Coulomb binding energy ( $E_{\text{coul}}$ ) 263
- Covalent bonds 312–313
- Crystal-bound DDT 59
- Crystal-bound ligands 115
- CsPbX<sub>3</sub> nanocrystals 152
- CsPbX<sub>3</sub>/polymethyl methacrylate (PMMA) 156
- CuFeS<sub>2</sub> 59, 60
- (Ph<sub>3</sub>P)<sub>2</sub>CuIn(SePh)<sub>4</sub> 86
- (Ph<sub>3</sub>P)<sub>2</sub>CuIn(SET)<sub>4</sub> 86
- Cu<sub>2.2</sub>In<sub>1.0</sub>S<sub>2.4</sub> 81
- CuInS<sub>2</sub> nanocrystals 80
- Cu-In-S/ZnS core/shell nanocrystals 106
- Cu-In-Zn-S nanocrystals 127
- Cu<sub>2</sub>S 59
- Cu<sub>2</sub>ZnSnS<sub>4</sub> 59
- Cu<sub>2</sub>ZnSnSe<sub>4</sub> 92
- Cyclic voltammetry method 510, 511
- Cyclohexanone 242, 247
- Cyclolefins 3
- Cyclopentadiene 17
- Cyclopentanone 242, 247

**d**

- Damköhler number 67
- D-A-polymer 17, 27
- Dark current, in reverse polarisation 549–550
- Dark injection
  - space-charge-limited-current (DISCLC) 351
- Data retention 617
- Data storage principles 595
  - capacitor-based memory 598–599
  - resistive memory 595–598
  - transistor memory 599–602
- Defects generation 122
- Demixing 227
- Density-of state functions
  - amorphous organic semiconductors 330–333
  - amorphous organic solids 318–319
  - density of excited states (DEOS) 318
  - density of states 312
  - density of states (DOS) distribution function 331
- Device simulation 483
- Dexter energy transfer 432
- Dialkyl/diaryl dichalcogenides 76
- Diaminopyrimidine functionalized thiophene (ODAP) 130
- 1,4-Dibromobenzene 11
- 10,10'-Dibromo-9,9'-bianthryl
  - precursor monomer 31
- 2,7-Dibromocarbazoles 16
- 3,6-Dibromocarbazoles 15, 16
- 1,4-Dibromo-2,5-divinyl benzene 22
- 3,6-Di(thiophen-2-yl)diketopyrrolo [3,4-c]pyrrole-1,4-dione-alt-thieno[3,2-b]thiophen) (DPPT-TT) 405
- Didodecyldimethylammonium bromide (DDAB) 119
- Differential Ohm's law 337
- Digital x-ray imagers, principle of 562
- Dihaloarenes 30
  - 1,4-Dihalobenzene 11
  - 1,8-Diiodooctane (DIO) 386
  - 4,4'-Dimethyl-1,1'-biphenyl synthesis 10
- Disc-shaped, wurtzite-type  $\text{Cu}_{2-x}\text{S}$  nanocrystals 77
- Dithiocarbamates 124
- Diversified polymorphism 79
- Divinyltetramethyldisiloxane-bis (benzocyclobutane) (BCB) 374
- 1-Dodecanethiol (DDT) 71, 113
- Donor-acceptor interface 274–277
- Donor-acceptor mechanism 109
- Donor-acceptor (D-A) polymers 12, 13
- Dopamine hydrochloride 189
- Doped conjugated polymers 264–268
- Doped inorganic semiconductors 321–322
- Drift current 495
- Drift-diffusion current
  - heterostructures with nonuniform composition 343–344
  - non-equilibrium state 341–344
  - in organic heterostructure 346–349
- Drift-diffusion method 485
- Drift-diffusion model
  - artificial interfaces 501
  - boundary conditions 499
  - density of states 496–498
  - derivation 490
  - dielectric interface 500
  - electrodes and interfaces 498–501
  - electrostatic potential at metal surface 499
  - flexibility 485
  - formulation 487
  - local thermal equilibrium 499
  - macroscopic parameters of semiconductor materials 486
  - metal-semiconductor contact 499, 500
  - Ohmic contact 500
  - particle fluxes 491
  - p-n junction 493–496
  - realistic 502
  - surface recombination 501
  - thermal equilibrium 488
  - total electric current 501–502
  - with traps 507

- unidimensional version 492–493
- Drop on Demand (DOD) inkjet printing mode 453
- Dynamic random access memory (DRAM) devices 593
- e**
- Effective-mass model 283–287
- EFISH technique 278
- Einstein relation 342
- Electrically erasable programmable read only memory (EEPROM) 594
- Electrical output power P<sub>Out</sub> 273
- Electrical simulation 483–502
- Electric gap 315
- Electrochemically determined band gap 64
- Electrochemically mediated ATRP (eATRP) 183
- Electroluminescence (EL) 413
- Electronic device modelling. *See* photovoltaic device modelling
- Electronic memory devices
  - classification of 592–594
  - printed electronics, requirements in 594–595
- Electron trap dilution 231–232
- Emission color tuning 96
- Eskebornite-type crystal structure 90
- 1,2-Ethanedithiol (EDT) 122
- Ethanedithiol 122
- 1,2-Ethylenediamine (EDA) 122
- Ethylene molecule 313
- Excited-state intramolecular proton transfer (ESIPT) 444
- Exciton Bohr radius 60
- Extended Gaussian disorder model (EGDM) 334, 507, 509
- External quantum efficiency (EQE) 262, 272, 278, 546
  - vs.* dark leakage currents for organic solar cells 551
  - defined 460
  - of OPV 630
- Extinction coefficient, of fullerene-based electron acceptors 634
- f**
- Fast optimisation algorithm 514
- Fermi-Dirac distribution 331
  - fermi-dirac probability distribution function 316
  - fermi-dirac statistics 312
  - fermi level 311, 321
  - pseudo-Fermi levels 322
- Fermi level pinning effect 500
- Fermi surface 312
- Ferroelectric copolymer P(VDF-TrFE) 254
- Ferroelectric memory (FeRAM) devices 598
- Ferroelectric polymer matrices 205
- Ferroelectric polymers 240–241
- Fick law 66
- Field effect 340
- Field effect transistor based memory 600
- Film transfer method (FTM) 377
- FinFET architecture 201
- Finite-element methods 514
- Finite-volume methods 515
- Floating electrode, OFET memory device with 615–616
- Flory-Huggins model 229
- Fluorene 15
- Fluorinated acrylates 196
- Formic acid 122
- Förster energy transfer 432
- Förster resonance energy transfer (FRET) process 444
- Fowler–Nordheim tunneling mechanism 600
- Frenkel excitation 318
- Fullerenes 31
- Fullerene-based electron acceptors 632, 634
- Fullerene-free bulk heterojunction photovoltaic cells 117
- g**
- Geminate pairs (GPs) 261
- Geminate recombination 290–292
- Gibbs free enthalpy 66
- Gilch route 20

- Grafting density 205  
 Graphene 31  
 Graphene nanoribbons (GNRs) 32  
 Ground-state charge transfer complex (CPX) 327
- h**  
 HDA-TOPO-trioctylphospine (TOP) 98  
 Heating-up method 68  
 Heisenberg's uncertainty principle 312, 316  
 Hexadecyltrimethylammonium chloride (HTAC) 120  
 1,6-Hexanedithiol 122  
 Hexanethiol 81  
 Hexylphosphonic acid (HPA) 69, 75  
 3-Hexylthiophene 130  
 High-density polyethylene (HDPE) 396  
 Highest occupied molecular orbital (HOMO) 314  
 High-k hybrid materials 204–210  
 High-k nanoparticles  
   applications 149–152  
   materials 197–199  
   need for polymer modification 201–204  
 Highly luminescent core/shell CdSe/CdS nanocrystals 100  
 High photoluminescence quantum yields (QY) 57  
 Hole conductors 78  
 Holstein model 323–324  
 Homogenous nucleation 66  
 Hot-injection method 67  
 Hückel-type model 329  
 Human Centric Lighting (HCL) 465
- i**  
 2,2'-Iminodibenzoic acid 150  
 Indenofluorene 15  
 Indium-free ternary (CuFeS<sub>2</sub>) nanocrystal 60  
 Infinite electric field 263  
 Infinite sink approximation 261  
 Inkjet printing 452–453
- In-line optical metrology, for quality control 638–646  
 In-line ultra-fast Multi-Wavelength (MWL) Phase Modulated Spectroscopic Ellipsometer (Horiba) tool 639  
 Inorganic crystalline semiconductors 315–317  
 Inorganic nanoparticles 196  
 In<sub>37</sub>P<sub>20</sub>(OOCCH<sub>2</sub>Ph)<sub>51</sub> 58  
 InP/GaP/ZnS core/double shell nanocrystals 103  
 InP/ZnS core/shell nanocrystals 102  
 InP/ZnSe nanocrystals 102, 103  
 InP/ZnS nanocrystals 102  
 Internal quantum efficiency (IQE) 262–264, 272, 278, 460, 546  
 Inverse photoelectron spectroscopy (IPES) 63  
 Inverse problem 511, 524–527  
 “Inverse” Suzuki coupling 17  
 Ionic polarizability 198  
 Ionised pairs of semiconductor and dopant ions (IPA) 327  
 Ionization potential (IP) 63  
 Iridium-containing phosphorescent polymers 433–442  
 Ising model 573  
 ITO electrodes 456
- j**  
 Jacobian matrix 513, 514  
 Jupyter Notebook (interactive computing environment) 518–524
- k**  
 Kesterite-type crystal structure 90  
 Kesterite-type Cu<sub>2</sub>ZnSnS<sub>4</sub> 90, 115  
 Kesterite-type nanocrystals 91  
 Kirkendall effect 85
- l**  
 Ladderene precursor polymer 23  
 Ladder-type poly (p-phenylene) (MeLPPP) 265

- Langevin retardation factor 297  
 Langevin-theory 295  
 Laser patterning processes, for OPV  
     636–638  
 “Ligand exchange” approach 185  
 Ligands 59  
 Ligands-capped semiconductor  
     nanocrystals 112  
 Linker ligands 124  
 Liquid-liquid (L-L) demixing 227  
 Liquid-phase demixing 227  
 Localized surface plasmon resonance  
     (LSPR) 76  
 Lowest unoccupied molecular orbital  
     (LUMO) 314  
 LPPPs 15  
 L-type ligands 115  
 Luminous efficacy/power efficiency  
     460
- m**
- Macro-phase separation 227  
 Madelung electrostatic potential 152  
 Magnesium (Grignard) reagents 10  
 Majority charge carriers 489  
 Marangoni effect 399  
 Marcus theory of electron transfer 276  
 Mark-Helfrich theory 231  
 Mass transfer coefficient 243  
 Matrix-free fluorinated polymer-grafted  
     BaTiO<sub>3</sub> 207  
 Matrix-free hybrid material 195  
 Maximum power point 273  
 Maxwell-Boltzmann distribution 316,  
     331, 332  
 Mechanically mediated ATRP  
     (mechanoATRP) 183  
 Meerwein’s reagent 117  
 Memristor 597  
 1-(6-Mercaptohexyl)thymine-capped  
     CdSe nanocrystals 130  
 3-Mercaptopropionic acid (MPA) 122,  
     123  
 11-Mercaptoundecanoic acid (MUA)  
     121, 123  
 Metal-catalyzed bond formation 3  
 Metal halide perovskites 149, 150
- Metallophosphors 429  
 Metallopolymers 443  
 Metathesis polymerization 3  
 Methylammonium (MA)-based  
     nanocrystals 149  
 Methylphosphonic acid (MPA) 76  
 Miller-Abrahams mechanism 283  
 Minority charge carriers 489  
 Mobile charge carrier 260  
 Modified Daoud-Cotton theory 194  
 Modified McCullough polymerisation  
     26  
 Molar extinction coefficient 62  
 Molecularly doped polymers 259  
 Monomer flux 67  
 Mono-phasic wurtzite-type Cu-In-S  
     nanowires 83  
 Monte Carlo method 486  
 Monte Carlo simulation 287–290  
 Mott-Gurney law 339, 350  
 Multi-level non-volatile organic  
     transistor-based memory 616  
 Myristic acid (MA) 70
- n**
- Nanocrystals  
     with photocleavable groups  
         131–135  
     with photopolymerizable groups  
         135–140  
 Nanocrystal-coupled hybrid materials  
     145–148  
 Nanocrystal-decorated hybrid materials  
     140–145  
 (CuInS<sub>2</sub>)<sub>x</sub>(ZnS)<sub>1-x</sub> nanocrystals 107  
 Nanodielectrics 204  
*n*-butylamine 121  
 Neuromorphic computing 591, 592  
 Nitrosonium tetrafluoroborate (NOBF<sub>4</sub>)  
     119  
 Nitroxide-mediated polymerization  
     (NMP) 182  
 N,N-bis(4-methylphenyl)-4-aniline (PF)  
     374

- N,N'-bis(4-n-butylphenyl)-1,4,5,8-naphthalenetetra-carboxylic-1,4:5,8-bisimide (NBI-4-n-BuPh) 387  
*n*-octadecylphosphonic acid (ODPA) 98  
 Noise equivalent power (NEP) 550  
 Non-destructive analytical techniques 639  
 Non-destructive in-line analytical techniques 631  
 Non-geminate recombination  
   bimolecular process 292  
   bimolecular recombination coefficient 297  
   diffusion coefficients via Smoluchowski equation 292  
   OSCs 295  
   Shockley diode equation 297  
   TDCF 293, 294  
   TRMC technique 295  
 Nonstoichiometric Ag-In-Zn-S nanocrystals 109  
 Nonstoichiometric Cu-In-S nanocrystals 86, 107  
 Nonvolatile memory devices 594  
 n-type CdSe/ZnS core/shell QDs 141  
 n-type PC<sub>71</sub>BM 386  
 n-type [6,6]-phenyl C<sub>61</sub>-butyric acid methyl ester (PCBM) 142  
 n-type poly P(NDI2OD-T2) 368, 379  
 Nuclear magnetic resonance (NMR) 112  
 Nuclear Overhauser effect spectroscopy (NOESY) 114  
 Nylon poly(m-xylylene adipamide) 611
- O**
- Occupational density of states (ODOS) distribution 331  
 1-Octadecene (ODE) 71, 72  
 Octadecylphosphonic acid (ODPA) 73  
 1,8-Octanedithiol (ODT) 295  
 Octanethiol-capped nanocrystals 114  
 Oedes (open electronic device simulator) 517–527  
 OFET memory device  
   charge trapping mechanism 612–615  
   electrical performance 601  
   with floating electrode 615–616  
   polymer ferroelectrics for 610–612  
   polymer homoelectrets 613  
   programming cycle 601  
   vertical transistors 616–617  
   vs. capacitor-type devices 602  
 Ohmic contact 500  
 Oleic acid (OA) 70, 113  
 Oleylamine (OLA) 70, 71, 113  
 Oligothiophenes 418  
 Onsager-Braun model 268–271  
 Onsager's theory of radiation 261  
 Onsager treatment 260–261  
 Open circuit voltage 272  
 Open source software tools, for photovoltaic device simulation 516–519  
 Optical dielectric constant 198  
 Optical simulation 503–506  
 Orange precursor 91  
 Organic ambipolar phototransistors (OPTRs) 380  
 Organic based memory devices 595  
 Organic electrochemical transistors (OECTs) 346  
 Organic electroluminescence 413  
 Organic electronic (OE) devices 202, 627  
   advantages 627  
   memory elements 591  
   polymer-based 627  
   ultra-fast laser patterning 636–638  
 Organic field effect transistors (OFETs) 5, 340  
   binary semiconducting blends  
     ambipolar charge transport 369–371  
     conjugated polymer (*see* conjugated polymer)  
     n- and p-type small molecules 385–391  
   conjugated semiconductors and polymer insulators



- bendable and stretchable
      - transistors 402–405
    - concept 391–393
    - laterally separated structures 398–402
    - vertically separated bilayer structures 393–398
  - Organic light emitting diodes (OLEDs) 272, 351, 413
  - cationic iridium(III) complexes 429
  - characteristics and trends 414–416
  - characterization 458–464
  - charge injection and transport layers 453–456
  - current–voltage method 458
  - efficiency 450, 458
  - electrodes 456–458
  - electroluminescence mechanism 450
  - electron trap dilution 231–232
  - gravure printing process 451–452
  - inkjet printing 452–453
  - luminous efficacy/power efficiency 460
  - luminous materials, prerequisites of 415
  - operation and performance 237–239
  - performance evaluation 458–464
  - photoactive organic materials (*see* photoactive organic materials)
  - photon conversion to electrons, physics 539–542
  - quantum efficiency (QE) 460
  - schematic structure 414
  - spectroscopic ellipsometry 460
  - spin coating process 450–451
  - steady state currents
    - drift current 335–338
    - drift-diffusion current 341–344
    - space charge limited current 338–340
    - trap filled systems transport 231–232
  - steady-state experiments 349–350
  - structure and operation principles 447–450
  - thermally stimulated detrapping 352–353
  - thickness, surface roughness and electrical characteristics 462
  - time-domain experiments 350–352
  - transport states 506
- Organic memory devices
    - ferroelectric polymers 240–241
    - film casting and morphological analysis 149–152
    - performance 250
    - phase diagram calculations and numerical simulations 241–246
    - solution-processed P(VDF-TrFE) thin-films 251
  - Organic photodiodes
    - current-voltage characteristic 544, 545
    - dark current in reverse polarisation 549–550
    - device architecture and operation 542–544
    - device modelling 568–575
    - drift diffusion models 487–502
    - figures of merit 544–551
    - hopping theory 573
    - integrated into CMOS imagers 564–566
    - Ising model 573
    - light response 545
    - linearity of light response 548–549
    - NIR spectral domain 566–568
    - noise equivalent power 550
    - photon conversion to electrons, physics 539–542
    - quantum efficiency 545–547
    - simulation parameters 570–573
    - solution processed (*see* solution processed organic photodiodes)
    - specific detectivity 550
    - spectral response 547–548
    - virtual semiconductor approach 569
    - X ray imaging 562–564

- Organic photovoltaics (OPVs) 377  
 advantages 629  
 device architectures 629  
 external quantum efficiency 630  
 laser patterning process for  
 636–638  
 parameter extraction from  
 measurement 524–527  
 photoactive layers of 632  
 power conversion efficiency 630  
 r2r manufacturing process  
 634–635
- Organic semiconductors 506, 538  
 alternating current experiments  
 352  
 amorphous, density of states  
 330–333  
 classification 309  
 complexity and diversity 334  
 doped small molecule  
 HOMO and LUMO 328–330  
 ionized pairs and charge transfer  
 complexes 326–328  
 exciton states  
 amorphous solids 318–319  
 donor-acceptor composites  
 274–277  
 molecular crystals 317–318  
 Fermi energy, level and surface 311  
 organic molecules 313
- Organic small molecules 416–419
- Organic solar cells (OSCs) 262, 274,  
 295
- Organic water-gated transistors  
 (OWGTs) 375
- Organometallic radical polymerization  
 (OMRP) 183
- Orthorhombic AgInSe<sub>2</sub> nanocrystals  
 89
- Ostwald ripening 67, 68
- Overhauser effect 114
- P**
- Parameter extraction from  
 measurements 511
- Parameter extraction from transient  
 measurements 524–527
- PBA-b-PSAN grafted silica  
 nanoparticles 196
- P(VDF-TrFE)-based capacitors and  
 memory diodes 241
- PC<sub>61</sub>BM clustering 373
- PCBM diodes 262, 263
- PEDOT 422, 453, 455, 458, 462, 463
- PEDOT:PSS 603
- Pentacene 5, 203
- Permanent resistive memory 603–604
- Permittivity/refractive indices 196
- Perovskite nanomaterials  
 applications 153–156  
 optical and electrical properties of  
 153  
 synthesis of 149–152
- Perylenebisimide chromophores and  
 units 427, 444, 447
- Phase-pure Cu<sub>2</sub>ZnSnS<sub>4</sub> 90
- [6,6]-Phenyl C<sub>60</sub> butyric acid methyl  
 ester (PCBM) 319, 372
- 1,4- and 1,3-Phenylene units 29
- Phosphorescent emission principles, in  
 host/dopant systems 431, 433
- Phosphorescent materials 415
- Phosphorus precursor P(TMS)<sub>3</sub> 102
- Photoactive layers, of OPVs 632
- Photoactive organic materials  
 metallocomplexes-phosphorescent  
 dopants 428–447  
 organic semiconducting polymers  
 419–427  
 organic small molecules 416–419
- Photochemically mediated ATRP  
 (photoATRP) 183
- Photocurrent measurement 547
- Photogeneration  
 bulk heterojunctions 271  
 charge recombination  
 geminate recombination 290–292  
 non-geminate recombination  
 292–297  
 charge transfer state  
 charge delocalization 279–283  
 density of states distribution 279  
 donor-acceptor interface 278  
 energy of non-relaxed 279

- interfacial charge transfer states
  - 279
  - two-photon photoemission 279
- crystalline anthracene 276
- donor-acceptor interface 274–277
- in donor-acceptors systems
  - Onsager-Braun model 268–271
  - in organic semiconductors 271
- external quantum efficiency 272
- inorganic semiconductor 273
- open circuit voltage 272
- in single component systems
  - autoionization 261
  - conjugated polymers, donor materials 264–268
  - molecular acceptor materials 23–30
  - Onsager treatment 260–261
- Photolithography 636
- Photopatterable QDs 132
- Photopatternable cadmium-free QDs 138
- Photopatternable nanocrystals
  - nanocrystals with photocleavable groups 131–135
  - nanocrystals with photopolymerizable groups 135–140
- Photovoltaic device modelling 483
  - compact model approach 485
  - drift-diffusion model 485, 487–502
  - finite-element methods 514
  - finite-volume methods 515
  - methods of 484–487
  - Monte-Carlo method 486
  - open source software tools 516–519
  - optical aspect 485
  - optical modelling 502–506
  - semiconductor materials 483
- $(\text{Ph}_3\text{P})_2\text{AgIn}(\text{SC}(\text{O})\text{Ph})_4$  lub  $\text{AgIn}(\text{S}_2\text{CNEt}_2)_4$  87
- P3HT electron donors 632
- P3HT films 403, 404
- P3HT:PCBM blends 374
- Piezoelectric ejection technology
  - printers 453
- Planckian locus 459
- PMMA-grafted zirconia nanoparticles 196
- p-n junction 493–496
- Poisson-Nernst-Planck model 487
- Poisson's law 338
- Polaron transport mechanisms 326
- Poly(2-methoxy,5-(2'-ethyl)-hexyloxy-p-phenylenevinylene) (MEH-PPV) 126
- Poly(3-hexylthiophene) (P3HT) 4, 13, 25, 117, 129, 366, 372, 394, 402
- Poly(3,6-carbazole) 422
- Poly(4-vinyl phenol) (PVP) 374
- Poly( $\alpha$ -methylstyrene) (P $\alpha$ MS) 396
- Poly(diethylene glycol methyl ethyl methacrylate) 207
- Poly(dimethylsiloxane) (PDMS) 391
- poly[5,5'-bis(3-dodecyl-2-thienyl)-2,2'-bithiophene] (PQT) 392, 395
- Poly(methyl methacrylate) (PMMA) 205
- Poly(N-vinylcarbazole) (PVK) 140, 422
- (Poly(3HT-co-3-(6-ODAP)HT)) 130
- Poly(triarylamine) (PTAA) 203
- Poly(vinylcarbazole) 614
- Poly(vinylidene fluoride) (PVDF) 205
- Polyacetylene (PA) 2
- Polyacrylonitrile 196
- Poly-3-alkylthiophenes 4, 13, 25
- Poly(p-phenylene)-based polymers 281
- Poly(1H,1H,2H,2H-perfluorooctyl methacrylate)@BaTiO<sub>3</sub> (PPFOMA@BaTiO<sub>3</sub>) 207
- Poly[[2,5-bis(2-octyldodecyl)-2,3,5,6-tetrahydro-3,6-dioxopyrrolo[3,4-c]pyrrole-1,4-diyl]-alt-[[2,2'-(2,5-thiophene)bis-thieno[3,2-b]thiophen]-5,5'-diyl]] (PDPPTTT) 381
- Poly(acrylic acid) block 185

- Polycarbonate (PC) 205, 397  
 Polycyclic aromatic hydrocarbons (PAHs) 7  
 Polyethylene (PE) 392  
 Polyfluorenes 421  
 Poly(3-hexylthiophene) (P3HT) 28, 203  
 Polyimide with side chain permanent dipoles 611  
 Polymer based field effect transistor (FET) 4  
 Polymer-based (organic) light-emitting diodes (PLEDs) 419  
   polycarbazoles 422–423  
   polyfluorenes 421  
   polyphenylenevinylenes 420–421  
   polythiophenes 422  
   rigid-flexible alternating polymers 426–427  
   rod-coil block copolymers 423–426  
 Polymer-based OE devices 627  
 Polymer blending and phase behavior in organic electronics  
   calculation of the ternary phase diagram of an amorphous mixture 78–92  
   OLEDs (*see* organic light emitting diodes (OLEDs))  
   organic memory devices (*see* organic memory devices)  
 Polymer electret, for memory transistor 612  
 Polymer ferroelectrics, for OFET memory device 610–612  
 Polymer:fullerene OPV  
   operation principle 629, 630  
 Polymer-grafted hybrid nanoparticles 195  
 Polymer synthesis 6–23  
 Poly[2-methoxy-5-(2-ethylhexyloxy)-1,4-phenylenevinylene] (MEH-PPV) 231–237, 253, 421  
 Poly-para-phenylene structures 15  
 Poly-1,4-phenylene (PPP) 2, 9  
 Poly-1,4-phenylene-1,2-diphenylvinylene 18  
 Polyphenylenes 13  
 Polyphenylenethinylene (PPE) 2  
 Polyphenylenevinylenes (PPV) 2, 420–421  
 Poly(3,4-ethylenedioxy-thiophene): poly(styrene-sulfonate) (PEDOT:PSS) 254, 346, 347, 349, 453, 639, 640  
 Polypropylene (PP) 205  
 Poly-1,3-pyrene 16  
 Poly(2,7-carbazole)s 423  
 Poly(N-alkyl-2,7-carbazole)s 423  
 Polystyrene (PS) 205, 232  
 Polystyrene-block-poly(ethylene-ran-butylene)-block-polystyrene (SEBS) 405  
 Polythiophenes (PT) 2, 13, 372, 422  
 Polyvinyl alcohol (PVA) 374  
 Precisely defined molecular weight (MW) 181  
 Primary ligands 58  
   exchange for inorganic ones 118–121  
   exchange for organic ligands of different polarity 121–124  
   exchange of primary ligands for low and high molecular weight organic ligands 125–131  
   identification 112–118  
 Printable memory devices, materials for  
   inorganic materials 607  
   OFET memory device (*see* OFET memory device)  
   resistive RAM device materials 607–610  
 Printed ROM-type memories 603  
 PSAN-grafted ZnO nanoparticles 196  
 PS/C60 dielectrics 613  
 Pseudo-Fermi levels 322, 342  
 Pseudo-one-component nanocomposite 195  
 PTCDI-C5 397, 398, 401  
 P(VDF-TrFE) thin film 241  
 p-type and n-type semiconductors 369  
 p-type donor-acceptor small molecule (DTTDP) 386  
 p-type organic semiconductor 141

- p-type poly[(thiophene-2,5-diyl)-alt-(2,3-diheptylquinoxaline-5,8-diyl)] (PTHQx) 378
- Pulse-radiolysis time-resolved microwave conductivity (PR-TRMC) 351
- Pyrroles 7
- Python (programming language) 516, 518
- q**
- QD-infiltrated P3HT/PCBM NWs 143
- Quality control, in-line optical metrology for 638–646
- Quantum confinement effect 57, 60
- Quantum efficiency (QE) 272, 460, 545  
external 460, 546  
internal 460, 546  
under uniform illumination 546
- Quasi Fermi potentials 490
- Quasi-monodisperse nanocrystals 72
- Quasi-monodisperse nanoparticles 59
- Quaternary alloyed Cu-In-Zn-S nanocrystal 121
- Quaternary Cu-In-Zn-S nanocrystals 108
- Quaternary ( $\text{Cu}_2\text{ZnSnS}_4$ ,  $\text{Cu}_2\text{ZnSnSe}_4$ ) nanocrystals 60
- Quaternized poly(2-(dimethylamino)ethyl methacrylate) brushes 196
- r**
- Radical polymerization (RP) 181
- RAFT polymerization 193
- Random copolymer poly(vinylidene-fluoride-co-trifluoroethylene) (P(VDF-TrFE)) 240
- Read only memory (ROM) 594
- Recycling GPC 24
- Red-emissive In(Zn)P/ZnS core-shell type QDs 139
- Resistive memory (ReRAM)  
charge transfer mechanism 612–615  
charge trapping 605  
conducting filaments formation 605–607  
data storage principles 595–598  
operation mechanisms 502–506  
permanent 603–604
- Resistive write-once-read-many (WORM) electronic memory 592
- Reticulate doped polymers (RDP) 399
- Reversible addition-fragmentation chain transfer polymerization (RAFT) 182
- Reversible deactivation radical polymerization (RDRP). *See* controlled radical polymerization (CRP)
- Revers type 1 core/shell nanocrystals 97
- Richardson-Schottky effect 500
- Rod-coil block copolymers, for PLEDs 423–426
- Roll-to-roll (r2r) manufacturing process 634–635
- Rubrene 141
- Rubrene nanosheets (NSs) 141
- s**
- Scharfetter-Gummel discretisation scheme 515
- Schottky-Mott rule 500
- Schrödinger equation 315
- Self-assembled monolayers (SAMs) 203
- Semiconducting nanocrystal-based hybrid materials  
nanocrystal-coupled hybrid materials 145–148  
nanocrystal-decorated hybrid materials 140–145
- Semiconductor quantum dot (QD) nanocrystals 131
- Semicrystalline polymers 345
- Semidilute polymer brush (SDPB) regime 194
- Shockley diode equation 297
- SI-ATRP 190–193

- Si based flash memory 617
- Side-chain engineering 9
- Silicon based photovoltaics 629
- Silver nanowires (AgNWs) /GO-based OLED devices 456
- Simultaneous reverse and normal initiation (SR&NI) procedure 182
- Single QD-P3000 hybrid nanoparticle 146
- Single-walled carbon nanotubes (SWCNTs) 203
- SI-nitroxide-mediated polymerization (SI-NMP) 188
- SI-organometallic radical polymerization (SI-OMRP) 188
- Size focusing effect 67, 73
- Small molecular semiconductors 385–391
  - (N<sub>2</sub>H<sub>5</sub>)<sub>4</sub>Sn<sub>2</sub>Se<sub>6</sub> salt 118
  - (N<sub>2</sub>H<sub>5</sub>)<sub>4</sub>Sn<sub>2</sub>S<sub>6</sub> salt 118
- Solute-substrate interactions 394
- Solution of sulfur 71
- Solution processable metal-oxide semiconductors 614
- Solution processed OLEDs. *See* Organic light emitting diodes (OLEDs)
- Solution processed organic photodiodes
  - active layer thickness 559–561
  - blocking layers 561–562
  - materials and processes 551–559
  - visible spectrum domain 551
  - invisible spectrum domain 552
- Solution processed organic solar cells 537
- Space charge limited current (SCLC) 338–340, 349
- Specific detectivity 550
- Spectroscopic ellipsometer (SE) 460, 631, 639
- Spectrum loci 459
- sp<sup>3</sup>-hybridized carbon centers 1
- Spin-coating process 450–451
- Stable and purifiable boronate 12
- Stable free radical polymerization (SFRP) 183
- Stannite-type Cu<sub>2</sub>ZnSnSe<sub>4</sub> nanocrystals 92
- Stannite-type structure 90
- Stannyl and boronate derivatives 17
- Static random access memory (SRAM) 594
- Steady state currents
  - drift current 335–338
  - drift-diffusion current 341–344, 348
  - space charge limited current 338–340
  - trap filled systems transport 231–232
- Steady-state SCL method 510
- Stearic acid (SA) 70, 113
- Stille coupling 27
- Supplemental activator and reducing agent (SARA) ATRP 183
- Supramolecular polymers 444
- Surface bound DDT 59
- Surface-bound ligands 115
- Surface-initiated atom transfer radical polymerization (SI-ATRP) 186
- Surface-initiated controlled radical polymerization 186
  - α-bromoisobutyrate-functionalized β-cyclodextrin 185
  - grafting-onto approach 183
  - “grafting-onto” approach 185
  - high k hybrid materials 204–210
  - high k nanoparticles (*see* high k nanoparticles)
  - initiator/chain transfer agent immobilization on the particles surfaces 189
  - kinetics 194
  - materials prepared 194–197
  - poly(acrylic acid) block 185
  - RAFT polymerization 193
  - SI-ATRP 190–193
- Surface-initiated photoiniferter-mediated polymerization (SI-PIMP) 186
- Surface-initiated stable free radical polymerization (SI-SFRP) 186

- Surface reversible  
 addition-fragmentation  
 chain-transfer (SI-RAFT)  
 polymerization 186
- Surface-tetherable alkyl halide initiators  
 187
- Surfacial ligands of nanocrystals 74
- Su, Schrieffer and Heeger (SSH model)  
 324, 325
- SWNT-PbSe QDs 146
- 1,4-Syn-dimethoxycyclohexadienylene  
 monomer 21
- t**
- Tauc-Lorentz (TL) model 631, 632
- t*-BOC protected CdSe nanorod crystals  
 133
- Terfluorene-*b*-PS diblock copolymers  
 425
- Ternary and quaternary nanocrystals  
 78–92
- Ternary mixture 228
- Ternary stoichiometric CuInS<sub>2</sub>  
 nanocrystals 62
- Tert-butyl modified iridium complexes  
 429
- 2-Tert.butylpyrene 16
- tert*-butylthiol-capped nanocrystals  
 122
- tert*-dodecanethiol (*tert*-DDT) 71
- tertiary*-butoxycarbonyl (*t*-BOK)  
 131
- Tetrabutylammonium iodide (TBAC)  
 120
- Tetradecylphosphonic acid (TDPA)  
 69, 71, 73, 76
- 5,6,11,12-Tetraphenyltetracene 141
- Tetrathiotetracene-  
 tetracyanoquinodimethane  
 (TTT-TCNQ<sub>2</sub>) 399
- Thermal activation energy 311
- Thermalization 264
- Thermally activated delayed  
 fluorescence (TADF) 415
- Thermally stimulated currents (TSC)  
 352–353
- Thermoluminescence (TL) 352–353
- Thin films 1
- Thiol-terminated polymers 185
- Thiophene radical cation 6
- Thiophenes 5, 7
- Thiophene-based OLEDs 418
- Time-delayed collection field  
 measurements(TDCF) 293,  
 294
- Time of Flight (TOF) 350
- Time resolved microwave  
 conductivity(TRMC) technique  
 295
- Tin derivatives 12
- TIPS-pentacene 387–389
- Transfer matrix method 503–506
- Transient electroluminescence  
 measurements 351
- Trap states 506
- Tributylphosphine (TBP) 73
- Tributylphosphine (TBP) ligands 78
- Triethylsilylethynyl anthradithiophene  
 (TESADT) 394
- 3-(Trimethoxysilyl)propyl methacrylate  
 (T-MMA) 135
- Trinitrofluorenone (TNF) 280
- Trioctylamine (TOA) 98
- Trioctylphosphine oxide (TOPO) 71,  
 75
- Triphenylamine-based conjugated  
 polyelectrolytes 455
- Triplet-triplet annihilation (TTA)  
 mechanism 415
- Tris(diethylamino)phosphine 70
- Tris(diethylamino)phosphine (DEA)<sub>3</sub>P  
 102
- Two-dimensional (2D) perovskites 150
- Two-terminal passive circuit elements  
 597
- Type 2 core/shell semiconductor  
 nanocrystals 97
- Type II core/shell nanocrystals 103
- u**
- Ullmann coupling 9

- Ultra-fast laser patterning 636–638  
 Unidimensional drift-diffusion model  
 492–493
- V**  
 Variance-covariance matrix 513  
 Vegard law 107  
 Vertical phase separation 396  
 Vertical transistor OFET memory device  
 616–617  
 Virtual semiconductor approach  
 569  
 Volatile memory device 592
- W**  
 Wannier exciton 315  
 Water/alcohol soluble conjugated  
 polyelectrolytes 456  
 Wessling-Zimmermann route 19  
 White organic light emitting materials  
 and devices (WOLEDs) 464  
 White phosphorescent polymers  
 442–447  
 Write once read more (WORM)  
 memory 594  
 Wurtzite CdSe 73  
 Wurtzite-type Cu-In-S nanocrystals  
 83  
 Wurtzite-type Cu-In-Zn-S nanocrystals  
 109  
 Wurtzite-type  $\text{Cu}_2\text{ZnSnS}_4$  nanocrystals  
 91  
 Wurtzite-type spherical  $\text{Cu}_2\text{ZnSnS}_4$   
 nanocrystals 91
- X**  
 Xerox<sup>®</sup> Printed Memory 592
- Y**  
 Yamamoto coupling 10  
 Yamamoto-or Suzuki-and  
 Stille-coupling reactions 13  
 Yellow sulfur precursor 91
- Z**  
 Zinc blende-and wurtzite-type alloyed  
 $(\text{CuInS}_2)_x(\text{ZnS})_{1-x}$  107  
 Zinc blende-type alloyed  
 $(\text{CuInS}_2)_x(\text{ZnS})_{1-x}$  nanocrystals  
 107  
 Zinc blende-type  $(\text{CuInS}_2)_x(\text{ZnS})_{1-x}$  and  
 Cu-In-Zn-S nanocrystals 109  
 Zinc blende-type ZnS 106  
 Zinc diethyldithiocarbamate  
 $(\text{Zn}(\text{S}_2\text{CNEt}_2)_2)$  102  
 Zone-cast films 401