

## Contents

Preface *xiii*

- 1 Precision and Purity of Conjugated Polymers – To be Ensured Before Processing 1**  
*Thorsten Prechtl and Klaus Müllen*
  - 1.1 Polymer Design 1
  - 1.2 Polymer Synthesis 6
  - 1.3 Molecular Structure, Supramolecular Structure, and Interfaces 23
  - 1.4 Beyond Solution Synthesis 30
  - 1.5 Conclusions 33Acknowledgments 34  
References 34
  
- 2 Synthesis of Solution-Processable Nanoparticles of Inorganic Semiconductors and Their Application to the Fabrication of Hybrid Materials for Organic Electronics and Photonics 57**  
*Adam Pron, Piotr Bujak, Malgorzata Zagorska, Namchul Cho, Tae-Dong Kim, and Kwang-Sup Lee*
  - 2.1 Synthesis and Characterization of Colloidal Semiconductor Nanocrystals 57
    - 2.1.1 Basic Physical Properties of Semiconductor Nanocrystals 57
    - 2.1.2 Introduction to Basic Principles Governing the Synthesis of Nanocrystals 65
    - 2.1.3 Preparation of Binary Nanocrystals 69
    - 2.1.4 Preparation of Ternary and Quaternary Nanocrystals – Effect of Precursor Reactivity on Their Structure, Size, and Shape 78
    - 2.1.5 Core/Shell and Alloyed Nanocrystals – Preparation of Precursors, and Surface Ligand Exchange 92
  - 2.2 Primary Ligand Identifications in Colloidal Nanocrystals of Inorganic Semiconductor – Methodology and Investigation Techniques 112
  - 2.3 Exchange of Primary Ligands for Functional Ones 118
    - 2.3.1 Exchange of Primary Organic Ligands for Inorganic Ones - Transfer of Nanocrystals to Highly Polar Solvents 118

- 2.3.2 Exchange of Primary Ligands for Organic Ligands of Different Polarity 121
- 2.3.3 Exchange of Primary Ligands for Low- and High-Molecular-Weight Organic Ligands Exhibiting Semiconducting Properties 125
- 2.4 Preparation and Applications of Photopatternable Nanocrystals in the Microfabrication of 2D/3D Functional Structures 131
  - 2.4.1 Nanocrystals with Photocleavable Groups 131
  - 2.4.2 Nanocrystals with Photopolymerizable Groups 135
- 2.5 Energy and Charge Transfer in Semiconducting Nanocrystal-Based Hybrid Materials 140
  - 2.5.1 Nanocrystal-Decorated Hybrid Materials 140
  - 2.5.2 Nanocrystal-Coupled Hybrid Materials 145
- 2.6 Synthesis, Electrical/Optical Properties, and Applications of Perovskite Nanomaterials 149
  - 2.6.1 Synthesis of Perovskite Nanocrystals 149
  - 2.6.2 Optical and Electrical Properties of Perovskite Nanocrystals 153
  - 2.6.3 Applications of Perovskite Nanocrystals 153
- Acknowledgments 156
- References 156

### **3 Synthesis of High $k$ Nanoparticles by Controlled Radical Polymerization 181**

*Jiajun Yan, Joanna Pietrasik, Aleksandra Wypych-Puszkarcz, Magdalena Ciekanska, and Krzysztof Matyjaszewski*

- 3.1 Introduction to Controlled Radical Polymerization 181
- 3.2 Surface-Initiated Controlled Radical Polymerization 183
- 3.3 SI-CRP from Nanoparticles 189
  - 3.3.1 Initiator/Chain Transfer Agent Immobilization on the Particle Surfaces 189
  - 3.3.2 Surface-Initiated Atom Transfer Radical Polymerization (SI-ATRP) 190
    - 3.3.2.1 Initiation 190
    - 3.3.2.2 Propagation 190
    - 3.3.2.3 Termination 192
  - 3.3.3 SI-RAFT 193
    - 3.3.3.1 Kinetics of SI-CRP 194
- 3.4 Materials Prepared via SI-CRP 194
- 3.5 High  $k$  Nanoparticles 197
  - 3.5.1 Materials 197
  - 3.5.2 Applications 199
  - 3.5.3 Need for Polymer Modification 201
- 3.6 High  $k$  Hybrid Materials Prepared via SI-CRP 204
- 3.7 Summary 210
- Acknowledgments 211
- References 211

<b>4</b>	<b>Polymer Blending and Phase Behavior in Organic Electronics: Two Case Studies</b>	<b>227</b>
	<i>Jasper J. Michels, Alexander Kunz, Hamed S. Dehsari, Kamal Asadi, and Paul W. M. Blom</i>	
4.1	Introduction	227
4.2	Calculation of the Ternary Phase Diagram of an Amorphous Mixture	229
4.3	Elimination of Charge Trapping in OLEDs by Polymer Blending	231
4.3.1	Electron Trap Dilution in Organic Light-emitting Diodes	231
4.3.2	Solution-State Demixing and Microstructure Evolution in MEH-PPV:Insulator Blends	232
4.3.3	Operation and Performance of Blend-Based OLEDs	237
4.3.4	Section Summary	239
4.4	Vapor-Induced Demixing in Polymer Films for Organic Memory Devices	240
4.4.1	Processing of Ferroelectric Polymers for Flexible Memory Applications	240
4.4.2	Predictions by Phase Diagram Calculations and Numerical Simulations	241
4.4.3	Film Casting and Morphological Analysis	246
4.4.4	Memory Device Performance	250
4.4.5	Section Summary	251
4.5	General Outlook	252
	Acknowledgments	252
4.A	Experimental Procedures Relevant to Section 4.3	253
4.B	Experimental Procedures Corresponding to Section 4.4	254
	References	255
<b>5</b>	<b>Photogeneration of Charge Carriers in Solution-Processable Organic Semiconductors</b>	<b>259</b>
	<i>Heinz Bässler and Anna Köhler</i>	
5.1	Introduction	259
5.2	Photogeneration in Single-Component Systems	260
5.2.1	The Onsager Treatment and Concept of Autoionization	260
5.2.2	Fullerenes as Models for Molecular Acceptor Materials	262
5.2.3	Conjugated Polymers as Donor Materials	264
5.3	Photogeneration in Donor–Acceptors Systems	268
5.3.1	The Onsager–Braun Model	268
5.3.2	Experimental Characterization Techniques	271
5.4	Discussion of Contemporary Results	274
5.4.1	Forward Electron Transfer at the Donor–Acceptor Interface	274
5.4.2	The “Hot versus Cold” Problem and the Impact of Charge Transfer State	277
5.4.3	Dissociation of Charge Transfer States	279
5.4.3.1	The Importance of Charge Delocalization	279
5.4.3.2	The Effective Mass Model	283
5.4.3.3	Monte Carlo Simulations	287

5.4.4	Charge Recombination	290
5.4.4.1	Geminate Recombination	290
5.4.4.2	Nongeminate Recombination	292
5.5	Conclusions	298
	Acknowledgments	299
	References	299
<b>6</b>	<b>Charge Carrier Transport in Organic Semiconductor Composites – Models and Experimental Techniques</b>	<b>309</b>
	<i>Jarosław Jung and Jacek Ulański</i>	
6.1	Introduction	309
6.2	Basic Concepts	311
6.2.1	Fermi Energy, Level, and Surface	311
6.2.2	Density of States	312
6.2.3	Covalent Bonds	312
6.2.4	Organic Molecules	313
6.3	Exciton States	315
6.3.1	Band Structure in Inorganic Crystalline Semiconductors	315
6.3.2	Exciton Band States in Molecular Crystals	317
6.3.3	Exciton States in Organic Amorphous Solids	318
6.3.4	Diffusion of Excitons in Organic Donor–Acceptor Composites	319
6.4	Charge Carriers in Semiconductors	321
6.4.1	Fermi Level and Pseudo-Fermi Level in Doped Inorganic Semiconductors	321
6.4.2	Conductivity and Mobility of Charge Carriers	322
6.4.3	Holstein Model	323
6.4.4	Doped Conjugated Polymers	324
6.4.5	Doped Small-Molecule Organic Semiconductors	325
6.4.5.1	Ionized Pairs and Charge Transfer Complexes	326
6.4.5.2	HOMO and LUMO Level Shift Controlled by Doping	328
6.5	Density of States in Amorphous Organic Semiconductors	330
6.6	Models of Charge Carrier Transport in Organic Semiconductors	333
6.7	Steady-State Currents	335
6.7.1	Drift Current	335
6.7.2	Space–Charge-Limited Current	338
6.7.3	Transport in Trap-Filled Systems	340
6.7.4	Drift–Diffusion Current	341
6.7.4.1	Nonequilibrium State	341
6.7.4.2	Drift–diffusion Current in Heterostructures with Nonuniform Composition	343
6.8	Influence of Semiconductor Morphology on Field-Effect Mobility	344
6.9	Drift–diffusion Current in Organic Heterostructure	346
6.10	Selected Experimental Techniques for Investigation of Charge Carriers Transport	349
6.10.1	Steady-state Experiments	349
6.10.1.1	Space–Charge-Limited Current (SCLC)	349

- 6.10.1.2 Field Effect 350
- 6.10.2 Time-domain Experiments 350
  - 6.10.2.1 Time of Flight (TOF) 350
  - 6.10.2.2 Dark Injection Space-Charge-Limited Current (DISCLC) 351
  - 6.10.2.3 Transient Electroluminescence Measurements 351
  - 6.10.2.4 Pulse Radiolysis Time-Resolved Microwave Conductivity (PR-TRMC) 351
  - 6.10.2.5 Carrier Extraction by Linearly Increasing Voltage (CELIV) 351
- 6.10.3 Alternating Current Experiments 352
- 6.10.4 Thermoluminescence (TL) and Thermally Stimulated Currents (TSC) 352
- 6.11 Concluding Remarks 353
  - References 353
- 7 Organic Field-Effect Transistors Based on Nanostructured Blends 365**
  - Łukasz Janasz, Jacek Ulański, and Wojciech Pisula*
  - 7.1 Introduction 365
  - 7.2 Binary Semiconducting Blends 369
    - 7.2.1 Importance and Principles of Ambipolar Charge Transport in Field-Effect Transistors 369
    - 7.2.2 Blends of Conjugated Polymers and Small Molecules 372
      - 7.2.2.1 Bulk Heterojunction Structures 372
      - 7.2.2.2 Vertically Separated Bilayer Structures 376
    - 7.2.3 Blends of Two Conjugated Polymers 378
    - 7.2.4 Blends of Two Small Molecules 385
  - 7.3 Semiconducting Blends of Conjugated Semiconductors and Polymer Insulators in Organic Field-Effect Transistors 391
    - 7.3.1 Concept 391
    - 7.3.2 Vertically Separated Bilayer Structures 393
    - 7.3.3 Laterally Separated Structures 398
    - 7.3.4 Blends for Bendable and Stretchable Transistors 402
  - 7.4 Summary 405
    - Acknowledgments 406
    - References 406
- 8 Organic Light-emitting Diodes Based on Solution-Processable Organic Materials 413**
  - Aikaterini K. Andreopoulou, Maria Gioti, and Joannis K. Kallitsis*
  - 8.1 Introduction 413
  - 8.2 Basic Characteristics and Recent Trends in Organic Light-emitting Diodes 414
  - 8.3 Photoactive Organic Materials 416
    - 8.3.1 Organic Small Molecules 416
    - 8.3.2 Organic Semiconducting Polymers 419
      - 8.3.2.1 Specific Cases of Semiconducting Fully Conjugated Polymers for PLEDs 419

8.3.2.2	Polyphenylenevinylenes (PPVs)	420
8.3.2.3	Polyfluorenes (PFs)	421
8.3.2.4	Polythiophenes (PTs)	422
8.3.2.5	Polycarbazoles and Other Nitrogen Heteroatom-containing Structures	422
8.3.2.6	Rod–Coil Block Copolymers for PLEDs	423
8.3.2.7	Rigid–Flexible Alternating Polymers	426
8.3.3	Metallocomplexes – Phosphorescent Dopants	428
8.3.3.1	Iridium-containing Phosphorescent Polymers	433
8.3.3.2	White Phosphorescent Polymers	442
8.4	Fabrication of Solution-Processable OLEDs	447
8.4.1	Basic OLED Structure and Operation Principles	447
8.4.2	Techniques and Methods	450
8.4.2.1	Spin Coating	450
8.4.2.2	Gravure Printing	451
8.4.2.3	Inkjet Printing	452
8.4.3	Charge Injection and Transport Layers	453
8.4.4	Electrodes	456
8.4.5	Characterization and Performance Evaluation	458
8.5	Conclusions	464
	References	465
<b>9</b>	<b>Organic Photovoltaics Based on Solution-Processable Nanostructured Materials: Device Physics and Modeling</b>	<b>483</b>
	<i>Marek Zdzisław Szymański and Beata Łuszczryńska</i>	
9.1	Introduction to Modeling of Electronic Devices	483
9.1.1	Methods of Device Modeling	484
9.1.2	Drift–Diffusion Model	487
9.1.2.1	Unidimensional (1-D) Form	492
9.1.2.2	p–n Junction	493
9.1.2.3	Role of the Density of States	496
9.1.2.4	Electrodes and Interfaces	498
9.1.2.5	Total Electric Current	501
9.1.2.6	Realistic Modeling of Devices	502
9.1.3	Optical Modeling	503
9.1.4	Applications to Organic Electronic Devices	506
9.1.5	Matching with the Experiment	510
9.2	Simulation Examples	514
9.2.1	Open-Source Tools for Photovoltaic Device Simulation	516
9.2.2	Simulation of a Bulk Heterojunction Organic Solar Cell	519
9.2.3	Parameter Extraction from Measurements	524
9.3	Conclusions	527
	Acknowledgments	528
	References	528

<b>10</b>	<b>Solution-Processed Organic Photodiodes</b>	<b>537</b>
	<i>Raphaël Clerc, Jean-Marie Verilhac, Mehdi Daanoune, Benjamin Bouthinon, and Jérôme Vaillant</i>	
10.1	Introduction	537
10.2	Basic Principles of Organic Photodiodes	539
10.2.1	Physics of Photon Conversion to Electrons in Organic Semiconductors	539
10.2.2	Device Architecture and Operation	542
10.2.3	Device Figure of Merits	544
10.2.3.1	Light Response	545
10.2.3.2	Quantum Efficiency	545
10.2.3.3	Spectral Response	547
10.2.3.4	Linearity	548
10.2.4	Dark Current in Reverse Polarization	549
10.2.5	Noise Equivalent Power	550
10.2.6	Specific Detectivity	550
10.3	State of the Art of Solution-Processed Organic Photodiodes	551
10.3.1	Organic Photodiodes in the Visible Spectral Domain	551
10.3.1.1	Materials and Processes	551
10.3.1.2	Active Layer Thickness	559
10.3.1.3	Blocking Layers	561
10.3.2	Application of Organic Photodiodes to X-ray Imaging	562
10.3.3	Organic Photodiodes Integrated into CMOS Imagers	564
10.3.4	Organic Photodiodes in the NIR Spectral Domain	566
10.4	Device Modeling of Organic Photodiodes	568
10.4.1	Drift Diffusion Models Based on Virtual Semiconductor Approximation	569
10.4.2	Examples of Simulations	570
10.4.3	Beyond the “Virtual Semiconductor Approximation”	573
10.5	Conclusions	575
	Acknowledgments	578
	References	578
<b>11</b>	<b>Electronic Memory Devices Based on Solution-Processable Nanostructured Materials</b>	<b>591</b>
	<i>Jiří Pflieger</i>	
11.1	Introduction	591
11.1.1	Classification of Electronic Memory Devices According to Their Functionality	592
11.1.2	Requirements for Electronic Memory Devices in Printed Electronics	594
11.2	Various Principles of Data Storage	595
11.2.1	Resistive Memory	595
11.2.2	Capacitor-Based Memory	598

- 11.2.3 Transistor Memory 599
- 11.3 Resistive Memory Operation Mechanisms 603
  - 11.3.1 Permanent Resistive Memory 603
  - 11.3.2 Charge Transfer Mechanism 604
  - 11.3.3 Charge Trapping 605
  - 11.3.4 Conducting Filaments Formation 605
- 11.4 Materials for Printable Memory Devices 607
  - 11.4.1 Materials for Resistive RAM Devices 607
  - 11.4.2 Polymer Ferroelectrics for OFET Memory Devices 610
  - 11.4.3 OFET Memory Devices with Charge-Trapping Mechanism 612
  - 11.4.4 OFET Memory with Floating Electrode 615
  - 11.4.5 Vertical Transistor OFET Memory Devices 616
- 11.5 Final Remarks 617
- Acknowledgments 618
- References 618

**12 Intelligent Roll-to-Roll Manufacturing of Organic Electronic Devices 627**

*Stergios Logothetidis and Argiris Laskarakis*

- 12.1 Introduction 627
- 12.2 Polymer-Based Organic Photovoltaics 629
- 12.3 Manufacturing of Organic Electronic Devices by Roll-to-Roll Pilot-to-Production Lines 634
  - 12.3.1 Roll-to-Roll Printing Pilot-to-Production Lines 634
  - 12.3.2 Ultrafast Laser Patterning 636
- 12.4 In-line Optical Metrology for Quality Control 638
- 12.5 Conclusions 646
- Acknowledgments 647
- References 647

**Index 655**