

Index

a

2-acetyl azaarenes 342
 2-acylbenzaldehydes 71, 72
 alkenylation 164, 168
 5-alkoxyxazoles 382, 383
 alkyl-alkynyl oxazoles 297
 alkylation 9, 39, 95, 98, 100, 173, 183,
 366, 437
 alkylidenecyclopropane 137
 alkylidene malonates 381, 382
 alkylidene nonacarbonyltricobalt
 clusters 273
 (\pm)-allocolchicine 320, 321
 allyl α -diazoacetates 376
 allyl azidoformates 379
 allylic acetates 197
 allylic α -diazoacetates 376, 378
 α -acceptor-substituted allylic
 diazoacetates 376
 α -bromoacrolein 381
 α -bromo esters 364, 365
 α -cyanodiazoacetamides 375
 α -cyanodiazoacetates 375
 α -formyldiazoacetates 375
 α -haloamides 394
 α,α -bisallyl-substituted aldehydes 105
 α,α' -diethoxy ethers 215
 α -methoxycarbonyl- α -diazosulfones
 393
 α -nitrodiazoacetates 373
 α -oxocarboxylic acids 146
 α -phenylacrylophenone 32
 α,β -unsaturated aldehydes 26, 279, 380
 α,β -unsaturated carbonyl compounds
 120, 338–340

α,β -unsaturated carboxamides 350
 α,β -unsaturated esters 339, 350–352,
 386
 α,β -unsaturated ketones 27, 71, 110,
 236, 338, 339, 382
 α,β -unsaturated oxime ethers 109
 aminodiyne 297
 3-aminopropyltrimethoxysilane 348
 3-aminopyridines 299
 4-aminopyridines 299
anti-Birch reduction product 244
anti-Markovnikov hydroboration/
 cyclisation process 389
 aromatic alkenes 371, 372, 375, 378
 aromatic ketones 39, 146, 183, 346,
 348, 349
 (S) -*ar*-turmerone 173, 365
 arylacetylenes 323
 aryl–aryl cross-coupling 165
 arylation 98, 130, 142, 169–170
 arylboronates 188
 arylboronic esters 18, 188, 191
 aryl *Grignard* reagents 103, 164–168,
 171, 172, 364, 365
 aryl halides 181, 189–194, 419, 422,
 437
 aryl ketones 110, 127, 349, 362
 1-arylpyrazoles 121, 124, 127, 128
 2-arylpyridines 98, 103, 115, 118, 121,
 126, 128, 384
 aryl-tethered enynes 265
 aryl trifluoromethyl alkynes 311
 astellatol synthesis 278–279
 azacobaltacycloheptatriene 292
 aziridines 70, 98, 377–379, 441

- azodicarboxylates 382, 383
 azole derivatives 149, 432
- b**
 background steric factor (BSF) 224, 225
Baeyer–Villiger reaction 390
 benzannulation reaction 249–250, 254
 benzofuran 106, 130, 426
 benzopyrans 212–213
 benzylic compounds 196–197
 β -alkyl-styrenes 361
 β -deprotonation 211–213, 228
 β -desilylation 213, 214
 β -enamino esters 352
 β -ketoesters 210, 340, 341, 347, 366, 367
 bicyclic alkene 136
 bidentate amide 139, 144
 bis-benzochromene 296, 297
 1,3-bis(2,2,2-trifluoroethoxy)propan-2-ol (BTFEP) 351
 bis-propargyl radicals 218
 bistrimethylsilylacylen 297
 borohydride reductions 346, 347
 boronic esters 189, 191, 239, 243, 245
 borylation 105, 106, 148, 188
 bridging *vs.* chelating modes of diphosphine complexation 272
 4-bromophenyl acetylene 246
Brookhart's system 69
- c**
Cahiez's catalytic system 171
 carbanions 207
 carbocations 207, 227
 C–C bond formations, cobalt-catalysed hydrofunctionalisations
 hydroacylation 68–73
 hydroalkylation 78–80
 hydrocyanation 80
 hydroformylation 67–68
 hydrovinylation 74–78
 chiral bis(oxazolinylphenyl)amine ligands 351
 chiral cobalt-salen complexes 343, 348, 354, 355, 366
- chiral cobalt-acetylen complex 270
 chiral 2,3-disubstituted indanones 392
 chiral ditopic azabis(oxazoline) 351
 chiral diyne 300, 313, 320, 321
 chiral indanones 104, 392
 chiral ketoiminato cobalt complexes 343
 chiral 1-naphthyltetrahydroisoquinolines 316
 chiral 3-oxobutylideneaminatocobalt(II) complexes 371
 chiral phosphine cobalt-alkyne complex 270
 chiral phosphoramidite cobalt complexes 368
 6-chloro-[1,2,4]triazolo[4,3-*b*]pyridazine 375
 1-chlorovinyl axial ligand 338
cis-cyclopropanes 372
 cobalamines 2, 12
 cobalt (Co)
 bioorganometallic compounds 10–12
 C–H functionalisation reactions 2
 Co(-I) compound 9–10
 Co(0) compound 8–9
 Co(I) compounds 7–8
 Co(II) compounds 5–7
 Co(III) compounds 5, 6
 heterogeneously catalysed processes 4
 homogeneous organometallic catalysis 2
 organic synthesis and catalytic transformations 12–19
 rhodium 2
 stoichiometric/catalytic reactions 4
- cobalt–alkyne complexes
 electrophilic reactions
 bicyclic ring systems 212
 enediynes 213
 heterocyclic ring systems 212–213
 intramolecular *Diels–Alder* reactions 210–211
 intramolecular reactions 210

- ligand substitution reactions 210
 natural carbon skeletons 215–217
 strained ring system 213–215
 tricyclic ring systems 211–212
 radical reactions 217–226
- cobalt-alkyne moiety 210
 cobalt-alkyne QuinoxP* complexes 272
 cobalt-catalysed C–H functionalisation in alkaloid synthesis 116
 alkynes, alkenes, and allenes 111–121
 with alkynes reaction
 indole synthesis 115
 isoquinoline synthesis 113
 N-carbamoylindole 112
 quinoline synthesis 114
 with anilides reaction
 quinoline synthesis 114
 aniline derivatives
 indole synthesis 115
 annulative hetero- and carbocycle synthesis 116
 azole derivatives 149
 bidentate chelating functional groups 130
 carbonylation and related transformations 143
 challenges 150
 cobalt-mediated cyclometalation 90
 1,4-cobalt migration 103, 104
 $\text{Cp}^*\text{Co}^{\text{III}}$ catalysts 106–108
 dehydrogenative cross-coupling reactions with electrophiles 139–143
 allylic $\text{C}(\text{sp}^3)\text{—H}$ carboxylation 102
 aryl imines with alkyl halides 101
 Co–NHC catalysis 99
 imine-directed C–H alkylation 102
 N-aryl ketimines 100
 E–X type electrophiles 126–128
 formal nitrene/carbene precursors 121
 hydroacylation 103–105
- hydroarylation, of alkynes and alkenes
 alkyl-substituted olefins and vinylsilane 96
 3-iminoindoless 97
in situ-generated low-valent cobalt catalysts 92
 ketimine-directed alkyne hydroarylation 93
N-pyrimidylindole 93
 regiodivergent styrene hydroarylation 96
 styrenes 95
- hydroarylation, of alkynes and alkenes
 $\text{Co}(\text{PMMe}_3)_4$ 94
 indazole and furan 110
 organometallic reagents 103
 of 2-phenylpyridine, aldimine 110
 with pincer-type ligands 105–106
 polar C=X bonds 108–111
- cobalt-catalysed cross-coupling reactions
 C–B bond formation 188
 C–N bond-forming reactions 187–188
 copper reagents 192–193
 with *Grignard* reagents
 $\text{C}_{\text{sp}}\text{—C}_{\text{sp}^2}$ bond formation 173
 $\text{C}_{\text{sp}^2}\text{—C}_{\text{sp}^2}$ bond formation 164–168
 $\text{C}_{\text{sp}^2}\text{—C}_{\text{sp}^2}$ bond formation 168–173
 $\text{C}_{\text{sp}}\text{—C}_{\text{sp}^3}$ bond formation 173–175
 $\text{C}_{\text{sp}^3}\text{—C}_{\text{sp}^3}$ bond formation 175–178
 organoboron reagents 188–192
 organomanganese reagents 192
 organozinc reagents
 $\text{C}_{\text{sp}^2}\text{—CN}$ bond formation 186
 $\text{C}_{\text{sp}^2}\text{—CO}$ bond formation 186–187
 $\text{C}_{\text{sp}^2}\text{—C}_{\text{sp}^2}$ bond formation 181–183
 $\text{C}_{\text{sp}^2}\text{—C}_{\text{sp}^3}$ bond formation 183–186
 $\text{C}_{\text{sp}}\text{—C}_{\text{sp}^2}/\text{C}_{\text{sp}}\text{—C}_{\text{sp}^3}$ bond formation 179–181

- cobalt-catalysed cross-coupling reactions (*contd.*)
 reductive cross-coupling reactions 193
- cobalt-catalysed cycloaddition reactions
 four-membered carbocyclic ring formation reactions 235
 [2+2] cycloaddition of alkene and alkyne 237–238
 [2+2] cycloaddition of two alkenes 235–237
 [2+2] cycloaddition of two alkynes 238–270
- larger carbocyclic ring systems
 [3+2+2] and [5+2] cycloaddition reaction 250–251
 [6+2] cycloaddition reaction 251–253
- six-membered ring formation reactions
- cobalt-catalysed [2+2+2] cycloadditions asymmetric syntheses 313
 $\text{Co}_2(\text{CO})_8$ -mediated cyclisations of carbocyclic compounds 302–304
- $\text{CpCo}(\text{I})$ -precursor complexes carbocyclic compounds 296–298
 heterocyclic compounds 298–302
- cyclotrimerisation reaction of alkynes 290
 chiral indenyl-co-precatalysts 295
- cobalt-tetramethylcyclobutadiene 288
- $\text{CpCo}(\text{I})$ -precatalysts 294
 isocyanate and thioisocyanate 292
- ligand dissociation and exchange 289
- microwave irradiation, influence of 292
- monoalkyne complexes 288
- 1,2-phenylene-bridged triyne synthesis 289
 reaction pathways 291
- in situ*-generated systems in carbocyclisations of alkynes 304–309
- cyclisation of alkynes to heterocyclic compounds 309–313
- natural product synthesis 317–322
 novel development 322–325
- cobalt-catalysed *Kumada* cross-coupling 18, 365
- cobalt-complexed 1,3-enynes 208, 226, 228, 229
- cobalt-1,3-ynie complexes electrophilic reactions 226–228
 radical reactions 228
- cobalt-pincer complex 58, 191
- complanadine A 319
- copper reagents 192, 193
- $\text{CpCo}(\text{cyclobutadiene})$ complexes 239
- $\text{CpCo}(\eta^2\text{-trifluoromethylpyridine})$ complex 292
- cross-coupling reactions 16, 363
 dehydrogenative 139–143
- $\text{C}_{\text{sp}}-\text{C}_{\text{sp}^3}$ bond formation 173–175
- cyanoformate 311
- cyclic enones 363, 364
- cycloaddition polymerisation process 312
- cyclobutanones 73, 105, 390
- 1,5-cyclodecadiyne 219
- 1,4-cyclohexadiene derivatives 241
- (*S,S*)-1,2-cyclohexyldiamine 375
- cyclohexyne 214
- cyclopropylacetylene and QuinoxP* complex 273
- cyclotrimerisation reactions 14, 287–289, 291, 292, 294, 295, 308, 326
- d**
- Darzens* reaction 394
- decalines 212
- dehydro-levetiracetam 33, 34
- dialkyl malonates 338, 341, 342, 369
- diaryl ketones 186, 187
 diarylmanganese reagents 192
 diarylmethanols 367
 diarylzinc species 183, 185
 diastereomeric atropisomers 313

- diastereomeric cobalt-alkyne complexes 271
 diastereomeric mixture, cobalt-alkyne complexes 271
 diastereomeric pyridine atropisomers 313
 diazoalkanes 371
 diazoester 124, 125
 diazosulfones 375
 2,3-dichlorobutane (DCB) 103
 dienamine 380
 dieneyne 304
 2,6-diformyl-4-*tert*-butylphenol 348
 2,3-dihydrofuran 261, 262, 394
 2-dihydroxy-3-*O*-*iso*-butyl-5,6-dichlorobenzaldehyde 375
 diimine-type ligand systems 242
 2,2-dimethylmalonic acid 342
 dimethyl phthalate 306, 307
 dinickel naphthyridine-diimine complex 275
 diphenylacetylene 89, 239, 288
 diphenylphosphoryl azide 377
 1,3-dipolar cycloaddition 380–383
 disila-galaxolide derivatives 322
 1,1-disubstituted aryl alkyl alkenes 361, 362
 2,6-di-*tert*-butylpyridine (DTBP) 210
 diyne 230, 248, 294, 298, 308, 315, 322, 323, 325
 1,3-diyne 115, 131, 242, 250, 252
d,l-diastereomers 217, 218
 domino Aldol/cyclisation reaction 388, 389
 domino 1,5-hydride transfer/cyclisation reaction 387, 388
- e**
E-cyclooctene 268
 electronically-dependent regioselectivity 276
E-methylstilben 33
 enantioselective cobalt-catalysed reactions 395
 2-benzoyloxyacetaldehyde 385
 cross-coupling reactions 363–366
 cycloaddition of norbornadiene 384
- [2+1] cycloadditions 370–379
 (hetero)-*Diels–Alder* cycloadditions 379–380
 1,3-dipolar cycloaddition 380–383
 domino reactions 386–390
 hydroboration 361–363
 hydrovinylations 358–361
 intramolecular *Pauson–Khand* reaction 384
 miscellaneous cyclisations 390–394
 miscellaneous reactions 366–370
 nitro-Aldol reaction 342
 ring openings reaction 353
 2-substituted buta-1,2-dienes 385
 2-substituted 1-naphthonitriles reaction 384
 enediynes 213
 enones 76, 109, 236, 341, 351
 1,6-enynes 71, 118, 384, 389, 390
 2-*epi*- α -cedrene-3-one 279–280
- f**
 (*S*)-fenoprofen 365
Fischer–Tropsch process 4, 47
 fluorinated alkenes 128
 fluorinated arenes 106, 108
 four-membered carbocyclic ring formation reactions
 [2+2] cycloaddition of alkene and alkyne 237–238
 [2+2] cycloaddition of two alkenes 235–237
 [2+2] cycloaddition of two alkynes 238–240
- g**
 gas-phase competition experiment 274
gem-bishydroxymethylcyclopentene oxide 391
Grignard reagents 18
 cobalt-catalysed cross-coupling reactions
 $C_{sp}–C_{sp^2}$ bond formation 173
 $C_{sp^3}–C_{sp^3}$ bond formation 175–178
 $C_{sp^2}–C_{sp^2}$ bond formation 168–173

- Grignard reagents (contd.)*
- $C_{sp^2}-C_{sp^2}$ bond formation 164–168
- Grubbs enyne-metathesis reaction*
- 246
- h**
- Henry reaction*
- of aromatic and aliphatic aldehydes 343–345
- heteroaromatic substrates 374–375
- heteroaromatic thioethers 184
- heterobicyclic alkenes 368
- hexacarbonyl complex 264, 270, 274
- 1,3-hexadienes 249
- Hieber base reaction* 2
- homogeneous cobalt-catalysed hydrogenation reactions
- alkene and arene cobaltate complexes 29
 - α -alkylstyrenes 31
 - arylated alkenes 30
 - carboxylic acid derivatives
 - active cationic cobalt-Triphos species 51
 - aliphatic and aromatic esters 41
 - cobalt mono- and dihydrogen complexes 49
 - cobalt pincer complexes 45
 - CO_2 -to-formate hydrogenation 47
 - direct *N*-formylation of amines 49
 - isoindolines/ γ -lactams 45
 - metal-ligand cooperation (MLC) mechanism 45
 - methanol 51
 - monoreduction of cyclic imides 47
 - N*-protected indole 39
 - sodium bicarbonate 49
- challenges 59
- chiral cobalt pincer catalysts 31
- dehydro-levetiracetam 34
- diimine pyridine complexes 27
- 1,2-disubstituted olefins and endocyclic trisubstituted alkenes 32
- E*-methylstilbene 33
- high-throughput screening approach 33
- imine hydrogenation 55–56
- ketones and aldehydes 34–39
- low-valent cobalt species 28
- N*-heterocycles 56–58
- N*-heterocyclic carbenes 27
- nitrile hydrogenation 52–55
- olefin hydrogenation 27
- olefin hydrogenation reaction 29
- Pauson-Khand* reactions 26
- pincer ligands 27
- π -allyl complexes 26
- prochiral alkenes 30
- Zn-MeOH reduction 34
- 6,5-hindrindane system 278
- hydroacylation 103, 105
- 2-acylbenzaldehydes 72
 - aliphatic aldehydes and ligand choice 70
- Brookhart's* system 69
- diarylphosphinopropane ligand 70
- 1,3-dienes 70
- 1,6-enynes, oxidative cyclisation mechanism 71
- mechanistic pathways 68
- olefins and aldehydes 73
- 4-pentenal 69
- strained cyclobutanones 73
- 2-vinylbenzaldehydes 72
- vinyl silane, with benzaldehydes 69
- hydroalkylation 78–80, 423
- hydroarylation cyclisation 146, 148
- hydroboration 337, 361–363, 389, 390
- hydrocarboxylation
- heterocycles 83
- hydrofunctionalisation of olefins 81
- internal alkyne and [2+2+2] cycloaddition of terminal alkyne 82

hydrocyanation 80, 81, 424
 hydroformylation process 2, 67
 hydrogen atom transfer (HAT) 80,
 98, 424
 hydrovinylation
 of 2,3-dimethyl-1,3-butadiene, with
 alkenes 75
 with enones 76
 heterocycles 75
 regioselective control of alkene
 addition 76
 with styrene 76
 1-substituted-1,3-butadienes 77
 substrate controlled switch,
 reactivity 74
 unsymmetrical 1,3-butadienes
 77, 78
 vinylcyclohexene by metal-choice
 78
 hydrovinylations 76, 358–361
 hypothesised coordination 190

i

imine hydrogenation 55–56
 3-iminoindoles 97, 98
 indole synthesis 115, 124, 435
 indolisoquinolines 297, 298
 (+)-ingenol synthesis 276
 internal alkynes 237, 275
 intramolecular *Diels–Alder*
 reactions 210–211
 intramolecular reactions 105, 210,
 217, 229, 260
 isatins 367, 394
 isoquinoline synthesis 113, 114
 isoquinolones 115, 117, 132

k

Kumada cross-coupling reactions
 17, 364, 365, 421

l

ligand substitution reactions 210
 ligand-to-ligand hydrogen transfer
 (LLHT) mechanism 94
 liquid-liquid biphasic system 351
 2,6-lutidine 106

m

macrocyclic ethers 304, 306
 maleimide 111, 120, 264, 265, 323
 malonates 338, 341, 342, 369, 381, 382
 mechanistic and theoretical studies
 273–276
meso-epoxides 354–357
meso-epoxy alcohols 391
 metal-ligand cooperation (MLC)
 mechanism 45
 metal organic frameworks (MOFs) 322
 1-methoxy-[3-(*tert*-butyldimethylsilyl)
 oxy]-1,3-butadiene 380, 381
 methylalumininoxane (MAO) 360
 methyleneindolinones 382, 383
 2-methyltetrahydrofuran (MeTHF)
 171
Michael-acceptor 82
Michael reactions
 of 2-acetyl azaarenes 342
 (triisopropylsilyl)acetylene 339
 α,β-unsaturated carbonyl compounds
 339
 of amines 341
 β-keto ester 341
 β-ketoesters 340
 bidentate diphenylphosphino(ethane)
 ligand 339
 dialkyl malonates 342
 1,3-dicarbonyl compounds 338
 nitroolefins 340
 O-alkylhydroxylamines 341
 of thiols 339
Michael-type cyclisation 135

n

n-aldehyde 3, 4
N-alkoxybenzamides 116
 1-naphthyltetrahydroisoquinolines
 315, 316
Nazarov reactions 390
N-benzylideneaniline *N*-oxide 381
N-benzylmaleimide 264
n-butyl-tethered diyne 312
N-carbamoylindoles 111, 112, 118
N-cyano-*N*-phenylbenzene-
 sulfonamide 186

- N*-cyano-*N*-phenyl-*p*-methylbenzene-sulfonamide (NCTS) 186
- N*-cyanosuccinimide 126
- N*-cyclohexylmaleimide 264
- N*-diarylphosphinyl imines 347
- N*-diphenylphosphinyl imines 348
- N*-heteroaromatic halides 165
- N*-heteroaryl halides 167, 191
- N*-heterocycles 56–58, 181, 440
- N*-heterocyclic carbenes 27, 94, 295
- Nicholas* reaction 9, 368
- nickel catalysis 17, 315
- N*-iodosuccinimide 120
- nitrile-diyne polycycloaddition 313
- nitrile hydrogenation 52–55
- nitro-Aldol reaction 342, 343
- nitroalkanes 341, 343, 344, 369, 370
- nitrones 380–383
- nitroolefins 340–342
- nitrosulfonyl enyne 262
- N*-methylimidazole (NMI) 342, 371, 374
- N*-methyl-4-piperidone 36
- norbornadiene 136, 270, 271, 273, 275, 383–385
- norbornene 103, 136, 252, 260, 269, 274
- N*-phosphorylated aziridines 377
- N*-pyridylindoles 120–122, 128
- N*-pyrimidylindoles 91, 93, 108, 118, 121
- N*-(8-quinolinyl)benzamide 103, 131, 132, 135–137, 139, 140, 142–144
- N*-(8-quinolinyl)sulfonamide 132, 137
- N*-tosylpropargylamine 264
- O**
- O*-alkylhydroxylamines 341
- 1,7-octadiyne 308, 314, 384
- Ohira–Bestmann* alkynylation 322
- o*-iodobenzoates 391
- olefin coordination 3, 16, 167
- olefin hydrogenation 27, 29, 34
- organoboron reagents 188–192
- organomanganese reagents 192, 199
- organometallic reagents 103, 163–192
- organozinc reagents
- cobalt-catalysed cross-coupling reactions
- C_{sp^2} –CO bond formation 186–187
 - C_{sp^2} – C_{sp^2} bond formation 181–183
 - C_{sp^2} –CN bond formation 186
 - C_{sp^2} – C_{sp^3} bond formation 183–186
- ortho*-quinodimethanes 247, 248
- oxetanes 391, 392
- oxo-process 19
- P**
- Pauson–Khand* reaction (PKR) 9, 26, 208, 215, 248, 384
- astellatol synthesis 278–279
- asymmetric PKR 269–271
- of dieneyne 304
 - 2,3-dihydrofuran 262
 - of enyne 263
 - 2-*epi*- α -cedrene-3-one 279–280
- ethylene glycol and molecular sieves 261
- fused medium-sized ring products 265
- (+)-ingenol synthesis 276–277
- macrocyclic ether tethered cobalt-eyne complex 267
- maleimides 264
- nitrobenzene and aniline promoters 263
- nitrosulfonyl enyne 262
- novel enyne substrates 265
- novel substrates 264
- N*-oxide/ethylene glycol/4 Å MS
- reaction conditions 262
 - phenylene-bridged macrocycle 267
 - retigeranic acid A 277–278
 - steric buttressing 266
 - stoichiometric and substoichiometric reactions 281–282
- TADA reaction 266
- 2-phenacylpyridine 347
- phenylacetylene 241, 260, 264, 265, 268, 270, 323, 325
- 1,2-phenylene-bridged triyne 289
- phenylmethoxycarbonylacetylene 288

- 2-phenylpyridine 109, 110, 116, 118, 124, 125
 4'-phenyl-2,2';6',2''-terpyridine (TPy) 191
 photochemical switch 238
 phthalides 104
 pincer-type ligands 105–106
 platinum group metals (PGM) 2
 P-ligands 27, 32
Povarov reaction 394
 prochiral alkenes 30
 propargyl acetal 212, 215, 221, 222
 pyridazine 301, 302, 375
 pyridones 117
 pyrroles 115, 118, 438
- r**
 reduction reaction
 of alkenes 349–352
 carbonyl compounds and derivatives 346–349
 reductive cross-coupling reactions
 with allylic acetates 197
 with benzylic compounds 196–197
 $C_{sp^2}-C_{sp^2}$ bond formation 193–196
 $C_{sp^3}-C_{sp^3}$ carbon bond-forming reactions 197–198
 regioisomer 250, 275, 288, 311, 321, 322
 retigeranic acid A 277–278
 ring-opening reaction
 of epoxides 353–355
 of nucleophiles 356–358
 (+)-rubrifloridilactone A 320
- s**
 (−)-(S)-3-butyn-2-ol 315
Schrock–Osborn mechanism 45
 secondary alkyl iodides 192
 six-membered ring formation reactions
 benzannulation reaction 249–250
 cobalt-catalysed [2+2+2] cycloaddition reactions 248–249
 cobalt-catalysed *Diels–Alder* reactions
- aliphatic and aromatic substituents 242
 boronic ester-functionalised 1,3-dienes and alkynes 244
 carbene insertion reaction, of dihydroaromatic intermediates 246
 1,4-cyclohexadiene derivatives 241
 dibromo-functionalised terphenylenes 247
 diimine-type ligand systems 242
 ipso-substitution of
 trimethylsilyl-functionalised arenes 246
 mechanism 240
 nitrogen-containing functional groups 243
ortho-quinodimethanes 248
 tetrahydronaphthalenes 245
 6–8-membered carbocycles 214
Sonogashira coupling 322
 steric buttressing concept 265, 266
 strained tricyclic alkenes 237
 styrenes 29, 76, 95, 146, 363, 373, 376
 1-substituted-1,3-butadienes 76
 3-substituted cyclobutanones 390
 2-substituted 1-naphthonitriles 384
 sulfonyl hydrazones 376, 377
Suzuki–Miyaura coupling reaction 17, 188, 190
- t**
 tethered terminal alkenes 236
 1,1,2,2-tetraalkynyl ethenes 221, 222
 thermally activated delayed fluorescent (TADF) emitters 181
 three-component coupling (TCC) 110, 111, 120, 421
 transannular *Diels–Alder* reaction 267
trans-selective cyclopropanation reactions 371
 trichloroethoxysulfonyl azide 378
 triflic anhydride 213
 trifluoromethylated arylalkynes 311

- trimethylsilylacetylene 261, 270, 271,
385
trimethylsilyl group (TMS) 217, 246,
275
1-(trimethylsilyl)tetradec-2-yne
275
triynes 14, 296, 309, 312, 317, 384
- U**
Ullmann coupling reaction 246
ultrafast time-resolved infrared
spectroscopy 289
5,6-unsaturated alkyl iodides 174
unsaturated hydrocarbons 105, 131,
137, 148
unsymmetrical 1,3-butadienes 77, 78
- V**
vinylarenes 360, 361
2-vinylbenzaldehydes 71, 72
vinyl boronic acids 367
1-vinylcycloalkenes 361
- W**
Wilkinson complex 7, 308
Wittig-type reactions 243
Woodward–Hoffmann rules 235
- X**
xylarinol B 320, 321
- Y**
ynedinitrile 301