

Index

a

- acid deprotonation 10
- acid-base catalysed ribozyme 11
- activation barrier 7
- activation entropy 5
- activation free energy 4
- active site guanine 108–109, 623
- adenylate kinase (AK) 333
- δ -agent 318
- A756G ribozyme 62
- aldol reaction 549, 595
- aldolase ribozyme 547–548
- alkylating ribozymes 545, 550–554
- allosteric ribozymes 132, 293, 506–507, 513
 - rational design 511–512
- Allovahlkampfia* LC ribozyme (AspLC) 866
- amide-hydrolyzing deoxyribozyme 494
- amino acids 29, 38–39, 93, 150, 174, 194, 199–200, 203–204, 209, 242, 244, 282, 285, 388, 393, 405, 435, 493, 512, 519–521, 523–527, 529–533, 537–538, 579–580, 589–590, 598, 601
- aminoacyl-tRNA (aa-tRNA) 199–200, 202–205, 340, 519–520, 526–527, 530, 537–538, 722
- aminoacyl-tRNA synthetases (ARSs) 340, 519, 520, 524, 526–527, 529, 722
- aminoacylation ribozymes 519–538
- aminoglycosides 255, 257, 259, 506, 870
- aminoglycoside acetyltransferase (AAC) 259
- 2-aminopurine (2AP) 594, 625, 701–702
- anti-HCV catalytic antisense 677
- anti-HCV IRES 676, 678
- anti-HIV-1 effect 671, 673
- antigenomic polarity 29
- antisense domain 666–674
- antisense oligonucleotides (ASOs) 254, 267, 588
- antiviral catalytic antisense 665–674
- aptamers 287–288, 294, 366, 377, 402–403, 435, 491, 496, 505–508, 512, 547, 554, 574, 588, 593, 597, 602, 603, 628, 635, 672, 685–686, 688, 694, 703, 708, 721–733, 741
 - smaRt-SELEX 536–538
- aptazymes 507, 512, 694, 696, 741
 - for gene regulation 512–514
 - hammerhead ribozymes (HHR) 507
 - ON- and OFF-switches mechanism 511
 - RNA classes 513
 - sequences 508, 510, 511
 - TPP-dependent hammerhead 513
- apurinic endonuclease (APE) 31
- arabino nucleic acids (ANA) 495, 496, 602
- aromatic protons 7–8, 17
- artificial DNA sequences 685
- artificial riboswitches 506–507

- artificial ribozymes 435, 490–491, 494–495, 507, 520, 523, 524, 554, 573, 730–731
- A-site tRNA 196, 200–205, 208
- asymmetric rolling circle replication 28
- ATMND (2-amino-5,6,5-trimethyl-1,8-naphthyridine) 702
- atomic mutagenesis 4, 12–13, 16, 78, 748
- ATP-aptazyme 696
- ATRib 520–524, 537
- A-type P RNA 234–235, 254
- autocatalysis 389, 420, 428–429
- autocatalytic Group II 173
- autocatalytic introns 663
- avocado sun blotch viroid* (ASBVd) 25–26, 37
- Avsunviroidae 25–27
- azidonorvaline (Anv) 532, 533
- 2,2'-azino-bis(3-ethylbenzothiazoline-6-sulphonic acid) (ABTS) 583, 694
- Azoarcus* RNA fragments 425–427, 429, 430
- Azoarcus* RNA genotypes 429–432
- Azoarcus* RNA self-assembly 425
- Azoarcus* group I intron 16–17, 351, 362, 420–422, 865
- Azoarcus* ribozymes 421–426, 428–430, 432, 433, 435
- CAU tag sequence 429
- genotypes 432
- IGS and tag 430
- self-assembly 426, 428, 431
- trans-esterification 423
- b**
- bacterial ribosome 195, 205, 255, 867
- Baggins retrotransposons 35
- bioactive peptides 532–535
- biocatalysis 282, 587
- bioinformatics 145, 286, 318, 365, 574, 869, 871
- biomacromolecules 3
- biorecognition element 708
- biosensing 577, 579, 599, 602, 651–652, 687, 688, 733
- biosensors 685, 686
- advantages 686
- mechanism 686–687
- N*-biotinoyl-*N'*-iodoacetyl-ethylenediamine (BIE) 550–551
- N*-biotinylated-Phe-AMP substrate 520
- bipartite binding 472
- blood-brain-barrier (BBB) 588
- Bohr magneton 818, 822
- Brønsted equation 13
- branch point adenosine (bpA) 763
- branch point sequence (BPS) 171–172, 179
- branched multiple hairpin (BMH) 672
- B-type ribozymes 233
- C**
- capping ribozymes 117–138, 340–346, 349, 491, 565–566, 866–868
- catalytic antisense RNAs
- DIS domains 672–674
- HCV IRES 674–677
- HIV-1 Poly(A) 672–674
- HIV-1 TAR 667–672
- in vitro* anti-HIV-1 673
- hypothesized mode 667
- catalytic beacons 697–699, 709
- catalytic domain (C-domain) 125, 148, 228–229, 444, 523–524, 669–670, 672, 677
- catalytic hairpin assembly (CHA) 699, 709–710
- reaction 710
- CAU tag 421–422, 424–425, 427, 429
- CCDC186 gene 315, 317
- cell level processes 402, 404–406
- cell sorting 136, 510
- cellular signal transduction 697
- central conserved region (CCR) 27, 28
- central dogma
- of molecular biology 193–194
- chemical reactions rate 3–5, 83, 91, 193, 194, 204, 366, 420, 651, 686, 721, 733, 861
- chemical shifts 7–8, 12, 14, 16–19

- chemically modified nucleotides 488
 DNA and RNA catalysis 490–495
- chloramphenicol acetyl transferase (CAT) 259, 261, 262, 762
- 4-chlorobenzyl thioester (CBT) 375–376, 379, 527–528
- chloroplast-like (CL) 147
- chromophores 623–628
- chrysanthemum chlorotic mottle viroid* (CChMVd) 26
- circRNA 303–304, 452–454
- circular permutation 288, 464–466, 755, 767–770, 779
- class I ligase 367, 372
 selection 369
 structure 370
- coenzyme 3, 8, 18, 78–80, 82, 91–110, 281, 285–286, 402, 566
- co-transcriptional cleavage ribozyme (CotC ribozyme) 323
- colorimetric sensors
 coupled with G4 DNAzyme 705, 707
 gold nanoparticles 703, 704
 hydrogel-assisted colorimetric detection 705, 706
 label-free detection 703, 705
- comparative modeling 862
- compartmentalization
 stochastic corrector model 399–401
 surface metabolism 397–398
 transient 397–398
- compartmentalized bead tagging (CBT) 375–376, 379, 527, 528
- 5' conserved non-translated region (5'NTR) 667
- cooperative self-assembly 429–430
- CopT 666–667
- core ribozyme 122, 331
- coupling constant 818–822, 824, 841
- CPEB3* gene 24, 41, 293, 319–322
- CPEB3* ribozyme 320, 322, 489
- C-terminal domain (CTD) 197, 233
- C-type lectin-like family 2 (*CLEC2*) 307
- cutaneous T-cell Lymphoma (CTCL) 312
- cyanomethyl ester (CME) 519, 521, 524, 528
- cyclohexene nucleic acids (CeNA) 495–496
- cytoplasm 128, 135–136, 254, 266, 320, 593
- d**
- decoding center (DC) 194–195, 201, 255
- DeerAnalysis 826
- delta antigen (δ Ag) 29
- denaturing gel electrophoresis 474, 479
- deoxyribozymes (DNAzymes) 487, 492–494, 548, 557–558, 562–564, 566, 834
- dephosphorylation reaction 580
- DFHBI 731
- DFT methods 821
- Diels–Alder reactions 491, 583, 688, 843
- Diels–Alderase ribozymes 546–547, 726, 727
 electron paramagnetic resonance spectroscopy 843, 845
- dimerization initiation site (DIS) 668, 672–674
- dimethyl sulfate 467
- dinitro-flexizyme (dFx) 527
- direct tRNA aminoacylation 523–526
- DirLCrz
 spliceosomal intron I51 in 131
 structure of 123, 125–128
- discontinuous hammerhead ribozyme (dis-HHR) 307–308, 310
- divalent cations 71–72, 75, 100, 368, 767, 773, 800, 862, 870
- dN*TPs 574, 588, 595, 597, 601–603
- DNA amplification approach 728
- DNA enzymes
 catalytic repertoire 574–587
 hydrolytic reactions 575–580
 ligase and other activities 580–584
 post-SELEX modification 589–595
 practical applications 588–589
 SELEX polymerization 595–602

- DNA enzymes (*contd.*)
 structural and mechanistic
 considerations 584–587
- DNA intermediate 29–30
- DNA polymerization 352
- DNA strand 33, 332, 377, 578–579, 623,
 626–629, 647, 651, 705, 759, 834,
 838
- DNA-functionalized gold nanoparticles
 703
- DNA-splint 557, 789, 832–834
- DNAzymes 548–550, 635, 638, 640
 ANDAND gates 636, 637
 ANDANDNOT gates 637
 aptazymes 694–696
 beacon sensor 698
 biochemical characterizations of 696
 cancer therapy 651
 cascades 650, 651
 catalytic core 635, 636
 catalytic properties 590
 chemical mechanisms 586
 cleavage reactions 635, 636, 640, 650
 colorimetric sensors 702–707
 coupled with G4 705, 707
 disadvantages 686
 dN*TPs 597
 E6 motif 635, 636
 electrochemical sensors 707–708
 fluorescent sensors 697–702
 hydrolyzing DNA phosphodiester
 linkages 578, 580
 for lanthanides and actinides 690–692
 ligases 651
 linear substrates 635, 636
 logic gates 638
 MAYA-I 637, 643
 MAYA-II 638, 643
 MAYA-III 639
 metal sensing 694
 molecular automata 637
 molecular beacons 635
 8-17 motif 642
 Na⁺ 693
 NOT gates 636, 637
 OR gates (implicit) 637
 parallel gate arrays 637
 for Pb²⁺ 688–690
 pharmacokinetic properties 590, 593
 with phosphatase activity 581
 phosphodiesterases 635
 for physiologically abundant metals
 692–694
 post-SELEX modification 593, 595
 RNA-cleaving 575, 578
 RNA-ligating 585
 secondary structures 576
 sensors coupled with signal
 amplification mechanisms
 708–711
 structured substrates 640
 substrate binding arms 635
 for thiophilic metals 690, 692
 YES gates 635, 636
 Zn²⁺ 691
- domain 7 (D7) 153
- double-strand break repair (DSBR) 150
- double-stranded DNA (dsDNA)
 149–150, 559, 623, 647, 705
- 3D reference site interaction model
 (3D-RISM) 869–870
- droplet fusion device 730
- droplet microfluidic screening strategy
 732
- 3D structure, ribozymes
 modeling approach combination 867
 RNA interactions with ligands
 867–868
 template-based modeling 862,
 865–866
 template-free modeling 866–867
- DTNB gene 316
- dystrobrevin beta protein (DTNB) 315
- e**
- 17E 690, 697, 702–704, 709–710
- E. coli* ribosome 194, 530
- EDNMR 821
- EF-Tu (elongation factor thermo-
 unstable) 198–202, 206, 211
- Egr-1 factor binds 576
- EGS technology

- in eukaryotic cells 259–261
 - M1-GS approach 265–266
 - nuclear-cytoplasmic RNase P 260–265
 - oligonucleotides 259, 261–265
 - EGS^{CAT} 261–262
 - electrochemical sensors 707, 708
 - electron nuclear double resonance (ENDOR) 821, 839, 841
 - electron paramagnetic resonance (EPR) spectroscopy
 - Diels Alder ribozymes 843–845
 - group I intron 845
 - hammerhead ribozymes 838–843
 - magnetic interactions 818–820
 - multifrequency continuous wave (cw) 820–821
 - non-ribozyme RNAs 847, 849
 - pulsed EPR dipolar spectroscopy 821–828
 - pulsed hyperfine spectroscopy 821
 - ribosome 845–847
 - site directed spin labeling 828–838
 - electron spin echo envelope modulation (ESEEM) 821, 839, 841
 - electron spin resonance (ESR) spectroscopy 817
 - electron–electron double resonance (ELDOR) 821, 824
 - electrophilic catalyst 687
 - electrostatic stabilization 8, 16, 64, 105
 - elongation
 - decoding 200–202
 - peptide bond formation 202–205
 - translocation 205–208
 - elongation factor G (EF-G) 196, 200, 233
 - endonuclease (En) domains 30, 31, 36, 145, 148–150, 154, 179
 - endonucleolytic ribozymes 754, 755, 773
 - enzymatic RNA polymerization 361–363, 366, 371
 - enzyme-linked immunosorbent assay (ELISA) 707, 708
 - enzyme-substrate (E–S) complexes 242, 247, 249, 251, 257, 423
 - error thresholds 364, 391, 393, 396
 - neutrality of mutations 393, 406
 - exogenic guanosine (exoG) 130, 761
 - exon binding sites (EBS) 145, 764
 - exonuclease-mediated degradation 25
 - expressed sequence tag (EST) 310–312, 317–318
- f**
- FARFAR 866
 - flavin mononucleotide (FMN) 18, 92, 339, 445–447, 454, 507, 566
 - flexible in vitro translation (FIT) system 529, 532, 537
 - flexizyme ribozymes 523–526
 - flexizymes
 - and activating groups 528
 - to genetic code reprogramming 527–530
 - fluorescence polarization/anisotropy (FP/FA) assay 257
 - fluorescence resonance energy transfer (FRET) 98, 442, 470, 557, 584, 587, 765, 817, 847
 - fluorescence spectroscopy 158, 564, 633, 777
 - fluorescent nucleobases 701
 - fluorescent sensors
 - catalytic beacons 697–699
 - folding detection 701–702
 - internally labeled DNAzymes 699, 701
 - intracellular sensing 699, 700
 - 2'-fluoroarabino nucleic acids (FANA) 495–496, 602
 - fluorogenic substrate 727, 732
 - fluorophore-quencher system 577, 635
 - fluorophore/quencher pair 699, 701
 - folding detection 701–702
 - formyl-methyl-transferase (FMT) 198
 - Friedel–Crafts reaction 548–550, 583
- g**
- game theoretic treatment 430–432
 - significance 432–433
 - genes encoding 227, 289, 726
 - genetic code reprogramming 520, 527–530, 538

- genetic variability 665
- genotype-phenotype link 722, 723, 725–726
- GIR1 119
- GIR2 119
- glmS* riboswitch 93, 758
- glmS* ribozyme 41, 42, 78–80, 287, 756
- active site guanine 108–109
 - biochemical analyses 95–98
 - biological function of 94–95
 - coenzyme dependence 101–102
 - crystallographic analyses 98–99
 - GlcN6P 102–104, 106
 - mechanism of 104–109
 - metal ions 99–101
 - pH-reactivity profiles 106–108
 - riboswitch function 109–110
 - secondary structure 96
- glmS* RNA 94, 97–102, 104, 106, 286–288, 757
- β-globin 323
- glucosamine-6-phosphate (Glc6P) 41, 78–80, 99, 102, 757
- glucosamine-6-phosphate (GlcN6P) 41–42, 92–101, 104–109, 286–287, 757–758
- functional groups 102–104
- glutamine-recognition domain 521
- glycine riboswitch 832, 834
- glycosidic bond forming ribozymes 332, 336–340
- gold nanoparticles (AuNPs) 592–593, 697, 703, 705
- G-quadruplex DNAzyme 695
- green fluorescent protein (GFP) 135–136, 448, 509, 510, 731
- group I introns 421
- case studies 869
 - electron paramagnetic resonance spectroscopy 845
 - 2'-hydroxyl group 761–763
 - nuclear magnetic resonance 804–805
 - splicing pathway mediated 762
- group I intron splicing ribozymes (GrIrz) 117
- into LCrz 133
- group I ribozyme switching 128–130
- group II introns (GIIf) 170, 187
- active site 154–156
 - biotechnological applications 157–158
 - characterization of 143–145
 - classification 147
 - conservation and biological role 145–152
 - differentiation 148–149
 - evolutionarily-acquired properties 148–149
 - folding 153–154
 - 2'-hydroxyl group 763, 765
 - intron encoded-protein 154
 - long-range tertiary interactions 152–153
 - non coding RNAs 157
 - nuclear magnetic resonance 806
 - phylogenetic classification 145–148
 - reaction mechanism 154–156
 - retrohoming pathways 150, 152
 - retrotransposition pathways 152
 - secondary and tertiary structures 146
 - secondary structure 152–153
 - self-splicing of 763
 - splicing machineries 156–157
 - spreading 149–150
 - stabilization by solvent 154
 - structure of 764
 - sub-megadalton enzymes 145
 - survival 149–150
- GTPγS 333, 335
- guanosine monophosphorothioate (GMPS) 551
- guanosine-5'-triphosphate (GTP) 92, 194, 197–202, 206, 211–212, 331, 346, 365–366, 371, 373, 377, 563, 564, 566, 601
- guanosine-33 747
- guanosine-40 743, 744
- guanylate kinases (GUKs) 333
- guide sequence (GS) concept 125, 258–259, 265, 421–427, 429–431, 433, 521–522, 845

h

- hairpin ribozymes 61, 65, 66, 463, 766
 case studies 868
 external oligonucleotide effectors 444
 FMN 447
 2'-hydroxyl group 765, 767
 mediated recombination 451
 mediated RNA circularization 453
 mediated self-splicing 455
 nuclear magnetic resonance 801
 regulated by external effectors 443–446
 RNA recombinases 449–451
 self-splicing 452–454
 structural variants of 442–443
 structure and mechanism 439–441
 twin ribozymes 446–449
- hammerhead ribozyme (HHR/HHRz)
 304, 305, 307
 case studies 870
 electron paramagnetic resonance spectroscopy 838–843
 folding of 843
 2'-hydroxyl group 69, 71, 759, 761
 Mn²⁺-binding site 839, 841
 nuclear magnetic resonance 800–801
Penelope-like elements 35, 39
Schistosoma mansoni 39–40
 and pistol 71
 plant retrotransposons 40
 PLEs' mode 37
 structure of 70
- hatchet ribozymes 57, 82, 92, 291
- HDV ribozyme (HDVP) 14, 756
 for retrotransposition 30–34
 other non-LTR retrotransposon lineages 34–35
- HEG P1 129–130
- HeLa cells 511
- helix shift 467, 470–472
- helix slippage mechanism 507
- helix-length compensation 474–475
- hepatitis δ virus (HDV) RNA 29
 direct role 72–74
 nuclear magnetic resonance 794–799
- ribozymes 57, 73
- ribozyme, case studies 870
 and TS ribozymes 74–76
- Hepatitis D virus (HDV) ribozymes 303, 318–320
- hexaquo-magnesium ions 14
- hexitol nucleic acids (HNA) 495–496, 602
- HH9 ribozyme 310
- histidine 10, 13, 17, 59, 393, 492, 598
- HIV-1 Poly(A) 672–674
- HIV-1 TAR 476, 479, 481, 667–672
- homing endonuclease (HE) 117–120, 128–131, 133, 136, 294
- homing process 145
- homolog of *Aquifex* RNase P (HARP) 227, 228
- homology modeling 862
- horseradish peroxidase (HRP) 651, 707–708
- HVI-1 5'NTR 668
- hybridization chain reaction (HCR) 710
- hydrated metal ion 8, 15, 18, 59, 72–73, 75–76, 78, 80–82
- hydrogel-assisted colorimetric detection 705
- hydrogen bonding 4, 8, 64, 67, 74, 101–102, 105, 108, 210, 241, 361, 370, 373, 434, 496, 511, 584, 744, 747–748, 776, 832, 870
- hydrolysis reaction 124, 132, 174
- hydrolytic reactions 5, 575–580
- 2'-hydroxyl group
 group I intron 761–763
 group II intron 763–765
 hairpin ribozyme 765–767
 hammerhead ribozyme 759–761
- hyperfine sublevel correlation experiment (HYSCORE) 821, 841, 842
- hyperfine-coupling 818–821, 841

i

- IBS3 147, 153
- IIA1 148

- imino protons 92, 471, 791, 796–799, 804–805
 - imino walk 8
 - in situ* hybridization 135
 - in vitro* compartmentalization (IVC)
 - double emulsions 728
 - emulsion-free 729–730
 - gene modification 726–727
 - microbead-display 728–729
 - microfluidic-assisted 730, 731
 - modified genes 723
 - ribozyme discovery 725–730
 - ribozymes isolation 727
 - screening catalyst-coding gene 727–728
 - in vitro* selection 23
 - artificial ribozymes 494–495
 - chemically modified nucleotides 490–491
 - deoxyribozyme pool 493
 - deoxyribozymes with modified nucleotides 492–494
 - methods 507–511
 - unnatural nucleotides 491–492
 - XNAzymes 495
 - in vitro* transcription 124, 134, 315, 488–489, 492, 494, 557, 634, 726, 729, 730, 732, 759, 777, 779, 787–788
 - in vivo* screening methods 508–511
 - infrabiological systems 390–391
 - initiator-tRNA (tRNA_i) 196–199
 - INT 14
 - internal guide sequence (IGS) 125, 422–424, 429–432, 521–523, 845
 - internal ribosome entry site (IRES) 31, 35, 136, 255, 292, 674–678, 834
 - internal stem loop (ISL) 171, 176, 177, 182, 187, 445
 - internally labeled DNAzymes 699, 701
 - intracellular sensing 686, 699–700
 - intramolecular RNA–RNA interactions 665
 - intron binding sites (IBS) 145–147
 - intron encoded-protein (IEP) 117, 145, 154
 - intron lariat spliceosome (ILS) complex 172, 185
 - intronic HDV-like ribozyme 320–322
 - intronic HH9 hammerhead ribozymes 311
 - intronic HHR 310–318, 320, 322
 - introns and splicing 169–170
 - inverse electron demand Diels–Alder cycloaddition (iEDDA) 834
 - iridium hexammine 776
 - isomerization step 249
 - isothermal titration calorimetry (ITC) 470
 - isotope-labeled RNAs 3
 - isotopic labeling 10
 - isotopically labeled RNA 10
 - isotropic 818–820, 822, 841
 - μ IVC 730–731, 733
 - light-up RNA aptamers 731
 - I/V kissing-loop interaction 466–468
- k**
- keto-enol tautomerization 202
 - kinase ribozymes 332–337
 - kissing-loop complexes 470–471
 - kissing-loop interaction (KLI) 290, 464, 466–468, 477, 665–669
 - kissing-loop substitution 475–476
- l**
- label-free detection 702–703, 705
 - labeling long RNAs 832–834
 - lanthanides 563, 579, 690, 753, 765
 - lariat cap (LC) 130, 134–136
 - formation 117
 - lariat capping ribozyme (LCrz) 117, 768, 769
 - basics 117–119
 - branching reaction 118, 122, 123
 - case studies 868
 - Dir*LCrz 125–128
 - Dir*LCrz vs. *Nae*LCrz 121

- DirLCrz* vs. *AspLCrz* 121
 discovery 119
 group I ribozyme switching 128, 130
 LC ribozyme switching 130–131
 ligation and hydrolysis 122, 124
 model 132
Naegleria type 126, 128
 nomenclature 120
 reaction conditions 124
 research tool 134–136
 species involved 120–121
 spliceosomal intron I51 131
 spliceosomal splicing 132, 134
 switching 130–131
- leadzyme
 nuclear magnetic resonance 802–803
- ligand binding shifts 847
- ligand docking
 case studies 870–871
- ligase ribozymes 332, 343–351, 362, 366,
 368, 389, 402, 424, 428, 554, 565,
 722, 724–725, 728, 798
- locked nucleic acid (LNA) 254, 259, 266,
 487, 489–490, 591, 595
- logic
 adder circuits 637
 disjunctive normal form 637
- long distance interaction (LDI) 672
- long terminal repeats (LTRs) 30, 31,
 35–40
- L-RNA substrates 578
- L1Tc 35–36
- m**
- magnesium ions 14, 243, 434, 442, 450,
 464, 467, 744, 760, 765, 767, 774,
 776–777, 792, 871
- magnetic interactions 818–820
- MaN6P 99
- mCSP 262
- messenger RNA (mRNA) 92, 169, 193,
 308, 340, 405, 421, 445, 490, 505,
 667, 763
- biogenesis 41
- pre-mRNAs 169–174
- metal ions 838
 hypothesis 175
 monovalent 100
 two-metal ion mechanism 247–250
- 6-methyl isoxanthopterin (6MI) 584,
 623, 627
- M1-GS approach 265–266
- Michael reaction 551–552
- microbead displays 376, 728–730
- microfluidic-assisted 730–732
- μ IVC 730–731
 light-up RNA aptamers 731
- microhomology 34
- mitochondrial-like (ML) 147
- Mn²⁺-binding site 839–842, 845–846
- modeling approach combination 867
- monovalent metal ions 70, 78, 100–101,
 594
- multifrequency continuous wave (cw)
 EPR 820, 821
- murine cytomegalovirus (MCMV) 262,
 266
- mutant flexizymes 530–532
- n**
- NaA43 DNAzyme 692, 693, 695, 700
- Naegleria* type LCrz 126–128, 130, 131
- nanoclusters 629
- nascent polypeptide chain (NC) 194
- natural ribozymes 3, 5, 117
 acido-basic aspects of
 transesterification 770–773
 chemical modifications 489–490
 circular permutation 767–770
 hammerhead and hairpin 664
 2'-hydroxyl group 759–767
 location of cleavage site 755, 757
 mechanistic and structural studies
 488–489
 pistol ribozyme 777
 strategies to inactivate nucleophile
 754–755
 transesterification reaction 768

- natural ribozymes (*contd.*)
 twister ribozyme 773–775
 twister sister (TS) ribozyme 776–777
- ncRNAs 193, 285, 288, 290, 295–296
- NDP 343
- neural networks
 artificial 639
- Neurospora* Varkud Satellite RNAs
 29–30
- Neurospora* Varkud satellite (VS)
 ribozyme 463, 464
 S/R complex 473–474
 circular permutations and *trans*
 cleavage 464–466
 crystal structures of dimeric form 473
 divide-and-conquer strategy 471
 engineering 480–481
 helix-length compensation 474–475
 I/V kissing-loop interaction 466–468
 improving cleavage activity 478–480
 kissing-loop complexes 470–471
 kissing-loop substitution 475–476
 nuclear magnetic resonance 802
 SLI 466–468
 SLI sequences 468–470
- N-glycanase 1 (NGLY1) gene 315
- NHS-ester chemistry 489
- nitroxides 818, 820, 822, 824, 826, 828,
 832, 834, 837–838, 847
- NMP 343
- NOESY 8–10, 12–13, 16–22
- non-bridging oxygen 5, 64, 80, 176, 244,
 248, 584, 597, 687, 692, 743–744,
 746–748, 774
- non-coding RNA (ncRNA) 143, 157, 193,
 266, 285–286, 288–291, 294–296
- non-covalent labeling 834, 837
- non-enzymatic polymerization 361
- non-enzymatic RNA polymerization
 360–361
- non-LTR retrotransposons
 HDV-like ribozymes for
 retrotransposition 30–34
 lineages 34–35
- non-natural nucleotides 487–489, 491,
 494, 834
- non-proteinogenic aminoacyl-tRNAs
 (nPAA-tRNAs) 520
- non-ribozyme RNAs
 oligonucleotide-protein complexes
 847, 849
 riboswitches 847, 848
- non-Watson-Crick pair 429–430
- nPAAs 520, 527, 530, 532–535, 537–538
- ortho*-nitrophenyl ethyl (NPE) 6
- N-terminal domain (NTD) 197
- NTP 343, 351–352, 372–374, 377–378,
 399, 565, 598, 787, 794
- nuclear localization signal (NLS) 29, 39
- nuclear magnetic resonance (NMR)
 spectroscopy 785–789
 group I introns 804–805
 group II introns 805
 hairpin ribozyme 801
 hammerhead ribozyme 800–801
 hepatitis delta virus 794–799
 isothermal titration calorimetry 470
 kissing-loop complexes 470–471
 labeling of particular RNA regions
 789–790
 leadzyme 802–803
Neurospora Varkud Satellite ribozyme
 802
 photocaging strategy 790
 resonance assignment 792–794
 Ribonuclease P 803–804
 RNA initial screening 791–792
- nuclear-cytoplasmic RNase P 227, 254,
 255, 260–265
- nucleic acids
 catalytic 635
 complementary 635–637
 oligonucleotides 636
- nucleobases 12, 463
 adenine and guanine 9–13
 nucleolytic ribozymes 8–9
 pKa values 10, 18
 substitution 12

- nucleolytic ribozymes 5, 6, 57, 58
 acid-base catalysis 59, 60
 acids and bases reactivity 13
 active catalyst fraction 9–13
 chemical mechanism 7, 58
 classification 80–83
glmS 78–80
 hairpin and VS 61–66
 hammerhead 69–71
 hepatitis delta virus 72–74
 pH dependence of reaction rates 9–13
 pistol 76–78
 pKa shifting 13–14
 secondary structures 58–60
 twister 66–69
 twister sister (TS) 74–76
- nucleolytic RNAs 741, 753
- nucleophile deprotonation 8
- nucleophilic attack 5, 7, 8, 17, 67, 70,
 76, 79, 101, 104, 108, 117–118,
 122, 185, 201–204, 335, 345, 346,
 347, 361, 368, 370–371, 373, 422,
 440, 550, 553, 687, 744, 754, 763,
 768
- nucleoside monophosphate kinases
 (NMPKs) 332–333
- nucleosides 591
 phosphoramidite 5
 triphosphates 332–333, 335, 372–373,
 403, 488, 491–492, 595, 597–602
- nucleotide analog interference mapping
 (NAIM) 64, 95–98, 109, 251, 488
- nucleotide analog interference
 suppression (NAIS) 95, 97
- 2-nucleotide-bulge 153
- nucleotide kinases (NKs) 332
- O**
- oligomeric transcript 26–28
- oligonucleotides 5, 575
 antisense 254, 266, 588
 protein complexes 847
 RNA 759
 synthetic 768
- open reading frame (ORF) 29, 31, 34–36,
 38, 93, 130–131, 145, 148, 153, 188,
 287, 289, 292–294, 308, 463, 532,
 675
- orthogonal tRNA/ribosome pair 533
- P**
- Pake pattern 824
- Pb²⁺ sensor 704
- peach latent mosaic viroid* (PLMVd) 26
- Penelope*-like elements (PLEs) 30, 40,
 307
 hammerhead ribozymes 35–39
- Penelope*-like LTRs (PLTRs) 30, 37
- penelope-like retrotransposable elements
 (PLEs) 307
- peptide bond formation 91, 195–197,
 200, 202–206, 210–211, 284–285,
 331, 359
- peptidoglycan 286
- peptidyl transfer catalyst 521
- peptidyl transferase center (PTC)
 194–195, 202–205, 209–211, 359,
 435
- pH-reactivity profiles 106–108
- phenothiazine derivatives 255, 257
- phosphodiester 744, 746, 748
 bond 440
 transesterification 754
- phosphor-ester linkage 420
- phosphoramidite 557, 574, 590, 597, 789,
 828–829, 832
- phosphorane 5, 7–8, 58, 64–65, 687, 690,
 754, 767, 772
- phosphorothioate (PS) 175, 692, 817, 829
 method 16
 modification 73
- 5-phosphoribosyl 1(α)-pyrophosphate
 (PRPP) 332, 336–340, 404
- phosphoryl transfer catalysis 6–8
- phosphoryl transfer enzymes 331, 332
 capping ribozymes 340–344
 glycosidic bond forming ribozymes
 336–340

- phosphoryl transfer enzymes (*contd.*)
- kinase ribozymes 332–336
 - ligase ribozymes 344–350
 - polymerase ribozymes 351–353
- phosphoryl transfer reactions 3–7,
16–18, 173, 176, 248, 331–333, 337,
340, 353
- phosphoryl transferase 336
- phosphorylation 331–336, 349, 351–352,
403, 566, 688
- photo-cross-linking assays 587
- photoactive DNA components 625–629
- photocaging groups 596
- photocatalysts 624–625
- photochemical DNAzyme (PDZ) 621
- design 627
 - photoactive DNA components
625–629
- photoDNAzymes (PDZs) 622–624
- photoenzymes 621–622
- photolabile caging group 6
- photolyases 583, 593, 621–623, 625–626,
629
- phylogenetic classification 145–148
- picoinjector 730
- pistol ribozymes 71, 76–78, 291, 742
- env25 743, 745
 - guanosine–33 747
 - guanosine–40 743–744
 - mechanistic proposal 747–749
 - natural ribozymes 777
 - purine nucleoside–32 744–747
 - structural aspects of 778
 - structures of 741–743
- pK_a shifting 13–14
- Planck constant 822
- poly-purine tract (PPT) 36, 40
- polyacrylamide chains 705
- polyethylene glycols (PEG) 592–593,
595, 726, 753
- polymerase chain reaction (PCR) 261,
377, 552, 574, 692, 710, 722
- polymerase III promotor 39
- polymerase ribozymes 332, 350–353,
359–381, 390, 395–396, 433, 435,
565, 727, 733
- polynucleotide nucleotide kinase (PNK)
332–333
- polyphosphorylating reagents 335
- Pospiviroidae 25–28
- post-SELEX modification 589–595
- postsynthetic labeling 829–832
- potato spindle tuber viroid* (PSTVd) 25
- ppRNA 343, 344, 349
- pre-rRNA processing 128, 130
- pre-spliceosome
- A complex 179
 - activated B complex 182–183
 - B complex 179–182
 - C and C* complex 183–185
 - intron lariat spliceosome (ILS) complex
185–187
 - P complex 185
 - tri-snRNP 177–179
- precursor tRNA (pre-tRNA) 234, 248,
260
- precursor-messenger RNAs (pre-mRNAs)
169
- introns 172
 - splicing 170, 171, 173, 174, 189
- prenyltransferases 548
- primer binding site (PBS) 36, 40, 377,
550, 668, 672
- primer extension (PEX) 119, 124, 360,
367, 371, 379, 565, 574
- proteins
- catalyzed phosphoryl transfer 248
 - enzymes 173, 519, 589
 - signaling cascades 650
- proteinogenic amino acids (PAAs) 519,
527, 530
- protonation 7–9, 12–13, 59, 61–62, 66,
68, 102–104, 109, 744, 746–747,
796, 801
- pseudo-atoms 866
- pseudoknots 28, 31, 33, 58–59, 66–67,
72, 75–77, 79, 95, 99, 125–126, 128,
132–133, 234–235, 287–289, 292,
296, 523, 550, 587, 741–742, 757,
773, 777, 796–797
- pseudo-photoDNAzymes 624–625

- pulsed electron-electron double
 resonance (PELDOR) 824–827,
 829, 832, 834, 837, 843, 846–847,
 849–850
- pulsed EPR dipolar spectroscopy (PDS)
 821–828
 data conversion into distance
 distributions 824, 826
 distance distributions into structures
 826, 828
 experiments 824
- pulsed hyperfine spectroscopy 821, 823,
 838
- purine nucleoside-32 744, 747
- pyridyl modified nucleobases 494
- q**
- quadrupole coupling 820, 841
- quantitative polymerase chain reaction
 (QPCR) 710
- quantum mechanical/molecular
 mechanical (QM/MM) 71, 100,
 105, 108
- quasi species model 392
- r**
- RAGATHs (RNAs Associated with Genes
 Associated with Twister and
 Hammerhead) 290–291
- Raman crystallography 64, 106
- RaPID 532–535, 538
- ratcheting 206–207
- rate-limiting step 98, 197, 203, 249, 368,
 371, 665, 804
- rDNA transcription 130
- real-time NMR (RT-NMR) 790
- recombinase ribozymes 420–421,
 433–434
- relaxation induced dipolar modulation
 enhancement (RIDME) 824, 837
- release factor 1 (RF1) 208
- R2 endonuclease 33
- replicase ribozymes 396–397, 399, 401
- residual dipolar coupling (RDC) 16,
 19–20
- residues, mutation of 770–773
- resonance assignment
 selective labeling 794
 uniform labeling 794
- retroelements 34, 37–38, 149, 158, 162,
 292–293, 303–304, 312, 318
- retrohoming 145, 148–150, 152
- retrotransposition 25, 30–34, 145, 148,
 150, 152, 154, 156, 158, 303–304
- retrotransposon 30–36, 38–40, 303–305,
 307, 320, 323
- retrotransposon-like elements (RTEs) 35
- retrozyme life cycle 40
- retrozymes 28, 30, 36, 40, 304–305, 307
- reverse splicing pathway 763
- reverse transcriptase (RT) 29, 30, 33, 36,
 174, 377, 419, 722, 763
 domain 31, 37, 145, 150, 332
- Reversion-inducing Cysteine-rich protein
 with Kazal motifs (RECK)
 310–313, 315, 317–318
- ribocells
 cell level processes 404–406
 compartmentalization 396–401
 error thresholds 406
 genetic information,–389
 hypothetical minimal metabolism for
 404
 intermediate metabolism 402–403
 metabolic complexity 389–391
 minimal organism 401–402
 stages of 387–388
- ribonuclease P 72, 282, 721, 753
 nuclear magnetic resonance 803–804
- ribonucleoprotein (RNP) 145, 170, 229,
 282–284, 435–436, 520, 721
- ribonucleoprotein particle (RNP) 170
- ribonucleoside-triphosphates (rNTPs) 3
- β -D-ribose 336
- ribose modifications 487, 490
- ribosomal DNA (rDNA) 30
- ribosomal proteins (rProteins) 194–195,
 197–198, 284, 393
- ribosomal RNA (rRNA) 120, 169, 193,
 284, 331, 421, 481, 512, 591
- ribosome
 bacterial ribosome 195, 205, 255, 867

- ribosome (*contd.*)
 - electron paramagnetic resonance spectroscopy 845–847
- riboswitch function 93, 95, 109, 110
- riboswitches 92, 93, 285, 753
 - conditional gene expression control 505–506
 - engineered 506–507
 - non-ribozyme RNAs 847
- ribozyme classes 23–25, 42–43, 282, 288, 290, 292, 294, 748, 785, 862, 863
- ribozymes 3, 4, 91, 92, 289–291
 - acid-base catalysis 17–18
 - domesticated 292–294
 - guanine and adenine 62
 - hairpin or twister 16
 - metal ions role 14–17
 - ncRNAs 295–296
 - new catalytic RNAs 294
 - phosphoryl transfer reactions 5–6
 - protein advantages 282–283
 - protein takeover 282
 - RNA searches 285–289
 - serendipity 283–285
 - use of metal ions 17–18
- ribozymes catalyzing
 - acyl transfer to RNAs 520–521
 - direct tRNA aminoacylation 523–526
 - tRNA aminoacylation via self-acylated intermediates 521–523
- ribozymes crystallization 755
- RNA catalysis
 - chemical reactions rate 4–5
 - limitations to 18
 - nucleolytic ribozymes 8–13
 - pK_a shifting 13–14
 - phosphoryl transfer 6–8
 - phosphoryl transfer reactions 5–6
 - ribozymes 3, 4
 - transition state theory 4–5
- RNA catalysts 91, 93, 97–98, 281–283, 290, 331, 339–340, 448, 492, 545, 548, 550, 559, 566
- RNA degradation 150, 259, 367, 372, 743
- RNA enzymes 285, 337, 349, 387, 519
- RNA interactions with ligands 867–868
- RNA intermediate 28–31, 33, 38, 304
- RNA labeling, spin labels for 830
- RNA labeling methods 4
- RNA ligation 332, 345, 365, 368, 380, 419, 420, 557–567, 651
- RNA molecules 40, 91, 121, 134, 138, 157, 193, 194, 255, 312, 332, 344, 346, 349, 389, 391, 419, 433, 434, 448, 450, 482, 546, 552, 558, 565, 573, 574, 663, 665, 670, 671, 675, 677, 722, 861, 862, 867, 871
- RNA oligomers 28, 332, 333, 336, 341, 421, 433, 435, 520
- RNA oligonucleotides 360, 362, 367, 372, 380, 557, 574, 589, 759
- RNA polymerase (RNAP) II 135
- RNA polymerase ribozymes (RPR) 360, 367, 372, 373, 375
 - selecting improved polymerase activity I 374–377
 - selecting improved polymerase activity II 377–381
- RNA polymerases 156, 193, 346, 353, 363, 364, 373, 379, 491, 787
- RNA polymerization 351, 352, 360–363, 366, 370, 371, 376, 380, 389, 490
- RNA postsynthetically, spin labeling of 829, 831
- RNA recognition motifs (RRMs) 187
- RNA recombinases 433, 449–450
- RNA recombination 419, 420
 - Azoarcus* RNA fragments 425–427
 - Azoarcus* group I intron 421–422
 - autocatalysis 428
 - chemistry 420
 - cooperativeself assembly 429–430
 - crystal structure 422
 - game theoretic treatment 430–434
 - mechanism 422–423
 - prebiotic chemistry model 423–425

- RNA repair 344, 443, 446–449
- RNA replicase 360–364, 380, 381, 396, 402, 420
- RNA replicator
 reaction conditions 366–367
 sequence space 364–366
 strand separation problem 367
- RNA self-replication 362, 364
- RNA sequences 91, 229, 232, 292, 360, 364–366, 378, 488, 489, 505, 508, 519, 523, 524, 537, 538, 546, 550, 551, 561, 565, 745, 770
- RNA strands 239, 360, 361, 403, 433, 454, 767, 832, 834
- RNA structure type 8, 23, 25, 64, 99, 177, 179, 229–233, 235, 250, 284, 367, 380, 450, 463, 557, 770, 866, 867, 869, 871
- RNA synthesis 332, 377–379, 488, 489, 828–829
- RNA template 26, 30, 351, 362, 367, 371, 377, 378, 565, 798
- RNA transcriptomic SELEX 535–537
- RNA-DNA duplexes 582
- RNA-ligand complex 868, 870
- RNA-RNA ligation 420
- RNA/DNA chimeric substrate 688
- RNAComposer 866
- RNase P ribozyme 227
 A248/nt-1 interaction 251–253
 active site architecture 250–251
 antibiotic target 254–258
 architectural principles 233–235
 EGS technology 259–261
 guide sequence (GS) concept 258–259
 holoenzyme 257–258
 P protein 258
 P15 module 253–254
 single protein subunit 233
 structure and evolution 229–233
 substrate interaction 235–247
 two-metal ion mechanism 247–250
 variations, idiosyncrasies 233–235
- RNase P ribozyme
 structure and evolution 229–233
- rolling cycle amplification (RCA) 709, 710, 727
- root-mean square fluctuations (RMSF)
 analysis 478
- R5P 336–340
- R18 polymerase ribozyme 366, 369, 374, 375
- R2 protein 31–33
- S**
- Sarcin-Ricin loop (SRL) 197, 199, 201, 202, 206, 211
- satellite RNAs 25, 27–30, 283, 284, 303, 304, 439, 868
- scissile phosphate 3, 12, 16, 60–69, 72–81, 101, 105, 108, 154, 174, 176, 185, 187, 422, 473, 478, 488, 692, 742–748, 755, 759, 767, 770–771
- scissile phosphodiester 108, 109, 244, 248, 252, 767–770, 800
- screening catalyst-coding gene libraries
 double emulsions 727–728
 microbead-display 728–729
- secondintronic HHR 312–315
- selected ribozyme sequence 479
- SELEX 722, 724
 cycle 492
 polymerization 595–602
- self-alkylation reaction 551, 553
- self-aminoacylation 520, 522–524
- self-cleaving ribozymes 23, 25
 biological roles 42–43
 classes 24
 DNA intermediate 29–30
 glucosamine-6-phosphate 41–42
 hepatitisδ virus RNA 29
 inretrotransposition 25
 mRNA biogenesis 41
 synthetic biology 43
 transposable elements 30–40
 viroid like satellite RNAs 28

- self-cleaving ribozymes (*contd.*)
 viroids 25–28
- self-modifying ribozymes
 in vitro compartmentalization
 725–732
- self-replication 132, 350, 359, 361, 362,
 364, 378, 380, 381, 389, 396, 402,
 420, 453
- self-splicing hairpin ribozymes 452–454
- self-splicing intron (SSI) 5, 17, 39, 72,
 248, 283, 293–295, 331, 359, 362,
 508, 721, 754
- self-splicing ribozymes
 group II introns (GIIi) 143–145
- serendipity 283–285
- 70S formation 197
- Shine–Dalgarno sequence 509, 758
- short internally deleted elements (SIDes)
 34
- short single-stranded DNA (ssDNA)
 149, 150, 548, 703, 709, 710
- signal recognition particle (SRP) 770
- single molecule Förster resonance energy
 transfer (smFRET) 212
- single-frequency technique for refocusing
 dipolar couplings (SIFTER) 824,
 825
- single wavelength anomalous diffraction
 (SAD) 772
- 30S initiation complex (30SIC) 196, 199
- 70S initiation complex (70SIC) 196, 197,
 199
- site directed spin labeling
 labeling long RNAs 832–834
 nitroxides 837–838
 non-covalent labeling 834–837
 postsynthetic labeling 829–832
 RNA synthesis 828–829
- small angle X-ray scattering (SAXS) 98,
 125, 470, 772, 817
- small long terminal repeat
 retrotransposons (SMARTs) 40
- small nuclear ribonuclear protein
 particles (snRNPs) 171
- small nuclear RNA (snRNA) 143,
 171–188, 312, 317, 564, 721
- small ribosomal subunit (SSU) 194, 309,
 509, 513
- small self-cleaving ribozymes
 discontinuous HHR 307–310
 from retrotransposition to
 domestication 303–304
 hammerhead ribozyme 304–307
 Hepatitis D virus ribozymes 318–322
 intronic HDV-like ribozyme 320–322
 intronic HHR 310–315, 318
- small subunit (SSU) rRNA 119
- 817small-molecule coenzyme 82
- smaRt-SELEX approach 537
- S_N2-like reaction 754, 755, 760, 767, 772,
 777
- snRNPs 170–171, 179
- Sonogashira C-C cross coupling 829
- specificity domain (S-domain) 229
- S phase cyclin A-associated protein in the
 endoplasmic reticulum (SCAPER)
 316, 317
- splice donor (SD) 668, 672
- spliceosomal
 cycle 171–172, 188
 group II active sites 187–188
 snRNA structures 173–174
 structural studies 177
- spliceosomal RNP 187–188
- spliceosomal splicing 132–134
- spliceosome
 activation 182
 active site 176
 assembly pathway 172–173
 biochemical characterization 179
 disassembly 187
 post-catalytic 185, 187
 snRNPs 170–171
- splicing 170
 assays 119
 chemistry of 173–176
- S/R complex 466, 470–474, 480
- ssNMR 1, 3
- stem-loop I (SLI) 464, 474, 475, 476, 479,
 480, 558, 667, 695, 802
- substrate 464–474
- SLI/SLV complex 470, 471, 476, 480

- stem-loop V (SLV) 464, 467, 468, 470, 472–473, 476–481
- stochastic corrector model 399–401
- sub-megadalton enzymes 145
- substrate/ribozyme (*S/R*) complex 466, 470
- symmetric rolling circle replication 28
- synthetic oligonucleotides 488, 489, 642, 768
- t**
- α TAR antisense domain 671–672
- target DNA-primed reverse transcription (TPRT) 32, 33, 35, 39, 149
- target-primed reverse transcription 33
- target-site duplications (TSDs) 36, 39, 40
- tautomerization 202, 394, 744
- TcdC 696
- telomerase reverse transcriptases (TERTs) 39
- temperature replica exchange molecular dynamics (T-REMD) 477, 478, 479, 480, 481
- template-based modeling 862–866
- template-free modeling 862, 866–867
- terminal-repeat retrotransposons in miniature (TRIMs) 40
- tethered self-tagging (TST) 379
- tetracycline regulated promoters 136
- Tetrahymena* group I intron 333, 346, 362, 368, 433, 845
- Tetrahymena* ribozyme 421, 424, 425, 439, 578, 762
- tetramethylrhodamine (TMR) 699
- thio-modified phosphoramidites 832
- thio-modified RNA bases 832
- thiophilic metals 690–692
- thymine dimer repair 622–625
- Toehold-mediated strand displacement 637, 639, 643, 647
- trans*-activation response element (TAR) domain 667, 669, 670
- transfer RNA (tRNA)
- for in vitro selection 535–537
 - maturation 331
 - from RNA pool 535
- substrate sequence 526
- tRNA/ribosome pairs 530–532
- transition state theory 4–5
- translation cycle 196
- 30PIC formation 197–198
 - 30SIC formation 199
 - 70SIC formation 199
- elongation 199–208
- initiation 196–199
- mRNA 198–199
- recycling 211–213
- termination 208–211
- transposable elements (TEs)
- copy and paste mechanism 30
 - cut and paste mechanism 30
 - hammerhead ribozymes 35–40
 - non-LTR retrotransposons lineages 34–35
 - R2 elements 30–34
 - retrozymes 40
- transposons 30, 40
- TRAP 444, 445
- tri-snRNP 172, 177–179, 182, 187
- tRid 535, 536, 538
- trigger ionization 744
- trimetaphosphate (TMP) 332–335
- twin ribozymes
- for RNA repair and recombination 446–449
 - mediated RNA recombination 448–449
- twister ribozymes 59, 66–69, 80, 287, 289, 292, 388, 748, 774
- natural ribozymes 773–774
- twister RNA structure 288, 289
- twister sister (TS) ribozymes 74–76, 287
- case studies 869, 870
 - natural ribozymes 776–777
- two-metal ion mechanism 247–250, 762
- u**
- 3' untranslated regions (UTRs) 31, 92, 292, 293, 307, 510
- 5' untranslated regions (5' UTRs) 31, 92, 285, 286

V

- vanadate ion 767, 779
- Varkud satellite (VS) 9, 25, 57, 61–66, 284, 380, 392, 463, 664, 753, 869
 - case studies 869
 - natural ribozymes 770–771
- viroids 25–29, 40, 58, 283, 284, 303, 304, 318
- viroid like satellite RNAs 25–28
- viruses
 - dengue 639–640
 - serotypes 639–640

W

- water-in-oil (W/O) emulsion 374, 728
- Watson–Crick (WC) base pairs 7, 69, 235, 431, 432, 442, 464, 467, 530, 767

- Watson–Crick base pairing 204, 229, 239, 260, 266, 333, 365, 368, 369, 376, 381, 507, 558, 587, 594, 634
- Watson–Crick complementarity 434
- Watson–Crick like geometry 202

X

- X-ray crystallization 687
- X-ray crystallography 3, 79, 96, 99, 117, 119, 122, 123, 125, 127, 134, 138, 372, 476, 563, 741, 762, 767, 817
- XNA 495, 496, 602, 622
- XNAzymes 495, 496

Y

- ytterbium 765

Z

- Z-anchor 152–154

