

Index

a

ab initio molecular dynamics (MD) 146
 absorbed photon-to-current efficiency (APCE) 87, 224
 absorption factor 163, 164
 absorption of photons 10, 79, 161
 acetaldehyde 43, 115, 251, 298
 acetic-acid decomposition 39–41, 43
 acetoacetanilide 262
 acrylaldehyde 115
 action-spectrum analysis 36–39
 activation energies 134
 activation of adsorbed species 134
 adsorption energy 134
 adsorption equilibrium constant 43
 adsorption of biomacromolecules 343
 adsorption sites and charge transfer 202–203
 α -Fe₂O₃ (hematite) photoanodes 58
 agglomeration of nanomaterials 339
 aggregation of nanomaterials 339–342
 algae 9, 11, 344
 ammonia 9, 103, 109, 249, 269, 315
 ammonium acetate 262
 anatase 44
 anatase nanoparticles 113, 144
 anatase TiO₂ 138, 205
 annular photoreactors 179
 anti-Frenkel defect 190
 apparent quantum efficiency (AQE) 40, 113
 apparent quantum yield (AQY) 108, 272

applied bias photon-to-current efficiency (ABPC) 89
 aquatic ecosystem 339
 aqueous triethanolamine (TEOA) solution 250
 aromatic benzaldehydes 251
 aromatic diamines 257
 artificial photosynthesis 1
 aryl triphenyl azine COFs (N_x-COFs) 255
 atomic dipole 130
 atomic layer deposition (ALD) 97, 144
 Au/Al₂O₃ catalysts 112
 Au/TiO₂ 111, 112, 117
 average volumetric rate of photon absorption (AVRPA) 163

b

back reaction 202, 245, 280–281, 318
 band gap 79
 energy 81, 288
 engineering 190
 problem 128
 bare TiO₂ 105
 Beer–Lambert–Bouguer conditions 163
 Beer–Lambert–Bouguer equation 162
 β -Fe₂O₃ 336
 biologically mediated transformations of nanomaterials 344
 biosolids 343
 bi-reforming (BRM) 296
 bismuth tungstate (Bi₂WO₆) 41, 43

- BiVO₄ 288
 - time-resolved local structural dynamics 228–231
 - time-resolved microwave conductivity 224, 231–232
 - time-resolved THz spectroscopy 232–237
 - transient absorption 224–228
- β-ketoenamine COFs 255
- blackbody emission 161
- black TiO₂ 202, 209
- Boudouard reaction 296
- 2-bromomalonates 252
- Brouwer diagram 191
- Brownian motion 340
- bubble templating 248
- bulk-C₃N₄ 248
- buried-junction devices 87
- C**
- cadmium sulfide-COF composite material 257
- Calvin cycle 9, 10
- C-anion doped TiO₂ 138
- carbon-based nanoparticles 340
- carbon-defective g-C₃N₄ 204
- carbon dioxide (CO₂) 287
 - capture, storage, and utilization 287
 - reduction 42
- carbon fixation rate 17
- carbon-free energy sources 287
- carbon monoxide (CO) 115, 288, 292, 295, 296, 298
- carbon nanoreactors (CNRs) 113
- carbon nanospheres 113
- carbon nanotubes 190
- Car-Parinello molecular dynamics schemes 130
- carrier diffusion process 222
- carrier lifetime 278
- carrier localization process 225
- carrier transport 273, 277
- catalyst grade TiO₂ 320
- category molecular constraints 155
- C-cation doped TiO₂ 138
- C-doped TiO₂ 322
- CdS 331
- Ce-doping of anatase TiO₂ 139
- cetyltrimethylammonium bromide (CTAB) 260
- charge carrier generation and migration 200–202
- charge carrier lifetime 52
- charge carrier localization 221, 224
- charge carrier separation 130–133
- charge localisation models 146
- charge neutrality 189
- charge partitioning methods 132
- charge transfer selectivity 5
- charge transport pathways 17
- chemisorption-calcination cycle (CCC) 144
- Chlamydomonas reinhardtii* 344
- chlorofluorocarbons (CFCs) 287
- classical catalysis vs. photocatalysis 103–108
- classical thermal heterogeneous catalysis 103
- CO₂ 252
- cobalt phosphate (CoP_i) 249
- co-catalyst 11, 105, 111
- CO₂ methanation 298
- competitive dye light absorption 14
- compound parabolic collecting reactors 177
- computational quantum chemistry 127
 - charge carrier separation 130–133
 - key processes in photocatalysis 127
 - light absorption 128–130
 - photocatalyst materials 138
 - surface reactivity 134–137
- concrete 321
- conduction band (CB) 29, 197, 288
- conduction band edge (CBE) 128
- conduction band minimum (CBM) 128
- conductivity 198
- configurational entropy 187
- conjugated polymers (CPs) 246
 - hydrogen evolution 261
 - most studied 258

- pollutants degradation 261–263
- synthesis techniques 258–260
- continuously stirred tank type reactors (CSTR) 309
- CoPi-modified BiVO₄ films 228
- copper phthalocyanine 295
- Coulomb potential 129
- covalent organic frameworks (COFs) 246, 254
- CP-nanocomposites 258
- CrO_x/Rh 282
- crystalline V₂O₅ 118
- C₃N₄ 288
- Cu/CdS-TiO₂/SiO₂ 295
- Cu-loaded g-C₃N₄ nanorods 297
- Cu₂O 288
- Cu/TiO₂ 296
- Cu/ZnO-based catalysts 109
- cyanamide 248
- cyanobacteria 9
- d**
 - dark polarons 235
 - dark zones 164
 - d-band center 134, 136
 - deep vs. shallow trap states 206
 - defect diffusion 192
 - defects in photocatalysis
 - adsorption sites and charge transfer 202–203
 - black TiO₂ 209
 - characterization techniques 194–196
 - charge carrier generation and migration 200–202
 - charge neutrality 189
 - deep vs. shallow trap states 206
 - definition and thermodynamics 187–188
 - diffusion and segregation process 191–192
 - dimensionality 188
 - dynamic defects 207
 - electronic changes/electronic structure 197–199
 - extrinsic defects 193–194
 - extrinsic point defects 190
 - intrinsic defects 192–193
 - intrinsic point defects 190
 - Kröger-Vink notation and defect diagrams 190–191
 - location 189
 - nonstoichiometry vs. substoichiometry 190
 - optimized treatment conditions and surface-to-bulk ratio 203–205
 - strain-induced photocatalysis 207
 - structural changes/physical structure 197
 - subsurface defects 205–206
 - dehydrated isolated VO₄ species 114
 - density derived electrostatic and chemical (DDEC) scheme 132
 - density functional theory (DFT) 128, 147, 191, 246
 - density of states (DOS) 130
 - depletion layer 82, 83
 - depletion width 82
 - 2, 4-dichlorophenol (2, 4-DCP) 338
 - 2,4-dichlorophenoxyacetic acid 64
 - dicyanodiamide 248
 - 2,5-diethoxy-terephthalohydrazide 255
 - difficult reactions 15
 - diffuse reflectance FTIR (DRIFTS) 59
 - diffuse scattering (*s*) coefficient 35
 - diffusion and segregation process 191–192
 - dihydroxyacetone 112
 - dimensionality 188
 - dimethoxymethane (DMM) 116
 - dimethyl malonate 251
 - dioxygen splitting 111
 - 1,4-diphenylbutadiene (DPB) 260
 - direct band gap semiconductors 81
 - direct light-driven water splitting 79
 - double-skin sheet reactor 177
 - drift 277
 - dry reforming of methane (DRM) 290, 292–296
 - Duran 159
 - dye degradation photocatalyst 5

dye methylene blue 193
 dye sensitization effect 1
 dye sensitized photovoltaic cell 1
 dye-sensitized reactions 38
 dye sensitized solar cells 15
 dynamic defects 207

e

electrocatalysis 273, 279
 electrocatalysts 95
 electrochemical CO₂ reduction reaction 78
 electrochemical reaction kinetics 18
 electrochemical redox potential 81
 electrolyte 280
 electrolyzer (E) conjunct 269
 electromagnetic field enhancement 111
 electron donating reagents 12
 electronic conductivity 198
 electron paramagnetic resonance (EPR) 55, 65, 195
 electron relay 106
 electron scavenger 225
 electron transfer 32
 electron transfer rate constant 15
 electron-vacancy pairs 29
 elemental substitution 235
 Eley–Rideal mechanism 43
 emission of radiation 161
 endergonic overall water splitting reaction 15
 endergonic reactions 6, 9
 endergonic with charge selectivity 6
 endergonic with spatial separation 6
 energy consumption 269
 energy-resolved distribution of electron traps (ERDT) 44
 ethylene (C₂H₄) 288
 Evonik P25 44
 excimer lamps 167
 excitonic reactions 2
 exciton separation 273, 276
 exergonic reaction system 6
 experimental bandgap 129
 extended (volume) defects 188

extended X-ray absorption fine structure (EXAFS) 55, 68, 227
 external quantum efficiency 87
 extinction coefficient 162
 extrinsic defects 193–194
 extrinsic point defects 190

f

falling film photoreactors 179
 Faradaic reaction 17
 [Fe(OH)(H₂O)₅]²⁺ 17
 [Fe(SO₄)(H₂O)₅]⁺ 17
 Fe-doped TiO₂ nanorods 139
 femtosecond-laser systems 39
 femtosecond transient diffuse reflectance (fs-TRDR) measurements 225
 FeO_x-modified TiO₂ 146
 Fermi energy 134, 271
 Fermi level of gold 110
 Fermi softness 136
 Fe₂O₃ 331
 finite systems 130
 Fischer Tropsch synthesis (FTS) 296
 flat band condition 81, 83, 84
 flat band potential 84, 248
 fluorescence/black-body radiation 161
 fluorescence lamps 157
 fluorinated ethylene propylene (FEP) 159
 Fock exchange 129
 formaldehyde (HCHO) 58, 65, 114, 207, 253, 262, 288
 formic acid (HCOOH) 42, 112, 207, 288, 296
 fossil fuels 77, 287
 Fourier transform infrared spectroscopy (FTIR) 59
 free energy change 2, 3, 104
 free energy of activation 11
 free-exciton binding energy 334
 Frenkel defects 190
 Frenkel excitons 276
 frequency and extinction coefficient 35
 fuel producing device 3

fully hydrated VO_x/SiO_2 catalysts 114
 fundamental electrochemistry literature 78

g

GaN:ZnO particle catalyst 10
 GaP 288
 gas-discharge lamps 167
 gaseous/liquid solar fuels 51
 gasoline 269
 $\text{g-C}_3\text{N}_4/\text{Bi}_2\text{MoO}_6$ 144
 $\text{g-C}_3\text{N}_4/\text{TiO}_2$ 144
 generalised gradient approximation (GGA) 129
 Gibbs energy 2
 Gibbs energy of the reaction 271
 Gibb's free energy 2, 128, 187
 of adsorption 134
 of hydrogen 89
 glassy materials 158
 global warming 287
 glyceric acid 112
 glycerol oxidation 112
 gold/ceria composites 111
 graphitic C_3N_4 201, 246, 250
 degradation of organic pollutants 254
 photocatalysis assisted organic synthesis 250–252
 photocatalytic hydrogen production 249–250
 photocatalytic reduction of CO_2 252–254
 structure and properties of 246–249
 Green functions 129
 greenhouse gases (GHGs) 287
 Grätzel's dye sensitized solar cell 1
 ground state energy 128
 gyroidal TiO_2 205

h

halogen lamps 157, 167
 hard template-based NCs 260
 heat-induced lattice strain 231
 hematite ($\alpha\text{-Fe}_2\text{O}_3$) 336
 Henry type-adsorption model 43

hetero-and nano-structuring 144
 heterogeneous catalysis 102
 active site consideration 109
 classical catalysis vs. photocatalysis 103–108
 general function of classical 102–103
 nanosized gold in alcohol oxidation 109–113
 vanadium oxide (sub)monolayer catalysts 113–117
 heterogeneous charge transfer rate 13
 heterogeneous photocatalysis 29
 hexagonal WO_3 nanorods 337
 highest occupied molecular orbital (HOMO) 248
 high-resolution X-ray photoelectron spectroscopy 230
 hole scavenger 225
 homogeneous catalysis 102
 hopping mechanism 191
 “hot-electron (positive hole)” mechanism 39
 hot electrons 111
 Hubbard-like U parameter 129
 humidity 310
 hydrogen (H_2) 77
 hydrogen-and oxygen evolution reactions (HER/OER) co-catalysts 246
 hydrogen evolution 261
 hydrogen evolution reaction (HER) 128
 hydrogen production 128
 hydrogen-reduced TiO_2 nanowire arrays 200
 hydroperoxyl radicals 304
 hydrosulfide 12
 hydroxyl and superoxide radicals ($\text{HO}\cdot$ and $\text{O}_2^{\cdot-}$) 262
 hydroxyl radicals 331

i

ideal regenerative cell efficiency 88
 immersion photoreactors 177
 immobilized catalysts 173, 175
 impedance spectroscopy 196
 incandescent lamps 167

- incident photon-to-current efficiency (IPCE) 87
 - incident spectral photon fluence rate 163
 - incident spectral photon radiance 162
 - indirect band gap semiconductors 81
 - inevitable free-energy loss
 - semiconductors 80
 - in-situ* photocatalytic DRIFTS study 60
 - intensity modulated photocurrent spectroscopy (IMPS) 228
 - internal numbering-up approach 159
 - internal quantum efficiency 87
 - International Union of Pure and Applied Chemistry (IUPAC) 1, 41, 89
 - interstitial diffusion 191
 - intrinsic defects 192–193, 205
 - intrinsic point defects 190
 - iodide/tri-iodide redox couple 15
 - ionic MgO crystal 197
 - iron-based catalysts 109
 - irreversible keto-enol tautomerization 257
- j**
- Japan oval-shaped coins 33
- k**
- KCa₂Nb₃O₁₀ 13
 - kinetic Monte Carlo simulation 228
 - Kohn–Sham equation 128
 - Kohn–Sham formulation 128
 - Kröger–Vink notation and defect diagrams 190–191
 - Kubelka–Munk function 35
- l**
- La-modified TiO₂ nanoparticles 297
 - Landau–Zener theory 228
 - Langmuir adsorption-based kinetic model 43
 - Langmuir-adsorption isotherm 43
 - Langmuir–Hinshelwood kinetics 309
 - Langmuir–Hinshelwood (L-H) mechanism 43
 - lasers 167
 - lattice-matched cubic KTaO₃ 204
 - lead halide perovskites 222
 - Leighton relationship 304
 - L-H mechanism 43
 - lifetime τ (decay time) 10
 - ligand-to-metal charge transfer (LMCT) 115, 317
 - light absorption 128–130
 - coefficient 15
 - and efficient charge carrier separation 134
 - light bulbs 167
 - light emitting diodes (LED) 167
 - light-intensity dependence analysis 39–41
 - light sources 166–173
 - light-triggered, time-resolved FTIR spectroscopy 62
 - linear absorption factor 164
 - linear decadic absorption coefficient 162
 - linear defects 188
 - linear naperian absorption coefficient 161
 - local density approximation (LDA) 129
 - localized surface plasmon resonance (LSPR) 113, 342
 - local volumetric rate of photon absorption (LVRPA) 163
 - lowest unoccupied molecular orbital (LUMO) 248
- m**
- Madelung potential 197
 - manganese-doped ZnO 335
 - many-bodied wavefunction 128
 - mass transfer 273
 - MB photodegradation 201
 - melamine 248
 - melem (triamino-tri-*s*-triazine) molecule 248
 - mercury vapor lamps 157, 167
 - mercury/xenon-arc lamps 39
 - mesoporous g-C₃N₄ (mpg-C₃N₄) 251
 - mesoporous silica host matrices 248
 - metal chalcogenides 142

- metal oxides 138
 - photoabsorbers 225
 - powder 44
 - semiconductors 221
- metal phosphides 142
- metal-semiconductor interface 279
- methane (CH_4) 287, 288
- methanol (CH_3OH) 202, 269, 288
 - dehydrogenation 39
 - photooxidation on TiO_2 62
 - production 287
 - synthesis 109
- methylene blue (MB) 38, 201, 335, 336
- methyl orange (MO) 262, 336
- methyl radicals 4, 296
- methylviologen dichloride 12
- microstructured reactors 159, 179
- microwave discharge electrodeless lamps
 - (MDEL) 172
- mid-infrared (MIR) spectroscopy 59
- MIR spectroscopy 60–62
- (Mo+C)-doped TiO_2 139
- molar decadic absorption coefficient 162
- molar napierian absorption coefficient 162
- monochromatic-irradiation wavelength 39
- monochromator based dispersive IR spectroscopy 62
- monodisperse Fe_2O_3 colloid nanocrystals 336
- monolayer catalysts 113
- monolayer $\text{g-C}_3\text{N}_4/\text{CdS}$ heterostructure 144
- MoO_4/WO_4 tetrahedra 228
- multielectron charge transfer reactions 15
- municipal STPs 345
- n**
 - nano- $\alpha\text{-Fe}_2\text{O}_3$ 336–337
 - nanocluster-surface composites 146
 - nanocomposites 190
 - nano Fe_2O_3 336–337
 - nanoscale zero-valent iron (NZVI)
 - particles 343
 - nanosized gold in alcohol oxidation 109–113
 - nanostructured $\alpha\text{-Fe}_2\text{O}_3$ hollow spheres 336
 - nanostructured photoelectrodes 14
 - nanostructuring of conjugated polymers (NCPs) 258
 - nano TiO_2 332–334
 - nano WO_3 337–338
 - nano ZnO 334–336
 - naphthol blue black (NBB) 337
 - napierian absorbance 162
 - narrow-bandgap semiconductors 132
 - narrow-band monochromatic light 167
 - narrow-band monochromatic spectrum (type C) 167
 - N-aryltetrahydroisoquinolines 251
 - Na_2SO_3 hole scavenger 226
 - natural organic matter 343
 - NCP-hybrids 258
 - N-doped TiO_2 138, 193
 - N-doped ZnO 335
 - near-ambient pressure X-ray photoelectron spectroscopy (NAP-XPS) 54
 - net atomic charge 130
 - NiO 13
 - nitric oxide (NO) 303
 - nitroalkanes 251
 - nitrogen-adsorption measurement 44
 - nitrogen dioxide (NO_2) 303, 307
 - nitrogen dissociation 103
 - nitrogen-doped titania nanotube arrays 295
 - nitrogen oxides (NOx) 303
 - nitromethane 251
 - nitrous acid (HONO) 307
 - nitrous oxide (N_2O) 287
 - 12nm- TiO_2 nanoparticles 113
 - noble metal loading 139
 - nonstoichiometry vs. substoichiometry 190

normal hydrogen electrode (NHE) 128, 248
 n-or p-type semiconductivity 200
 n-type doping 80
 n-type semiconductors 84, 86
 n-type TiO_2 86

O

Ohmic-type contact 279
 oligo(p-phenylenes) (OPP-n) 261
 one-dimensional TiO_2 hollow nanotubular structures 334
 optimal light absorption coefficients 13
 organic dye 42
 organic light-emitting diodes (OLEDs) 167
 organic pollutants 254
 out-scattering effect 161
 overall water splitting 204
 overdoping 200
 overpotentials 10, 86, 89, 90, 92, 95, 105
 oxygen evolution reaction (OER) 204
 oxygen reduction reaction (ORR) 312
 oxygen vacancy 136, 188, 190–192, 196, 197, 200
 ozone (O_3) 287

P

parabolic trough reactors 177
 parallel plate reactors 179
 particularities of different types of photocatalyst 173–176
 passivated anionic and cationic co-doping 139
 Pd nanoicosahedron cocatalyst 208
 PEC solar fuel production 90–93
 pentachlorophenol (PCP) 337
 perfluoroalkoxyalkanes (PFA) 159
 periodic boundary conditions (PBC) 128
 peroxyxynitrite (OONO^-) 305
 peroxyxynitrite intermediate 318
 persistent organic pollutants 331
 photoabsorber 105
 photoacoustic spectroscopy 196
 photoactive reactants 166

photoactive semiconductor nanomaterials 332

in wastewater treatment
 environmental effects of nanomaterials 344
 fate and transformation processes of nanomaterials 339
 nano Fe_2O_3 336–337
 nano TiO_2 332–334
 nano WO_3 337–338
 nano ZnO 334–336
 prevalence, occurrence and routes of nanomaterials 338
 photocatalysis 29, 188, 292
 action-spectrum analysis 36–39
 assisted organic synthesis 250–252
 band-gap determination by Tauc plots 34–36
 light-intensity dependence (LID) analysis 39–41
 photocatalytic activity evaluation 41–43
 photocatalytic activity vs. physical/structural properties 44–46
 reliability in scientific studies 30–34
 photocatalyst materials 138
 photocatalyst powder technology 270–272
 photocatalysts 1, 270
 photocatalytic activity vs. physical/structural properties 44–46
 photocatalytically active paints 320
 photocatalytically active paving stones 322
 photocatalytic CO_2 reduction 288
 CO_2 utilization 291
 dry reforming of methane 290, 292–296
 other reactions 298
 schematic 289
 steam reforming of methane 296–298
 photocatalytic dry reforming (PDRM) 292

- photocatalytic dye degradation reaction 13
- photocatalytic glycerol oxidation 112
- photocatalytic hydrogen production 249–250
- photocatalytic NO_x abatement
 - accurate performance determination 310
 - basic principle 305
 - catalysts incorporation into building materials 320–321
 - intermediates, selectivity 307–309
 - photocatalytic activity 312–314
 - reaction kinetics 309–312
 - reaction pathway 305–307
 - spectral response 314–318
 - strategies to improve the selectivity 317
- photocatalytic organics-decomposition reactions 40
- photocatalytic reaction system 3
- photocatalytic selective isopropanol oxidation 111
- photocatalytic steam reforming (PSRM) 292
- photocatalytic water splitting
 - back reaction 280–281
 - carrier transport 277–279
 - electrocatalysis 279
 - electrolyte 280
 - exciton separation 276–277
 - photocatalysts 270–272
 - photon absorption 276
 - reporting protocol 272–275
 - solar energy conversion 269
 - state of the art 281–283
- photochemical processes 1
- photochemical (excitonic) reaction systems
 - common parameters 10–13
 - mechanistic aspects of 2–10
 - photocatalytic reaction systems 13–17
- photochemical transformations of nanomaterials 342
- photochemical water splitting reaction 2
- photochlorinations 157
- photoelectrochemical energy storage
 - device configurations 86–87
 - device figures of merit and system efficiencies 87–90
 - PEC solar fuel production 93–94
 - protection layers/surface coatings 96–97
 - semiconductor/electrolyte interface under illumination 84–86
 - semiconductors and the semiconductor/electrolyte interface 80–84
 - solar fuel production 90–93
 - surface modification 94–98
 - thermodynamic requirements and driving forces 78–80
- photoelectrochemical water splitting 4, 51, 221
- photoelectrochemistry 52
- photoelectrolytic cells 2
- photoelectron spectroscopy 66–68
- photoelectrosynthetic cells 6
- photoexcitation 52
- photogenerated charge carriers 132, 221, 338
- photogenerated electron-hole (e⁻-h⁺) pairs 331
- photogeochemistry 1
- photoluminescence (PL) spectroscopy 195
- photon absorption 52, 273, 276
- photon energy 271
- photon flux 157, 272
- photonic efficiency 108
- photopolymerizations 157
- photoreactor engineering
 - fundamentals of 155–160
 - light sources 166–173
 - particularities of different types of photocatalyst 173–176
 - radiation field and rate of reaction 160–166
 - types of photoreactors 176–181
- photosensitized CoOx nanoparticles 62

- photosynthesis 1, 104
 - photosynthesis derived fossil fuels 1
 - photosynthetic devices 15
 - photosynthetic reaction system 3, 13–17
 - photosynthetic systems 1
 - photovoltaic (PV) panels 77
 - photovoltaic (PV) power generation 269
 - phytoplankton 9
 - pigmentary TiO₂ 320
 - planar defects 188
 - Planck constant 35
 - Planck equation 161
 - Planck's constant 87, 271
 - plasmonic metallic nanomaterials 342
 - plasmon-mediated photocatalysis 342
 - plaster 321
 - “platinized” TiO₂ 270
 - PLEXIGLAS® 177
 - plug flow type reactor (PFR) 309
 - point defects 188
 - point of zero charge (PZC) 114
 - polaron formation 225, 233
 - polarons 53, 222
 - pollutants degradation 261–263
 - polyacetylene (PAC) 258
 - polychromatic spectrum (type A) 167
 - polychromatic spectrum (type B) 167
 - polydimethylsiloxane (PDMS) 159
 - poly(2-methoxy-5-(2'-ethylhexyloxy)-1,4-phenylene vinylene (MEH-PPV) 263
 - poly(3-octylthiophene-2,5-diyl) (P3OT) film 258
 - polymers 269
 - polymethylmethacrylate (PMMA) 159
 - polymorphous Fe₂O₃ nanosystems 336
 - polysaccharides 343
 - polysulfide radical anion 251
 - positron annihilation lifetime spectroscopy (PALS) 196
 - potassium poly(heptazine imide) (K-PHI) 249
 - powder semiconductor 273
 - pristine CdS nanoparticles 257
 - pristine TiO₂ 111
 - propanal 115
 - proteins 343
 - Pt loaded g-C₃N₄ 253
 - Pt-loaded TiO₂ 208
 - Pt/TiO₂ 296
 - p*-type doping 81
 - p*-type semiconductors 84
 - PV-electrolysis 77
 - Pyrex 159
- q**
- quantum yields (QY) 108, 156, 157, 162–164, 272, 317
 - quartz/fused silica 158
 - quasi-Fermi levels 84, 86
- r**
- radiation constraints 155
 - radiation field and rate of reaction 160–166
 - radiative transport equation 160
 - radical anion stabilization energy (RASE) 255
 - Raman spectroscopy 63–64
 - reaction kinetics 309–312
 - reaction pathway 305–307
 - reaction rate constant 43
 - reactive oxygen species (ROS) 305
 - redox-labile enzymes 344
 - redox potentials 271, 290
 - redox reaction 342
 - reflection absorption infrared spectroscopy (RAIRS) 59, 67
 - renewable energies 221
 - resonance enhanced multiphoton ionization (1+1 REMPI) 67
 - resonant inelastic X-ray scattering (RIXS) 68
 - reversed double-beam photoacoustic spectroscopy (RDB-PAS) 44
 - reverse water gas shift reaction (RWGS) 291
 - Rh/Cr₂O₃ cocatalyst 17
 - Rhodamine B (RhB) dye 335
 - Rh_{2-y}Cr_yO_x composite 17
 - round-coin hypothesis 33

S

- scanning electrochemical microscopy (SECM) 68
- scanning photocurrent microscopy (SPCM) 68
- scanning tunneling microscopy (STM) 68, 191
- Schiff-base condensation reaction 257
- Schottky barrier 110, 111, 132
- Schottky defects 190
- Schottky-Queisser limit 80
- Schottky-type barrier 279
- Schottky vacancy pair formation 191
- second harmonic and sum frequency generation spectroscopy 64
- segregation 192
- selective aerobic oxidation of alcohols 109
- selective methanol oxidation 114
- self-assembled nanoporous WO_3 337
- semiconductor-based photocatalysis 245
- semiconductor/electrolyte interface 84–86
- semiconductor-metal interface 132
- semiconductor photocatalysis
 - challenges in *in-situ* and *operando* characterization 52–54
 - diffuse reflectance FTIR (DRIFTS) 59
 - electron paramagnetic resonance (EPR) 65–66
 - Fourier-transform infrared spectroscopy (FTIR) 59
 - mid-infrared (MIR) spectroscopy 59
 - MIR spectroscopy 60–62
 - non-linear laser spectroscopies 64–65
 - photoelectron spectroscopy 66–68
 - Raman spectroscopy 63–64
 - reflection absorption infrared spectroscopy (RAIRS) 59
 - transient MIR spectroscopy 62–63
 - (transient) UV/Vis/NIR electronic spectroscopy 57–59
 - vibrational spectroscopy 59–63
 - X-ray absorption and emission spectroscopies 68
 - X-ray based spectroscopies 66–68
- semiconductor photocatalysts 332
- semiconductors and the semiconductor/electrolyte interface 80–84
- semiconductor-semiconductor heterostructures 132
- semiconductor-semiconductor interface 132
- semiconductor TiO_2 nanomaterials 333
- sewage treatment plants (STPs) 345
- shallow trap states 206
- shell (usually SiO_2) isolated nanoparticles of a plasmonic metal (SHINERS) 64
- Shockley-Queisser limit 92
- SiC 288
- silicon 15
- single-particle Kohn-Sham orbitals 128
- single-site photocatalysts 105
- small polaron hopping mobility 228
- sodium dodecylsulfate (SDS) 260
- soft templating 248
- solar electricity generation 77
- solar energy conversion 269
- solar fuel (H_2) 78, 255
- solar fuels modeling 92
- solar photoreactors 176–177
- solar-to-chemical (STC) efficiency 93
- solar-to-fuel (STF) efficiency 93
- solar-to-hydrogen (STH) efficiency 78, 88, 91
- solar water splitting 245
- solid (photocatalyst) adsorbing reaction substrate 37
- solid particulate photocatalyst materials 44
- solution absorption coefficients 35
- solvothermal method 334
- space charge layer 83
- space charge region 66, 83, 84, 132
- space charge width 83
- specific layered monoclinic scheelite structure 226
- spectral absorption factor 163

- spectral photon radiance 161
- spectral response 314–318
- spin density plot 130
- spin magnetisation 130
- SrTiO₃ 86, 281, 288
- SrTiO₃/Ni particles 15
- SrTiO₃ photoanode 54
- standard and compact fluorescence lamps 167
- standard Gibbs energy 79
- standard hydrogen electrode (SHE) 79
- steam methane reforming (SMR) 78
- steam reforming of methane (SRM) 296–298
- Stone–Wales defect 190
- strain-induced photocatalysis 207
- subpar water oxidation photocatalyst 105
- subsurface defects 189, 205–206
- sugar fragment 3
- sum frequency generation spectroscopy 64
- sun tracking system 177
- superoxide anions 331
- superoxide radicals 304
- supported vanadium oxide species 114
- surface bidentate formate 295
- surface metal oxide nanocluster modification 146
- surface modification 94–98
- surface enhanced Raman spectroscopy (SERS) 64
- tip enhanced Raman spectroscopy (TERS) 64
- surface reactivity 134–137
- surface redox reactions 279
- surface-sensitive techniques 194
- suspended catalysts 173
- symmetric periodic slab model 132
- t**
- Ta₃N₅ 204, 276, 288
- TaON 288
- tartronic acid 112
- Tauc plots, band-gap determination by 34
- terahertz spectroscopy (TRTS) 222
- terminal hydroxyl (O_a) 147
- thermodynamically uphill process 104
- thin-film fixed bed reactor 177
- thinner TiO₂ hollow nanotubular wall 334
- thioamides 252
- thiourea 248
- time-resolved local structural dynamics 228–231
- time-resolved microwave conductivity (TRMC) 222, 224, 231–232
- time-resolved photoconductivity 231
- time-resolved pump-probe spectroscopy 39
- time-resolved spectroscopic technique 278
- time-resolved THz spectroscopy 232–237
- tin dioxide 106
- TiO₂ 199, 288, 331
- TiO₂-Ag nanowire composite 64
- TiO₂ (rutile)-based photoanode 78
- TiO₂ hollow nanotubular structures 334
- TiO₂ Homibkat UV100 113
- TiO₂-nanocarbon composite 334
- TiO₂ nanocrystals 130
- TiO₄/VO₄ species 105
- titanate nanotube supported gold and rhodium 297
- titania-based photocatalyst 295
- titania photocatalysts 40
- titanium dioxide (TiO₂) 245
- titanium isopropoxide 315
- titanium(IV) oxide 34
- transient absorption (TA) 222, 224–228
- transient absorption spectroscopy (TAS) 57
- transient MIR spectroscopy 62–63
- transient reflectivity (TR) 222
- transmission-type photoabsorption-measurement setups 35

1,3,5-triformylphloroglucinol 257
 triple phase boundary (TPB) 208
 1,3,5-tris(4-formyl-phenyl)triazine 255
 tubular shaped lamps 157
 tuneable α - β surface phase junction 208
 turnover frequency (TOF) 114
 two-compartment water splitting cells
 17
 two-dimensional layered CdS/C₂N
 heterostructure 142
 type C light sources 167

U

ultrafast spectroscopic techniques 53
 “Umberto I” tunnel 321
 undoped and doped anatase TiO₂ 207
 urea 248
 UV/Vis/NIR electronic spectroscopy
 57–59
 UV/VIS/NIR pump-probe absorption
 228

V

vacuum-annealed defective WO_{3-x} 204
 valence band (VB) 29, 138, 197, 288
 valence band edge (VBE) 128
 valence band max (VBM) 128
 vanadium oxide (sub)monolayer catalysts
 113–117
 van der Waals forces 260
 vibrational entropy 187
 vibrational spectroscopy 59–63
 visible-light absorbing photocatalysts 34
 visible light absorption 198
 visible light photocatalytic NO_x
 abatement 314
 visible-light-responsive photocatalysts
 272
 (V+N)-doped TiO₂ 139
 volumetric/linear naperian absorption
 coefficient 161
 volumetric/linear naperian scattering
 coefficient 161
 Vycor 159
 Vycor glass 115

W

Wannier–Mott excitons 276
 water gas shift reaction 112
 water oxidation 15
 water oxidation reaction (OER) 128
 water splitting 128
 photocatalyst 5
 reaction 15
 water-TiO₂ system 146
 wavelength-independent quantum
 efficiency 37
 W doped and W–Ti co-doped BiVO₄ films
 226
 W-doped or W/N-codoped TiO₂ 318
 W-doping effect 227
 wide band gap energy 334
 wide-bandgap material 132
 wide bandgap semiconductors 224
 work function 66, 132, 141, 271
 WO₃ 12, 331
 WO₃/BiVO₄ 144

X

xenon arc lamps 39, 157, 167
 X-ray absorption and emission
 spectroscopies 68
 X-ray absorption near edge spectroscopy
 (XANES) 55
 X-ray absorption near-edge structure
 (XANES) 227, 229
 X-ray based spectroscopies 66–68
 X-ray diffractometry 44
 X-ray photoelectron spectroscopy (XPS)
 249

Y

Yb-doped WO₃ photocatalyst 338

Z

zero point energy (ZPE) 134
 zinc oxide 34
 Zn-doped WO₃ 338
 ZnO 288, 331
 ZnS 331

