

## Index

### a

- ablative reactors 63
- acetaldehyde 42–44, 75, 76, 213, 216, 244, 251, 257, 328, 329, 584
- 3-acetamido-5-acetylfuran (3A5AF) 574–576, 584, 585
- acetic acid (HAc) 78, 79, 101, 121, 230, 231, 234, 237–239, 247, 368, 576, 581–584
- acetic acid ketonization 234, 237, 247
  - on ZSM-5 zeolites 237
- acetic anhydride 230, 233, 249, 252, 255, 258
- 2-acetoamido-2-deoxy-D-sorbitol (ADS) 576–578
- acetol formation 325
- acetone 22, 24, 43, 75, 100, 159, 208, 211–214, 216–219, 234, 240, 247, 325, 360, 555
- 1-acetylmethoxynaphthalene (1-AMN) 258
- 2-acetylmethoxynaphthalene (2-AMN) 258
- acid-and base-catalyzed dehydration reactions 324
- acid anhydride 234, 514
- acid catalysts 448–449, 451
- acid-catalyzed aldol condensation 214
  - mechanism 214–216
  - site requirement
    - activation (enolization), by Brønsted sites 216, 217
    - activation (enolization), by Lewis sites 216–219
- acid-catalyzed dehydration 41, 44, 154, 165, 168, 183, 325, 583
- acid-catalyzed reactions
  - of acetic acid 122
  - of phenol 122
- acid dehydration of pentoses 299
- acidic ionic liquids (ILs) 147, 159, 164, 165, 574, 576, 582, 583
- acidic metal oxides 20
- acid solution 71, 120, 539
- active Lewis acid catalyst 219
- active phases, deCO<sub>x</sub> catalysts 502, 505–507
- acyl anhydrides 229–231
- acylating agents 229–232, 234, 254, 255
- acylation
  - Brønsted vs. Lewis acid 232–234
  - of dimethoxybenzene 233
  - mechanistic aspects 230–232
  - of methyl furan 233
  - reaction 233
  - yield 231
- acyl halides 229–231
- adsorbed acetone 214, 216
- adsorbed carboxylic acid 237, 238
- aging 36, 66–68, 81, 100
- alcohol cracking reactions 74
- alcohol-rich medium 101, 102, 127, 128, 136
- alcoholysis 102
- aldehydes 112, 114–116
- aldol condensation 44, 116
  - acid-catalyzed aldol condensation 214–219

- aldol condensation (*contd.*)
    - base-catalyzed aldol condensation
      - mechanism 208
      - site requirement 208–213
  - aldol condensation reactions 22, 43, 210, 212, 216, 219, 242, 251
    - of acetaldehyde 43
  - algal biodiesel production 442–446
  - alkali/alkaline earth metal ion 220
  - alkali catalysts 446–447
  - alkali metals 9, 11, 13, 239, 241, 244
    - doping 244
  - alkaline solution 71, 307
  - alkoxide formation 221, 303
  - alkylated benzenes 16
  - alkylation
    - base-catalyzed 225
    - Brønsted acid-catalyzed
      - mechanism 220–224
      - site requirement 224–225
    - Lewis acid-catalyzed mechanism 219
  - alkylbenzenes production 12
  - alkyl lactate production 183
  - (alkyl)phenolic compounds 66
  - (alkyl)phenols 79
  - $\alpha,\beta$ -unsaturated ketones 24, 208, 210
  - $\alpha$  carbon 324, 482, 516
  - $\alpha$  carbon deprotonation 324
  - $\alpha$ -Cu<sub>2</sub>P<sub>2</sub>O<sub>7</sub> nanocrystals 170
  - $\alpha$ -H abstraction 210
  - $\alpha$ -hydroxy  $\gamma$ -carboxy alkoxide 235, 237
  - $\alpha$ -pinene 538
    - epoxidation 541, 542
    - hydration 551, 553
    - isomerization 551–553
    - oxide isomerization 555
  - $\alpha$ -strontium phosphates 170
  - $\alpha$ -terpineol 534, 538, 539, 550, 552, 553
  - Amberlyst 70 catalyst 119, 120, 124–126, 130–132, 161
  - amino acid polyols 578
  - anaerobic fermentation-based
    - production of succinic acid 299
  - anhydrosugars 7, 10, 20
  - animal fats, production of 471
  - anisole 38
    - acylation 233
    - HDO conversion pathways 41
  - antibiotics 71
  - anti-carcinogenic properties 173
  - aqueous phase hydrogenation of acetic acid 44
  - arenes 230, 231
  - aromatic hydrocarbons 4–7, 9–11, 13, 14, 18–20, 37
  - aromatic ketone product 232
  - aromatic substrates 230, 231, 249
  - aromatization, of terpenoids 118
  - atomic layer deposition (ALD) 185, 593
  - autotrophic microalgae 443
  - azeotropic distillation 122
- b**
- Baeyer-Villiger (BV) oxidation 259, 376
    - of lignin 378, 379
  - base-catalyzed alkylation 225
  - base-catalyzed transesterification 183, 447, 448, 452, 500
  - batch reactors 39, 44, 123, 136, 305, 317, 320, 417, 418, 452, 482, 504, 505, 507, 592
  - benzene 7, 16, 40, 42, 99, 101, 221, 222, 227, 249–251, 255, 382, 451
  - benzyl alcohol 42, 227, 248, 412, 413
  - beta-cyclodextrins 105, 107
  - $\beta$ -keto acids 234, 236–238
  - $\beta$ -keto acid mechanism 237
  - $\beta$ -pinene-based polymers 546
  - $\beta$ -pinene pyrolysis 542
  - $\beta$ -scission reactions 73
  - bicarbonate 239
  - bidentate carbonate 239
  - bidentate carboxylate species 234
  - bi-functional aluminophosphate catalyst 43
  - bi-functional catalysts 40, 50, 124, 134, 164, 165, 181, 186, 490, 595

- bifunctional hydroprocessing, for
  - reductive lignin depolymerization 403
- bifunctional Pt catalysts 178, 306
- bifunctional silicas 161
- bifunctional Sn doped carbon-silica catalyst 183
- bifunctional sulfated zirconia (SZ) catalysts 167
- bimetallic Ni-Mo catalysts 50
- bimolecular elimination 324
- biocatalysts 440, 540
- bio-crude 36
- biodegradable sugar ester surfactants 183
- biodiesel 2, 439, 472
  - fatty acid methyl esters 439
  - feedstocks along with oil contents 440
  - physico-chemical characteristics 439
- biodiesel production 441
  - algal 442
  - drawbacks 439
  - feedstock cost 441
  - heterogeneous catalysts 450
  - homogeneous catalysts 446–449
  - lipid extraction 446
  - microwave-assisted process 456–459
  - supercritical transesterification process 454–455
  - transesterification 441, 442
  - ultrasonic process 455–456
- bioethanol to gasoline (BTG) 74
- bioethanol to isobutene (ETIB) 246
- bioethanol to olefins (BTO) 74
- bio-gasoline (C<sub>5</sub>-C<sub>12</sub>) 26, 69
- biogenetic isoprene rule 529
- biomass 97, 207, 569
  - CFP 4, 8–10, 13, 14, 18, 20, 22, 26, 27
  - composition 7
  - depolymerization of 207
  - pyrolysis 2, 10, 18, 26, 101, 102, 113, 114, 119, 123
- biomass catalytic pyrolysis 5, 26
- biomass, upgrading of
  - catalytic pyrolysis over zeolites
    - HZSM-5 4, 5, 7, 9
    - deactivation, of HZSM-5 9–13
    - modification of ZSM-5, pore structure 18–20
    - modification of ZSM-5, with metals 13, 14, 16
  - CFP, to produce fine chemicals 24–26
  - CFP, with metal oxide catalysts 20, 22, 24
- biomimetic metalloporphyrin catalysts 362
- bio-oil 1
  - adjustment, of bio-oil composition 65–67
  - aging 67
  - catalysts 132–135
  - catalytic cracking
    - cracking reactions and mechanisms 73–74
    - FCC unit 71–73
    - oxygenated compounds, cracking 74–76
  - components, under esterification
    - aldehydes and ketones 114–116
    - carboxylic acids 109–113
    - furans 113–114
    - other components 117–121
    - phenolics 116–117
    - sugars 102–109
  - and conventional fuel oil properties 64
  - cracking, in FCC unit
    - co-processing, of oxygenates and mixtures 78–80
    - and mixtures with VGO 79, 81–83, 86
    - model oxygenates, cracking of 78
  - cracking of 76, 77
  - esterification process
    - coking 125, 127–129
    - coupled with hydrogenation 123–124
    - coupled with oxidation 123
    - in-line esterification 123

- bio-oil (*contd.*)
- steric hindrance 124, 125
  - under subcritical or supercritical conditions 121
  - subsequent hydrotreatment 129
  - water removal 121–122
  - instability 100
  - microemulsion 66
  - production 591
  - production via fast pyrolysis 63
  - stabilization 66–68
  - upgradation via esterification 112
  - valorization routes for 69–71
    - hydroprocessing 69–70
    - steam reforming 70–71
    - valuable components, extraction of 71
  - vaporization 70
  - via water extraction 111
  - bio-oil co-processing strategy 71
  - bio-oil esterification 113, 592
    - typical catalyst 133–134
  - bio-oil less hydrophilic 111
  - bio-oil upgradation
    - HDO
      - alcohol model compounds 44
      - aldehyde model compounds 41–43
      - carbohydrate model compounds 44–45
      - carboxylic acid model compounds 43–44
      - chemical catalysts 45, 48
      - of phenol, model compound 38
        - anisole 40
        - cresol 40–42
        - guaiacol 38–40
  - biorefineries 62, 145, 165
  - biorenewable molecule 299
  - biosourced molecules, dehydration of
    - glycerol to acrolein 325–328
    - lactic acid to acrylic acid 328–330
    - sorbitol to isosorbide 330–31
  - BioVerno 476
  - 2,5-bis(hydroxymethyl)furan 177
  - boric acid 251, 574–576, 579, 580, 582
  - Boudouard reaction 50, 499
  - Brønsted acid 4, 9
    - density 156, 224, 229
  - Brønsted acid-catalyzed
    - aldol condensation 219
    - alkylation
      - mechanism 220–224
      - site requirement 224
    - dehydration of fructose 165
    - fructose dehydration 154
  - Brønsted acidic sulfoxy groups 167
  - Brønsted acidity 12, 16, 156, 158, 161, 164, 167, 169, 172, 216, 219, 224, 233, 259, 489, 555
  - Brønsted and Lewis acid 4, 170, 183, 218, 224, 225, 228, 250, 593
  - Brønsted vs. Lewis acid sites 171, 232, 593
  - brucite-like hydroxide sheets 151
  - bubbling fluidized beds 63, 72
  - bulk ketonization 234
    - mechanism 234
  - bulk niobia 169
  - 1,4-butanediol (BDO) 316
  - butanol 74, 121, 127
  - 1-butanol 121, 127, 322, 448
- C**
- calcium montmorillonite 165
  - C-alkylation 221, 222, 224
  - C-alkylation of ethanol 222
  - camphene 539, 540, 550–553
  - camphor 531, 551
  - Cannizzaro reaction 313, 316
  - caprolactam 322, 323
  - caprolactone 323, 548–550
  - carbenium ions 73, 74, 220, 222, 223, 378
  - carbocations 73, 74, 324
    - $\beta$  scission reactions 73
    - condensation reactions 74
    - hydrogen transfer reactions 74
    - isomerization reactions 74
  - carbohydrate fraction 70
  - carbon chain branching 125
  - carbon-chain filling strategy 559
  - carbonium ions 73, 234

- carbon nanofibers (CNFs) 301, 303, 484, 508
- carbon-neutral biomass 97
- carbon-supported niobia 169
- carbon-supported Ni, Pt and Pd catalysts 481
- carboxylic acids 43
- carboxylic acid C atoms 231
- C<sub>8+</sub> aromatics 9
- catalyst deactivation 9, 232, 452, 453
  - pathways 597
- catalyst design and development 597
- catalyst surface 43, 48, 50, 135, 158, 178, 242, 331, 451, 480, 507, 510, 517, 594
- catalytic C<sub>5</sub>-C<sub>6</sub> sugar reforming 186, 593
- catalytic cracking 2, 69
  - FCC unit 71–73
- catalytic fast pyrolysis (CFP) 1–272
- catalytic hydrothermal liquefaction 2
- Catalytic microsols 1
- catalytic oxidation, glycerol
  - DHA 305
  - GLYAC 301, 303, 304
  - GLYCAC 305–306
  - LAC 306–307
  - MESAC 305
  - TARAC 304
- catalytic pyrolysis 2, 4–20, 35, 36, 65, 81
- catalytic pyrolysis over zeolites
  - deactivation, of HZSM-5 9–13
  - HZSM-5 4, 5, 7, 9
  - modification of ZSM-5
    - with metals 13, 14, 16
  - pore structure 18–20
- catalytic transesterification
  - heterogeneous catalysts 450–453
  - homogeneous catalysts 446–449
- catalytic transformation of, C<sub>5</sub>-C<sub>6</sub> sugars
  - dehydration catalysts 154, 156
  - MOFs 163–164
  - sulfonic acid functionalized hybrid
    - organic-inorganic silicas 159–163
  - supported ionic liquids 164
  - zeolitic and mesoporous Brønsted
    - solid acids 156–158
- hydrogenation 172, 173
  - Ni catalysts 173–176
  - other catalysts 178
  - Pt catalysts 178
  - Ru catalysts 176, 177
- hydrogenolysis catalysts 179, 181–183
- isomerization catalysts 147
  - HTs 151–154
  - other solid catalysts 154
  - zeolites 149–151
- other reactions 183–184
- tandem isomerization & dehydration
  - bifunctional zeolites and
    - mesoporous solid acids 165
  - metal oxides, sulfates and
    - phosphates 167, 169–171
  - MOF 172
- catalytic transformation, of raw bio-oil 77
- cation exchanged zeolites 151
- cation leaching 151
- C<sub>6</sub> carbohydrates 299
- C-C bond coupling reactions
  - aldol condensation
    - base-catalyzed aldol condensation 208–213
  - magnesia (MgO) 239
    - modification, inorganic materials
      - incorporation 241, 242, 244
    - modification of, synthesis
      - conditions control 239–241
    - modification, organic materials
      - incorporation 244, 245
  - zirconia (ZrO<sub>2</sub>) 245, 246
- C-C coupling reactions 216, 221
  - aldol condensation
    - acid-catalyzed aldol condensation 214–219
    - base-catalyzed aldol condensation 208–213
  - alkylation
    - base-catalyzed 225

- C-C coupling reactions (*contd.*)  
 Brønsted acid-catalyzed  
 mechanism 220–225  
 Lewis acid-catalyzed mechanism  
 219  
 ketonization  
 site requirements 238–239  
 surface ketonization, mechanism of  
 234–238  
 C-C coupling transition state (TS)  
 238  
 C<sub>5</sub> diols 154–155  
 CeO<sub>2</sub>-Nb<sub>2</sub>O<sub>5</sub> mixed oxides 170  
 cetane numbers 86, 442, 498  
 CFP, metal oxide and catalysts 21–24  
 charcoal-supported Mo<sub>2</sub>C 484  
 chemisorption 50, 51, 247, 313  
 chiral reactants 71  
 chitin 569  
 structure 569  
 chitin biomass  
 carbohydrates and acetic acid  
 production 581–583  
 furan amines/amides 574–576  
 heteroaromatic scaffolds from 585  
 N-heterocyclic compound production  
 579–581  
 polyol amines/amides 576–579  
 sugar amines/amides production  
 571–574  
 chitin-derived products 570  
 chitosan 569–572  
 5-chloromethyl furfural (5-CMF) 581  
 chlorosulfonic acid 167  
 Chromogen III 574, 575  
 citrus-derived essential oils 534  
 citrus essential oils 534, 537  
 Cl-alcohols 45  
 classical dehydration catalysts 328  
 click chemistry method 548  
 closed photobioreactors 444  
 cluster models 216, 221  
 C<sub>3</sub> methyl (di)esters 303–304  
 CMK-3 catalyst 554  
 CO<sub>2</sub> adsorption species 239  
 cobalt Schiff base catalysts 363–367  
 Co(salen) catalysts 363, 364  
 Co(N-Me salpr) complex 363, 364  
 Co(salen) complex 363–365  
 Co(salen-pyridine) complex 363  
 CO<sub>2</sub> emissions 62, 63, 86, 87, 97, 145,  
 497, 501  
 co-feeding ethanol 76  
 coke deposition 48, 50, 76, 77, 480  
 coke formation 10, 78, 79, 129  
 reactions 51, 70, 87  
 Coker units 61  
 coke yield, variation of 127  
 coking 10, 13, 14, 20, 24, 25, 40, 50–52,  
 66, 82, 100, 122, 125–129, 136,  
 178, 596  
 cold pressing process 536  
 C<sub>6+</sub> olefins 75  
 C<sub>5+</sub> olefin cracking 75  
 commercial MgO 240  
 CoMoS/Al<sub>2</sub>O<sub>3</sub> catalyst 485  
 competitive adsorption 78, 177, 232,  
 247, 320, 325  
 condensable liquid 97  
 condensation reactions 22, 35, 36, 43,  
 74, 128, 210, 212, 216, 242,  
 251, 329, 381, 382, 558, 593,  
 594  
 conformal ZrO<sub>2</sub> monolayers 167  
 conical spouted bed reactors (CSBR)  
 63, 65, 66  
 coniferous trees 531–533  
 continuous fixed-bed reactor 123  
 continuous water removal 122  
 conventional fossil resources 61  
 conventional hydrotreatment catalysts  
 69  
 conventional liquid transportation fuel  
 35  
 Co(salen)/SBA-15 catalyst 365  
 C<sub>4+</sub> paraffin cracking 75  
 cresole 38  
 cross-polymerisation 101, 106, 113,  
 114, 127  
 crotonaldehyde 43  
 crude glycerol 304  
 crude oil refinery 45  
 crude sulfate turpentine (CST) 534,  
 536

- crude tall oil (CTO) 471, 476, 477, 501, 536
- CuHPO<sub>4</sub>·H<sub>2</sub>O nanoneedles 170
- cumbersome sugars 109
- Cumulative biomass/catalyst ratios 10, 12
- cyclohexane 38–40, 49, 407
- cyclohexanol dehydration 233
- cyclohexanone 38, 40
- cyclohexene/phenol 222
- cyclopentanol 256, 321
- cyclopentanone 22, 320, 321  
on MgO 209
- d**
- Dakin oxidation, lignin model  
compound 376, 379
- DDQ-based oxidation system 375, 382
- dealkylation 70
- dealuminated Sn-Beta (Sn/de-Al-β)  
149
- dealumination 9, 13, 156, 158, 256, 257, 328
- decarbonylation (DCN) 42, 70, 472, 473
- decarbonylation/decarboxylation  
(deCO<sub>x</sub>) of lipids 3  
catalysts  
active phases 502–507  
deactivation 516–518  
support materials 508–509  
lipid feeds 500–502  
reaction conditions 417  
reaction mechanism 511–516
- decarboxylation (DCX) 70, 299, 473  
pathway 50  
reactions 9, 44, 304
- decoupling 2
- deep eutectic solvents (DESs) 165
- dehydration 79, 299  
of alcohols 324  
of cellulose 25, 170  
hydrogenation 43, 44, 147  
rate 171  
of sugars 113, 121, 154
- dehydroaromatization of limonene  
559
- dehydrogenation reactions of terpenes  
557
- demethoxylation 39, 470
- demethylation 39–41
- dense liquid 1
- deoxyfructosazine (DOF) 579
- deoxygenation 2, 7  
of bio-oils 470  
mechanism 24  
of non-glyceride esters 16  
of oxygenates 39
- deoxygenation catalysts 477  
isomerization activity 150, 483  
metal carbides, nitrides and  
phosphide catalysts 483–489  
metallic catalysts 480–483  
sulfided catalysts 477–480
- deoxyhexitols 314
- depolymerization 25
- depolymerization methods 386, 396, 428, 594
- depolymerization of isolated lignins  
bifunctional hydroprocessing  
403–410  
harsh hydroprocessing 403  
liquid phase reforming 410, 414  
mild hydroprocessing 398, 403  
using hydrosilanes, zinc and sodium  
414, 416
- depolymerization, of lignocellulose  
146
- deposition-precipitation 169, 301
- deposition precipitation-carbonization  
169
- DES based biorefineries 165
- de-silication 19, 156, 256
- desilication technique 19
- D-glucose 45
- DHP-lignin model polymers 358
- diesel fraction products 69
- diffuse reflectance infrared fourier  
transform spectroscopy  
(DRIFTS) 246
- 2,5-diformylfuran (DFF) 162, 307, 309–310
- dihydroxyacetone (DHA) 147, 152, 301, 305



- 2,5-dihydroxymethylfuran (DHMF) 321
- 2,3-dihydroxypropene 325
- 3,4-dimethoxyacetophenone 116
- dimethylacetal benzaldehyde 42
- dimethylallyl pyrophosphate (DMAPP) 529
- dimethyl ether (DME) 62, 222, 224
- 2,5-dimethylfuran (DMF) 322
- 2,4-dimethylquinoline 233
- dimethyl sulfoxide (DMSO) 159, 309
- direct deoxygenation of phenol 38
- direct hydrogenation 41, 42
- dissociation of peroxide 300
- distillation 1, 65
- diterpenes 530, 537
- diterpenoid resin acids 530–533, 535, 536, 548, 550, 558
- dodecatungstophosphoric acid (DTP) 228
- doping 167
- doped vanadyl phosphates 170
- downstream conversion, of biomass-derived oxygenates
- catalytic oxidation, glycerol 301
    - DHA 305
    - GLYAC 301–304
    - GLYCAC 305–306
    - LAC 306–307
    - MESAC 305
    - TARAC 304
  - 5-HMF oxidation 307
    - DFF 309–310
    - FDCA 307–309
  - selective catalytic oxidation 300–310
- dragging beds 63
- drying, of wet microalgae biomass 446
- D-sorbitol (SOR) 45, 177, 178, 330, 576
- e**
- early catalytic conversion of lignin (ECCL) 395, 396, 416, 428
- E1cB mechanism 324
- Ecofining™ 476
- electron-donating effect 220, 227
- elemental composition, of bio-oil 119
- Eley-Rideal mechanism 216, 222
- Eley-Rideal model 221
- emulsification 35, 67, 100, 101, 440
- enol 216, 219, 360, 376, 380, 383, 428, 473
- enzymatic catalysts 440, 453
- enzymatic catalysts in biodiesel production 454
- enzymatic mild acidolysis lignin (EMAL) 398
- enzymatic processes 183
- enzyme catalyzed transesterification reactions 453–454
- epoxidation of limonene 554
- epoxidation of monoterpenes homogeneous catalytic process 541
- erythritol (ERY) 299, 312
- essential oils 529, 530, 534–535
- esterification 101, 592
- esterification catalyst 105
- esterification process, bio-oil coking 125, 127–129
- coupled with hydrogenation 123–124
  - coupled with oxidation 123
  - in-line esterification 123
  - steric hindrance 124–125
  - under subcritical or supercritical conditions 121
  - subsequent hydrotreatment 129
  - water removal 121–122
- ethanoic acid ketonization, on TiO<sub>2</sub> 234
- ethanol conversion mechanism 220
- ethyl benzene (EB) 9, 250, 382, 451
- ethylene glycol 44, 127, 181, 239, 573
- ethylene glycol (EG)-derived amino sugars 573
- 4-ethyl guaiacol 26
- ethyl levulinate 109, 324
- 4-ethyl phenol 25, 26, 220
- eucalyptol 118
- exothermic process 13
- ex situ* or vapor upgrading methods 2
- extracted oils 534
- extra framework Al (EFAL) 11, 156, 250



**f**

fast deactivation 213, 477, 490  
 fast pyrolysis 35, 62  
   process 1, 100  
 fatty acid methyl esters (FAMES) 439  
   advantages 2  
 faujasite (FAU) 135, 158, 254, 557  
 faujasite catalyst 135  
 FC acylation 255  
 Fe<sup>III</sup>-porphyrin-based catalyst 309  
 Fe<sub>3</sub>O<sub>4</sub> nanoparticles 162  
 fermentation 62  
 fermentation processes 300, 319, 324  
 first generation biofuels 441, 469, 471  
 Fischer-Tropsch (F-T) 62  
   synthesis 97  
 fixed bed reactors 42, 48, 66, 76–78,  
   123, 305, 323, 507, 510  
 fluid catalytic cracking (FCC) 4, 61–88  
 fluidized bed reactors 65, 77, 86  
 fluidized catalytic cracking (FCC) 61  
 fluidized circulating 63  
 fluorescence spectra, of bio-oil  
   feedstock 126  
 formaldehyde (FA) protected lignin  
   extraction 398  
 formic acid-mediated liquefaction 574  
 5-formyl-2-furancarboxylic acid (FFCA)  
   307, 310  
 fossil fuels 97, 145, 395, 439, 459, 497,  
   501  
 Friedel-Crafts acylation of anisole 229  
 Friedel-Crafts Lewis acid catalysts 219  
 fructosazine (FZ) 579  
 fructose dehydration 154–156,  
   158–162, 164, 167, 170  
 fructose selectivity 151, 154  
 2,5-furandicarboxylic acid (FDCA)  
   307  
   base-free oxidation 309  
   oxidation, base addition 308–309  
   oxidative esterification 309  
 2,5-furandicarboxylic acid dimethyl  
   ester 309  
 furanic amines/amides 574–576  
 furanic molecules 230  
 furanic resins 320

furan ring 108, 321, 322, 574, 575, 581  
 furans 13  
 furfural (FAL) 76, 105, 113, 147, 299  
 furfural formation 155  
 furfuryl alcohol (FOL) 107, 113, 154,  
   320

**g**

$\gamma$ -alumina 45, 50, 245  
 Ga-modified and standard ZSM-5  
   catalysts 15, 17  
 gas chromatography 101, 135  
 gasification 62, 63, 77, 173  
 gasoline fraction 78, 79, 82  
 gasoline fraction composition 83  
 gas phase ketonization, of ethanoic acid  
   234  
 gas-to-liquid (GTL) 62  
 $\gamma$ -butyrolactone (GBL) 316, 318  
 GlcNAc 569–579  
 GlcNH<sub>2</sub> 569–572  
 glucose 147  
 glucose/fructose dehydration 155  
 glucose hydrogenation 173–178, 186  
 glucose isomerization 147, 150–155,  
   167, 178, 186, 259  
 glyceraldehyde 147, 152, 301  
 glyceric acid (GLYAC) 301–304  
 glycerol (GLY) 79, 300  
 glycerol to dihydroxyacetone (DHA)  
   305  
 glycerol to glyceric acid (GLYAC)  
   base-free aqueous oxidation 303  
   noble metal-catalyzed oxidation  
   301, 303  
   oxidative esterification 303–304  
 glycerol to glycolic acid (GLYCAC)  
   305–306  
 glycerol to lactic acid (LAC) 306–307  
 glycerol to mesoxalic acid (MESAC)  
   305  
 glycerol to tartronic acid (TARAC)  
   304  
 glycolic acid (GLYCAC) 301  
 gold catalysts 301, 386  
 graphene oxides 163, 303, 485

- guaiacol 38, 78  
 guaiacol HDO conversion pathways 39  
 $\gamma$ -valerolactone (GVL) 177, 259, 316, 360
- h**
- hairy solid acid catalysts 161  
 harsh hydroprocessing, for reductive lignin depolymerization 398, 403
- HBEA  
 other structure modification methods 258  
 Sn-beta and other isomorphous substituted beta zeolite 258–259  
 zeolite beta, synthesis and application 257–258
- H-BIO 476  
 H $\beta$ -zeolite catalyst 165  
 H<sub>2</sub> consumption 52, 510, 511, 518  
 Heavier ketones 75  
 heavy cycle oil (HCO) 72  
 heavy phenolic components 116, 125  
 (hemi) cellulosic-derived sugars 147  
 hemiterpenes 530  
 heteroatom modified-MFI zeolites 217  
 heteroatoms elimination 35  
 heterogeneous Brønsted solid acids 225  
 heterogeneous catalysts 3, 440, 595  
 advantages 447, 450  
 disadvantages 447, 450  
 for lignin depolymerization 383  
 Au/SiO<sub>2</sub> catalyst 383  
 Cu-containing layered double hydroxide catalyst 385  
 Ni/Mg-Al LDH 384  
 Pd/C catalyst 383  
 Pd/CeO<sub>2</sub> catalyst 383  
 Ru on nanohydroxalcalite 385  
 solid acid catalysts 451  
 solid base catalysts 451–453  
 types of 450  
 heterogeneous catalytic processing 2  
 epoxidation of monoterpenes 553
- heteropolyacids 135, 224, 227, 229, 325, 326, 328, 553  
 heterotrophic microalgae 443  
 hexagonal mesoporous silica (HMS) catalysts 552  
 1,6-hexanediol (HDO) 310, 314, 322  
 4-hexen-3-one 43  
 hierarchical meso- and macroporous structure 242  
 hierarchical zeolite beta 258  
 hierarchical (mesoporous) zeolites 256  
 high surface area graphite (HSAG) 242, 308  
 HMF 102, 107  
 5-HMF oxidation  
 DFF 309–310  
 FDCA  
 base-free oxidation 309  
 oxidation, base addition 308  
 oxidative esterification 309  
 H-mordenites 76, 158, 165, 218  
 H<sub>2</sub>O elimination 324  
 homogeneous base-catalyzed transesterification mechanism 447, 448  
 homogeneous Brønsted acids 225  
 homogeneous catalysts 231  
 acid catalysts 448  
 advantages 446, 447  
 alkali catalysts 446–447  
 disadvantages 446, 447  
 two-step esterification-transesterification reaction 448–449  
 homogeneous Keggin-type heteropolyacid 553  
 homogeneous Lewis acid catalysts 154  
 homogenization of catalyst 77  
 homogenous acid catalyzed transesterification mechanism 448, 449  
 hot-compressed water 167, 170  
 humin formation 105, 156, 158, 161  
 humins 105, 147, 156, 158, 161, 171, 185, 207, 330, 576

- HY
- modification of, mesoporosity 256–257
  - modification of, organosilane hydrophobization 254–256
  - hydrocarbon-based fuels 497
  - hydrocarbon production 13, 62
  - hydrocracking unit cracking 70
  - hydrodecyclization (ring opening) reactions 70
  - hydrodenitrogenation (HDN) 35
  - hydrodeoxygenation 1, 24, 35–52, 69, 499, 559, 595
    - of alcohol model compounds 44
    - aldehyde model compounds 41–43
    - of benzaldehyde 43
    - of carbohydrate model compounds 44–45
    - carboxylic acid model compounds 43–44
    - catalyst deactivation 50–51
    - catalyst promoters 48–49
    - catalyst selectivity 49–50
    - catalysts, operating conditions 46
    - catalyst supports 49
    - chemical catalysts 45–48
    - of phenol, model compound
      - anisole 40
      - cresol 40–41
      - guaiacol 38–40
    - research gaps 51–52
  - hydrodeoxygenation process 50
  - hydrodeoxygenation reactions 48, 52, 100
  - hydrodesulfurization (HDS) 35, 49, 469, 552, 559
  - hydrogenation 38
  - hydrogenation-esterification, of phenol 124
  - hydrogenation/hydrogenolysis 299
    - of carboxylic acids 316–320
      - C-C hydrogenolysis, of polyols 314–316
    - of levulinic acid 316
      - catalysts development 316–317, 319–320
      - selectivity, control 318
      - sustainable process 317, 318
  - of polyols
    - hydrodeoxygenation 311–314
  - reductive amination, of acids and furans 323–324
  - selective hydrogenation, of furanic compounds 320–323
  - of succinic acid 318
  - hydrogenation of furans 112
  - hydrogenation of furfural (FAL) 299, 320
  - hydrogenation, of phenol 40
  - hydrogenation reactions 38, 41, 44, 100, 180, 557
  - hydrogenolysis 38, 473
  - hydrogenolysis catalysts 179–182
  - hydrogen peroxide 300, 301, 303, 360, 361, 365, 368, 379, 539, 541
  - hydrogen transfer reactions 74, 79, 81, 183
  - hydrolysis, of hemicellulose 147
  - hydrophilic/hydrophobic properties 135
  - hydrophilic sulfonic acid-functionalized microbead silicas 331
  - hydrophobic octyl chains 135
  - hydrophobized zeolites 256
  - hydroprocessing 69–70, 398, 403
  - hydrosilylation, of Brønsted acid sites 253
  - hydrotalcites (HTs) 151–154, 178
    - precursors 241
    - solid bases 147
    - supported Pt 303
  - hydrothermal liquefaction (HTL) 35, 36
  - hydrothermal stability 154, 158, 159, 161, 167, 169, 172, 178, 185, 251, 254, 300
  - hydrothermal synthesis 171, 252, 256
  - hydrotreated bio-oil 81, 86
  - hydrotreated vegetable oils 86
  - hydrotreater 48
  - hydrotreating (HDT) 2, 36, 49, 61, 100, 375, 382, 403, 472, 473, 475–477
  - hydroxyacetaldehyde 71

- hydroxyacetone 114, 116, 133, 325, 328  
 hydroxyaldehyde 64, 114  
 hydroxyalkylation  
     Brønsted acid-catalyzed mechanism 227  
     of formaldehyde/phenol 227  
     site requirement 228–229  
 4-hydroxy benzyl alcohol 227  
 hydroxyethyl-2-acetamido-2-deoxyhexopyranoside (HAADP) 573  
 hydroxyethyl-2-amino-2-deoxyhexopyranoside (HADP) 573  
 1-hydroxyhexane-2,5-dione (HHD) diketone 323  
 hydroxyl (-OH) and alkoxy (-OCH<sub>3</sub>) 230  
 hydroxymethyl carbocation 227  
 3-hydroxymethylcyclopentanone (HCPN) 323  
 5-hydroxymethyl-2-furancarboxylic acid (HMFCA) 307, 310  
 5-hydroxymethylfurfural (5-HMF) 102, 147, 300, 307, 581, 582  
     oxidation 307  
 5-hydroxymethyl furfural/levulinic acid/lumen 45  
 5-hydroxymethyl furfurylamine 323  
 2-(hydroxymethyl)tetrahydrofuran (HMTHF) 320, 322  
 3-hydroxypropanal 325  
 H-Y faujasites 158  
 HY mesoporosity 256  
 HZSM-5 catalyst 8, 10, 14, 19, 66, 76, 77, 81
- i**
- immobilization technique 453  
 immobilized lipase 453, 454  
 impregnated lignocellulosic substrates 146  
 in-cell biocatalysis 540  
 indanes 9  
 industrial wastewater 444
- in-line esterification 123, 134  
 integrating organic compounds 244  
 interstitial hydrocarbons 72  
 intrinsic microporosity 256  
 ionic liquid (IL) 146, 164, 219, 308, 372, 574  
 iron protoporphyrin IX (Fe<sup>3+</sup>-PPIX) 361  
 isobutene intermediates 75  
 isolation, of sugars 146  
 isomerization 70  
     reactions 74, 510  
 isomerization catalysts  
     HTs 151–154  
     other solid catalysts 154  
     zeolites 149–151  
 isomer threitol (THR) 312  
 isomethyl oxide 216  
 isopentyl pyrophosphate (IPP) 529  
 iso-propanol/m-cresol 221  
 isosorbide 173, 330  
 isotope labelling 150, 300
- k**
- ketonization 22, 44, 234  
     site requirements 238–239  
     surface ketonization, mechanism of 234–238  
 ketonization of carboxylic acid 234, 237  
 knockout trap configuration 121  
 kraft processing of pine and spruce 536
- l**
- lactic acid (LAC) 43, 44, 153, 299, 301, 306–307, 316, 328–330  
 La-doped CaMgAl-layered double hydroxide (LDH) 309  
 land-based lignocellulosic biomass 569  
 Langmuir-Hinshelwood-Hougen-Watson (LHHW) kinetics 177  
 Langmuir-Hinshelwood (L-H) kinetic model 44

- Langmuir-Hinshelwood models 209, 221
- late-stage catalytic conversion of lignin 396
- late-stage reductive lignin depolymerization
- bifunctional hydroprocessing 403, 407, 410
  - harsh hydroprocessing 403
  - liquid phase reforming 410, 414
  - mild hydroprocessing 398, 403
  - using hydrosilanes, zinc and sodium 414, 416
- layered double hydroxides (LDHs) 151, 309, 383, 482, 551
- levoglucosan 18, 71, 102
- reaction pathways 103
- levoglucosone (LGO) 24
- levulinic acids (LevA) 105, 107, 316, 581
- levulinic acid/ester 105, 107, 111, 113
- levulinic acid/ester separation 111
- Lewis acid catalysts 149, 154, 219, 543, 546
- Lewis acid-catalyzed mechanism 219
- Lewis acid density 233
- Lewis acidic alumina-silica catalysts 555
- Lewis acidic Sn-beta zeolite 233
- Lewis acidity 233
- Lewis acidity controls 233
- Lewis/Brønsted (L/B) ratios 228, 233, 250
- life cycle analyses 597
- light cycle oil (LCO) 69, 78
- lignin 357
- organosolv 360, 368, 381, 383, 395, 398, 407, 416
  - oxidative depolymerization 361–369
  - solvents for lignin oxidation 360
- lignin depolymerization 40
- heterogeneous catalysts for 383
  - Au/SiO<sub>2</sub> catalyst 383
  - Cu-containing layered double hydroxide catalyst 385
  - Ni/Mg-Al LDH 384
  - Pd/C catalyst 383
  - Pd/CeO<sub>2</sub> catalyst 383
  - Ru on nanohydroxalcalite 385
- lignin-derived aromatic molecules 230
- lignin-first approaches 395, 416, 594
- lignin monomers 358, 379, 396
- lignin peroxidase (LiP) 361
- lignin valorization 386, 395–429
- lignocellulose 146
- fractionation 165
  - source 396, 417, 426
- lignocellulosic biomass 1, 51, 62, 145, 395
- limonene 551
- limonene dicarbonate 545
- linear acyl chlorides 234
- linear C<sub>2</sub>-C<sub>22</sub> carboxylic acids 230
- linear correlation 12, 233
- lipid extraction process 446
- lipid feeds 500–502, 518
- liquid Brønsted acid 154
- liquid phase acylation 230, 254
- liquid phase reactor system 232
- liquid phase reforming 396, 410, 414
- liquid phase reforming method 410
- liquid transportation fuels 35, 36, 323, 498, 500
- liquified petroleum gases (LPGs) 69
- loss of crystallinity 13, 154
- low coordination surface oxygen atoms 239
- low temperature CFP 25
- lyxose formation 155
- m**
- magnesia (MgO)
- modification, inorganic materials
    - incorporation mixed oxides 241–244  - modification of, synthesis conditions
    - control 239–241  - modification, organic materials
    - incorporation 244–245

- magnesium leaching 153
- magnesium oxide 239, 240
- mallee wood 101, 119
- maltose 105
- manganese-dependent peroxidase (MnP) 361, 362
- MCM-41-based catalyst 554
- m*-cresols 40, 41, 223, 225, 230, 231, 255
- mechanism of ketonization 234
- mechanocatalysis 146, 578
- mechanochemical methods 572
- Meerwein-Ponndorf-Verley (MPV) 177, 244, 259
- mercaptopropyltrimethoxysilane (MPTMS) 135
- mesoporous carbon microfibers 176
- mesoporous catalysts 66, 159, 326, 555
- Mesoporous/microporous structure 20
- mesoporous silicas 161
- mesoporous silica layer 245
- mesoporous silica shell and dense silica core (MSHS) 161
- mesoporous SiO<sub>2</sub> wall 162
- mesoporous ZrPO<sub>x</sub> 171
- metal-catalyzed aromatic ring hydrogenation 38
- metal-catalyzed cycloalkene hydrogenation 38
- metal halides 154, 538
- metal ions, in catalyst 120, 125, 163, 220
- metallic catalysts 480–483
- metallophthalocyanins 362
- metalloporphyrins 361, 362
- metallosilicates 154
- metallosilicate solid bases 147
- metal-modified and standard ZSM-5 catalysts 15, 17
- metal-organic frameworks (MOFs) 163–164
- metal phosphates 169, 171, 220
- metal phosphates, of aluminium (AlPO<sub>x</sub>) 171
- methanation 70, 486, 499, 510
- methanol 112
- methanol-rich medium 102–105, 107
- methanol-rich medium levoglucosan 102
- methanol to gasoline (MTG) 74
- methanol to olefins (MTO) 4, 10, 74, 249, 251
- methanol, transformations of 74
- methoxy functional group (-OCH<sub>3</sub>) 38, 39
- methoxylated phenols 20, 22
- 2-methoxynaphthalene (2-MN) 258
- 2-methoxyphenol 74, 76, 365
- methoxyphenols 66
- methyl acetate and formaldehyde 251
- methylcyclohexane 40, 41
- 1-methylcyclohexane-1,2-diol 40
- methylcyclohexene 49
- methyl cyclopentane 38
- methyl furan 231, 233
- methyl glucopyranosides 102
- methyl isobutyl ketone (MIBK) 158, 309
- methyl levulinate 102, 105, 107, 113
- methyl levulinate, formation of 110
- methyl palmitate deoxygenation 488
- 3-methyl-3-penten-one 43
- 2-methyltetrahydrofuran (MTHF) 316
- methyltrioxorhenium (MTO) catalysts 368, 542
- methyl xylosides 105
- MFI zeolites 217, 222, 251, 254
- MgO-Al<sub>2</sub>O<sub>3</sub> hydrotalcite 244
- Micro activity test (MAT) 78
- microalgae 443
  - autotrophic 443
  - biomass harvesting 444
  - cultivation systems 444
  - drying of wet microalgae biomass 445–446
  - growth, nutrient source for 443–444
  - heterotrophic 443
- microalgae biomass 443–446
- microporous structure 18, 20, 248
- micropyrolysis system 22
- microwave-based biodiesel production processes 457
- mild calcination 171

- mild hydroprocessing for reductive lignin depolymerization 399
- mineral acid catalysts 125, 132
- mixed metal oxides 152, 167, 170, 410, 450
- mixed oxides, MgO  
alkali-metal 244  
MgO-Al<sub>2</sub>O<sub>3</sub> and MgO-ZrO<sub>2</sub> 241, 242, 244
- Mn-porphyrin/H<sub>2</sub>O<sub>2</sub> system 362
- Mn(II)-Schiff base catalyst 554
- Mo<sub>2</sub>C/Al<sub>2</sub>O<sub>3</sub> catalyst 484
- Mo<sub>2</sub>C/CNF 484, 485
- modification technique 245
- modified co-precipitation method 170
- modulated hydrothermal (MHT) approach 163
- molybdenum oxide catalyst 22
- mono-alcohols to olefins 324
- mono- and bi-metallic systems 300
- monocyclic and bicyclic compounds 50
- monodentate carboxylate species 234
- monomer yield 358, 380–382, 396, 398, 403, 407, 410, 414, 416, 417, 426, 428
- monoterpenes 530, 531, 533, 535–539, 541, 546, 553, 557, 560
- monoterpenoids 530, 531
- MoS<sub>2</sub> catalysts 49, 478
- multi-alkylated adducts 251
- multifunctionality of bioresources 325
- multi-step separation approach 71
- multi-walled carbon nanotubes (MWCNTs) 301, 303, 305
- n**
- nanocrystalline HZSM-5 zeolites 75
- naphtha compounds 38
- naphthalenes 7, 16, 254, 257, 258
- naphthenic alcohol dehydration 38
- N-containing compounds 570, 574, 581
- NEXBTL technology 476
- N-heterocyclic compounds 579–581
- Ni-Al alloys 173
- Ni-Al layered double hydroxide (LDH) catalyst 482
- Ni catalysts 173–176
- NiMoS catalyst 478
- niobia/carbon black catalysts 169
- niobium (NbPO<sub>x</sub>) 171
- nitrogen 119, 185, 368, 376, 414, 443, 469, 517, 569–587
- Ni-W catalysts 38
- N-methyl-2-pyrrolidone (NMP) 323, 575
- N,N*-dimethylformamide (DMF) 309
- non-conventional feeds 71
- non-reducible metal oxides 509
- N-substituted-5-methyl-2-pyrrolidones 323
- nutrient source, for microalgae growth 443
- O**
- O-alkylated ethers 222
- O-alkylation 221, 222, 224
- octadecyltrichlorosilane (OTS) 172, 245
- octane number 40, 41, 75, 82
- <sup>18</sup>O isotope labeling 300
- olefins isomerization 541
- oleoresin 529–537
- oligomerization 156, 158, 480, 481, 517, 518, 548
- one-pot cascade synthesis, alkyl levulinates 169
- one-pot process 146, 184, 331, 594
- one pot reaction system 2
- open raceway pond 444
- organic-linker-bridged disilanes 159
- organic solvents 71, 100, 158, 309, 319, 360, 398, 511, 574, 576
- organic volatile acids 71
- organosolv lignins 360, 368, 381, 383, 395, 398, 407, 416
- orthorhombic niobia nanoparticles 169
- oxalic acid (OXAC) 301
- oxidation, of sugars 147
- oxidative depolymerization, of lignin cobalt Schiff base catalysts 363–367



- oxidative depolymerization, of lignin  
(*contd.*)  
  enzymes and bio-mimetic catalysts  
  361–362  
  methyltrioxorhenium catalysts 368  
  vanadium catalysts 367–368  
oxonium ion 220, 222  
oxygenated compounds, cracking  
  74–76, 83  
ozone/H<sub>2</sub>O<sub>2</sub> 123
- P**
- palmitic acid deoxygenation 487  
*para*-toluene sulfonic acid (PTA) 225  
particle agglomeration 244  
*p*-cresol/formaldehyde  
  hydroxyalkylation 229  
*p*-cresol HDO conversion pathways 42  
*p*-cymene 552, 557, 559  
1,4-pentanediol (PeDO) 310, 316  
3-penten-2-one 43  
periodic mesoporous organosilicas  
  (PMOs) 159  
peroxidase enzymes 361  
petroleum feedstock 62, 86, 591  
petroleum industry 61, 508  
*Phanerochaete chrysosporium*, 361  
phenol-formaldehyde resins 71  
phenolics 13, 71  
  components 125  
  compounds 116, 231  
phenolic-enriched bio-oil fraction 71  
phosphonium ionic liquids 219  
phosphotungstic acid (PTA) 163  
photobioreactors 444  
photocatalytic redox catalysis 380  
physical adsorption 453  
phytol 532, 552  
plant-derived terpenes 529  
platinum-loaded HY zeolite (Pt/HY)  
  catalysts 39  
pneumatic transport reactor 71  
poisoning, of Amberlyst 70 catalyst  
  119, 120  
poly( $\beta$ -pinene) 546  
poly(sodium 4-styrenesulfonate)  
  brushes 161  
poly(limonene) carbonate production  
  545  
polyethylene terephthalate (PET)  
  307  
polyisoprene structures 531  
polymerisation, bio-oil 100, 101  
polymerization, of C<sub>5</sub> sugars 105  
polyol amines/amides 576–579  
polyoxygenated molecules 299  
polysaccharides 71, 146  
poly(4-styrenesulfonic acid) silica  
  particles 162  
poly-(4-styrenesulfonic acid) (PSSH)  
  brushes 162  
pore zeolites 231  
porous metal phosphates 171  
post-benzylally oxidized lignin  
  depolymerization 380  
post-synthetic demetallation approach  
  258  
post-synthetic grafting 159–161  
potassium halogen salts (KX) 328  
Preem Gothenburg refinery 477  
preferred energy resource 97  
pressurized hydrolysis 2  
product distribution 9, 40, 78, 79, 81,  
  114, 150, 181, 223, 256, 403,  
  573  
product fraction distribution 83  
product/reactant distributions 115  
  1-and 2-propanol 74, 311  
propene/benzene 222  
propionic acid 44, 101, 210, 233, 318,  
  328  
propylsulfonic acid derivatised solid  
  acid catalyst 135  
propylsulfonic acid-functionalized  
  SBA-15 materials 135  
protonated adsorbed acetone 216  
proton transfer reactions 74  
proximicin A 585, 586  
pseudoionones production 555  
PS formation rate 244  
Pt catalysts 41, 178, 180, 502, 505, 516,  
  558  
Pt-catalyzed hydrogenation reactions  
  41

- Pt/mesoporous carbon nitride catalyst 303
- Pt-Sn/C catalyst 9
- pure Brønsted acidic niobic acid nanoparticles 169
- p*-xylene 230, 231, 249–252
- pyrazine products 579
- pyridine derivatives 579
- pyrolysis of, mallee bark 98
- pyrolysis oil 1, 2, 45, 48, 63, 65, 81, 82
- pyrolysis reactors 63, 65
- pyrolytic lignin 64, 77, 101
- pyrolyzed biomass 230
- pyrrole 570, 579–581
- r**
- raffinose 105
- Raney Ni 173
- amorphous alloys 173
- catalyst 45, 176, 178
- rate of deoxygenation 48, 482, 501
- reactive bio-oil model compounds 76
- reactive catalytic fast pyrolysis (RCFP) 20
- reactive distillation 122
- recirculation gasoil 72
- reduced graphene oxide-supported Mo<sub>2</sub>C 485
- reducible metal oxides 11, 23, 311
- reducible metal oxide catalysts, RCFP 23
- reductive catalytic fractionation (RCF) of lignin 428
- biorefinery 417
- lignocellulose source 417, 426
- organosolv pulping 416
- origin 416
- reaction conditions 417, 419
- regeneration of deactivated Amberlyst 70 catalyst 120
- removal of heteroatoms 70
- reverse Mars-Van Krevelin mechanism 24
- reverse water gas shift (RWGS) reaction 499
- Rh catalysts 541, 543
- ring hydrogenation 38, 40, 41
- Ru nanoparticles 176, 177
- Ruthenium (Ru) catalysts 174, 176–177
- s**
- screw reactors 63
- secondary depolymerization techniques 376
- acid-promoted Cu(AcO)<sub>2</sub> catalyst 376
- Beckmann rearrangement 378, 386
- second generation biofuels 173, 441, 469
- second-order kinetic dependence 237
- selective catalytic sugar transformations 184, 592
- selective isomerization 147
- selective oxidation 299–301, 305, 307, 309, 331, 362, 369, 381
- self-aldol condensation, of acetaldehyde 43
- self-etherification 222
- sesquiterpenes 530, 531, 533, 534
- shell biorefinery 569–570, 587
- SiC foam monoliths 232
- silica gel immobilized acidic IL catalysts 164
- silica nanoparticles 161, 164
- silica-supported Ni<sub>2</sub>P catalysts 489
- silylated zeolites 158
- Sn-Beta zeolite 149, 165, 233, 258, 259
- SnCl<sub>4</sub>·5H<sub>2</sub>O 150
- Sn/de-Al-β zeolite 150
- Sn-montmorillonite bi-functional catalyst 165
- solid acid catalysts 124, 132, 450, 451
- solid base catalysts 450–453
- solid bio-char 97, 119
- solvent extraction 171
- solvent extraction methods, for terpene recovery 536
- solvent liquefaction 2
- sorbitan 173, 330
- 1,4-sorbitan 330
- 1,4-sorbitan to isosorbide 330
- sorbitol (SOR) 79, 173, 299, 314
- stable lithium carbonate 244

- starch ( $C_6H_{10}O_5$ )<sub>n</sub> 146  
 steam reforming 35, 69–71  
 steam/water distillation 534, 536  
 stearic acid deoxygenation 32, 481, 505, 516  
 step-wise oxidative depolymerization, of  
    $\beta$ -O-4 lignin model  
   compounds  
   activated DMSO 375  
   benzylic oxidation 369  
   CuOTf/TEMPO/2,6-lutidine/O<sub>2</sub>  
   system 373  
   DDQ 374, 375  
   nitroxyl radical and metal catalysts  
   369  
   secondary depolymerization  
   techniques 376  
   TEMPO/CuCl/bpy/NMI/O<sub>2</sub> 373  
   TEMPO/NaNO<sub>2</sub>/NaCl/O<sub>2</sub> 372  
   TEMPO/VOSO<sub>4</sub>/O<sub>2</sub> system 373  
   vibrating disk mill method 374  
 steric hindrance 105, 107, 113,  
   124–125, 134, 136, 379, 583,  
   592  
 stirred Parr reactor 45  
 strong acidity 18, 36, 159  
 subsequent thermal regeneration 163  
 succinic acids (SucA) 299, 316,  
   318–320  
 sucrose 105, 173  
 sugar amines/amides 571–574  
 sugar dehydration 109, 154, 156, 165,  
   167, 171  
 sugar isomerization 147  
 sugar oligomers 105, 107  
 sulfated zirconia 24, 167, 303, 451,  
   552, 553  
 sulfation/phosphorylation 167  
 sulfided catalysts 49, 473, 476–480,  
   484, 489, 490, 499, 595,  
   597  
 sulfonated graphene 163  
 sulfonated graphene oxide 163  
 sulfonation 162, 163  
 sulfonic acids (SO<sub>3</sub>H) 159, 229  
 sulfonic styrene divinylbenzene resins  
   222  
 sulfuric acid 119–121, 125, 126, 132,  
   134, 135, 162, 254, 318, 328,  
   552  
 sulfur-tolerant Faujasite Y (FAU Y)  
   zeolite catalyst 557  
 supercritical esterification 121  
 supercritical transesterification process  
   454–455  
 super-electrophiles 227  
 superhydrophobic mesoporous  
   polymer-based acid catalysts  
   330  
 support materials, deCO<sub>x</sub> catalysts  
   508–509  
 surface acyl species 237  
 surface-bound alkoxide species 222  
 surface hydrophobicity 169  
 surface ketonization 234  
   mechanism 234, 236–238  
 surface silanols 245  
 sustainable biomass 97  
 sustainable refinery model 591  
 swelling, of Amberlyst 70 catalyst 126  
 switchgrass biomass 16  
 synergistic effect 50, 82, 86, 165, 251,  
   308, 414, 572, 596
- t**
- tall oil fatty acid (TOFA) 501  
 tall oil rosin (TOR) 536  
 tandem isomerization-decarboxylation  
   model 511  
 tandem isomerization & dehydration  
   bifunctional zeolites and mesoporous  
   solid acids 165  
   metal oxides, sulfates and phosphates  
   167, 169–171  
   MOF 172  
 tartronic acid (TARAC) 301, 304  
 tautomerization 214, 216, 217, 219,  
   237, 473, 478, 585, 593  
 tautomerization of acetone 216  
 techno-economic analysis 207, 597  
 terpenes 529, 537, 596  
   as adhesives 536–537  
   biogenetic isoprene rule 529  
   in biomass 531

- chemical pulping process 536
- conversion to fuels 558–560
- description 529
- heterogeneous catalytic process 551, 552
  - $\alpha$ -pinene hydration 553
  - $\alpha$ -pinene isomerization 551
  - $\alpha$ -pinene oxide isomerization 555
  - carbonates production 543, 545
  - click chemistry method 548, 550–551
  - dehydrogenation reactions 557–558
  - epoxidation of monoterpenes 541, 553–554
  - hydration and oxidation reactions 538–541
  - hydrogenation reaction 557–558
  - isomerization 541–543
  - polymers and other materials 545–548
  - vitamins 555, 557
- homogeneous catalytic process 538–550
- isolation of 535–536
- for medicinal purposes 537–560
- plant-derived 529
- sources of 532
  - conifers and other trees 532–534
  - essential oils and extracts 534–535
- tapping and extraction process 535–536
- uses of raw terpenes 536–537
- terpenes, flavors, fragrances, therapeutics and pharmaceutical applications 537
- terpenoids 117, 118, 529, 532, 534, 538, 548
- TESAS (3-((3-(trimethoxysilyl)propyl)thio)propane-1-sulfonic acid) 160, 161
- tetrahedral boron species ( $\text{BO}_4$ ) 242
- tetrahydrofuran (THF) 316, 318, 320, 398, 455
- tetrahydrofurfuryl alcohol (THFA) 154
- 2,2,5,5-tetramethyladipic acid 237
- tetraterpenes 531, 532
- tetraterpenoids 531
- thermodynamic equilibrium 100
- thermophilic algae 443
- third-generation biofuels 469
- three-fold enhancement, in 5-HMF 167
- Ti-Beta zeolite catalysts 555
- time on stream (TOS) 12, 13, 232, 477, 507, 555
- tin ions 165
- $\text{TiO}_2$  anatase 212, 237, 238
- titanium ( $\text{TiPO}_x$ ) 167, 171
- toluene 9, 14, 16, 40–42, 49, 71, 75, 222, 225, 227, 230
- toluene acylation 233
- TPP(Fe)Cl/tBHP catalyst system 362, 363
- transalkylation 40
- transesterification 441
  - catalytic 446–454
  - supercritical transesterification process 455–549
- transesterification of triglycerides 440
- transesterification reactions 117, 118, 440, 441, 447–449, 451–454, 456
- transition metal phosphides 486
- 1-(tri-ethoxy silyl-propyl)-3-methyl-imidazolium hydrogen sulfate ( $\text{IL-HSO}_4$ ) precursors 164
- triglycerides 471
  - advantages 471
  - conversion under hydrotreating conditions 472
  - deoxygenation of 472, 478
  - hydrogenolysis 473
  - liquid phase hydrocarbons 475
- trigonal coordinated boron species ( $\text{BO}_3$ ) 242
- 1,2,4-trimethoxybenzene 78
- 1,1,2-trimethoxyethane 114
- (3-mercaptopropyl) trimethoxysilane 331

- trimethyltrioxane trimer 75
  - triterpenes 531, 532
  - triterpenoids 531, 548, 550
  - tunable Ni loading 173
  - tunable physicochemical properties 167
  - tungstated zirconias 327, 451
  - tungstophosphoric acid (HPD) 224
  - turpentine 534–537, 552, 559
  - twofold effect 257
  - two-step esterification-  
transesterification reaction  
448–449
  - two-step thermocatalytic process 77
- U**
- ultrasonic irradiation, advantages of  
456
  - ultrathin conformal monolayers 154
  - unidentate carbonate 239
  - United States Department of Energy  
(DOE) 145, 299
  - unsaturated hydrocarbons 70, 252
- V**
- vacuum distillation 122, 501
  - vacuum gas oil (VGO) 71, 72, 78–80
  - vacuum reactors 63
  - valorization of biomass 62, 86
  - vanadium catalysts 367–368, 385
  - vanadyl phosphates ( $\text{VOPO}_4 \cdot 2\text{H}_2\text{O}$ )  
170
  - Vegan<sup>TM</sup> process 476
  - vegetable oils
    - production of 471
    - properties of 442
  - 4-vinyl guaiacol 26
  - 4-vinylphenol 26
  - vitamin E acetate 555, 556
  - volatile terpenes 531, 532
  - $\text{VO}_x$  nanobelt-arrayed microspheres  
310
  - (dipic)V<sup>V</sup>(O)O<sup>*i*</sup>Pr catalyst 367
- W**
- Walter de Gruyter GmbH 62
  - water gas shift 44, 70, 499, 511, 595,  
596
  - water-tolerant solid acids 325
  - $\text{W}_2\text{C}/\text{CNF}$  485
  - weak  $\pi$  interaction 216
- X**
- xylene 7, 9, 14, 26, 75
  - xylitol (XYL) 299, 314
  - xylose 105
    - conversion 149, 156, 172, 178
    - polymerization of 107, 127
    - reaction pathways of 106
  - xylose dehydration 155, 156, 163,  
171
    - catalyzed by solid acids/bases 155
  - xylose isomerization 155
    - to lyxose 161
  - xylulose formation 155
- Y**
- yields of, ethyl levulinate 109
  - yields of levulinic acid 105, 109
- Z**
- zeolites 4, 10
    - acidity curbs 77
    - catalysts 7, 13, 22, 26, 66, 74, 75, 77,  
156, 158, 165, 379, 475, 555,  
557
    - mesoporosity 257
    - structure 232
    - ZSM-5
      - Al, Ga, Fe, Zn and their oxides  
251
      - B and P-based oxides 251
      - mesoporous ZSM-5 248–249
      - Mg and Mg-based oxides 250
      - modifying acidity, of ZSM-5  
249–250
      - nanoparticle ZSM-5 249
      - noble metals 252
      - organic substances 252, 254
      - other metals and oxides 252
      - Si and Si-based oxides 251–252
  - zeolite catalyzed reactions 10
  - Zeolite HY functionalized with  
octadecyl-trichlorosilane  
(HY-OTS) 255, 256

- zeolite-supported Ni catalyst
  - deactivation 17
- zeolitic solid Lewis acids 147
- Zirconia 24, 154, 167, 184, 239, 245–247, 303, 327
- zirconium phosphates ( $\text{ZrPO}_x$ ) 154, 170, 171
- zirconium salts 154
- $\text{ZnIn}_2\text{S}_4$  photocatalysts 381
- Zn/ $\text{NH}_4\text{Cl}$  method 416
- ZSM-5 catalysts 19
  - mesopores 20
- ZSM-5, structure of 5, 248

