

Index

a

- acid catalyzed hydrolysis 459–461
- acidochromic dye 456
- actuator 305
 - soft robot 198
- adhesive layer 330
- AFM 48, 59, 61, 66, 67, 69, 73, 77, 80, 82, 83, 334, 335, 398, 404, 463, 464
- Airy beam 361, 363, 373, 374
- 3-aminopropyltrimethoxysilane (APTMS) 187
- aminoquinoline (AQ) 184
- ammonium trifluoromethanesulfonate (ATFMS) 455
- amphiphilic block copolymer (BC) 417
 - doxorubicin (DOX) 419, 420
 - hydrophobic photocleavable unit 420
 - middle photocleavable linker 419
 - multi-arm star 436, 437
 - o*-nitrobenzyl 419
 - PDMAEMA 422
 - poly(ethylene glycol) 418
- anthracene 55, 296, 432
- asymmetric assembled film 288, 291–294
- asymmetric deformation of wheel 329
- asymmetric geometry change 185
- asymmetric photoisomerization 134
- atomic force microscopy 18
- atom transfer radical polymerization (ATRP) 437
- Au nanoparticle photothermal properties 187
- Au-*p*NIPAAm, nanocomposite hydrogel 188
- axially chiral azo compound 256–258
- azobenzene-based nanostructure 392
- azobenzene 52, 63, 92, 141, 146, 322
 - BC 422
 - chromophore 63
 - fabrication
 - nano and micro object 404
 - nano-tube and nano-wire 403–404
 - photoactive
 - nanosphere 398–403
 - results 404–407
 - helical twisting power 256
 - isotropic phase transition 236
 - LC micro object 393
 - liquid-crystalline actuator 395
 - m*-methyl red 401
 - molecule
 - molecular orientation state 347
 - optical anisotropy based molecular orientation 345–346
 - trans- and cis-form 344
 - photoactive material 396–398
 - photochromism of 92
 - photoinduced phase transition
 - bent-core system 244–246
 - columnar phase 255–256
 - smectic and chiral phase 247–255

- photoinduced phase transition (*Contd.*)
 - photoisomerization 203
 - photophysical property 394
 - photoswitch 93–100, 107
 - skeleton 183
 - smectic phase transition 242–244
 - azobenzene trimethylammonium bromide (AzoTAB) 182
 - azochromophore 390, 396, 397, 399
 - azo-dye photoalignment 363
 - azopolymer 156, 158, 396
 - exotic nano-object 402
 - film 396
 - micro/nano-object 400
 - micropillar 407
 - nano/micro object 390
 - photo-softening effect of 397
 - Azo-POSS 249
 - azotolane structure 328
 - azoxybenzene 258, 275
 - AzSchi 354, 355
- b**
- bending deformation 202, 207–209, 297, 306
 - benzene-1,3,5-tricarboxamide (BTA) 70
 - biaxial oriented polypropylene (BOPP) 292
 - bilayer actuator
 - azotolane structure 328
 - directional movement 328
 - inchworm walk 328
 - LDPE 326
 - light-driven plastic motor device 326
 - light-driven plastic wheel 329
 - robotic arm 327
 - bilayer composite film 303
 - binary optics 365–370
 - binding affinity 179
 - bio-polymers 16, 83, 319
 - biphenyl LC group 350–352
 - birefringence 233, 234, 236, 237, 347, 355, 361, 372, 379
 - 2,2-bis(hydroxymethyl)propionic acid (bis-MPA) 423
 - bis-ureidopyrimidone (UPy) 54
 - block copolymer (BCs)
 - amphiphilic 417
 - film rehydration 417
 - linear amphiphilic 417–423
 - linear-dendritic BC 423–427
 - micelle 417
 - o*-nitrobenzyl 421
 - photoresponsive
 - supramolecular 429
 - supramolecular BC 427–429
 - blue phase (BP) 106, 110, 233
 - photoinduced generation of 248
 - Bragg's law 93, 256
 - butadiene 267–269
- c**
- calamitic liquid crystal
 - chiral frustrated phase 232–233
 - nematic and cholesteric mesophase 230–231
 - smectic mesophase 231–232
 - capillary-based microfluidic technique 111
 - capsule, photoresponsive polymer self-assemblies 429–432
 - carbon nanotube (CNT) 2, 17, 287, 300
 - and fullerene 18
 - noncovalent functionalization of 17
 - chalcogenide semiconductor 287
 - charge-coupled device (CCD) 365
 - chemical reagent 45, 167
 - chiral dopant 92, 95, 104, 106, 111, 112, 131, 132, 140–153, 249, 250, 253, 256, 257, 262, 264–266
 - chiral frustrated phase 232–233
 - chirality induction
 - achiral LMW liquid crystal 128–132
 - achiral polymer 132–137
 - from achiral soft material 126–128
 - self-assembled supramolecule 137–139
 - chirality inversion, from chiral soft materials 139–160

- chiral nematic phase 93, 131, 134, 140, 230
 - chiral polymer
 - azopolymer 156–157
 - overcrowded alkene 157–160
 - chiral SmA phase 232
 - chiral smectic C (SmC*) phase 231, 232, 250
 - cholesteric liquid crystal (CLC) 95, 374
 - with chiral azobenzene
 - photoswitch 93–100
 - with chiral diarylethene
 - photoswitch 100–103
 - with chiral spirooxazine and
 - overcrowded alkene 104–106
 - dynamic handedness inversion of 98
 - light-driven 93–106
 - upconversion nanoparticle in 147
 - chromophore 59, 61, 73, 137, 296, 320, 337, 347, 350, 364, 392, 397, 399, 407, 415, 416, 421, 424, 437
 - circular dichroism (CD) 59, 128, 134, 139
 - circularly polarized light (CPL) 93, 125, 126, 128
 - induced photoresolution 127
 - wavelength-tunable handedness-specific 141
 - circularly polarized UV light (CPUL) 128, 137, 161
 - coefficient of hygroscopic expansion (CHE) 289
 - coefficient of thermal expansion (CTE),
 - photomechanical soft nanocomposite 289
 - colloidal particle 177, 343, 433
 - columnar (Col) mesophase 234–235
 - command layer, photoalignment 210
 - commodity polymeric material 322–324
 - complementary hydrogen bond 46, 52–61
 - complementary multiple hydrogen-bonding (CMHB)
 - interaction 52–61
 - core-multishell nanotransducer (UCNPs) 100, 102
 - Cotton effect 59, 63, 73, 159
 - coumarin 415, 416, 422, 435
 - covalent polymer, synthesis of 66
 - crossed polarized optical microscope 9, 107
 - cross-linked liquid crystalline polymer (CLCP) 288, 300
 - 5-cyanobiphenyl (5CB) 260
 - cyclodextrin (CD) 297
 - azobenzene 428
 - host-guest system 427
 - cyclodextrin vs. azobenzene derivative 297–299
- d**
- Dammann grating (DG) 369
 - Dammann vortex grating (DVG) 369
 - dark-field imaging spectroscopy 26
 - degree of polymerization 45, 46, 54, 76
 - depolymerization process 66, 69
 - 2,6-diacylaminopyridine 429
 - diarylethene 55, 60, 62, 79, 145, 150, 264, 332
 - monomer 61
 - photoswitch 100–103
 - diazonaphthoquinone (DNQ) 415
 - diffraction efficiency (DE) 366, 370, 391
 - digitalized geometric phase 375–378
 - digital micro-mirror device (DMD) 365
 - dimension-controlled elevation 390
 - dimethylformamide (DMF) 71, 290
 - dimethyl fumarate 392
 - dimethyl sulfoxide (DMSO) 290
 - diphenylbutadiene 267–269, 275
 - discotic liquid crystal 234–235
 - dissipative particle dynamics 423
 - distributed Bragg reflection (DBF) 113
 - distributed feedback (DFB) 113
 - dithienylcyclopentene 100, 101, 145, 147, 265
 - dopant 92, 95, 100, 104, 106, 107, 111, 131, 132, 140–153, 236, 238, 240, 245, 250, 254, 256, 257, 261, 264–266, 275
 - doping azobenzene 93

double emulsion 114, 189–191
 double twist cylinder (DTC) 106, 233
 doxorubicin (DOX) 419
 droplet morphology 190, 191
 drug delivery system 20, 26
 dye-doped polymer film 14
 dynamic light scattering (DLS) 50, 55, 402, 404, 462
 dynamic mechanical analysis (DMA) 294
 dynamic mechanical thermal analysis (DMTA) 294
 Dyneema® 325

e

elastic modulus 322
 elastomer film 15
 electromagnetic field 361
 electromagnetic spectrum 22, 361
 electron-phonon 3, 25
 electro-optical tunability 361
 electrostatic effect 308
 emeraldine base (EB) 20
 emeraldine salt (ES) 20
 encapsulant 413, 415–417, 429, 434–437
 encapsulation, process of 413
 energy conversion 5, 18, 22, 322, 395, 451

f

fabrication
 asymmetric assembled film 291–294
 azopolymer nanosphere 399
 bilayer film 292
 color changing textile 337
 homogeneous single layer film 290–291
 method 288
 photo-active nano-object
 nano and micro object 404
 nano-tubes and nano-wire 403–404
 photoactive nanosphere 398–403

Fiber Bragg Grating (FBG) 391
 film rehydration 417, 418
 flexible electronics 289
 flow focusing device 182, 184, 431, 432
 fork grating 367, 368
 fulgide 126, 261–263, 275

g

gelator 23
 gel permeation chromatography (GPC) 397
 gel-to-sol transition 64, 79, 80, 298
 gemini surfactant 183
 gene delivery vector 435
 geometric phase modulation 370–376
 glyceryl monooleate (GMO) 6
 glycidyl methacrylate (GMA) 28, 173
 GO-5CB/PVA 290
 gold nanoparticle (AuNP) 2, 6, 8, 25, 171, 188, 205, 290, 396
 SCPs 290
 gold nanorod (GNR) 2, 4, 7, 25, 28, 102, 109, 205, 269, 290
 graphene 2, 18
 nanoplatelet 19
 platelet 19
 sheet 181
 graphene/LCE nanocomposite 13
 graphene oxide (GO) 12, 28, 29, 173, 287
 BOPP 291–294
 PVDF-HFP 290

h

halogen-bond donor 97
 2-(2*H*-benzotriazole-2-yl)-4,6,-diterpentylphenol (BZT) 334
 heat propagation 6
 helical twisting power (HTP) 91, 100, 126, 253, 257
 hexane-perfluorohexane droplet 190
 higher-order Poincaré (HOP) 376
 holography 272, 332, 363, 370
 homogeneous single layer film 290–291

- host-guest and coordination system 46–52
- host-guest interaction 128, 427, 431, 434
- host-guest supramolecular polymer 48
- human
 - immunoglobulin-G (H-IgG) 391
- hybrid core-shell nanorod 25
- hydrofluoric acid (HF) 290
- hydrogel actuated microvalve
 - photoisomerization 174–177
 - photothermal effect 171–173
- hydrogel-based lensing material 187
- hydrogel microcapsule 432
- hydrogel 23, 24, 26, 28–31, 170, 171, 173, 174, 192, 296–300, 322, 343, 465
- hydrogen bond 46, 52–61, 71
- 2-hydroxynaphthylidene-1'-naphthylamine (HNAN) 303
- hyperbranched polymer 425
- i**
- induced chirality 127, 134
- induced supramolecular chirality 126
- infrared (IR) 18, 171
 - illumination 19
 - irradiation 19, 26
- inorganic nanoparticle 3, 4, 31, 205
- interfacial tension 183, 190, 191, 395, 401
- intermediate position 175
- intermolecular photoreaction 55
- ionic liquid (IL) 175
- ionogel 175–178, 180, 185
 - microvalve 178
- iron oxide nanoparticle 2, 29, 31
- isotropic phase transition 236–242
- k**
- ketone 262–264
- Kossel diagram 106–109
- l**
- lab-on-a-chip (LOC) 167
- Laguerre-Gaussian (LG) mode 367
- laser beam intensity 14
- laser light absorption 14
- laser projector patterning 210
- lattice constant 10, 108, 343, 344
- LC block copolymer (LCBC) 274
- LCN-based soft robotics 199
- LC polymer (LCPs) 274
- left circularly polarization (LCP) 371
- light-controlled encapsulant system 414
- light-controlled switch 191
- light-driven chiral azobenzene 97
- light-driven emulsification/deemulsification 182
- light-driven micromixer 177–182
- light-driven micropump 177–182
- light-driven microvalve
 - microactuator 169–177
 - photoisomerization 174–177
 - photothermal effect 171–173
- light-driven phase transition
 - holography 272
 - LCEs 274
- liquid crystal display 273–274
- near infrared 269–271
- optical storage device 272–273
- light-driven plastic motor device 326
- light-driven plastic wheel 330
- light-driven robotic arm 327
- light-fuelled device 212
- light-fuelled micro robot 215
- light-fuelled robot 205
- light irradiation 2, 8, 10, 11, 15, 17, 19, 22–24, 26, 48, 50, 52, 54, 66, 69, 70, 91, 102, 104, 106, 131, 132, 134, 145, 306
- light stimulus 168
- light-triggerable process 182
- linear amphiphilic BC 417–423
- linear-dendritic BC 423–427
- linear left circularly polarization (LLCP) 185
- linearly polarized light (LPL) 273, 344, 372, 392
- liquid crystal (LC) 3, 16
 - Airy beam 374

- liquid crystal (LC) (*Contd.*)
 - axially chiral azo
 - compound 256–258
 - azobenzene
 - bent-core system 244–246
 - chromophore 392
 - columnar phase 255–256
 - geometric isomerization 235
 - isotropic phase
 - transition 236–242
 - smectic and chiral
 - phase 247–255
 - smectic phase transition 242–244
 - azoxybenzene 258
 - blue phase (BP) 106–109
 - butadiene 267–269
 - classification of calamitic liquid
 - crystal 230
 - classification of
 - diarylethene 264–267
 - classification of discotic liquid
 - crystal 234–235
 - classification of fulgide 261–262
 - classification of ketone 262–264
 - classification of light-driven phase
 - transition
 - holography 272
 - LCEs 274
 - liquid crystal display 273–274
 - near infrared 269–271
 - optical storage device 272
 - composite bilayer film of 325
 - defect 210
 - domain engineering
 - binary optics 365–370
 - digitalized geometric
 - phase 375–378
 - geometric phase
 - modulation 370–375
 - elastomer 6
 - electro-optical tunability 361
 - lyotropic 228
 - mesophase 228
 - microdroplet and
 - microshell 109–114
 - monomer 200
 - naphthopyran 258–261
 - photoalignment
 - technology 363–364
 - photopatterning system 364–365
 - polycatenar 256
 - polymer network 199
 - rod-like/disc-shaped mesogen 228
 - SLM 362
 - spiropyran 258–261
 - supramolecular halogen-bond 254
 - thermotropic 227
- liquid crystal display (LCD) 361
 - light-driven phase transition 273
- liquid-crystalline actuator, advantages
 - of 395
- liquid-crystalline elastomer
 - (LCE) 181, 274
 - AuNPs 290–291
 - NIR 290
 - photo-actuating 287
 - photothermal effect 287
- liquid crystalline polymer (LCP) 179, 229
- nanocomposite
 - bilayer composite film 303
 - carbon nanotube 300–301
 - polymer-dispersed hybrid
 - film 301–303
 - photomechanical material 285
- liquid-crystal network (LCN)
 - azobenzene 322
 - light-fuelled micro robot 215–219
 - photoactuation 200
 - photochemical
 - actuation 202–203
 - photochemical vs. photothermal
 - effect 205–207
 - photothermal actuation 204–205
- shape changes in
 - bending and coiling 208–209
 - flat sheet to cone 209–210
 - photoalignment pattern 210–212
 - uniaxial contraction/
 - expansion 207–208
- small-scale robot 212–215
- soft micro-robotics 197
- liquid microvalve 30
- liquid tunable microlens 188

longer conjugated LC group 352
 longitudinal surface plasmon
 resonance (LSPR) 108, 269
 low-density polyethylene (LDPE) 303
 bilayer actuator 326–330
 lower critical solution temperature
 (LCST) 171
 low molecular weight (LMW) 23, 48,
 128, 273, 274, 417, 429
 low-molecular-weight liquid crystal
 (LMWLC) 345
 lying helix (LH) arrangement 147, 149
 lyotropic liquid crystal 4, 228

m

magnetic field 13, 14, 168, 171, 198,
 227, 285, 307, 361, 413
 magnetic nanoparticle hydrogel 29
 magnetic nanoparticle 13, 29
 Marangoni effect 168, 184, 185
 mechanical deformation 287, 303
 merocyanine form (MCF) 174, 258,
 260, 415
 mesogen-functionalized GNR (M-
 GNR) 8–10, 108, 269
 mesophases liquid crystal 227
 metal-ligand interaction 48
 metallocyclic oligomer 52
 meta-q-plate 372
 metastable-state photoacid (mPAHs)
 photoactivity and physicochemical
 property of 451–455
 photoreaction of 450–451
 microactuator 181
 photoactive soft material 169–186
 soft photoactuator 169
 tubular design 186
 microchannel, fluid motion 184–186
 microchannel, light-driven fluid
 motion 184
 microdroplet 92, 109–110, 112, 114,
 182
 photolysis 184
 microfluidic method 110, 113
 microfluidic paper-based analytical
 device (PAD) 180, 181
 microfluidics 167

AzoTAB 183
 microactuator 169
 emulsification/
 deemulsification 182–184
 light-driven microvalve 169–170
 microchannels fluid
 motion 184–186
 micropump/
 micromixer 177–182
 optical microcomponent 186
 microlens array 188–191
 tunable microlense 187–188
 principles of 169
 stimuli-responsive soft material 168
 microfluidic technique 109, 111, 113
 microgel 187, 415, 433–434
 microlens array 186–191
 micromixer 167, 169, 177–182
 micro-organogel 26, 28
 micropump 167, 169, 177–182
 microshell 91, 93, 109–114
 micro-total-analysis-system
 (μ TAS) 167
 microvalve 29–31, 167–178, 192
 microwire 390, 403, 407
 miktoarm polymer 426, 428
 molecular alignment 10, 127, 200, 202,
 207–209, 212, 218
 molecular dynamics (MD)
 simulation 72
 molecular photoisomer 392
 monolayer 110, 274, 332, 363, 401
 monomer, functionality of 76
 multi-arm star amphiphilic BC 437
 multi-bilayered film 350
 reflection intensity control 349–350
 reflection wavelength
 control 348–349
 multilayer-stacked material 344
 multi-walled CNT 17–18

n

nano and micro object 404
 nanocomposite hydrogel 26, 28, 29,
 171–173, 188
 nanocomposite 11
 of gel 23

- nanocomposite (*Contd.*)
 - graphene-based 18
 - LC elastomer 13
 - mechanical property of 18
 - nanocomposite based photothermal effect 286–296
 - nanofiber 52, 59, 61, 66, 69, 80, 83, 403, 423
 - nanogel 415, 433–434, 437
 - nanindentation technique 18
 - nanometer 128, 213, 233, 355, 430
 - nano-/microwire 403, 407
 - nano-object
 - building block 389
 - self-assembly of 389
 - nanoparticle (NP)
 - photodegradable polymer for 435
 - nanopositioner 19
 - nanosystem 97, 407
 - nanotube 2, 17–18, 46, 205, 287, 292, 390, 392, 403–404, 407
 - and nano-wire 403–404
 - nano-wire 403–404
 - nano-tube and 403–404
 - naphthalenediimide (NDI) 73
 - naphthopyran 126, 258–261
 - 4-*n*-butyl-4'-methoxyazobenzene (BMAB) 241
 - near-infrared (NIR) 2, 4, 12–13, 20, 25, 114
 - chromophore 15
 - light 171
 - light-driven phase transition 269–271
 - light irradiation 15, 22
 - nematic LC (NLC) phase 6, 94, 95, 100, 104, 114, 230, 233, 236, 238, 241, 249, 256, 258, 263, 266, 267, 272, 274, 287, 290, 374–376, 379
 - nematic (N) phase 140, 234
 - N-I transition 236–241, 249, 272, 274, 275
 - N,N*-diethylacrylamide (NDEAm) 171, 426
 - non-conventional liquid crystal 229
 - noncovalent crosslinking 451, 462
 - non-liquid crystalline 322–324, 337
 - nucleation–elongation
 - mechanism 66, 69
- O**
- oligo(*p*-phenylenevinylene) (OPV) 70
 - on-demand control 191
 - one-dimensional actuator 209
 - one-step reaction 200
 - o*-nitrobenzyl 415, 418–420, 422, 423, 425, 426, 430, 433, 435, 437
 - optical anisotropy based molecular orientation 345–347
 - optical field control 361, 363, 370, 379
 - optical irradiation 7
 - optical microcomponent
 - microlens array 188–191
 - tunable microlense 187–188
 - optical storage device 272–273
 - optical trapping 361
 - optical vortex (OV) 367
 - opto-electronic device 111, 113
 - optofluidics 134, 168, 169, 182, 188, 191, 192
 - orbital angular momentum (OAM) 367, 369, 370, 372, 376, 379
 - organic compound 2, 4, 31, 228, 235, 287
 - organic near infrared (NIR) 290
 - organogel 23, 25, 26, 63, 66, 69, 138
 - ortho-fluoro azobenzene polymer 322
 - orthogonal CPL 161
 - overcrowded alkene 104, 106
 - chiral polymer 157, 160
 - 2-oxoacetate 432
- P**
- Pancharatnam–Berry phase 370
 - parallel alignment (PA) 228, 366
 - peptide amphiphile 77, 78, 80
 - peptide-functionalized azobenzene 52
 - perylene bisimide (PBI) 61
 - phase transition 3, 4, 7, 10, 12, 29, 63, 106, 128, 171, 200, 227–275, 287, 290, 301, 343, 347, 350, 369
 - phonon-phonon coupling 3, 25
 - phosphonium-based ionogel 176
 - photoacid-generator (PAG) 449

- photoactive hydrogel 297
- photoactive emulsion 188–191
- photo-active nano-object
 - nano and micro object 404
 - nano-tubes and nano-wire 403–404
- photoactive nanosphere 398–403
- photoactive nanosphere 398–403
- photoactive soft material 169–186, 191
- photoactuation
 - LCNs 200
 - photochemical actuation 202–203
 - photochemical vs. photothermal effects 205–207
 - photothermal actuation 204–205
 - soft micro-robotics 197–199
- photoactuator, LCN 205
- photoalignment 4, 108, 110, 202, 210, 215, 273, 362–365, 367, 371, 379
- photo-alignment technique 10, 108, 363, 365
- photobleach 203, 207
- photochemical actuation, LCN 202–203
- photochemical effect
 - liquid crystalline polymer nanocomposite
 - bilayer composite film 303
 - carbon nanotube 300
 - polymer-dispersed hybrid film 301–303
- photodeformable supramolecular system
 - cyclodextrin vs. azobenzene derivative 297–299
 - reversible metal-ligand coordination 296–397
- upconversion nanoparticle 303
- photochemical vs. photothermal effect 205–207
- photochromic compound 95, 175
- photochromic molecule 46, 52, 61–76, 126, 174, 244, 275, 455
- photocleavable ortho-nitrobenzyl group 77
- photocoloration 104, 258
- photocontrolled delivery system 414
- photo-controlled fragrant molecule 459–161
- photocontrolled transformation 49
- photoconversion 59, 61, 286
 - of supramolecular copolymer 61
- photocyclization 55, 61, 101, 265
- photodeformable supramolecular system
 - cyclodextrin vs. azobenzene derivative 297–299
 - reversible metal-ligand coordination 296–297
- photodimerization reaction 55
- photoelimination reaction 73, 77–78
- photofatigue resistance 104, 258
- photoinduced deformation 83, 248, 295, 303, 397, 399, 401
- photoinduced depolymerization/repolymerization process 76
- photoinduced energy transfer 19
- photoinduced modulation 81
- photoinduced N-I transition 238, 239, 241, 272, 275
- photoinduced oligomerization 55
- photoinduced phase transition
 - bent-core system 244–246
 - columnar phase 255–256
 - smectic and chiral phase 247–255
- photo-induced proton transfer 449, 451, 455
- photoinduced reversible 94, 144, 249, 250, 415
- photoinduced transformation 61
- photoinduced unfolding and refolding 83
- photoirradiation 14, 158, 248, 256, 260, 262, 264, 267–269, 273, 295, 323, 397
- photoisomerization 67, 235
 - azobenzene 203
 - chemical structure 156
 - of chiral switch 92
 - of CLC 152
 - of dibenzosuberane 151
 - of dithienylethene 147
 - helix inversion 156

- photoisomerization (*Contd.*)
 - hydrogel actuated microvalve 174
 - of photoresponsive molecular switch 126
 - process 92
 - of V-shaped amphiphile 65
- photolithography 332, 363, 389, 449
- photolysis-driven droplet merging 185
- photomasking 100, 250
- photomechanical material 285, 287
- photomechanical nanocomposite
 - photothermal actuator 295
- photomechanical response 12, 15, 17
- photomechanical soft nanocomposite
 - application 305–308
 - classification of 285–286
 - fabrication method 288
 - photochemical effect
 - liquid crystalline polymer nanocomposite 299–303
 - photodeformable supramolecular system 296–299
 - upconversion
 - nanoparticle 303–305
 - photothermal actuator 294–296
 - photothermal effect
 - design strategy 287–289
 - fabrication 289–294
- photomotility polymer 394
- photonic band gap (PBG) 91, 94, 106, 248, 258, 342–345, 350, 357
- photonic crystal (PC) 31, 106, 108, 115, 269, 341–344
- photonic nanostructure 10, 91, 115, 269
- photo-oxidative degradation 336
- photopatternable polymer 332
- photopatterning system 363–365
- photopolymerization 13–15, 28, 125, 138, 157, 200
- photoreactive triphenylmethane leucohydroxide (TPML) 431
- photoregulation system 46
- photoresponsive chiral dopant 95, 140–153
 - azobenzene 141–145
 - chirality inversion 142–155
 - chiral polymer 153–155
 - for cholesteric liquid crystal 140–141
 - diarylethene 145–149
 - overcrowded alkene 142, 149
- photoresponsive chiral LC 92, 114, 115
- photoresponsive chromophore 320, 332, 336, 415
- Photoresponsive cinnamic acid 436
- photoresponsive depolymerization system 54
- photoresponsive group 99, 185, 415–417
- photoresponsive moiety 92, 141, 296, 417
- photoresponsiveness 91, 327, 336
- photoresponsive polymerization/depolymerization system 48
- photoresponsive polymer 320, 449
- photoresponsive
 - polymer self-assembly capsule 429–432
 - encapsulant 434–437
 - linear amphiphilic BC 417–423
 - linear-dendritic BC 423–427
 - microgels and nanogel 433–434
 - photoresponsive group 415–417
 - supramolecular BC 427–429
- photoresponsive polyolefin
 - bilayer actuator 326–330
 - commodity polymeric material 322–324
 - development of 336
 - non-liquid crystalline 322
 - photo-patternable polymer 332
- photoresponsive
 - polymer 320–322
 - polyolefin 324–325
 - single layer actuator 330–331
- photoresponsive soft material 449
- photoresponsive supramolecular polymer 61–76
 - by complementary hydrogen bond 52–61
 - by host-guest and coordination system 46–52

- photocontrollable 46
 - with photocontrollable 1D topology 76–83
 - by stacking of photochromic molecule 61, 75
- photoresponsive surfactant 189, 395
- photoreversible depolymerization/ polymerization process 72
- photoreversible transformation 59
- photosensitive surfactant 182, 184, 185
- photostabilizer 15, 205
- photostationary state (PSS) 50, 55, 59, 100, 102, 112, 113, 144
- photoswitchable assembled state 52
- photoswitchable surface 192
- photoswitching 73, 134, 141, 145, 151, 266, 455, 465
- photoswitching active/inactive state 73
- phototaxis 395
- photothermal actuation 7, 204–205, 207
- photothermal actuator 7, 202, 204, 206, 207, 286, 294–296, 306
- photothermal agent
 - inorganic and organic 3
 - organic 21
- photothermal conversion 2, 15, 18, 20, 22, 28, 29, 286, 287, 290, 294, 295
- photothermal effect 108, 269, 434
 - design strategy 287–289
 - fabrication
 - asymmetric assembled film 291–294
 - homogeneous single layer film 290–291
 - hydrogel actuated
 - microvalve 171–173
 - thermal energy 286
- photothermal effect 1
 - gels driven by 23–31
 - of GNR 10
 - of gold nanoparticle 6
 - of graphene 19
 - of graphene sheet 13
 - liquid crystal (LC) 3–16
 - in lyotropic mesophase 4
 - in non-lamellar LC system 5
 - polymer driven by 16–23
 - temperature variation by 4
- photothermal magnetic nanoparticle 29
- photothermal material 287
- photothermal nanoparticle 22, 171
- photothermal therapy 2, 20, 22–24, 30, 31, 287
- phototriggered depolymerization 54, 55
- phototriggered kinetic pathway 69
- phototriggered self-assembly 67
- photo-tunable 1D PC
 - azobenzene molecule
 - molecular orientation state 347
 - optical anisotropy based molecular orientation 345–347
 - biphenyl LC group 350–352
 - longer conjugated LC groups 352–357
 - multi-bilayered film
 - reflection intensity control 349
 - reflection wavelength control 348–349
 - reflection based refractive index change 350
- phototuning 94, 95, 100, 106, 114, 147, 273
- π - π stacking interaction 46, 61, 63, 69–71
- plasmonics 396
- plastic inchworm 328
- polarization grating (PG) 370
- polarization plane 345, 346, 353
- polarizing beam splitter (PBS) 364
- polarizing optical microscopy (POM) 111, 229, 237
- poly(-acrylamide-*co*-*N*-vinylimidazole) 297
- poly(2-[4-(phenylazo)phenoxy]ethyl acrylate-*co*-acrylic acid) (PPAPE) 399
- poly(4-vinylpyridine) (PVPy) 429, 462
- poly(acrylamide-*co*-acrylic acid) 451

- poly(acrylonitrile-stat-4-vinylpyridine) (P4VP) 401
 - poly(allylamine hydrochloride) (PAH) 187
 - poly(dimethylaminoethyl methacrylate) (PDMAEMA) 422
 - poly(dimethylsiloxane) (PDMS) 15, 19, 20, 212, 289, 293–294, 307, 401, 403
 - poly(disperse red 1 methacrylate) (pDR1) 401
 - poly(ethylene glycol) (PEG) 171, 418, 422, 426, 437, 456
 - poly(ethylene-*co*-vinyl acetate) (EVA) 290
 - poly(hydroxyethyl methacrylate) (PHEMA) 452, 454, 458, 459
 - poly(methylacrylate-*co*-acrylic acid) (PMA-*co*-PAA) 462–463
 - Poly(*N*-isopropylacrylamide) (pNIPAAm) 28, 171, 422
 - chemical modification of 174
 - poly(*p*-phenyleneethynylene) (PPE) 10, 294
 - poly(para-phenylene) (PPP) 404
 - poly(vinylidene fluoride-hexafluoro propylene) (PVDF-HFP) 290, 303
 - polyaniline 2, 15, 20, 22, 30, 287, 465
 - nanoparticle 15
 - polycarbonate (PC) 216, 292, 423
 - polydispersity index (PDI) 69, 462
 - polyethylene (PE) 184, 215, 293, 324
 - polyethyleneglycol/perfluorinated polyether (PEG/PFPE) 184
 - polymer bioconjugate 22
 - polymer brush 437
 - polymer-dispersed hybrid film 301–303
 - polymer-dispersed liquid crystalline polymer (PDLC) 301
 - polymer film 302, 309, 347, 371, 393, 394, 398, 451–455
 - polymer hydrogel (PH) 169
 - polymeric encapsulant 415–417, 429, 434–437
 - polymeric material 45, 181, 320, 322–324, 336, 390, 397, 415
 - polymer liquid crystal (PLC) 345
 - polymer nanoparticle 22, 462
 - proton transfer 462
 - size and distribution 462
 - polymer-nanotube composite 17
 - polymer network 15, 170, 199, 200, 202, 206, 207, 303, 322, 395, 398, 433
 - polymer vesicle 417, 423, 429
 - polyolefin 319, 324
 - commodity plastic material demand 324
 - photo-patternable polymer 332
 - polypyrrole (PPy) 172
 - polytetrafluoroethylene (PTFE) 308
 - polyvinyl alcohol (PVA) 290, 301, 347
 - porous crosslinked polymer 436
 - porous PE 302, 303, 332
 - pro-monomer 73
 - protein 76, 418, 433
 - proton transfer 449
 - acid catalyzed hydrolysis 459–461
 - mPAH 451
 - photo-induced proton transfer 455–459
 - polymer nanoparticle 462–465
- r**
- reactive oxygen species (ROS) 431, 435
 - reduced GO (RGO) 293
 - reduced graphene oxide 19–20, 29
 - reflection based refractive index change 350
 - reflection intensity control 349–350
 - reflection wavelength control 348–349
 - reverse reaction 450, 452–455, 458, 459
 - reversible cis-trans photoisomerization 157
 - reversible metal-ligand coordination 296–297
 - reversible optofluidic mixer 184
 - reversible photoacid 449, 450
 - reversible phototuning 94, 95
 - reversible stirrer 182
 - RGB reflection color 97, 100

RGO-CNT film 293
 right circularly polarized (RCP) 371, 372
 rigid-rod polymer 404
 robotic arm 215, 296, 327

S

scanning electron microscopy (SEM) 59, 71, 139, 187, 294, 332, 348, 399
 self-assembled
 supramolecule 137–139
 self-complementary diarylethene 56
 semiconducting polymer
 nanoparticle 22
 semi-crystalline commodity plastic material 323
 semicrystalline polymer (SCP) 290–291
 shape memory effect (SME) 12, 288, 297, 305, 308
 shape memory polymer (SMP) 288
 single layer actuator 330–332
 single-walled carbon nanotube (SWCNT) 10–11, 17–18, 28, 292
 small-angle X-ray scattering (SAXS) 83, 251, 294
 small-scale robot 212–215, 219
 smectic A (SmA) 231–233, 243
 smectic C (SmC) 231–233, 250
 smectic phase transition 242–244
 smectics (Sm) 231
 soft lithography 1, 4
 soft microrobot 328
 soft photoactuator 169, 179, 181, 186–192, 285
 soft robot 197, 198, 219
 solution casting method 11, 308
 solvent casting technique 19
 spatial light modulator (SLM) 362
 spin angular momentum (SAM) 372, 375, 376
 spirobenzopyran chromophore 174
 spirocyclic (Sp) form 174
 spirooxazine 104, 106
 fatigue resistance of 104

spiropyran (SPH) 92, 174, 175, 177, 191, 258–261, 275, 296, 320, 337, 415, 422, 423, 425, 437, 452
 spiropyran derivative 174, 177, 260
 spiropyran form (SPF) 258, 260
 spiropyran 92, 174, 258–261, 275, 415, 437
 splayed molecular alignment 209
 star branched polymer 426
 stimuli-responsive material 285, 296
 stimuli responsive polymer
 chromophore 320
 polyolefin 319
 stimuli-responsive soft material 167, 168
 sun light 18, 322
 supramolecular BC 427–429
 supramolecular chemistry 48, 227, 427
 supramolecular chirality 59, 125, 126, 131, 134, 138
 supramolecular polymerization 67–70
 analyses of 45
 combined energy 67
 diarylethene monomer 61
 nucleation and/or elongation steps 66
 photoregulated 66
 photoresponsive 58
 photoreversible 64
 phototriggered 66
 supramolecular system 4, 48, 61, 125, 127, 128, 131, 139, 158, 296, 297
 surface plasmon resonance (SPRs) 108, 269, 287
 surface relief grating (SRG) 334, 396, 405
 surface-stabilized FLC (SSFLC) 273
 synthetic polymer 16, 76, 319

T

tensile deformation sensor 334
 thermal energy 1, 5, 18, 286, 287, 301
 thermal heating equation 6
 thermal isomerization 52, 55, 104
 thermally-actuated valve 171
 thermoplastic polyurethane 18
 thermoresponsive hydrogel 171

- thermotropic liquid crystal 4, 6, 227, 228, 255, 269
 - thiol-click chemistry 7
 - thiophene ring 70
 - trans-cis isomerization 98, 141, 179, 191, 202, 203, 241, 257, 258, 274, 323, 344, 398, 452
 - trans-cis photoisomerization 97, 131, 141, 262, 343, 394
 - transmission electron microscope (TEM) 52, 63, 72, 77, 80, 153, 294, 463
 - triggerable encapsulant 413
 - tristable chiral switch 98–99
 - tubular microactuator (TMA) 185, 186
 - tunable microlens array 190
 - tunable microlense 186–188
 - tunable photonic crystal 342–344
 - twist grain boundary (TGB) 233, 247, 248
 - twist nematic (TN) domain 366
 - two-dimensional (2D) material 173
 - two-photon absorption 421, 422, 434
 - two-step reaction 200
- U**
- ultra-high molecular weight PE (UHMW-PE) 324
 - uniaxial contraction/expansion 13, 200, 207–208
 - unimolecular micelle 425, 436, 437
 - unpolarized light 139, 140, 161, 404
 - upconversion nanoparticle (UCNP) 97, 98, 100, 147, 303, 304
 - ureidopyrimidinone (Upy) 54
 - UV illumination 182, 183, 245, 248, 420
 - UV-light irradiation 48, 50, 52, 54–55, 59, 61, 66, 69, 71, 72, 80, 83, 144, 145, 258, 297, 302, 303, 427, 431, 432, 437
- V**
- Van-der-Waals force 213
 - vector beam (VB) 361, 363
 - visible-near infrared (NIR) 205
- W**
- water-in-oil (W/O) emulsion 182
 - wavelength-division multiplexing (WDM) 376
 - Weigert effect 134, 345
 - whispering-gallery-mode (WGM) resonator 113
 - windmill device 215
- Y**
- Young's modulus 289, 295, 323, 325, 332, 337
- Z**
- zinc porphyrin 73