

Index

a

acenaphtho[1,2-*c*]phospholes 168
 acetylene terminated imide monomer
 (*m*-EFDA) 230
 acyclic diene metathesis (ADMET)
 106
 acylgermanes 5
 alkenyl succinic anhydride (ASA) 2
 alkoxy- and trialkylsilyl-substituted
 phenylenes 178
 alkylated *phospha*-viologene polymers
 90
 alkyl ketene dimer (AKD) 2
 4-alkyl-1,2,4-triazole (Rtrz) 317, 318,
 319, 321, 327, 328, 331
 Allcock theory 98
 α,α' -diarylacenaphtho[1,2-*c*]phospholes
 168
 α,ω -bis(*tpy*)oligothiophenes 147
 α,ω -bis(*tpy*)terthiophene 148, 150, 152
 Alzheimer peptides 301
 amino-boranes 29
 aminoborohydride 28
 amino-functionalized iron MIL-101
 261
 4-amino-1,2,4-triazole (NH₂trz)
 317–319, 331
 4-aminotriazole and iron(II) 322–327
 ammonium polyphosphate (APP) 207,
 208, 216–218
 amphiphobic cellulose sheets 3
 anionic boron clusters 43
 anionic dendrimers 300
 antiretroviral agent azidothymidine
 triphosphate (AZT-TP) 260

arsaalkenes 86, 88
 arsine 88, 89, 91, 96
 arsole 90, 91
 arsole polymer 91
 azaborinine 33–35
 azidophosphane 100

b

bent-core mesogenic units 288, 289
 benzene-1,2-diamine 145
 benzodithienophene 90
 benzophosphole sulfides 168
 benzoxazine-containing triethoxysilane
 complex (Bz-TES) 205
 β -keto ester 284, 287
 bifunctional phosphorhydrazone
 dendrimer 287
 biocompatible and bioactive
 metal-organic framework
 (BioMOF) 263, 266
 2-(4-biphenyl)-5-(4-*tert*-butyl-
 phenyl)-1,3,4-oxadiazole (PBD)
 175, 191
 1,1'-biphospholes 89
 2,6-bis(4-aminophenoxy)pyridine 224
 1,2-bis(4-aminophenyl)-1,2-dicarba-
closo-dodecaborane (HPPA)
 230
 2,6-bis(benzimidazol-2-yl)pyridine
 145
 bis(*bzimpy*) unimers 145
 5,5''-bis(dimesitylboryl)-2,2':5,2''-
 terthiophene 169
 1,7-bis(dimethylhydroxylsilyl)-
m-carborane 228

- 4,4'-bis(2,2'-diphenylvinyl)biphenyl (DPVBi) 174
- 1,7-bis(3-hydridotetramethyl-disiloxanyl)-*m*-carborane 228
- 2,6-bis(1-methylbenzimidazol-2-yl)pyridine 145
- bismuth dendrimers 131
- bis(oxazoline) ligands 284
- 2,6-bis(oxazolin-2-yl)pyridine-4-yl 145
- 1,12-bis(4-phenoxyphenyl)-*p*-carborane monomer 229
- 9,12-bis(*p*-phenylene-ethynylene)-*o*-carborane 47
- bis-phosphanylidene phosphorane monomer 88
- 1,5-bis(pyridin-2-yl)(3-aryl)penta-1,5-diones 144–145
- 1,2-bis(4-trimethylsilylethynylphenyl)-carborane (CBTMS) 227
- 1,2-bis(4-vinylbenzyl)-*closo*-carborane ((VB)₂-carborane) 254
- bis(*tpy*)bithiophenes 146
- bis(*tpy*)unimers 150, 151, 152, 153, 154, 157
- bone morphogenetic proteins (BMPs) 247
- borazine-containing PS analogs 32–33
- boron-based ETMs 169
- boron neutron capture therapy (BNCT) 52, 254, 255
- bulk heterojunction (BHJ)
OPV device 182
OSC device 182
- bulk heterojunction solar cells (BHJ-SC) 4
- busulfan 259, 260
- B*-vinyl borazine 33
- B*-vinyl-*N*-methylazaborine 34
- bzimp*y 145
- C**
- calcium phosphate/poly(dimethyl-aminoethanol)phosphazenes (CaP/PDMAEP) 247
- carbazole 152, 167, 169, 170, 171, 173, 186, 190
- carbazole-based polymers 170, 185
- carborane-bearing benzoxazine precursors 230
- carborane clusters 41, 45, 46, 50, 53, 225, 231
- carborane-containing acetylenic monomer (APCB) 230
- carborane-containing aromatic diamine 230
- carborane-containing polymers
high-performance thermoplastics 229–230
miscellaneous polymers 230–233
poly(carboranylenesiloxanes) 226–229
- carborane-containing triblock copolymer 255
- carborane-PEG conjugates 254, 255
- carborane-polymer conjugates 254–255
- carborane-siloxane and
carborane-silane polymers 48
- carboranyl-containing polyfluorenes 46
- carboranyl-containing
p-phenylene-ethynylene
polymers 47
- carbosilane dendrimer 115–118, 133, 135, 278–280, 282, 284, 287, 288, 289, 291, 293, 295, 296, 298–302, 304
- carboxylate-functionalized carboranes 50–51
- catalytic inorganic dendrimers
dendrimer effect 280–283
recovery and reuse of 283–287
- cationic phospholium salts 89
- C,C*-diacetylenic phosphalkenes 93
- c,c,t*-(diamminedichlorodisuccinato) platinum(IV) 260
- cellulose microfibers 3
- cellulose nanofiber 3
- cetyltrimethylammonium bromide (CTAB) 291

- chain-growth polymerization 106
 charged phosphorhydrazone
 dendrimers 290, 298, 300
 charge-transport layer 166–169, 182
 chiral benzoate derivatives 288, 289
closo-carborane-diphenylphosphine
 52
 $\text{Cl}_3\text{P}=\text{N}-\text{SiMe}_3$ 101–103
 color rendering index (CRI) 166, 190
 Commission Internationale d'Éclairage
 (CIE) chromaticity coordinates
 166, 190
 condensation 2, 68, 75, 100–102, 104,
 120, 123, 125, 212, 224, 226, 232,
 282
 conducting organic polymers (COPs)
 41–46
 cone calorimeter 206, 213, 215, 217,
 224, 225
 conjugated MSPs 144, 145, 149,
 151–155
 conjugated (conductive) polymers
 arsaalkenes 86–89
 diphosphenes 86–89
 Group 15-based heteroles 89–93
 lambda convention 86
 phosphaalkenes 86–89
 unsaturated pnictogen center 86
 conjugated unimers 146–148, 151, 154
 coordination polymers
 of 4-alkyltriazoles and iron(II)
 327–330
 of 4-aminotriazole and iron(II)
 322–327
 of 1,2,4-triazole and other metals
 331
 copolymer (poly(ϵ -caprolactone)–
 D- α -tocopheryl
 polyethylene-glycol-succinate
 (PCL–TPGS)) 263
 copper catalyzed arylations 283
 core–canopy QDs 53
 correlated color temperature (CCT)
 166, 190
 cotton 199, 206, 207
 covalent dynamers 142
 cross-linked organic-inorganic
 polyphosphazene nanoshells
 (PZM) 214
 Cu 156, 215, 217, 264, 301
 cured carborane-bearing
 polybenzoxazines (CCBP)
 229–230
 cured CE and P–HSi/CE resins 204
 cured CE and P–HSi15/CE resins 205
 cyanate ester resin 204, 205
 cyclic phosphazenes 171, 175
 cyclodextrin 142, 266
 cyclotriphosphazenes (N_3P_3) 100, 121,
 125, 212
- d**
- D–A copolymer 185, 187
 dehydrogenative coupling 65, 67, 69,
 71, 73, 75
 dendrimer effect 278, 280–283, 304
 dendrimer incorporating phosphorus
 131
 dendrimer incorporating Si, Sn and Ge
 134
 dendrimer-silica xerogels 291
 dendriplex 298, 300
 dendrislide 293, 294
 3,6-(dialkyl)silafluorene-based polymers
 181
 diaminobutane (DAB) 115
 4,4'-diamino diphenyl ether (ODA)
 215
 diastereoselective Michael additions
 279
 4-diazabicyclo[2.2.2] octane (DABCO)
 125, 265
 dibenzogermole scaffold 187
 dibenzophosphole 174, 175
 dibenzosiloles/dithienosiloles-based
 polymers 188
 dibromo-derivatized arsoles 91
 dibutyltin dihydride 67
 4-(dicyanomethylene)-2-tert-butyl-6-
 (1,1,7,7-tetramethyl-julolidin-4-
 yl-vinyl)-4H-pyran (DCJTB)
 174

- diethyl ethylidenemalonate 279
 1,4-diethynylbenzene (*p*-DEB) 49
 3-diethynylbenzene (*m*-DEB) 49
 9,10-dihydro-9-oxa-10-phosphaphenanthrene-10-oxide (DOPO) 201
 diiodo-arenes 93
 1,4-dilithio-1,3-butadiyne 48, 49
 diorganodihydrides
 condensation 68
 dehydrogenative coupling using an amine base 65–67
 metal catalyzed
 dehydropolymerization 65
 solvent and catalyst free
 dehydrogenative coupling 67
 1,4-diphosphanyl benzene 87
 1,2-diphospha-sila-[3]-ferrocenophane 96
 diphosphenes 86–89
 dipyrindino-annulated phosphole 90
 dithienoarsole 91
 dithienophosphole 90, 97, 183–185, 189
 dithienosilole-based oligomer 187
 dithienyl fluorenylidene phosphine and arsine 88
 doxorubicin (DOX) 255, 259
 dye-sensitized solar cells (DSSC) 4, 164, 181–188
- e**
 effective heat combustion (EHC) 206
 electrochromic laminated glass 6
 electrochromism 154–156, 188, 189
 of MSPs 155
 electroluminescent organic materials 163
 electron transport layer (ETL) 164, 165, 166, 168, 169, 174, 175, 182, 190
 electron-transport material (ETM) 168, 169, 190
 electropolymerized PPy films 44
 emissive layer (EML) 164, 166, 171, 173, 174, 175, 190
 emitting materials 171–181
 enhanced green fluorescent protein (EGFP) 299
 enhanced permeation and retention effect (EPR effect) 249, 251, 253, 254, 266
 enzymatic polymerization 106
E-phosphaalkenes 88
 epoxy-based intumescent
 flame-retardant (IFR-EP) 224
 ethacrynic acid (Edocrin) 301
 ethoxysuccinato-cisplatin,
 c,c,t-[PtCl₂(NH₃)₂(OEt)(O₂CCH₂CH₂CO₂H)] (ESCP) 260
 ethyl cyanoacetate 279
 ETL phosphole-based molecules 168
 Europium complexes-based polymers 167
- f**
 Felbinac 284, 287
 [Fe(H₂O)₆](2ns)₂ 322
 [Fe(NH₂trz)₃](2ns)₂ 322, 324, 325, 327
 ferrocene-based polyamides 224
 ferrocene-based polymer 10, 222
 [1]-ferrocenophanes 95
 ferrocenyl phosphine 280
 ferrocenophanes 96
 [Fe(Rtrz)₃]X₂ 328
 fire performance index (FPI) 206, 207
 Flrpic 169–171, 173, 190
 flame retardants 12, 85, 107, 200, 201, 205, 206, 208, 210, 213, 220
 materials 198, 200–233
 fluorenylidene phosphanes 89
 fluorescent and water-soluble
 dendrimers 296
 fluorescent carborane-containing
 polymers 46–48
 fluorescent carbosilane dendrimers 296, 298
 fluorescent π -conjugated polymers 41
 fluorescent phosphorhydrazone
 dendrimers 297

- functionalized poly(organo phosphazenes) 250
- functionalized silica 292
- furan 163
- g**
- galactosylated chitosan-graft-PEI (GC-g-PEI) 249
- Ge-based polymers 187
- germanium-based photoinitiators 5
- germanium dendrimer 129, 130, 134
- germole 163, 181, 187, 188
- germylated-PPV 177
- glutathione-S-transferase (GST) 295
- Group 15-based heteroles 89–93
- Group 13–Group 15 elements 19
- Group 14 metal-containing linear polymers
- applications 72
 - condensation 68
 - dehydrogenative coupling using an amine base 65–67
 - metal catalyzed
 - dehydropolymerization 65
 - organohydrides 62–65
 - polygermanes 62
 - poly(diarylstannane)s 62
 - polysilanes 61
 - polystannanes 62
 - schematic representation 62
 - σ -conjugated polymers 61
 - solvent and catalyst free
 - dehydrogenative coupling 67
 - Wurtz-type coupling reactions 62
- Group 14 metal dihydride (R_2EH_2) precursors 62
- guanidine sulfamate 206
- h**
- heat release rate (HRR) 206, 215
- Heck coupling reaction 279, 280
- 4'-(hetero)aryl terpyridines 144
- heteroatom-based oligomers and polymers
- application as host for phosphorescent complexes 169–171
 - charge-transport layer 166–169
 - donors in OSCs 184–188
 - dye-sensitized solar cells 181–188
 - electrochromism 188–189
 - as emitting materials 171–181
 - organic light-emitting diodes 164–166
 - organic solar cells 181–188
- heterocyclopentadiene subunits 163
- heterometallo (Fe/Ru) MSPs 156
- hexabromocyclododecane (HBCDD) 12
- hexachlorocyclotriphosphazene (HCCP) 215
- high molecular weight polymers 27, 29, 33, 94
- high-performance thermoplastics 229–230
- hole-transport layer (HTL) 164, 166, 174, 191
- homo-catenated polymers 4
- Horner–Wittig–Emmons reaction 88
- 4H-1,2,4-triazole (Htrz) 318
- hybrid dendrimers
- dendrimer incorporating phosphorus 131
 - dendrimer incorporating Si, Sn and Ge 134
 - Janus dendrimer 133
 - onion peel dendrimers 132
 - silicon germanium dendrimer 134
 - small dendrimer 133
 - water-soluble carbosilane dendrimer 133
- hybrid materials 4, 107, 210, 256, 257, 288, 291–293
- hybrid siloxane carbosilane dendron 119
- hydrophilic poly(ethylene glycol) blocks 254
- 4-((6-hydroxyhexyl)oxy)benzotrile 254
- hydroxyl-terminated polydimethylsiloxane (OH-PDMS) 208

- 1-hydroxy-1-oxodithienophosphole
183
- 4-hydroxypyridine-2,6-dicarboxylic acid
145
- hydroxy-terminated polyester
containing carborane 232
- i**
- ibuprofen 244, 258, 259, 262
- icosahedral boron clusters
in COPs side chains 44–45
as doping agent in COPs 43–44
in the main chain of COPs 45–46
- iminophosphoranes 100
- inorganic dendrimers
bioimaging 296–298
in brain diseases 301
against cancers 301–302
against viruses 299–301
carbosilane dendrimers 115–118
as catalysts 278–280
cyclotriphosphazene 125
dendrimer effect 280–283
dendrimer incorporating phosphorus
131
dendrimer incorporating Si, Sn and
Ge 134
dendritic branches inside an original
dendrimer 127
diversity of structures 317
elaboration of materials and
nano-objects 288–291
gene therapy 298–299
hybrid materials 291–293
hybrid siloxane carbosilane dendron
119
isothiocyanate 126
Janus dendrimer 133
onion peel dendrimers 132
phosphorhydrazone dendrimers
120–121
poly(organosiloxane) dendrimers
115
polysilane dendrimer 120
silicon germanium dendrimer 134
siloxane 119
small dendrimer 133
Staudinger reactions 123, 126
step-by-step synthesis 116
thio-seleno-phosphate layered
dendrimers 123
three-step synthesis of dendrimers
124
water-soluble carbosilane dendrimer
133
- inorganic polyolefins 41
- iodine butyl-*N*-sulfonate amino
polysiloxane ((*IB-N-SA*) PDMS)
206
- ion-conducting materials 157
- ion couplers 143, 148, 150, 154
- ionic unimers 149
- ion selectors 143–145, 149
- Ir(*dbfmi*) emitters 171, 191
- iron(III) dithiocarbamate complexes
320
- iron(II)-NH₂trz complexes 323
- iron(II)-triazole compounds 321
- isothiocyanate 126, 296
- j**
- Janus dendrimer 129, 133, 289
- l**
- Lewis acid 23, 24, 28, 105, 106, 226,
284
- Lewis bases 24
- limiting oxygen index 204, 205, 211
- linear carborane-carbosilane-
phenylacetylene co-polymer
229
- linear NH₂trz-bridged copper(II)
coordination polymers 332
- linear polyphosphazene diblock
copolymers 103
- lipoarabinomannans 304
- liquid crystal carbosilane dendrimers
288
- liquid crystal phosphorhydrazone
dendrimer 288
- low-bandgap polymer 185, 187

- low-density polyethylene composites (LDPE) 213
- low molecular weight polymeric *phospha*-OPV 87
- low-spin iron(II)-NH₂trz complexes 322
- luminous efficiency 165, 173, 181, 191
- luminous power efficiency 165, 191
- lyogels 324, 333
- m**
- magnetite/maghemite nanoparticles (MNPs) 52, 53
- MAP-Tau protein 301
- maximum average heat rate emission (MAHRE) 215
- m*-carborane-containing polyester 231, 232
- (2,4,6-Me₃C₆H₂)₂SnH₂ 64
- (2,4,6-Me₃C₆H₂)SnH₃ 64
- MeNH₂-BH₂-NHMe-BH₃ 29
- mesostructured hybrid materials 292
- Mes*P=CBr₂ 93
- metal catalyzed dehydropolymerization 65, 68–69
- metal-containing polymers
- carborane-polymer conjugates 254–255
 - platinum-polymer conjugates 251
 - ruthenium-polymer conjugates 251
- metallo-supramolecular dynamers 142
- metallo-supramolecular polymers (MSPs)
- assembling 141
 - main types of 143–144
 - molecular recognition 141
 - potential applications 155
 - reversible assembling 164
 - unimers 144–145
- metal-organic frameworks (MOFs)
- 143, 243, 255–266
 - advantageous features 256
 - biocompatible and bioactive (BioMOF) 263
 - biodegradation 265–266
 - copolymer (poly(ε-caprolactone)-D-α-tocopheryl polyethylene-glycol-succinate (PCL-TPGS)) 263
 - design and construction 256
 - MIL-*n* frameworks in drug delivery 258–262
 - MOF-74-Fe(III) 262
 - nanocarriers 258
 - porosity 257
 - stability 265
 - surface area 257
 - toxicity 263–265
 - variation of concentration of the drug 258
 - zirconium-based MOF UiO-66 262
- 2-methoxyestradiol (2-ME) 250
- microneedles 12
- microwave activation Friedel–Crafts acylations 284
- miscellaneous polymers 97, 98, 230–233
- [Mn(bpy)(1-OPH(O)-1,7-*closo*-C₂B₁₀H₁₁)₂]_{*n*} 51
- [Mn(H₂O)(μ-1-CO₂-1,2-*closo*-C₂B₁₀H₁₁)₂]_{*n*} 2H₂O 50
- MOF-74-Fe(III) 262
- monomeric and phosphorhydrazone dendritic catalysts 284
- monomer 8, 20, 23, 24, 27, 29, 33, 34, 35, 42, 44, 45, 46, 47, 49, 88, 89, 91, 96, 101, 102, 103, 106, 124, 125, 141, 142, 143, 178, 181, 187, 188, 223, 226, 229, 230, 233, 278, 280, 282, 283, 284, 286
- monoorganotrihydrides
- dehydrogenative coupling using an amine base 69–72
 - metal catalyzed dehydropolymerization 68–69
- montmorillonite 293
- MSP dynamers 144–155
- MSP photo-actuator 157
- n**
- N*-alkylamine-boranes 27

- nanocarriers 105, 258, 263, 266
 nanohybrid materials based in
 functionalized carboranes
 52–54
 nanoporous silica 292
 nanotubes 73, 210, 212, 213, 289, 290,
 295
 Na[1-OPH(O)-1,7-*closo*-C₂B₁₀H₁₁] 51
 naphtha[2,3-*c*]thiophene-4,9-dione
 185
 natural rubber 96
 NC-6004 251, 252
n-DSSC device 181
 negatively charged dendrimers 295,
 296, 300
 Ni-catalyzed P-C bond formation 94
 nifedipine 244
N-isopropylacrylamide 244
 nitrogen-based flame retardants 201,
 205
N-methylamine-borane 28
N-methyl-2-pyrrolidone (NMP) 224
N,N-di-isopropylamino-borane 29
 non-flammable materials 197
 nontoxic MIL-100 (Fe) 259
 N₃P₃Cl₆ core precursor 120
 [N=P(Cl)₂]_n 99–100, 103
 [N=P(OCH₂CF₃)₂]_n 101
 [N=P(OPh)₂]_n 99
- O**
- o*- and *p*-carborane-containing
 polyfluorene polymers 46
o-carborane 47–49, 225, 227, 228, 231,
 232
o-carborane-containing
 poly(silylene-aryl acetylene)
 (CB-PSA) 228
 olefin metathesis polymerization 106
 oligo(1,4-phenylenes) 152
 oligo- and polystannanes 67
 oligomeric monomers 89
o-, *m*-, *p*-carboranes 225
 onion peel dendrimers 132
 organic cross-conjugated motifs 93
 organic/hybrid solar cells 181
- organic-inorganic hybrid polymers
 addition polymerization of
 phosphaalkene-containing
 precursors 97
 miscellaneous polymers 98
 natural rubber 96
 pendant ferrocenes 96
 1-phospha-isoprene 96
 polymethylene phosphanes 96
 organic light emitting diodes (OLEDs)
 4, 163–166, 168–171, 173–176,
 178, 181, 182, 189
 organic semiconductors 163, 181
 organic solar cells (OSC) 181–188
 organogermanium and tin hydrides 63
 organohydrides 62–65
 over-oxidation resistance limit (ORL)
 42
 oxaliplatin 250
 oxygen sensitivity 85, 94
- P**
- P*-alkylphosphanylborane 24
 Pd-carbosilane dendrimers 280
 PDMS-coumarin 246
 peak heat release rate (PHRR) 206, 215
 peak smoke production rate (PSPR)
 215, 224
 pendant ferrocenes 96
 pendant silylcarboranes 46
 pentavalent oxides 89
 1,10-phenanthroline 144
 1-phenyl-2,3-dimethylphosphirene 96
 phosphaalkenes 86–89, 94, 96, 97
 phosphafluorene 174, 175
 1-phospha-isoprene 96
 phospha- or arsaalkene-containing
 polymers 88
 phosphatriazaadamantane 282
 phosphaviologen 8
phospha-Wittig reaction 88
 phosphazenes 11, 85, 97–104, 170,
 171, 175, 184
 phosphinate- and
 phosphino-functionalized
 carboranes 51–52

- phosphine 166, 167, 169, 170, 171, 172, 173, 181
- phosphine-boranes
- Lewis-acid promoted
 - dehydrocoupling of 23
 - Lewis-base promoted
 - dehydrocoupling of 24
 - metal complexes as catalysts for the dehydrocoupling of 21
- phosphine oxide-based emitters 172
- phosphine oxide-based materials 171
- phosphole 4, 87, 89, 91, 98, 152, 154, 163, 164, 167, 173, 175, 179, 183, 184, 185, 188, 189
- acenaphtho[1,2-*c*]phosphole 168
 - α, α' -diarylacenaphtho[1,2-*c*]
- phosphole 168
- dipyridino-annulated 90
 - emitters 174
 - ETL phosphole-based molecules 168
- phosphole-thienyl copolymers 89
- phosphonated dendrimers 292
- phosphonitrilic chloride trimer 99, 100
- phosphoranimines 100, 101, 103
- phosphorhydrazide $H_2NNMeP(S)Cl_2$ 120
- phosphorhydrazone dendrimers 115, 120–121, 135, 278, 280, 281, 283, 284, 288, 291, 293, 295, 296, 298, 300, 301, 304
- phosphorus-based hyperbranched polysiloxane 201
- phosphorus-containing dendrimers 120–129
- cyclotriphosphazene 125
 - dendritic branches inside an original dendrimer 127
 - layered dendrimer based of phosphorhydrazone and P=N-P=S linkages 124
 - phosphorhydrazone dendrimers 120–121
 - Staudinger reactions 126
 - thio-seleno-phosphate layered dendrimers 123
 - three-step synthesis of dendrimers 124
- phosphorus-containing fire retardants 201
- photodynamic therapy (PDT) 253
- photoinitiator (PI) 5
- piano-stool iron-based catalyst 22
- platinum-polymer conjugates, tissue engineering and drug delivery 251
- platinum(IV)
- poly(organo)phosphazenes
 - macromolecular prodrugs 249
- pnictogens 4, 85, 86, 88, 89, 93, 94, 116
- polyacetylenes (PA) 27, 179
- poly(allylamine hydrochloride) (PAH) 289
- poly(amidoamine) (PAMAM) 115, 277, 301, 302
- poly(aminoborane) $(NH_2-BH_2)_n$ 25, 27–32
- polyanilines (PANI) 11, 93, 164
- polyarylene(arylphosphanes) 95
- polyaryletherketone-*p*-carboranes 230
- polybenzoxazines 229, 230
- poly(bistrifluoroethoxy)phosphazene 101
- polybithiopheneimide 185
- poly(*B*-vinylborazine) 33
- poly(*B*-vinyl-*N*-methylazaborine) 34
- polycarbophosphaferrocene 96
- poly(carbophosphazene)s 103, 104
- poly(carborane-carbosilane-phenyl-acetylene) 229
- poly(carborane-siloxane) 226, 227
- poly(carborane-siloxane-acetylene) 48, 226
- poly(carborane-siloxane-aryl acetylene) (PCSAA) 227
- poly(carborane-siloxane-diacetylene) polymers 49, 50
- poly(carboranylenesiloxanes) 226–229
- polycationic dendrimers 296

- poly(cyclotriphosphazene-*co*-4,4'-sulfonyldiphenol) nanotubes (PZS) 212
- poly (dianilinephosphazene) (PDAP) 212
- poly(diarylstannane)s 62, 67
- poly[di(carboxylatophenoxy)phosphazene] (PCPP) 11
- poly(dimethylsilane) 220
- polydimethylsiloxane (PDMS) 201, 246
- poly(diorganosilane)s 220
- poly((3,3'-diphenyl diacetylenediamino)-1,1'-ferrocene) (PDPFDE) 223
- polyetherketones 229
- poly(3,4-ethylenedioxythiophene) (PEDOT) 42
- polyethyleneimine 298
- poly(ethylene glycol)-*block*-poly(6-(4-cyanophenoxy) hexyl methacrylate) (PEG-*b*-PCPH) 254
- polyferrocenyldivynylsilane (PFDVS) 8
- polyferrocenylmethylvinylsilane (PFMVS) 8
- polyferrocenylsilane (PFS) 7, 9
- polygermanes 61, 62, 65, 69
- polyhedral silsesquioxane (POSS) 2
- poly(heterocyclopentadienes) 164
- poly(4-iodobutoxy) methyl siloxane 206
- poly(L-lysine) 115
- poly(lysine) 277
- polymeric iron(II) complexes 321
- polymers with two unsaturated organic moieties
- different types of conjugation and delocalization 93
 - Group 15 elements with two adjacent alkyne, alkene, or arene motifs 94–96
 - organic cross-conjugated motifs 93
- poly(2-(methacryloyloxy)ethyl ferrocenecarboxylate) (PFcMA) 10
- polymethylene phosphanes 96
- poly(methyl-*n*-propylsilane) (PMPrS) 220
- poly(*N*-methylaminoborane) 27, 30, 31
- polynuclear iron(II)-triazole compounds 321
- polyolefins 19–36, 41, 86
- poly(organodecaborane) type polymers 232
- poly(organophosphazenes) 99, 213, 250
- poly(organosiloxane) dendrimers 115
- polyoxometalates (POMs) 244
- polyphenylsiloles 179
- poly(phosphate)s 104
- polyphosphazenes 85, 97, 103, 171, 184, 210
- tissue engineering and drug delivery 247–250
- poly(phosphinoboranes) 20–21, 23–27
- poly(phosphite)s 104–106
- poly(phosphoamidate)s 104
- polyphosphoester 85, 104–106
- poly(phosphonate)s 104
- poly(*p*-phenylenesulfides) 164
- poly(*p*-phenylene vinylene) (PPV) 164, 175, 177, 178, 179
- poly(*P*-phenylphosphinoborane) 20
- poly(phosphazene) backbone 247
- poly(phosphine-borane)-based materials 25
- poly(propyleneimine) (PPI) 115, 277
- polypyrrole (PPy) 11, 42
- poly(3,6-silafluorene) 181
- polysilane dendrimer 120
- polysilanes 4, 5, 61, 119, 220, 222
- poly(silole-*co*-germole)s 181
- polysiloxane foams 208, 210
- polysiloxanes 201
- tissue engineering and drug delivery 244–247
- poly(silylene-arylacetylene)s 49
- polysilynes 220–222
- polystannanes 62, 65, 67–69

- polythiophene (PTh) 42, 147, 178, 179, 181
- polythiophene including silicon atoms 179
- poly(styrenesulfonate) (PSS) 289
- poly(thionylphosphazene)s 103, 104
- poly(thiophosphazene)s 103, 104
- polyurethane/poly(bis(carboxylatophenoxy)phosphazene) foamed blends 213
- polyvinylene phosphanes 96
- polyvinylpyrrolidone (PVP) 266
- P,P*-diphenylphosphine-borane 22, 24
- 1,2-(PPh₂)₂-1,2-*closo*-C₂B₁₀H₁₀ 52
- P*-phenylphosphine-borane 20, 22
- PPy(carboranyl)(PF₆) 44
- preceramic carborane-containing polycarbosilanes 228
- pristine epoxy resin (EP-0) 223
- 4,4'-(propane-2,2-diyl)diphenol (bisphenol A) 105
- PTh(carboranyl) 44
- pybox* 145, 146, 147, 154
- pyrene 166, 175, 296
- pyridine 62, 65, 69
- 2,6-bis(1-methylbenzimidazol-2-yl) 145
- 2,6-bis(4-aminophenoxy) 224
- 2,6-bis(benzimidazol-2-yl) 145
- 2,6-bis(oxazolin-2-yl) 145
- pyrrole 45, 163, 164, 185
- r**
- redox-switchable catalysis (RSC) 280
- regularly branched polymers 115
- Rh-catalyzed [2+2+2] cycloaddition reactions 283
- ring opening polymerization 8, 95–96, 100
- rougher cellulose fibers 3
- Ru(*p*-cymene)Cl₂(pta) 260
- [Ru^{II}(2,2':6,2''-terpyridine)(2,2'-biquinoline)(H₂O)]²⁺ 254
- [Ru^{II}(2,2':6,2''-terpyridine)(2,2'-biquinoline)(L)]²⁺ 254
- [Ru(Biq)₂(Hob)₂][PF₆]₂ 254
- ruthenium-catalyzed isomerization of allylic alcohols 283
- ruthenium-catalyzed ring-opening metathesis polymerization (ROMP) 232
- ruthenium-cyclopentadienyl (RuCp) compounds 253
- ruthenium-polymer-conjugates, tissue engineering and drug delivery 251–254
- S**
- Schiff base polymers 142
- semi-crystalline aromatic polyetherketones 229
- shape memory polymers (SMPs) 1
- Si-based polymers 175, 186, 188
- σ -conjugated polymers 61
- silicon-based flame retardants 201
- silicon-bridged dithienocarbazole-based polymers 185
- silicon-containing dendrimers
- carbosilane dendrimers 115–118
- hybrid siloxane carbosilane dendron 119
- polysilane dendrimer 120
- siloxane 119
- silicon germanium dendrimer 134
- silicon-nitrogen-based flame retardants 205
- silole-based dyes 184
- silole-based ETLs 169
- silole 163, 164, 168, 169, 179, 180, 181, 183, 184, 185, 187, 188
- siloxane 119, 132, 226
- siloxyl-*m*-carborane polymers 226
- silyl- and germyl-substituted PPVs 177
- silyl-disubstituted PPV 175
- size exclusion chromatography (SEC) 150
- smart materials
- applications based on
- chemical reactivity 10–12
- electronic excitation 2–5
- mechanical and rheological properties 1–2

- smart materials (*contd.*)
 optical features 6–9
 supramolecular recognition 9–10
 definition 1
 flame retardants 12
smectic C liquid crystal phases 288
smoke production rate (SPR) 214, 215, 218, 224
solvent and catalyst free
 dehydrogenative coupling 67
spin-crossover complexes 319, 320, 322
spirobifluorene 166
stannole 163
Staudinger reactions 123–126, 129, 133
Stille coupling reaction 46
styrene functionalized
 dithienophospholes 97
supramolecular dynamers 142
Suzuki coupling 89, 91, 284, 286, 287
- t**
- terpyridine 97, 144, 145, 150, 154, 162, 254, 284, 285
terpyridine-scandium triflate complexes 284
tetrachlorosilane (SiCl₄) 115
tetraethyl orthosilicate (TEOS) 266
tetramethyl terephthaloyl chloride 87
thermally resistant carborane-based polymers 48–50
thermo-, pH-, and salinity-sensitive polysiloxanes 244
thermosensitive hydrogels 247, 249
thiazolyldiphenylphosphine 284
thiophene 42, 44, 45, 88, 89, 146, 147, 148, 150, 151, 152, 154, 157, 163, 169, 173, 174, 178, 179, 181, 183, 184, 185
thio-seleno-phosphate layered dendrimers 123
- time to peak heat release rate (TPHRR) 215
tin dendrimer 130
titanacyclopentadienyl intermediate 91
total heat release rate (THR) 206, 208, 213, 215, 217, 221
total smoke release (TSR) 214, 215
1,2,4-triazole 317–319
 and metals 331–332
triazole in coordination chemistry 317–319
triclosan (5-chloro-2-(2,4-dichlorophenoxy)phenol) 246
trimethoprim (antimicrobial) microspheres 249
triphenylphosphine 284
triphospha-[3]-ferrocenophane 96
triply bridged metal(II) complexes 318
tris-(8-hydroxyquinoline)aluminium (Alq₃) 166, 168, 169, 174, 181, 190
tris-[3-(3-pyridyl)mesityl]borane 169
- u**
- Ullman-type coupling reactions 93
ultra-high molecular weight polyethylene (UHMWPE) 329
Ultrapek 229
unimers 9, 10, 143–157
 assembly and characterization of 148
 central blocks of 146–148
 properties of 151–155
 synthesis of 144–145
unsaturated carbosilane dendrimer 118
- v**
- 2-vinylaniline 35
vinylazaborines 34
viral-based gene delivery 298

W

Water-soluble carbosilane dendrimer
133

Wurtz-type coupling reactions 62

X

xerogel 291, 324, 325, 326, 327, 333

Z

zirconium-based MOF UiO-66
262

zirconocenes 93

zwitterionic carboxymethyl chitosan
246

