

Index

a

acid catalytic depolymerization
513–518

alkali metals 16, 41, 61, 78, 227,
280, 281, 289–291, 335, 336,
399, 400, 403, 428, 433, 438,
490

alkaline catalytic depolymerization
518–521, 550

alkaline-earth metal oxychloride
catalysts 285–292, 314

alkali titanates 403–405

alkane dehydrogenation to olefin
(ADHO) technology 275,
277

alkane products 462, 463, 466,
479, 532

alkenes 430–434
over heterogeneous catalysts
486–488
over homogeneous catalysts
479–486

alkenolysis processes 462

amine-based capturing process
406

amine functionalized adsorbents
407–408

amorphous silica-alumina 474

Anderson–Schulz–Flory (ASF)
model 57, 58, 426

aqueous-phase reforming (APR)
hydrogen production 50–51
of methanol 37–38

aromatic hydrocarbons 440, 474,
476, 532, 537–543, 546–550

aromatics, syngas to 74–76

artificial photosynthesis 449

attapulgitite (ATP) 49

b

benzene, toluene and xylene (BTX)
76, 135, 212, 367

bimetallic catalyst systems 49

bimolecular cracking mechanism
208–214

biocrude 327, 334, 335

biomass 33, 51, 52, 57, 334, 351,
398, 400, 410, 414, 426, 461,
473, 507, 513, 518, 521, 524,
530, 546, 548, 550

boron-based catalysts
active sites of 297–301
development of 292–297
possible reaction pathway
301–307

borosilicate zeolites 296, 297

Bouveault–Blanc reduction 96,
489, 490

butylene 205, 273, 305

C

- CaO-based adsorbents 400–402
- carbenium ions 206–208, 210–212, 365, 367–369, 373, 526
- carbonaceous materials 307, 308, 315
- carbon-based adsorbent 409–410
- carbon-based catalysts
 - active sites of 308–310
 - development of 307
 - selectivity control of olefins 310–313
- carbon capture 393–395, 411, 413–415
- carbon capture and storage (CCS) 414–415
- carbon capture and utilization (CCU) 394, 414–415
- carbon catalysts 5, 308, 310, 311
- carbon dioxide (CO₂)
 - hydrocarbons synthesis
 - alcohol 442–447
 - alkenes 430–434
 - aromatics 440–442
 - liquefied petroleum gas 434
 - liquid fuels 434–440
 - valuable chemicals 447–450
 - methanation 427–430
- carbon dioxide (CO₂) capture
 - technology 395–396
- carbon capture and storage 414–415
- chemical looping combustion 411–413
- direct air capture 413–414
- oxy-fuel combustion 410–411
- postcombustion
 - amine-based solvents 406–407
 - amine-functionalized adsorbents 407–408
 - carbon-based adsorbent 409
 - MOF-based adsorbents 408–409
 - zeolite adsorbents 409
- precombustion
 - high-temperature adsorbents 400–405
 - intermediate-temperature adsorbents 397–400
- carbon dioxide (CO₂) emission 33, 119, 205, 294, 314, 393–416, 425
- carbon-rich fossil fuels 425
- carboxylation 49, 461–465, 467, 470, 472, 476, 478, 479, 481, 484, 494, 524, 546
- carboxylic acids 308, 461, 467, 471, 475, 480–490, 493–495, 524, 527
- catalytic cracking
 - reaction mechanism
 - bimolecular cracking 208–212
 - monomolecular 206–208, 212–214
 - thermodynamics 206
- Catofin technology 275
- chemical looping combustion (CLC) 393, 411–413
- chemical looping-oxidative dehydrogenation (CL-ODH) 291
- chemical production
 - syngas to aromatics
 - methanol/dimethyl ether as intermediates 75–76
 - olefins as intermediates 74–75
 - syngas to C₂₊ oxygenates
 - Co-based catalyst 78–80
 - Cu-modified FTS catalysts 80–82
 - syngas to olefins
 - bifunctional catalysts 72–73

- Co-based FTO 69–72
 - Fe-based catalysts 68–69
 - chemical titration method 308
 - coal gasification 24, 25, 397
 - cobalt-based catalysts 428, 438
 - composite zeolites 254–259
 - copper, active component 192–193
 - copper clusters 150, 152, 154
 - copper-modified zeolites
 - active sites 149–151
 - isothermal and direct catalytic conversion 153–154
 - reaction mechanism 151–153
 - topology and composition 154–156
 - CO₂ reforming of methane (CRM) 97, 429
 - cracking technologies 3, 205
 - CrO_x-based catalysts
 - active sites 278–280
 - role of promoters 280–281
 - role of support 280
 - crude microalgae oil 471
 - cyclic alkanes 185, 476
 - cycloalkanes 476, 532–537, 540, 541, 543, 546–550
- d**
- decarbonylation reaction 470, 476
 - density functional theory (DFT) 61, 104, 146, 186, 283, 311, 359, 430, 481, 547
 - dielectric barrier discharge (DBD) 11, 12
 - dimethyl ether (DME) 42, 183
 - autothermal reforming 43
 - partial oxidation 42
 - steam reforming 43–46
 - dimethyl oxonium ions (DMO) 355
 - direct air capture (DAC) 413–414
 - direct alkane dehydrogenation catalysts
 - CrO_x-based catalysts 278–281
 - Pt-based catalysts 281–285
 - direct methane to methanol (dMtM) 130, 195
 - dispersion-corrected density functional theory (DFT-D2) 104
 - dry reforming of methane (DRM) 14, 96
 - heterogeneous catalysts
 - Co-based catalysts 114–118
 - Ni-based catalysts 106–114
 - noble metal catalysts 105
 - theoretical studies 118
 - thermodynamic analysis 97
- e**
- electronic atomic monolayer metal-support interaction (EAMSI) 192
 - electrophilic oxygen species 288, 289, 291, 311, 313
 - Eley–Rideal mechanism 191
 - ethanol
 - aqueous-phase reforming of ethanol 41–42
 - steam reforming of ethanol 39–41
 - ethenolysis 462, 478
 - ethyl dimethyl oxonium ion (EDMO) 355
 - ethylene glycol (EG) 49
 - aqueous-phase reforming 50–51
 - steam reforming of ethylene glycol 49–50
 - evaporation-induced self-assembly (EISA) method 109

f

- face-centered cubic (FCC) phases
 - 62
- fatty acids 462, 465–467, 470, 471, 475, 479, 489, 491
- Fe-modified zeolites 146–149
- ferrierite (FER) 149, 195, 214–216
- Fischer–Tropsch synthesis (FTS)
 - 14, 57, 425
 - catalyst development
 - Co-based 62–64
 - Fe-based 59–62
 - liquid fuels production 64–65
- fluidized bed dehydrogenation (FBD) process 275, 277
- formaldehyde 145, 161, 162, 183–185, 190, 351, 516, 524, 525
- formate 118, 152, 158, 159, 161, 357, 429, 430, 444, 445, 447–449
- fossil fuels 3, 14, 21–25, 33, 129, 334, 393, 395, 406, 411, 413, 414, 425, 461

g

- gallium oxide 284, 285
- gas-phase reactions 189
 - non-zeolite catalysts 190–192
 - zeolite catalysts 192–195
- global warming 14, 119, 130, 393, 395
- glycerol 46
 - aqueous-phase reforming of
 - 48–49
 - steam reforming 46–48
- graphene oxides (GOs) surface 310
- guaiacol 327, 334, 335, 514, 529, 533, 535, 536, 538, 542–545, 549

h

- Haag–Dessau mechanism 207, 212
- hard template method 242–243
- harsh reaction 79, 143, 206, 274, 493
- H-BEA 160, 359, 474
- heptanoic acid 486
- hexagonal boron nitride (*h*-BN)
 - 292, 297
- hexagonal close-packed (HCP) phase 62
- hierarchical ZSM-5 zeolites
 - macroporous/mesoporous/microporous 249–254
 - mesoporous-microporous
 - hard template method 242–243
 - posttreatment method 243
 - soft-templating method 243–247
- higher alcohol synthesis (HAS) 76, 445
- high-temperature aqueous solution-based direct air capture (HT DAC) 413
- homogeneous catalysts 188, 337, 462, 479–486, 494
- H-USY 474
- hydride abstraction 207
- hydrocarbon pool mechanism 137, 351, 359–364, 434, 435
- hydrocarbons liquid fuels 64
- hydrogen energy 313
- hydrogen production 33, 34
 - from dimethyl ether
 - autothermal reforming 43
 - partial oxidation 42
 - steam reforming 43–46

- from ethanol
 - aqueous-phase reforming of 41–42
 - steam reforming of 39–41
 - from ethylene glycol
 - aqueous-phase reforming 50–51
 - steam reforming of 49–50
 - from glycerol
 - aqueous-phase reforming of 48–49
 - steam reforming 46–48
 - from methanol
 - aqueous-phase reforming of 37–38
 - combined reforming of 37
 - decomposition of 34–35
 - partial oxidation of 35–36
 - steam reforming of 36–37
 - from sorbitol 51–52
 - hydroperoxide 187
 - hydrothermal synthesis methods 132, 235, 247, 257, 329, 337
 - hydroxylated boron nitride (BNOH) 294
 - H-ZSM-5 24, 44, 45, 67, 74, 76, 131, 134–136, 138, 140–142, 145, 156, 160–162, 185, 208, 210–212, 214–225, 228–235, 237–239, 241, 242, 248–251, 257, 258, 356, 358, 359, 361, 363, 364, 366, 367, 369, 370, 372–376, 379, 434, 435, 437, 440–442, 533–536, 546
- i**
- incipient wetness methods 102, 156, 158, 162, 280, 295, 326, 327, 329
 - indium oxide 284, 434
 - inelastic neutron scattering (INS) 547
- integrated differential
 - phase-contrast scanning transmission electron microscopy (iDPC-STEM) 141
 - interfacial engineering 16, 19
 - ion exchange method 67, 131, 159, 185, 229, 323, 326–328, 335, 400, 442
 - iron, active component 194–195
- k**
- ketonization 462, 466, 467, 470
 - Koch carbonylation mechanism 356, 359, 379
- l**
- layered double hydroxides (LDHs) 80, 280, 399–400
 - light alkanes
 - conversion technology 273
 - direct dehydrogenation
 - commercial dehydrogenation processes 274–278
 - direct alkane dehydrogenation catalysts 278–285
 - oxidative dehydrogenation reactions
 - and alkaline-earth metal oxychloride catalysts 285–292
 - boron-based catalysts 292–307
 - carbon-based catalysts 307–313
 - transition metal oxide 285–292
 - light olefins 205–259, 273, 294, 305, 314, 364, 367, 369, 375, 378, 430, 433, 442, 476
 - lignin
 - catalytic depolymerization acid 513–518

- lignin (*contd.*)
 - alkaline 518–521
 - oxidative 527–530
 - reductive 521–526
 - fuels and chemicals 547–549
 - monomers
 - aromatic hydrocarbons 537–542
 - to cycloalkanes 532–536
 - phenols 542–546
 - structure of 508–512
 - lignocellulosic biorefinery 507
 - Linde type A (LTA) 323
 - lipids
 - deoxygenation 461
 - diesel range hydrocarbons
 - metal sulfide catalysts 463–464
 - sulfur-free metal catalysts 465–474
 - fatty alcohols hydrogenation
 - of esters or methyl esters 489–493
 - of fatty acids 493–494
 - of oils 488–489
 - hydrodeoxygenation 461
 - jet fuel hydrocarbons
 - alkenes over heterogeneous catalysts 486–488
 - alkenes over homogeneous catalysts 479–486
 - thermocatalytic cracking
 - conversion 462
 - liquefied petroleum gas (LPG) 434
 - liquid fuels production
 - bifunctional catalysts 65–67
 - modified FTS catalysts 65
 - liquid-phase reactions
 - noble metal catalysts 187–189
 - zeolite catalysts 185–187
 - lithium containing ceramic adsorbents 402–403
 - low temperature solid sorbent-based direct air capture (LT DAC) 413
- m**
- macroporous/mesoporous/microporous ZSM-5 249–254
 - MCM-22 zeolite 218
 - metal-free titania surface 104
 - metal-modified zeolites
 - Cu-modified 149–156
 - Fe-modified 146–149
 - metal–organic frameworks (MOFs) 295, 336, 396, 409, 442
 - metal–support interaction (MSI) 11, 23, 33, 37, 38, 40–42, 48–50, 52, 62, 98, 100, 103, 192, 283, 428, 429, 442, 493
 - methane
 - autothermal reforming 129
 - catalytic reforming
 - CO₂/dry reforming of 14–21
 - oxidative steam reforming of 13–14
 - steam reforming of 9–13
 - conversion processes 183
 - direct conversion 130–131
 - energy production 129
 - partial oxidation of methane (POM) 5–9
 - steam reforming 129
 - thermocatalytic decomposition 3–5
 - methane dehydroaromatization (MDA) 130
 - methane–formaldehyde (FA) mechanisms 355
 - methane monooxygenase (MMO) 131, 184

- methane to methanol with oxygen (dMtM) 144
- methanol
- aqueous-phase reforming of 37–38
 - combined reforming of 37
 - hydrogen production 33–38
 - partial oxidation of 35–36
 - steam reforming of 36–37
- methanol-to-hydrocarbons (MTH)
- direct mechanism
 - development and milestones 352–353
 - first C–C bond formation 353–359
 - dual-cycle mechanism 364–367
 - indirect reaction mechanism 370–375
 - hydrocarbon pool mechanism 359–364
 - solid acidic catalysts 352
 - zeolite catalysts 375–379
- methyl ethyl ether (MEE) 355
- methyl *tert*-butyl ether 184
- methyl trifluoroacetate 189
- MgO-based adsorbents 397–399
- microalgae oil 466, 469, 471, 472
- mixed anhydride system 480
- mixed bifunctional catalysts 44, 45
- molecular layer deposition (MLD) 106
- monomolecular 206, 208, 212
- and bimolecular cracking
 - mechanism 212–214
 - α -protolytic cracking mechanism 206–208
- Monsanto technologies 183
- MoVTeNbO_x mixed metal oxide catalyst 287–288
- n**
- nanostructural engineering 294
- nano ZSM-5 zeolite 235–241
- natural gas 3, 33, 57, 129, 130, 133, 164, 184, 273, 351, 397, 406, 411, 425
- natural mordenite 216
- nickel oxide 288–289
- noble metals 6, 11, 14–16, 19, 21, 23, 24, 35, 36, 38–41, 46–47, 50, 63, 98, 103, 105, 106, 115, 187–189, 191, 281, 327, 340, 428, 429, 445, 465, 474, 522, 532, 536, 538, 539, 542, 550
- non-noble metals 15, 34–37, 40, 47–48, 51, 277, 493, 523, 536, 538, 539, 541
- o**
- olefins, syngas to 68, 72–73
- Oleflex process 275–277
- organic structure directing agents (OSDAs) 133, 259
- oxidative catalytic depolymerization 513, 527–530, 550
- oxidative dehydrogenation of propane (ODHP) 285, 293
- oxygenates 57, 59, 72, 76–84, 96, 158, 161, 183–196, 273, 274, 334, 461, 466, 475, 536
- oxygen, electron density of 433
- p**
- Pacol process 275, 277
- palmitic acid 467, 470
- paraffins 66, 72, 74, 76, 82, 206, 207, 212, 216, 217, 225, 228, 235, 246, 259, 380, 441, 461, 462, 464, 470, 471, 475, 479, 486, 548

- partial oxidation of methane (POM)
5–9, 130, 144–146, 149–151,
156, 162, 185, 191
- partial oxidation of methanol
(POM) 34–36
- pentaerythritol (PET) 227
- petrochemical industry 57, 214,
220, 258, 478
- phenols 146, 311, 315, 513, 518,
521, 524, 527, 529, 532, 533,
535, 538–546, 550
- phosphorus-modified ZSM-5
232–235
- photocatalysis 449, 527, 530, 531
- physical adsorbent 410
- physical adsorption technologies
10
- post-synthetic techniques 329–332
- posttreatment method 243
- potassium dititanate ($K_2Ti_2O_5$)
404
- pressure swing adsorption (PSA)
unit 10, 397
- propane dehydrogenation (PDH)
274, 279
- propylene 205, 210–212, 214,
216–221, 223, 227–229,
231–233, 235, 237, 242–244,
247, 250, 252, 254, 258, 259,
273, 274, 278, 281–284, 286,
289, 290, 292–297, 301, 305,
307, 311–314, 430, 433, 546
- 4-propylguaiaicol 542, 543, 545
- protolysis 207
- Pt-based catalysts 281
- pyrolysis 129, 210, 513, 530
- r**
- rapeseed oil 464, 488
- rare earth (RE) elements 230
- reductive catalytic
depolymerization 521–526
- RE-exchanged Y zeolites (REY)
catalysts 230
- s**
- SAPO-34 73, 214, 215, 218, 220,
254, 257, 283, 325, 351, 357,
359, 361, 362, 365, 367, 369,
370, 375, 376, 380, 430, 431,
433
- shale gas 57, 74, 183, 184, 195,
273, 313
- sintering 8, 12, 15, 16, 19, 20, 23,
36, 41, 47, 49, 97, 99, 100,
105–107, 109, 110, 115, 119,
129, 143, 281, 283, 313, 329,
342, 401–404, 413, 429, 430,
467
- soft templating method 243–247
- solid carbon (C_s) 5, 136
- solvent degradation 411
- sorbitol ($C_6H_{14}O_6$) 33, 51–52
- sorption enhanced hydrogen
production (SEHP) processes
404
- sorption-enhanced steam methane
reforming (SES MR) 103
- spectroscopic techniques 315, 352,
379
- steady-state isotopic transient
kinetic analysis (SSITKA)
69
- steam catalytic cracking (SCC)
218
- steam cracking technology 205
- steam reforming of ethanol (ESR)
39–41
- steam reforming of ethylene glycol
49–50
- steam reforming of glycerol (GSR)
46–48
- steam reforming of methane (SRM)
9–13, 95–96

- heterogeneous catalysts 97
 - Ni-based 98–104
 - theoretical studies 104–105
 - thermodynamic analysis 97
 - steam reforming of methanol (SRM) 34, 36–37, 40
 - stearic acid (SA) 465, 466, 468, 471, 473, 477, 481, 495
 - strong metal–support interaction (SMSI) 23, 40, 62, 103, 442, 493
 - structure-directing agent (SDA) 132, 133, 243, 259, 325
 - supported bifunctional catalysts 44–46, 67
 - supported metal sulfide catalysts 461–464
 - supported sulfur-free metal catalysts 461
 - swing adsorption reactor cluster 406
 - synchrotron vacuum ultraviolet photoionization mass spectroscopy (SVUV-PIMS) 307
 - syngas to aromatics (STA)
 - methanol/dimethyl ether 75–76
 - olefins 74–75
 - syngas to C₂₊ oxygenates
 - Co-based catalyst 78–80
 - Cu-modified FTS catalysts 80–82
 - syngas to olefins
 - bifunctional catalysts 72–73
 - Co-based FTO 69–72
 - Fe-based catalysts 68–69
 - synthesis gas 14, 95–97, 129
- t**
- tandem isomerization–decarboxylation process 484
 - temperature-programmed desorption (TPD) 113, 308, 327
 - terephthalic acid (TA) 546, 547
 - tetrapropylammonium hydroxide (TPAOH) 247
 - three-dimensional (3D) printing manufacturing 252
 - titanates, fabrication methods for 403
 - transition metals 4–6, 17, 59, 104, 105, 136, 145, 163, 189, 192, 195, 220, 227, 229–230, 281, 284–286, 290, 314, 326, 334, 403, 411, 445, 484, 491, 550
 - triglycerides 461–465, 473–476, 478, 488, 489
 - two-reactor system 9
- u**
- ultra-dispersed diamond (UDD) 311
- v**
- vanadium oxide-based catalysts 285–286
 - Vaska’s complex 483, 484
 - vegetable oils 464, 469, 474, 488
 - ventilation air methane oxidation catalysts 342–343
 - volatile compound emissions 411
- w**
- water–gas shift (WGS) reaction 9, 10, 36, 37, 43, 60, 95, 116, 187, 396, 397, 400, 428, 461, 465
- x**
- X-ray absorption fine structure (XAFS) 60, 99, 116, 139, 150, 342

- X-ray photoelectron spectroscopy (XPS) 35, 106, 116, 139, 297, 308, 543
- Z**
- zeolite acidity 189, 227, 235
- zeolite catalysis
 - active sites
 - acid sites 333–335
 - basic sites 335–337
 - redox sites 337–338
 - deactivation
 - poisoning 338–342
 - sintering 342–343
- zeolites 131–133
 - active sites 332–338
 - as catalysts 324–325
 - chemistry 323–324
 - d*-block metals 161–163
 - deactivation 332–338
 - development 214–235
 - with different framework structures 214–220
 - metal deposition 326–329
 - metal-modified 144–146
 - metal preparation methods
 - direct hydrothermal synthesis 329
 - post-synthetic techniques 329–332
 - methane dehydroaromatization 135–144
 - size discrimination 325–326
 - ZSM-5 zeolite 220–228
- zinc oxide clusters 159–160
- zirconia 36, 99, 280, 543
- Zn-modified zeolites
 - Brønsted acid sites 160–161
 - C–H activation 157–159
 - reactivity, of methane with small molecules 161
 - zinc oxide clusters 159–160
- ZSM-5 zeolite
 - modification
 - alkaline metal- and alkali earth metals 228–229
 - phosphorus-modified 232–235
 - transition metal-modified 229–230
 - Si/Al ratio 221–226
 - tuning of Al siting and distribution 226–227
- ZSM-48 zeolite 217, 218

