

Index

a

- accelerated rate calorimetry tests, 38
- acetonitrile (AN) 23, 185
- acidic electrolyte 153–154
- activity coefficient 11, 281
- Al- and Ta-doped LLZO 378, 380, 386
- alkali salts solutions 155
- alkali-rich oxides 112
- all-solid-state Li metal batteries (ASSLBs)
 - cathode coating 224–226
 - cathode/solid electrolyte interfaces
 - chemical reaction during cycle 218, 222–223
 - chemo-mechanical degradation during cycle 218
 - electrochemical oxidation and 218, 222–223
 - interfacial reaction during cell fabrication 220–222
 - conductive additives in 229
 - electrolytes in 232
 - energy densities 213
 - geometric arrangement 226–229
 - solid oxide electrolytes 215–216
 - volumetric and gravimetric energy density 214
- Allen–Cahn equation 284
- angular momentum 301, 320
- anion-coordination polyhedra 167
- anionic redox
 - activity for high capacity 110–112
 - chemical bonds 130–131
 - for Li_2RuO_3 system 133–135
 - for $\text{Li}_3\text{NbO}_4^-$ and Li_2TiO_3 -based oxides 126–130
 - for sodium storage applications 135–138
- anion redox activity 349
- antisite defect formation 39
- aqueous batteries
 - diverse charge transfer and storage processes 148–156
 - potential window, electrochemistry of 146–148
 - opportunities and challenges of 145–146
 - semi-quantitative analysis 151–152
 - storage mechanisms, in electrolyte 152–156
- aqueous electrolytes 5, 24, 121, 145–174, 185, 197, 205
- aqueous Na-ion storage 148
- area-averaged distance 184
- area-averaged surface tension 184
- area-specific resistance (ASR) 216
- atomic layer deposition (ALD) 80, 185, 197, 287
- Auger electron yield (AEY) 345, 346
- automated gas environment system (AGES) 330

b

- basic linear stability analysis 289
- battery-assembling industry 45
- battery reaction, phase rule in 151
- battery safety 354
- behind-the-meter (BTM) batteries 145, 146
- binary Co-free cathodes 39
- birnessite-type $\delta\text{-MnO}_2$ films 201
- bivalent manganese oxide 148
- bond valence site energy (BVSE) 334
- Born–Haber cycles 58
- brownmillerites 330

c

- Cahn–Hilliard equation 284
- capacitive current 152
- capacitive process 48, 152
- carbodiimide anion 60
- carbonate-based electrolytes at potentials 41
- carbonate-based liquid electrolytes 375
- carbonate precursors 46
- carbon nanotubes (CNTs) 62, 73, 185
- cathode/electrolyte interfaces 20, 41, 42, 44, 49, 243, 264
- cathode–electrolyte interphase (CEI) 19, 263, 284, 352

- cathode manufacturing industry 45
 cation desolvation 56
 cation-disordered rocksalt oxides 126, 131
 cation mixing 37, 39, 47, 106, 329
 charge compensation 42–44, 124, 126, 130, 345, 353, 357
 charge–discharge (C-rate) characteristics 9
 charge storage mechanism 146, 152, 155, 156, 166, 171, 189
 charge transfer 1, 10–12, 14, 16–19, 21–24, 26, 28, 56, 65, 69, 84, 124, 133, 148, 149, 152, 155, 162, 169, 214, 223, 230, 234, 237, 267
 chemical bath deposition 202
 chemical–mechanical coupling 284
 chemical potential 151, 184, 185, 218, 230, 238, 281
 chemical shift anisotropy (CSA) 301, 303
 close-packed oxides 157
 Cobalt Development Institute (CDI) 34
 cobalt-free cathode materials 34–36, 42, 45
 cobalt-free chemistries
 battery assembly 47–48
 cathode powders, synthesis of 47
 cathode precursors, synthesis of 46–47
 electrode fabrication 47
 cobalt-free nickel rich formulations 39, 47
 cobalt-free ternary systems 41
 cobalt oxides 35, 67–72, 183
 cocktail treatment 349
 Co/Co-free cathodes 34, 35, 48, 49
 Co-free cathodes 34, 35, 39, 41, 43, 47, 48, 49, 268
 Co-free lithium metal oxides 41
 collected iron rust 172
 commercial Li-ion cathodes 44
 commercial Li-ion electrodes 3
 commercial lithium ion battery electrodes 329
 compositional homogeneities 47
 conductive carbon-based materials 171
 constant elastic constants 275
 continuous stirred tank reactors (CSTR) 39, 45
 controlling sintering gas 229
 conventional calcination 136, 137
 conventional carbonaceous anode 229
 conventional carbonate-based electrolyte 10, 346
 conventional cathode active materials 3
 conventional layered oxides 351
 conventional Li-ion cathodes 36, 43, 48
 CoO₂ stacking sequence 104
 copper oxides 78–83, 86
 coprecipitation process 39, 45, 46
 coprecipitation window 40
 core/shell structures 202, 203
 Coulombic efficiency (CE) 9, 60, 167, 197, 227, 234, 242
 critical current density (CCD) 215, 242, 289
 critical plating potential 292
 crystallographic anisotropy 281
 crystallographic phase 150
 Cu²⁺/Cu¹⁺ redox couple 102
 CuO nanoparticles 78, 82
 CuO nanorod arrays (CNAs) 79, 80, 83
 current aqueous EES systems 146
 cyclability 3, 9, 35, 56, 71, 135, 138, 163, 168, 173, 191, 233, 306
 cyclic voltammetry (CV) 12, 69, 151, 159, 173, 187, 188, 223
 cyclic voltammograms, of LiMn₂O₄ 190
- d**
 deeper delithiation 191
 δ-MnO₂ birnessite 162, 163, 165
 degradation processes 257, 264, 267, 268, 353
 degree of freedom 151
 degree of lithiation 186
 (de-)lithiation 185, 192, 193
 dendrite-free all-solid-state Li-based battery cells 240
 dendrite-like lithium filaments 288
 dendrite-like lithium metal penetration 273
 density functional theory (DFT) 161, 220, 377, 393, 400
 density functional theory-molecular dynamics (DFT-MD) 400
 diamagnetic material 302, 315
 differential electrochemical infrared mass spectroscopy (DEIRS) 264
 differential electrochemical mass spectroscopy (DEMS) 264
 diffusion-induced stress (DIS) 276, 278, 279
 diffusion-limited kinetic current 152
 diffusion-limited redox process 150, 162
 diffusion potential 281
 dipolar coupling 301, 302
 discharge process 71, 84, 86, 89, 121, 126, 171
 dislocation-controlled plastic deformation 278
 disordered rocksalt (DRX)
 cathodes 43–45
 structures 133
 distributed renewable energy generation 145
 doping manganese oxides 162
 d-orbital electrons 43
- e**
 elastic energy 282, 283, 288
 elastic modulus 213, 217, 239, 240, 278
 elastic strain effect 284
 elastic strain energy 280, 281, 283, 292
 electrical double-layer (EDL) 148, 146
 electric double layer capacitors (EDLCs) 393
 electric potential 281

electric vehicles (EVs) 1, 2–4, 33, 48, 55, 101, 121–123, 145, 258, 343, 375, 393

electrochemical capacitors 1, 161, 195, 404, 405

electrochemical cells, fundamentals of 1–2, 146, 147, 185, 326, 328, 368

electrochemical compatibility 230, 242

electrochemical conversion reaction 173

electrochemical cyclic voltammetry experiments 187

electrochemical cycling 37, 104, 109, 129, 133, 135, 138, 148, 169, 185, 198, 199, 203, 277, 288, 291, 293, 300, 307, 311, 316, 345, 348, 362, 368

electrochemical dealloying techniques 201

electrochemical impedance spectra (EIS) 19, 225, 228

electrochemical oxidation 124, 130, 218, 222–224, 243, 400

electrochemical sodium (de)intercalation 103, 104

electrode–electrolyte interphases 352

electrode/electrolyte interface 9, 21, 26, 148, 214, 242, 243, 284–287, 322

electrode fabrication 45, 47, 49

electrodeposition 148, 201–203, 205, 381, 385, 387

electrode reversibility 133

electro-kinetics, of aqueous batteries 148

electrolyte decomposition 11, 19, 20, 24, 57, 214

electrolyte fracture 288–293

electrolyte reaction processes 259

electronic conductivity 4, 42, 44, 62, 64, 67, 69, 71, 73, 75, 80, 82, 89, 110, 125, 133, 187, 198, 201, 205, 213, 215, 224, 229, 232, 239, 240, 242, 243, 330, 376, 402

electron paramagnetic resonance (EPR) 5, 300, 314

electron transfer (ET) 9–28, 71, 84, 169, 172, 193, 194, 196

energy density 4, 9, 18, 33, 41, 47, 48, 55, 56, 62, 64, 65, 67, 75, 78, 82, 101, 106, 109, 112, 113, 121–123, 134, 135, 145–147, 161, 162, 167, 213–216, 222, 229, 230, 234, 242, 243, 257, 259, 263, 265–268, 299, 316, 354, 362, 375, 379

energy storage costs 5

f

fabrication of, aqueous batteries 146

Faraday's constant 152, 184, 188, 275

faradaic charge transfer processes 1, 149

faradaic mechanisms 148, 150

faradic surface redox pseudocapacitive storage mechanism 153

fast GB diffusion' hypothesis 383, 386

Fick's laws 187, 192

Fick's second law 275

flammable liquid electrolytes 354, 375

flat fluorine-doped tin oxide (FTO) substrates 203

fluorescence yield (FY) 345, 346, 349

fluorides 58–60, 214

fluorination 138

fracture mechanics failure criterion 278

fracture toughness 237, 278, 288, 289, 291, 293, 294

Frumkin intercalation isotherm 12

g

galvanostatic charge/discharge profiles 12, 37, 108, 122, 123, 126, 158, 193, 279

Gibbs–Duhem relationships 281

Gibbs free energy 184, 280

global battery manufacturing infrastructures 34

global mobility revolution 33

grain boundaries (GB) 86, 201, 216, 226, 235, 238–240, 243, 277, 288–290, 322, 358, 360, 376, 377, 381, 385

grid storage applications 5, 48

Griffith theory 378

Grotthuss conduction mechanism 154

gyromagnetic ratio 300, 301

h

hard X-ray absorption spectroscopy 344, 352–358

hase-adjusted sidebands separation (PASS) 300

Helmholtz layer 148

high-capacity positive electrode materials
anionic redox reaction 125
 Li_2MnO_3 124
lithium-excess and lithium-rich materials 124

high-energy-density solid-state batteries 213, 215

high entropy oxide (HEO) 110

honeycomb-like mesoporous NiO microspheres 165

Hooke's law 275

host electrode (MO) 151, 153, 155, 163

hybrid supercapacitors 201

hydrogen evolution reaction (HER) 146

hydrothermal synthesis 67, 202, 203, 205, 262

hydrous RuO_2 150

hydroxide 20, 39, 40, 46, 69, 156, 169, 171, 172, 286

hydroxylated interphase 148

i

implementation, in electrode architectures
nanowires and nanotubes 201–203
three-dimensional assemblies 203–206

impulse-excitation experiments 379

- inactive diffusion-limited redox charge storage 146
- indirect dipole–dipole coupling 302
- inflammable organic electrolyte 146
- inhomogeneous lithiation 194
- inhomogeneous slurries 198
- inner Helmholtz plane (IHP) 148
- in situ and operando measurements 368
- in situ and operando monitoring 344
- in situ and operando spectroscopic 344
- in situ X-ray absorption near-edge spectroscopy (XANES) 75
- in situ X-ray diffraction (XRD) 67, 106, 260, 299
- inter alia lithium 55
- intercalation chemistry, of metal oxide cathode materials
- electrochemical reactions 344
 - hard X-ray absorption spectroscopy 352–358
 - real-space X-ray spectroscopic imaging
 - 2D full-field X-ray imaging 358–362
 - X-ray tomographic imaging 362–368
 - soft X-ray absorption spectroscopy 345–352
 - synchrotron X-rays 345
- intercalation metal oxide systems
- diffusional control 14–16
 - electrochemical measurements 10–11
 - electrolyte/material ratio 11
 - inhomogeneous thick porous electrodes 11
 - intercalation rate control regime 10
 - ion transfer kinetics, SEI layer effects 20–24
 - kinetic control 16–20
 - quantitative analysis 9
 - slow desolvation 24–28
 - thermodynamic control 11–14
 - voltammetric and electrochemical impedance responses 10
- intercalation of, cations 186
- intercalation process 9, 10, 12, 14–16, 19, 24, 26, 28, 151, 190, 192
- intercalation pseudocapacitive charge storage mechanism 155
- intercalation reaction 3, 4, 11, 26–28, 58, 190–192, 194, 343
- interfacial bonding 218
- ion (de-)intercalation 185
- ion pinning effect 22
- ion-transport tortuosity 285
- irreversible phase transition 104, 129, 133, 197
- j**
- Jahn–Teller distortion 36, 41, 104, 106, 190, 260, 284
- Jahn–Teller effect 165, 343
- Jahn–Teller lattice instability 165
- J-coupling 301, 302
- k**
- kernel-based and regularized regression models 396
- k-means clustering 397
- l**
- layered cathodes
- binary layered Ni-rich cathode materials 36–39
 - conventional 35–36
 - ternary layered Ni-rich cathode materials 39–41
- layered Li-rich materials 299
- layered lithium-TMO materials 191
- layered manganese-based materials 299
- layered Na_xMnO₂ cathodes 104
- layered NaMnO₂ materials 160
- layered oxide materials 333, 347, 354, 358
- layered transition metal oxides
- anionic redox activity for high capacity 110–112
 - mixed-metal-based 107–110
 - single transition-metal-based 103–106
 - structural classification 102–103
- Li-based batteries 240, 243, 273
- Li-containing concentrated electrolyte 147
- LiCoO₂ 3, 4, 12–14, 16–18, 20, 21, 24, 35, 48, 58, 103, 121, 122, 124, 125, 135, 183, 185, 186, 190, 191, 219, 225, 226, 260, 262, 275, 285, 286, 330
- Li dendrite formation 5, 237–241, 375, 377, 380
- Li dendrite propagation 237, 240
- Li⁺ diffusion kinetic barrier 155
- Li diffusivity 275
- Li extraction and insertion dynamics 305–312
- LiFePO₄ electrode 349
- Li-ion batteries (LIBs) 48
- basic principles 3, 4
 - history of 4
 - implementation of 101
 - LiCoO₂ 103
 - SSBs 5
- Li-ion cathodes 47
- Li-ion migration 238
- Li isotope 300
- Li₇La₃Zr₂O₁₂ (LLZO) 284
- density functional and molecular dynamics (MD) calculations 376
 - elastic properties of 377–381
 - grain boundary resistance 377
 - interfacial resistance 377
 - Li dendrite formation 377
 - Li-ion migration 386
 - Li wettability of 387
 - potential failure modes 381–386
 - tetragonal crystal structure 376
- Li-metal solid-state batteries 215

Li-metal stripping 235
 Li_2MnO_3 (LMO) 299, 306
 $\text{Li}_2\text{MnO}_3/\text{Li}$ bag-cell battery 308
 $\text{Li}_2\text{MnO}_3/\text{Li}$ half-cell battery 309
 Li_4MoO_5 131
 $\text{LiNi}_{0.5}\text{Mn}_{1.5}\text{O}_4$ electrode material (LNMO) 333
 $\text{Li}_{1.2}\text{Ni}_{0.13}\text{Co}_{0.13}\text{Mn}_{0.56}\text{O}_2$ 306
 $\text{Li}_{1.2}\text{Ni}_{0.13}\text{Mn}_{0.54}\text{Co}_{0.13}\text{O}_2$ (LNMCO) 299
 $\text{Li}_{1.2}\text{Ni}_{0.2}\text{Mn}_{0.6}\text{O}_2$ (LNMO) 299, 306
 $\text{Li}[\text{Ni}_{0.2}\text{Li}_{0.2}\text{Mn}_{0.6}]\text{O}_2$ 299
 $\text{LiNi}_x\text{Mn}_y\text{Co}_z\text{O}_2$ (NMC) materials 346
 linear elastic fracture mechanics 278, 291
 linear elasticity analyses 378
 Li NMR 300
 LiPON thin-film electrolyte 216
 liquid and/or gel electrolyte 214
 Li/solid-electrolyte interface 230
 lithiation/de-lithiation 218, 276
 lithiation reaction 60, 184, 188, 194, 195
 lithium- and sodium-ion batteries
 carbodiimide anion 60
 cell voltages 58
 physicochemical properties and cost 56
 lithium bis(trifluoromethane sulfonyl)imide (LiTFSI) 147
 lithium cobalt oxide 35, 183
 lithium diffusion 14, 46, 190, 192, 196, 399
 lithium ethoxide 196
 lithium-filled filament 293
 lithium intercalation 185–188, 190, 191, 194, 196, 197
 lithium-ion batteries (LIBs)
 degradation processes
 electrochemical reactions 258
 Ni-rich compositions 259
 physical and chemical changes 258
 predefined charge and discharge power 258
 $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ (LLZO) 376
 motivation 375
 solid electrolyte 376
 lithium-poor (FePO_4) 192
 lithium migration 126, 328
 lithium nickel oxide 35
 lithium titanate (LTO) composite electrodes 199
 LLZO/Li metal interface 239
 load shifting 145
 locally weighted regression 396
 logistic regression 396, 397, 399
 lowest occupied molecular orbital (LUMO) 230

m

machine-learning and data-intensive methods
 anodes 403
 cathode design 402–403

common unsupervised learning methods 397
 electrochemical capacitors 404
 high-throughput DFT approach 394
 high-throughput DFT calculations 394
 life cycle degradation 404–405
 liquid electrolytes 402
 non-lithium battery materials 403
 overfitting 397
 solid electrolytes 399–402
 machine-learning and data mining methods 345
 magic-angle-spinning (MAS) NMR 300
 magic-angle turning (MAT) 300, 303
 magnetic constant 302
 magnetic moment 301, 320
 magnetic susceptibility 302, 309
 manganese oxide 12, 71–77, 89, 148, 157–163
 Marcus and Butler–Volmer kinetics 284
 materials formation and synthesis 332–333
 maximum radial tensile stress 277
 maximum tangential compressive stress 277
 mechanical milling 136–138
 microcrack formation 109, 360
 microstructural composition 199
 mixed-metal-based layered transition metal oxides 107–110
 Mn-based layered oxides 106, 112
 Mn-LNO system 37
 mode I stress intensity factor 291
 modern electrochemical characterization methods 9
 modified chemical potential 281
 molar gas constant 152
 molecular dynamics (MD) simulations 85, 323, 334, 385
 mole fraction of component 281
 molybdenum oxides 88
 monoclinic manganese oxide 148
 monoclinic VO_2 167
 multinuclear NMR studies of transition-metal-oxide cathodes
 Li extraction and insertion dynamics 305–312
 oxygen evolution 312–313
 multiparticle composite systems 9

n

NaFeO_2 106, 107, 109
 Na^+ -ion diffusion pathways 102, 103
 $\text{Na}[\text{Ni}_{0.6}\text{Co}_{0.2}\text{Mn}_{0.2}]\text{O}_2$ particle 110
 nanocrystalline anatase TiO_2 films 189
 nanoparticulate Li_xFePO_4 192
 nanostructured TMOs
 cathodes for LIBs 189–193
 for conversion-type charge storage 193–195
 implementation in electrode architectures 198–200

- nanostructured TMOs (*contd.*)
 for intercalation-type charge storage
 195–197
 kinetics, of charge storage 186–189
 thermodynamics, of charge storage
 183–186
 nanostructured vanadium oxides 197
 nanostructuring LiMn_2O_4 190
 N-doped carbon-coated CuO nanorod arrays
 (NC-CuO) 80
 N-doped porous carbon framework (NPCF)
 73
 neutral electrolyte 153–156, 166
 neutron diffraction (ND) 299
 electrode structure 327–330
 experimental design and approach 326
 patterns 39
 neutron reflectometry 321–322
 neutron total scattering 162, 169
 next-generation energy storage systems 5, 9
 NFA electrodes 40
 Ni K-edge EXAFS 356
 Ni-rich $\text{Li}[\text{Ni}_x\text{Co}_y\text{Mn}_{1-x-y}]\text{O}_2$ (NMC) cathode
 273, 274
 nickel oxide 35, 82–86, 165
 NiO nanoflake arrays 203
 NiO nanosheets (NSs) 82
 NMC111 cathodes 35
 non-aqueous electrolytes 146, 163, 165, 185,
 205, 404
 non-aqueous lithium-ion batteries (LIBs) 145
 Novaxis Energies, Inc. 101
 nuclear magnetic resonance (NMR) 5, 300
 nuclear spins 301
 paramagnetic interactions and experimental
 approaches 302–304
 sensitivity 300
 spin interactions 301–302
 nuclear spins 301, 302
- O**
 octahedra 44, 102, 104, 110, 112, 122, 136,
 158, 165, 168, 172, 192, 328, 332
 ^{17}O isotope enrichment 312
 open-circuit voltage (VOC) 86, 146, 281, 354
 operando EPR 301, 314
 operando ^7Li NMR spectrum 308
 operando NMR 301, 307, 308
 ordinary least squares (OLS) linear regression
 396
 orthorhombic tunnel-structured 158
 O tetrahedra 172
 outer Helmholtz plane (OHP) 148
 overfitting 397, 398, 405
 oxide-based ASSLBs 227, 243
 oxide solid electrolytes 215, 216, 237, 242, 273
 oxygen evolution reaction (OER) 146, 312
 oxygen K-edge soft X-ray absorption
 spectroscopy 149
- P**
 pair distribution function (PDF) 162, 169,
 320, 330, 333
 paramagnetic interaction 300–304
 parasitic reactions 259
 partial least squares (PLS) model 399
 partial molar enthalpy 281
 partial molar volume 184, 274
 particle fracture 277–280
 particle morphology 43, 49, 65, 71, 130, 134
 peak current 188
 perovskites 214, 216, 232, 233, 320, 321, 330,
 331, 333, 376
 phospho-olivine cathodes 41
 plastic deformation 235, 278, 294
 platinum 149, 325
 $\text{P2-Na}_x\text{CoO}_2$ 104–106, 109
 PO_4^{3-} polyanion 42
 Poisson ratio 276
 polyaniline (PANI) 163, 200
 polycrystalline powders 49
 poly(3,4-ethylenedioxythiophene (PEDOT)
 168, 200
 polymer–ceramic composite solid electrolytes
 288
 potential-dependent faradaic redox reaction
 155
 Pourbaix diagram 147
 principal component analysis (PCA) 397
 pristine NCA95 particles 277
 probably approximately-correct (PAC) learning
 theory 398
 projection magic-angle-turning phase-adjusted
 sideband separation (pjMATPASS)
 303
 proton insertion process 153
 Prussian blue systems 22
 pseudocapacitance 146, 148–150, 152, 155,
 161, 162, 165
 pseudocapacitive material 1, 150
 pseudocapacitive process 148, 156
 pseudocapacitive storage 153–156
 pyrochlores 330
- Q**
 quadrupole coupling 301, 302
- R**
 Raman spectroscopy 78, 88, 155, 220, 221
 Randles–\(\text{v}\{S\}\text{ev}\{c\}\{i\}\{k\}\) equation 187
 random forest classification 396
 random forest regression 396
 real-space X-ray spectroscopic imaging
 2D full-field X-ray imaging 358–362
 X-ray tomographic imaging 362–368
 reasonable capacity retention 41
 rechargeable electrochemical energy storage
 (EES) 145

- rechargeable lithium batteries
 Co/Al-substituted system 122
 gravimetric energy density 121
 Ni-based layered materials 122
 positive and negative electrode materials 121
 transportation system 121
 redox mechanisms 43, 110, 112
 redox peak current 188
 redox processes 1, 9, 13, 15, 17, 110, 146, 150, 151, 154, 155, 162, 164, 166, 190, 353
 redox pseudocapacitance 148–150
 reduced graphene oxide (rGO) 62, 73, 165, 288
 reference chemical potential 281
 reference stress intensity factor 279
 regression methods 396
 relaxation-corrected peak intensity 300
 resonant inelastic X-ray scattering (RIXS) 349
 reverse Monte ion-exchange 333–334
 reversible redox activity 150
 ridge and lasso regression 396
 Ruddlesden–Popper phases 330
 ruthenium ions 133, 136
 ruthenium oxide 86–87
- S**
- scanning calorimetry measurements 41
 scanning transmission electron microscopy–electron energy loss spectroscopy (STEM-EELS) 348
 scanning X-ray imaging 361
 semi-infinite diffusion 187, 188
 sequential Rietveld refinement 328
 shape-selective synthesis strategy 262
 single and poly-crystalline ceramic electrolytes 289
 single-crystal approaches 319
 single-crystal LLZO 239, 290
 single transition-metal-based layered transition-metal oxides 103–106
 small-angle neutron scattering 322
 smart grids 145
 sodium-based layered oxides (Na_xMO_2) 102
 sodium insertion 135, 185
 sodium intercalation/deintercalation 347
 sodium-ion batteries (SIBs)
 commercialization of 101
 energy density limitations of 112
 high entropy oxide (HEO) 110
 NaFeO_2 106
 NaMn_3O_5 106
 NaMO_2 oxides 106
 Novasis Energies, Inc. 101
 operating principle of 101
 P2-type $\text{Na}_{0.67}\text{Mn}_{0.65}\text{Fe}_{0.2}\text{Ni}_{0.15}\text{O}_2$ 109
 sodium metal oxide (Na_xMO_2) 102
 soft X-ray absorption spectroscopy (XAS) 126, 345
- softmax classification 396
 solid–electrolyte interphase (SEI) 57, 147, 216, 232, 233, 240, 284, 311, 352
 solid electrolytes 213, 214, 284, 376
 Li dendrite formation and propagation 237–241
 Li metal 230
 solidification protocols 47
 solid oxide electrolytes 215–216, 223, 231
 solid oxide fuel cell (SOFC) electrodes
 experimental design and approach 330–331
 functions 331–332
 solid-solution lithiation regime 192
 solid-solution reaction 151
 solid-state batteries (SSBs) 5, 49, 213, 215, 216, 223, 233, 242, 243, 268, 284, 285, 377, 386
 specific energy 1, 2, 42–44, 48, 49, 62, 80, 215
 specific power 2, 189
 spin angular momentum 301, 320
 spinel and olivine cathodes 41–42
 spinel cathodes 41, 42, 260–262
 spinel oxides 189, 345
 spinel structure 41, 161, 190, 328, 356
 spinel-to-Birnessite phase transition 163
 spinel-type $\text{Li}_{1.08}\text{Mn}_{1.92}\text{O}_4$ 307
 spinning sidebands (SSBs) 300, 302, 312
 standard mode I brittle fracture 292
 state of charge (SOC) 258, 334, 344, 348, 404
 stationary battery storage 146
 stimulated-echo NMR spectrum 304
 stoichiometry coefficient 184
 stored elastic strain energy 292
 stress intensity factor 278, 279, 291
 support vector machine classification 396
 support vector machine regression 396
 surface adsorption pseudocapacitance 161
 surface-controlled current 188
 surface non-wetting 381
 surface reactions 259
 synchrotron radiation 344
 synchrotron X-ray/battery field 345
 synchrotron X-ray techniques 345, 353, 368, 369
- t**
- tailored interfaces 243
 tangential stress 275, 279, 282
 t-distributed stochastic neighbor embedding (t-SNE) 397
 theoretical capacitance 153, 169
 thermodynamic equilibrium 151, 220, 294
 thermodynamic reaction energy 220
 3D hierarchical nanostructure 78, 165
 3D microporous Ni foam current collector 203
 3D TXM compositional mapping 362
 three-electrode half-cell 148, 159, 168

- titanium oxide (TiO₂) 165, 195
 TM 3d and oxygen (O) 2p orbitals 345
 TM3d-O2p hybridization 351, 365
 topochemical reactions 343
 total chemical potential 184, 185
 total electron yield (TEY) 345, 346
 total fluorescence yield (TFY) mode 349
 total free energy 185, 186
 traditional Li-ion cathodes 42, 43
 transition-metal (TM)
 ion mobility changes 346
 migration 299
 transition metal oxide-based battery materials
 electrolyte fracture 288
 mechanical stress 274
 particle fracture 277–280
 solid electrolytes 284–
 thermodynamics 280–283
 two-phase equilibrium 283–284
 volume changes and deformation in
 electrode particles 274–277
 transition metal oxides
 cathodes
 NCM system of 262–265
 NCMA cathodes 265–266
 spinel cathodes 260–262
 cobalt oxides 67–71
 copper oxides 78–82
 electrochemical cells 1, 2
 electrochemical energy storage 5
 iron oxides 61–67
 Li-ion batteries 3, 4
 manganese oxide 71–77
 neutron diffraction
 BSCFW material 320
 in situ and in operando studies 325–326
 instrumentation 323–325
 neutron powder diffraction 321
 neutron reflectometry 321–322
 quasielastic and inelastic neutron
 scattering 322–323
 small-angle neutron scattering 322
 nickel oxide 82–86
 ruthenium oxide 86–87
 transition metal oxides, for aqueous EES 156
 iron compounds
 Fe₂O₃/FeOOH 172–173
 Fe/Fe₃O₄ 171–172
 Li/Na vanadates 169–171
 manganese compounds
 compositing manganese oxides, with
 other additives 161
 crystal structures of 157–161
 doping and defect chemistry 162–163
 pre-intercalated species 163–165
 surface engineering crystal facets
 161–162
 Ni compounds 165–166
 vanadium compounds 167–169
 transmission electron microscopy (TEM) 63,
 169, 190, 194, 221, 286, 329, 346, 347,
 348
 transmission X-ray microscopy (TXM) 192,
 278, 329, 360
 two-component system 151
 2D full-field X-ray imaging 358–362
 two-phase equilibrium 283–284
- U**
 undeformed reference state 280
 underpotential deposition 148–150
- V**
 vacuum permeability 302
 variable-offset cumulative spectroscopy
 (VOCS) 313
 Voigt-Reuss-Hill homogenization 275
 V₂O₅ electrode 25, 27, 168
 von Mises equivalent failure criteria 278
- W**
 water- and air-sensitive electrodes 161
 water-in-salt electrolyte 147
 water potential window 147
 wettability 217, 229, 234, 235, 237–240, 242,
 286, 287, 377, 381, 386, 387
 Wombat detector 332
 Wulff form 184
- X**
 X-ray absorption near edge structure (XANES)
 155, 196, 353
 X-ray absorption spectroscopy
 hard 352–358
 soft 345–352
 X-ray diffraction (XRD) 5, 67, 106, 133, 136,
 137, 155, 186, 220, 221, 260, 263, 299,
 323, 329, 330, 344, 353
 X-ray photoelectron spectroscopy (XPS) 88,
 155, 190, 221, 345
 X-ray radiation 320
- Y**
 yield stress 278, 292
 Young's modulus 275, 276, 378