

Index

a

- AAO template-assisted nanoimprinting 359–376
- abietic acid 520
- abrasion-resistant antifouling coating 520–523
- absorber-perpendicular TI structures 436
- acid-producing bacteria 511
- acoustic absorbance 551
- acoustic diffraction and disturbance 551
- acoustic intensity 79, 570
- acoustic sensor 39, 268, 269
- acoustic theory 77–79, 551
- acoustic waves 39, 40, 79–81, 551–563, 572, 578
- acoustooptic effect 82–83
- acrylate monomers 524, 527
- acrylic alkyl silane type ion exchange resin 527
- acrylic mold-proof coatings 517
- acrylic monomers 524
- acrylic silicon, zinc, copper-based tin-free self-polishing antifouling coatings 524
- active collision avoidance (MAA) sonar 555
- active graphene–silicon hybrid diodes 438
- active sonar system 553–555
- Adaptive Cross Approximation (ACA) method 229, 232
- adaptive integral method (AIM) 232
- adhesive PDMS 423
- advanced hostile sonar systems 565–573
- aerobic iron-oxidizing bacteria (IOB) 513, 514, 540
- aeronautical sonar buoy 563–565
- Ag nanofibers 34, 419, 593
- Ag nanoprisms 340–342, 348–350, 356
- Ag NFs/SFCM/Pt NFs sandwich structure 419
- Ag NW-based transparent conductive film 593
- Ag NWs/PET films 593
- Ag-graphite/PVDF nanocomposites 595
- air dehydration 449
- Air Independent Propulsion (AIP) systems 107, 286, 293–295, 387, 555, 575, 578–582
- aircraft hunting technique 551, 571
- AKULA 971 type Russian submarine 559
- Al₂O₃-YSZ graded thermal barrier coating (GTBC) 623
- Al₂O₃-YSZ graded transition zone 624
- Alberich coatings 574
- alkaline hydrolyzed polymethyl methacrylate 463
- alternating field frequency effect 184–185
- aluminum electrodes 203
- aluminum plate 592
- aluminum-ion batteries (AIBs) 21–23
- amino acid 477, 478
- 2-amino-2-deoxy-β-D-glucose 496

- ammonia sensors 428
- ammonium bifluoride 36
- amorphous magnetic semiconductors 270–277
- amorphous materials 264, 272, 279, 280, 285, 286, 476
- AMR class submarine 558–560, 563
- amylopectine 495
- amylose 495, 502
- anaerobic sulfate-reducing bacteria (SRB) 511, 513, 514, 540
- AN/BQS-11-12 spherical array sonars 557
- AN/BQS-13DNA class spherical array sonar system 557
- anechoic coating 551
 - basic physics 573–574
 - sonar system and 582
 - structure and materials design for 574–582
- angle of arrival (AOA) 572
- angle-resolved photo-electronic spectroscopy (ARPES) 655–656
- angular momentum (AM) 83, 222, 231, 233–239
- anisotropic magnetoresistance (AMR) 95–96
- anisotropic porous MWCNT/water-borne polyurethane (WPU) composites 596
- annealing effect 355, 370
- anodic aluminum oxide (AAO)
 - Al substrate 382
 - cancer treatment 388–389
 - semiconductive nanowires thin films 371–376
 - structure model 360
 - surface enhanced Raman scattering 362–363
 - ultra-dense nanoparticle arrayed thin films 367–371
- anodizing reaction 361
- ANSYS Multiphysics 88–90
- anti-biofouling function 480
- anti-EpCAM antibody 392
- anti-EpCAM binding cells 390
- anti-mold coating
 - acrylic mold-proof coatings 517
 - development trend 518
 - epoxy-based mold-proof coatings 517
 - polyurethane anti-mildew coatings 517
 - silicone 517
- anti-submarine techniques 551, 571
- antibiotics 476, 478–479
- antiferromagnetic (AF) 97, 110, 135, 652
 - coupling 97
- antifouling agents, main types and selection of 518–520
- antifouling coatings 514
 - abrasion-resistant antifouling coating 520–523
 - development trend of 535–540
 - fouling-release coatings 531–535
 - main types and selection of antifouling agents 518–520
 - self-polishing antifouling coating 523–531
- antiparallel alignment 59–60, 96–97, 106, 113
- apiogalac-turonan 495
- aquaporin biomimetic membrane 481
- aqueous gold nanoparticles
 - composite of nano-porous gold thin films and 367
- aqueous phase Ag nanoparticles 351–356
- aqueous spherical gold nanoparticles 398
 - preparation and characterization of 367
- α -arabinofuranose 497
- aromatic diamines 460
- aromatic polyamide (PA) 452, 462–463
- array computation 228
- array-type PBES 35, 419
- arrayed thin films 7, 367–371, 394, 660
- artificial intelligence (AI) 411
 - high efficiency THz-wave modulators 438–439

- optical polymer based films 435–436
 - plastic liquid crystal display 436–438
 - thermal management for electronic equipment 439
 - artificially synthesized polymers 530
 - Arton film 436
 - as-prepared biomimetic nanofiltration membrane water flux 481
 - Astute class submarine 558
 - asymmetric polyimides 474
 - atmospheric plasma spraying (APS)
 - method 617, 621, 625–628, 630, 636
 - atomic force acoustic microscopy (AFAM) 655
 - atomic force microscopy 129, 183
 - atomic layer deposited Al_2O_3 501
 - atomic layer deposition (ALD) technique 112, 212, 490, 501
 - atomic thick 2D materials 653
 - atom-scale electronic mechanics (AEMs) 7, 8, 199–214
 - Auger recombination 19
 - auto antigen detection 100
 - autonomous underwater vehicle (AUV) 551, 571–572
 - auxiliary resin 523
 - axial suspension plasma sprayed TBCs 630
 - axial suspension plasma spraying technique 630
 - Ayax spherical sonar array 557
- b**
- bactericidal and antifouling coatings 515
 - bacteriorhodopsin (BR) 435
 - Ball Grid Array 207
 - Barkhausen's jumps 162
 - batch wafer processing techniques 35
 - BaTiO₃ 433–434, 554
 - beer and wine demineralization 449
 - benzyl ether derivatives 498
 - betaine-type zwitterionic monomer 528
 - betaines 528–529
 - Bi-Te superlattices 311
 - bias magnetic field effect 110, 181, 185–186, 188, 190, 193
 - biaxially oriented polypropylene (BOPP) film 433, 501
 - bio-hybrid nanocomposite films 497
 - bio-integrated wearable sensors 422–425
 - bioacoustics 549
 - biodegradable polymers 489–491, 499
 - biomass derived polymers
 - cellulose nanofibrils 492–494
 - chitosan 496–497
 - collagen 491–492
 - lignin 498–500
 - pectin 494–495
 - polysaccharides 490
 - protein based polymers 490
 - starch 495–496
 - xylan 497–498
 - biomass derived thin film coatings
 - biobased multilayer coating 502
 - sol-gel phase inversion coatings 500–501
 - biomass plastics films 503–504
 - biomass waste 489
 - bionic echolocation 552
 - bioplastics 490, 503–504
 - biosensing configurations 386
 - biosensor film substrate 421–422
 - BiREIG 152
 - bis (carboxylic anhydride) 473
 - bismuth chalcogenides 434
 - bismuth titanate-based ceramics 554
 - bismuth-substituted iron garnet (BiIG) films 126
 - for biosensing 174–178
 - synthesis of 128
 - synthesis technology & conditions of 126–135, 137
 - Bloch theorem 228
 - blue shift 134, 143, 355–356
 - Bohr magnetic moment 83
 - Boltzmann constant 74, 83
 - Bombyx mori silkworms 419

- bond coat (MCrAlY) 624–625
 boron nitride nanosheets (BNNs) 439
 Bose–Einstein condensation 125
 bottom-up methods 5, 651
 bow column integrated (CHA) sonar 555
 bow conformal array sonars 558
 bow multi-function sonar systems 556
 BQQ-6 sonar 569
 BQQ10 sonar 557
 BQR-23/25 slender line array sonar 562
 BQR-23/25 thin line array 561
 brackish water reverse osmosis (BWRO)
 465–468
 Bragg diffraction 82–83
 Bragg gratings 81
 Bragg mirrors (BM) 135–137, 139,
 141–145
 broadband quasi-perfect absorption 577
 BSY-2 sonar 569
 buffered oxide etch (BOE) 202
 bulk dye film 435
 bulk micromachining 209
 buoy sonars 563, 571
 1.4-butanediamine (BDA) 15
- C**
- calcia-magnesia–alumina-silicate (CMAS)
 636
 calcium-manganese-zirconium-
 gadolinium-gallium (CMZGG)
 128
 calcium-niobium-gallium (CNGG) 128
 camouflage 420–421
 camphor sulfonic acid (CSA) 313
 capacitors 39–40, 210–211, 318, 432–434
 ϵ -caprolactone 427, 530
 carbodiimide 496
 carbonaceous-based RAM 604–606
 carbon-based fillers 595–599
 carbon-based fossil fuels 439
 carbon-based materials 595, 599
 carbon black 26, 414, 416, 427, 589, 605
 carbon nanofibers (CNFs) 490, 492–494,
 501–502, 605
 carbon nanotubes (CNTs) 457, 469, 595
 polymer composites 315
 reinforced plastic 596
 water channel membrane 481
 carboxylic acid 390, 464
 catalyst nanoparticles 429
 catastrophic failure temperature 286
 cathode sputtering 589
 cathodic protection 514
 $C(CF_3)_2$ linkages 474
 cellophane 448, 501, 504
 cellulose 448–449, 458, 496–499,
 502–505, 530
 cellulose acetate (CA) 449, 452, 456,
 462–463, 468, 477, 504–505
 cellulose based films 504–505
 cellulose diacetate polymer 463
 cellulose nanofibrils (CNF) films 490,
 492–494, 501–502, 605
 cellulose triacetate (CTA) 456, 463
 cellulose xanthate 505
 ceramic membrane 452, 470
 ceramic–matrix composite (CMC) 635
 cereal alcohol 520
 CFTBOx thin films 274
 chalcogenides 3, 11, 103, 211, 257, 258,
 261, 265–268, 270, 277, 280, 434,
 652
 ChamPro technology 626
 characteristic basis function (CBF)
 method 231
 charge-coupled device (CCD) 10, 146,
 346, 390
 charging process 433
 chemical etching 201, 202, 539
 chemical modification method 456
 chemical plating 589
 chemical sensor 210, 269
 chemical vapor deposition (CVD) 3, 24,
 109, 202, 203, 211, 258, 260–261,
 311, 321–323, 454, 596, 599, 621,
 650, 653
 chip design 206, 412
 chip fabrication technology 412
 Chip Scale Package 207
 chiral negative magnetoresistance 662

- chiral opposite Weyl points 662
- chitosan 490, 496–497, 501–503, 530
- chlor-alkali process production 449
- chlorinated rubber 521
- circulating tumor cells (CTCs) 388–393, 404
- cis-rich poly(1-trimethylsilyl-1-propyne) (PTMSP) 475–476
- Class V-attack nuclear submarine 556
- Clean & Clear[®] 422
- closed-form relation 64, 225
- CNF/epoxy composites 605
- CNT-multilayered graphene edge plane (MLGEP) core-shell hybrid foam 599
- CNTs/ZnO whisker composites 604
- cobalt oxide thin films 311–312
- CO₂ capture and storage (CCS) 472
- CO₂ emissions 472, 502
- CO₂ reduction technologies 472
- CO₂ removal 449
- CO₂ separation
- high permeability polyimides 473–474
 - highly permeable substituted polyacetylenes 475
 - polymers of intrinsic microporosity (PIM-1) 475–476
 - thermally rearranged (TR) polymers 474
- co-polarization 228
- coefficient of thermal expansion (CTE) 286–287, 418, 624
- coherent dichroic excitation 660
- coil-type inducer 180
- collagen 490–492
- collagen fibrils 491–492
- colloidal surfactants 33
- colloids from crystalloids 448
- colossal magnetoresistance (CMR) effect 59, 95, 102, 103
- applications 105–106
 - multi-layered thin films fabrication 103–105
- columnar structured TBCs 626
- columnar-structured coatings 626, 630
- common bow-shape sonar arrays 556
- common modified silicone resins 532
- communication sonar 563
- complementary metal-oxide-semiconductor (CMOS) 2, 100, 201
- fabrication process of 203
- complementary split ring resonators (CSRRs) 235
- composite honeycomb sandwich metasurface panel 579–580
- composite membrane 28–30, 34, 37, 419, 440, 452, 456, 462, 480
- composite shielding materials
- carbon-based materials 599
 - polymer-based composites 592–593
- COMSOL Multiphysics 88–90, 191, 648
- concentration polarization factor (CPF) 465–467
- conducting polymers (CP) 314, 415–416, 418, 423, 428
- conductive coatings 421, 589, 592
- conductive coating shielding material 592
- conductive filler 416, 423, 592–593
- conductive polymers 12, 415, 589, 592
- conformal array sonar 558–559
- conjugated microporous polymer (CMP) 30
- conjugated polymers 426–427, 431–432, 438
- controlled breakdown (CBD) 36
- cooperative localization 571–572
- copper acrylate self-polishing resin 524, 526
- copper naphthenate 518, 523
- copper plate 592
- copper pyrithione 523
- copper-based tin-free self-polishing antifouling paint 524–528
- copper-containing inorganic compounds 518
- copper-free self-polishing antifouling paint 524, 529–530

- copper/large flake size graphene (Cu/LG) composite film 599
- core-shell nanocomposites 440
- covalent organic framework materials (COFs) 479
- CPEN/F-BaTiO₃ dielectric films 433
- Cross Domain Maritime Surveillance and Targeting (CDMaST) 572–573
- cross-linked polymer-based films 433–434
- cross-polarization 228
- crystal plates of gadolinium-gallium (GGG) 128–129, 131, 140, 146–147, 149, 151–154
- Cu based thin films 312–313
- Cu NWs/polystyrene (PS) nanocomposites 594
- cuprous oxide antifouling agent 515, 521
- cuprous thiocyanate 518, 523
- Curie temperature 127, 132, 135, 270–271, 273–274, 277, 279, 603
- cyclohexanone 523
- cylindrical sonar arrays 556
- d**
- Dallenbach layer materials 602
- dark blue lasers 663
- dark field optical microscopy and spectroscopy (DFOMS) 345, 346, 348
- DC magnetron sputtering technology 436
- Dcoit (4,5-dichloro-2-n-octyl-4-isothiazoline-3-ketones) 529
- Debye theory 633
- decontamination 449
- deep reactive ion etching (DRIE) 201
- defective welds 180, 188–190
- degradable biomass-derived functionalized films
- biomass plastics films 503–504
 - cellulose based films 504–505
 - polysaccharide-based films 502–503
 - protein-, pig skin gelatin-, lipid-based films 503
- degradable self-polishing antifouling coatings 530
- deionized water 110, 361, 364, 366, 367
- demagnetization 71, 83, 162
- dendritic poly(glycerols) 539
- density functional theory (DFT) 31, 647, 650
- Deployable Autonomous Distributed System 572
- desalination 28–30, 37, 361, 430, 454, 457–458, 461–469, 479, 481, 670
- D-galactopyranosyluronic acid (GalpA) 494
- DI water dissociation system 416–417
- diamine 287, 464, 473
- dielectric storage capacitors 432
- differential scanning calorimetry (DSC) method 286, 288, 289, 296
- diluted magnetic semiconductors 259, 270, 271, 667
- 3,30-dimethylnaphthidine (DMN) 474
- dimethylsulfoxide (DMSO)-mixed PEDOT 314
- dinitrotoluene (DNT) 427
- dipole resonance 354
- Dirac fermions 75, 649, 662
- Dirac point 649, 662
- Dirac semimetals 2, 106, 666, 667
- directional-solidification (DS) metallurgy 618
- discrete dipole approximation (DDA) 346–351
- dissolved antifouling paint 520–521
- dissolving pulp 504
- Distributed Agile Submarine Hunting (DASH) 272, 346, 347, 572, 574
- diterpene carboxamide compounds 536
- diuron 523
- DNA detection 100
- DNA sequencing 35–37, 392
- Doctor blading and doping fabrication technique 12
- doped photocatalysts 429
- Doppler effect 551–573
- Doppler radar 553

- Doppler, Christian Johann 552
- double layered GZ/YSZ TBCs 636
- double-layer graphene 29
- doubly periodic diffraction grating 574
- drop-coating 340–341, 357, 598
- “drop-in” plastics 490
- dry etching 202, 210
- dry-wet method 456
- dual band scatterer 227
- dual photon microscope 666
- dual-wave sum frequency oscillation
656–657
- β -D-xylosyl (Xylp) 495
- dynamic domain structure (DDS) 179,
186–187
- e**
- EA films 179, 182–184
physical properties of 184, 188
- EA sensor 182–183, 185, 186, 188
- E-beam lithography 2, 201
- EC magnetic fields 180, 183
samples defects 190–193
- echolocation 550–573
- echolocation theory 550
- Econea (2-(p-chlorophenyl))-3-cyano-4-
bromo-5-trifluoromethyl-pyrrole)
529
- ecosystem recycling 504
- eddy currents 80, 100, 113, 126, 178–193
- efficient electron transport layer-free
perovskite solar cells 18
- electric and gas welding 180, 190
- electric double layer (EDL) 40, 278
- electric permittivity 71, 590
- electrical conductivity 11–12, 24, 80,
210, 299, 301, 304, 306, 313–316,
321, 324, 326, 428, 432, 590–592,
594–596, 599, 633
- electro-acoustic materials 554
- electrochemical corrosion-resistance
203, 516
- electrochemical deposition (ECD) 323
- electrochemical reactions 24, 511
- electrochemical reduction reaction 31
- electrochemical/colorimetric sensors
415
- electrode contact impedance 423
- electrodialysis (ED) 447, 461
- electroluminescence OLEDs 286
- electroluminescence effect 261–262
- electrolytic antifouling technology 514
- electromagnetic field 88, 90, 149, 204,
377, 386, 396, 402, 589–592, 599,
604
- electromagnetic interference (EMI) 38,
587–608
- electromagnetic spectroscopy (EMS) 655
- electromagnetic spectrum 587–588
- electromagnetic waves 38, 62, 65, 68, 95,
126, 175, 233–240, 586, 587,
589–592, 599, 601–604, 608
- electron beam deposition method 97,
113
- electron-beam evaporation 98, 136–137,
501, 616
- electron-beam lithography 5, 146, 201
- electron-beam physical vapor deposition
(EB-PVD) 617, 621–627, 630,
635
- electronic percolation 60–61
- electrophysiological skin-integrated
sensors 422
- electroplating 200–201, 209, 589
- electrostatic effects 350, 451
- ellipsometer 286, 290, 295
- elliptical microcavity 660
- EMI shielding materials
basic theory 589–591
composite shielding materials
592–599
conductive coating shielding material
592
ferromagnetic material 591–592
filled type 589
metallic good conductor material
591–592
stealth coatings 600

- EMI shielding materials (*contd.*)
- surface coating film shielding material 591
 - surface conductive type 589
- endoscopic tooth-like tactile sensor 416
- energy density 21–22, 24–25, 79, 81, 104, 433–434, 440
- energy dispersive X-ray (EDX) 108, 152–153, 368–370, 374–375
- energy storage capacitors 432
- environmental hydrologic detection sonar (EHD) 555, 563
- environmental pollution 401–402, 476, 489, 522, 569
- environmentally friendly, solvent-free membranes 479
- EP films
- sensory properties of 188
- epitaxial ferrite garnet films (EPFG) 178–179, 190
- epitaxial growth 3–5, 16, 650, 652
- epithelial cell adhesion molecule (EpCAM) 390–392
- epoxy-based mold-proof coatings 517
- equivalent impedance model 65, 226
- esters 498–499, 523–524, 527
- ethylene vinyl alcohol copolymer (EVOH) 502
- evaporative gel method 456
- excitation coil 161
- explosives detection 426–428
- external hull acoustic deflectors 551
- extracellular polymeric substances (EPS) 513–514
- f**
- Fabry–Perot (FP) fringes 135–136, 139–144, 381, 389–391, 393–394, 659
- Fabry–Perot effect 404
- Fabry–Perot interference (FP-IF) 8, 381, 390–391, 393–394, 405
- Fabry–Perot one-dimensional magnetophotonic crystals (FP-1D-MPCs) 135, 136, 139–144
- Faraday angle 72, 165
- Faraday effect 69, 71–73, 125, 139, 145, 146, 149–151, 153, 164, 168, 179, 193
- Faraday hysteresis loops (FHLs) 127, 129, 131, 132, 134, 139, 140
- Faraday rotation (FR) 71, 73, 126–127, 129, 132, 134, 153–156, 164, 181
- fast Fourier transform (FFT)-based method 172, 230, 232, 233, 390
- fatty acid esters 498
- F-BaTiO₃ particles 433
- Fe-filled CNT/epoxy composites 605
- FeCo nanotubes 439
- femtoliter 35, 36
- femtosecond laser micro/nano manufacturing process 663
- femtosecond lasers 655, 663, 664
- Fermi energy 60, 106, 213, 308
- Fermi's rule 241
- fermion-number fractionalization 648, 652
- ferrite 125, 178, 190, 602–604
- ferrite-garnet film 190
- ferrite-graphene-based thin broadband radar wave absorber 603
- ferromagnetic 97
- material 61, 83, 326, 385, 388, 589, 591–592, 595
 - metals 61, 96, 112, 162, 175, 270, 273, 386, 667
- ferromagnetism 268, 270–273, 277–280, 667
- ferromagnets 60, 95, 96, 106, 113, 125, 270, 273, 276–278
- ferulic acid residues 497
- Fick equation 450
- Fick's 1st law of diffusion 87
- Fick's 2nd law of diffusion 87, 88
- Fick's law 87, 88
- field emission transistors (FET) fabrication process of 203–205
- field emission-scanning electron microscopy (FE-SEM) 374–375

- figure of merit (FM) 9, 126, 135,
139–140, 142, 299, 301–304, 306,
315–316, 323, 326–327
- filled electromagnetic shielding composite
materials 589
- filled type EMI shielding materials 589
- film capacitors 432–433
- film form organisms 511
- film preparation technology 412
- finite element analysis (FEA) 15, 88–89
- first principles theory 647, 650
- fishery acoustics 549
- fixed capacitors 433
- fixed surveillance sonar buoy 563, 565
- flash evaporation (FE) 311, 323, 324
- flat membrane 452
- flat monolithic asymmetric PA 463
- flexible bioelectronics 418–419
- flexible electronics 263–264, 419, 431,
650
- flexible substrates or foldable OLEDs
(FOLEDs) 8
- Floquet theorem 228
- Floquet theory 230
- flow cytometry 389
- fluorescence microscopy 389
- fluorescent organic and inorganic
conjugated polymers 427
- fluorinated ethylene-propylene
copolymers 534
- flux-gate magnetometers 161–162
- flux-gate magnetometry 164
- flux-gate sensors 161
- forward osmosis (FO) 452, 468
- forward osmosis membrane 456–457,
469
- fossil-fuel plastics 503
- fouling biological control 513–516
- fouling-related microorganisms 511
- fouling-release coatings 531, 533
- Fox equation 292–293, 295
- FP-1D-MPCs 135–136, 139–144
- free radical-triggered polymerization
reaction 455
- free-standing graphene 648
- freshwater resources 31, 457, 670
- frogman 549, 551, 570–571
- fructooligosaccharides (FOS) 477
- F4TCNQ 12, 13
- fuel cells 10, 24–26, 89, 428–429, 479,
555, 650, 670–671
- full-wave validation 228
- full-width at half maximum (FWHM)
192, 346, 370, 665
- fumed silica 523
- functional membrane 453, 454, 456, 480
- furan derivatives 536
- g**
- gadolinium–gallium garnet (GGG)
128–131, 136, 140, 146, 147, 149,
151–154
- gadolinium zirconate (GZ) 636
- galactooligosaccharides (GOS) 477
- galfenol 555
- galvanized steel plate 592
- garnet film sensor 186, 188
- gas diffusion electrodes (GDEs) 32
- gas phase gel method 456
- gate dielectric layer 264
- gate-dependent pseudo-spin mixing 649
- Gaussian beam 240
- Gaussian ring basis function 231
- Gaussian wave 237, 238, 240
- GDE electrolyzers 32
- gel mixed fouling release type antifouling
paint 538–539
- gel-polymer electrolyte 22
- gelatin 448, 490, 491, 503
- gene sequencing 35
- generalized sheet transition conditions
(GSTCs) 63, 224, 230
- geometric-phase metasurfaces 234–237
- germanium-on-nothing (GON) 16, 17
- giant magneto resistance (GMR) effect
59, 95–97, 662
- fabrication 204–206
- magnetron-sputtering system 99–100
- MBE method 99
- multi-layered thin films 97–99

- giant magneto resistance (GMR) effect (*contd.*)
 sensors applications 100–102
- glass transition temperature (T_g) 16,
 285–295, 525, 526, 528
 in organic thin films 287–291
 of nano-organic composites 292–295
 organic-organic composites 291–292
- Global Position System (GPS) 550, 570,
 571
- glucose 415, 495, 496, 504
- α -glucuronic acids 497
- glucuronoarabinoxylan (GAX) 497
- glucuronoxylan (GX) 497
- glutaraldehyde 496
- GLY-containing potato starch plastic
 sheets 503
- glycerol 494–498, 539
- glyphosate derivatives 528
- GNR superlattices 654
- GO membranes (GOMs) 29, 30, 37
- gold nanoparticles 367, 397–399, 402
- Gordon-Taylor equation 292
- grain boundaries (GBs) 470, 471, 623,
 624
- graphene 18, 19, 29, 430, 480, 595
 conceptual membrane materials 481
 -doped mesoporous electron 20
 one zero energy gap material 649
- graphene foam (GF)/poly(3,4-ethylenedi-
 oxythiophene):poly(styrene-
 sulfonate) (PEDOT:PSS)
 composites 598
- graphene nanoribbons (GNRs) 6, 7, 651,
 654
- graphene nanosheets (GNS) 597
- graphene oxide (GO) composites 24, 37
- graphene/BN heterojunctions 652, 656
- graphene/h-BN heterojunctions 652,
 656
- graphene/h-BN vdWHs 649
- graphene/hexagonal boron nitride
 (Gp/h-BN) 3, 439, 649, 652, 653,
 656
- graphite fibers 594
- graphite oxide (GO) 24, 29, 30, 37, 456,
 597, 599, 605
- Green's function 231, 232, 242
- greenhouse gas emissions 31, 472, 504
- greenhouses 669
- gyrotropy parameter 149, 152, 153, 155
- ## **h**
- heat absorption 310, 435
- helicopter anti-submarine system 572
- Helmholtz coils 166, 172
- Helmholtz resonators 580, 582
- heterodyne frequency downconversion
 method 210
- heterojunction theory 73–74
- 4,40-(hexafluoroisopropylidene)
 diphthalic anhydride (6FDA) 474
- hexagonal boron nitride 3, 439, 649
- hierarchical dipole approximation (HDA)
 231
- high efficiency THz-wave modulators
 438–439
- high permeability polyimides 473–474
- high precision Fabry-Perot (FP) cavities
 659, 660
- high pressure compressor (HPC) 615
- high pressure membrane filtration 457
- high pressure turbine (HPT) 615, 618,
 620
- high quality solution-processable 2D
 semiconductors 651
- high resolution transmission electron
 microscopy (HR-TEM) 23, 274,
 279, 601
- high spatiotemporal resolution
 characterization methods
 655–661
- high time resolution laser 663–664
- high-performance polymer-based reverse
 osmosis membranes 469
- high-performance RO 449
- high-pressure membranes 457
- high-Q lasers 666
- high-Q single sources 659
- high-Q thin films 653

- high-quality solution-processable 2D
semiconductor nanosheets 651
- high-temperature materials 618
- highly permeable substituted
polyacetylenes 475
- highly uniform, solution-processable,
phase-pure semiconducting
nanosheets 5, 651
- Hilbert dissipation 162
- Hilbert space 75, 661
- Hippocrates 417
- H-matrix algorithm 232
- 2H-MoS₂ nanosheets 651
- H-NH₄/N wastewater 461
- hole transport material 286
- hole-transporting materials (HTMs) 15,
16
- hollow fiber membrane 452
- Holzer effect 59, 60, 95–114
- homogalacturonan (HG) 494, 495
- homogeneous membrane 452
- honeycomb “supercells” 33, 60, 111,
113, 362, 436, 479, 522, 579, 580,
649
- honeycomb-like 2D supramolecular
polymer 479
- hot electron injection 61
- human thermoregulation 418–421
- hybrid organic-inorganic perovskite-based
cells 19
- hydrogel microphones 38–40
- hydrogen evolution reaction (HER) 26,
27, 32, 670
electrocatalysts 670
- hydrogen fuel cell 10, 25, 670, 671
- hydrogen purification 449
- hydrolytic resin base 530
- hydrophilic and hydrophobic effects
451
- hydroxypropylated xylan (HPX) coatings
497, 498
- hyperbolic metamaterial (HMM) 242,
243
- hyperbranched polymers (HBPs) 33
- i*
- ideal reverse osmosis membrane 462
- III-V semiconductor solar cells 16
- immersion gel method 456
- immobilized photocatalytic multiphase
reactor 429
- impedance spectroscopy (IS) 86
- impregnation 454
- imprinted (MIP) materials 430
- indium tin oxide (ITO) 12, 18, 393, 431
- indole derivatives 536
- infrared lasers 663
- infrared spectroscopy 395
- inorganic antifouling agents 518
- inorganic membrane 452
- inorganic semi-permeable membrane
448
- inorganic thermoelectric thin films
311–313
- insoluble synthetic resin 521
- integral equation FFT (IE-FFT) 232
- integrated active/passive multi-band
sonar system 569
- integrated AN/BYG-1(V) submarine sonar
system 569
- interfacially polymerized PA film 463
- intermediate pressure compressor (IPC)
615
- intermediate pressure turbine (IPT) 615
- intrinsic conductive coating 592
- inverse Faraday effect 125
- ion exchange membrane 454
- Irgarol 1051 523
- iron-aluminum alloy 591
- iron bacteria 511
- iron-cobalt (FeCo) alloy and 591
- iron garnets 125, 126
- iron-nickel alloy 162, 591
- irreversible Joule heating 309
- isothiazolinone 523, 528
- isothiazolinone derivatives 528
- isothiazolinone grafted zinc acrylate
self-polishing antifouling coating
528

j

Jones matrix 62, 223–224
 Jones vector 62, 223–224

k

kanamycin sulfate 479
 Kelvin relationship 310
 keratin 490
 Kerr coefficient modulus 384
 ketones 523
 kinetic energy 79, 85, 357, 432, 604
 Kittel formulas 184
 Knudsen cell 99, 287
 Kretschmann configuration 66, 67, 387

l

label-free reflectometric interference
 microchip 389–393
 LADA class giant conformal array sonar
 558
 Laguerre-Gaussian (LG) beams 233
 Landau factor 83
 Langmuir-Blodgett method 454
 lanthanum zirconate (LZ) TBCs 629
 large spherical array sonar 558
 laser cladding plus plasma spraying 625
 lattice and processing technology 650
 layer-by-layer (LBL) deposition method
 428
 layered bimetallic hydroxide (LDH) 26
 layered 2D materials 22, 649, 650
 layered PtBi₂ 653, 654
 layer materials 602
 layer-multiple-scattering method 575
 La₂Zr₂O₇ (LZ) 636
 lead telluride 434
 left circularly polarized (LCP) 236
 left-handed materials 606
 left/right-handed circular polarization
 (L/RHCP) 233
 Li batteries 22, 23
 light emitting devices 261–263
 lignin 498
 limit flux 450
 limits of detection (LOD) 386
 linear regression analysis 293
 linear regression fit 290
 β-1-4-linked polymer 433, 496
 β-1,4-linked xylose 497
 linoleic acid 503
 liquid crystal membrane 454
 liquid membrane 454
 liquid phase epitaxy (LPE) method 179
 Lithographie, Galvanoformung,
 Abformung (LIGA) 200, 201, 653
 L-lactide 530
 local density of state (LDOS) 241
 localized surface plasmon resonance
 (LSPR) 346, 350, 351, 382
 longitudinal magneto-optical Kerr effect
 (L-MOKE) 70, 71, 385
 longitudinal magneto-optical Kerr
 rotation 383, 385
 longitudinal magnetophotonic intensity
 effect (LMPIE) 168, 169
 “loose” or “low pressure RO membrane
 461, 462
 Lorentz force 69, 80
 Los Angeles class attack nuclear
 submarine 557
 low density polyethylene (LDPE) 502
 low dimensional polymer-nanocomposite
 materials 434
 low-frequency underwater sound
 absorption phenomenon 575
 low molecular substances 476
 low pressure chemical vapor deposition
 (LPCVD) 202
 low-pressure membrane filtration 457
 low-pressure plasma spraying (LPPS)
 625
 low pressure turbine (LPT) 615
 low-resistance conductive material 589
 L-pellic acid (C30) 520
 luminous solar concentrator (LSC) 18

m

macro basis functions (MBF) 231
 macro-foulers 513
 magic angle graphene 650

- magnet-acoustic materials 554
- magnetic circular dichroism (MCD) 133, 134
- magnetic current 224
- magnetic nanomaterials 38
- magnetic nanoparticle detection 101
- magnetic monopole 662
- magnetic permeability 590
- magnetic pressure sensing 102
- magnetic semiconductors (MSs) 271
- magnetic semiconductor thin films 269–270
 - amorphous 271–275
 - diluted 270–271
 - phase change amorphous 275–277
 - spintronic devices 277–279
- magnetic sensor 100, 101, 110, 113, 162, 164, 169, 179, 269
- magnetic thin films 59–60
- magnetoacoustic and acousto-optic transducer/detector 551
- magnetoacoustic coupling 79–81
- magnetocardiography (MCG) signals 163
- magnetocrystalline anisotropy 164, 277
- magnetoelastic effect coupled 79
- magneto-electric coupling 59, 60, 357
- magnetolectric (ME) materials 667
- magneto-optical (MO) 126
 - effects 68, 71, 126, 134, 356, 663
 - magnetometry 168
 - response 145–155
- magneto-optical Kerr effect (MOKE) 8, 69, 70
 - nanostructural thin films with 381–385
 - surface plasmon polaritons 386–388
- magneto-optic eddy current (MOEC) 178
 - defective welds 190
 - experiment 179–180
 - introscope 180
 - non-defective welds 188, 190
 - physical properties of 181
- magneto-optic surface Plasmon resonance (MOSPR) 386
- magnetophotonic crystals (MPC) 126
- magnetophotonic plasmonic heterostructure 175
- magnetoplasmon and quantum entangle 663
- magneto-plasmonic microinterferometry 393
- magneto-plasmonics 382
- magnetoplasmonic sensor 176
- magnetoplasmonic thin films 66
- magneto-resistance (MR) 59, 96, 276
- magneto-resistive random access memory (MRAM) 102
- magneto-sputtering process 359
- magnetostrictive alloys 554
- magneto-thermal effect 83, 84
- magnetron effect 260
- magnetron sputtering (MS) 98, 259
 - method 103, 412
 - process 432
 - system 98, 99, 104, 107
- Majorana fermions 76, 662
- manganese-based perovskite oxides 60, 95, 103, 113
- marine biofilm 511
- marine bio-fouling 512
- marine bio-fouling film 511
- marine microbial corrosion 516
- Maxwell's equations 72, 139, 204, 221, 229
- Maxwell theory 62–65
- MCrAlY-NiAl/NiAl+Al₂O₃/Al₂O₃-YSZ/YSZ 623
- mechanical sensor 269
- membrane fouling 480
- membrane pore screening effect 451
- membrane resistance 450
- membrane separation technique (MST) 31
 - challenges 447
 - high-performance RO 449
 - polymer-based synthetic membranes 449
 - pressure driven membrane processes 448

- membrane separation technique (MST) (*contd.*)
 - principle of 449
 - schematic representation 447
 - thermosensitive substances 449
 - ultrafiltration 448
 - uses 447
- mercaptopundecanoic acid (MUA) 390
- mercerization 505
- mercerized pulp 505
- metaloendash nitrogenoendash carbon (MNC) compounds 26
- metal fillers 593
- metallic good conductor material 591
- metallic powder absorbing materials 603
- metal membrane 452
- metal nanoparticles (MNPs) 39
- metal organic chemical vapor deposition (MOCVD) 258, 260, 311, 321–323, 650
- metal-organic frameworks 315
- metal-oxide-semiconductor field-effect transistor (MOSFET) 4
- metal-plated carbon fibers 594
- metal spraying 589
- metamaterial electromagnetic cloak 606
- Metamaterial-Enhanced Magnetic Induction (M2I) method 550
- metamaterials 62, 65, 221, 551, 606
 - enhance spontaneous emission 242–243
- metasurfaces 222
 - based perfect absorber 578
 - based sound absorber 578
 - enhance spontaneous emission 243–244
- method of moments (MoM) 229
- (methyl) acrylic acid triorganosilane ester monomer 527
- (methyl) acrylic acid triorganosilane monomers 527
- methylammonium lead iodide (MAPbI₃) 15
- microbial corrosion and protection
 - overview of fouling biological control 513–516
 - primary mucosa-forming organisms and their attachment 512–513
- microbiological fouling organism 511
- microbiologically influenced corrosion (MIC) 511, 513
- microcrystalline glass thin films 655
- micro-electromechanical systems (MEMS) 199
- microelectronic mechanics (MEMs) 7, 411, 415
- microfiltration (MF) membranes 452
- microfouling organisms 511, 512, 515
- micro lattice metamaterial 579
- micromechanical cleavage 648
- microporous filter membrane 454
- microstructures, fabrication of 200–203
- microsystem packaging technology 207
- microsystems technology 207, 209
- micro system technology 205, 206
- MIEC ceramic membranes 470
- miscible solvent mixing and precipitation (MSMP) method 594
- mixed ionic electronic conducting (MIEC) membranes 470
- modified positively charged FeCo nanotubes 439
- molar extinction coefficient 426
- molecular beam chemical vapor deposition (MBCVD) 650
- molecular beam epitaxy (MBE) 97–99, 103, 104, 108, 321, 322
- molecularly imprinted polymers (MIPs) 429, 430
- monolithic integrated circuit (MMIC) 207
- moored sonobuoy 565
- Moore's law 7, 199, 207, 280
- MoS₂ nanoplates 651
- MoS₂-WSe₂ van der Waals heterostructures 668
- m-phenylenediamine (MPD) 458
- MTK 300 ruby cylindrical sonar arrays 556

- mucosal microorganisms 516
 multiband absorbing materials 607
 multi-based exploration systems (MBESs) 570
 multi-beam echo sounders 555
 multi-beam reflect array 227
 multichannel optical interferometer 660
 multi-dimension space concept 648
 multi-effect distillation (MED) 461
 multi-hierarchy arrayed micro windows (MHMW) 345
 assisted NSL 346–351
 nanosphere lithography 348
 for single nanostructure and/or array identification 344–346
 multilayer coating 502
 multilayered W/Al₂O₃ film 635
 multi-physical field coupling theory 88–90
 multi-physics coupling calculation 650
 multi-physics coupling simulation 648
 multiple chip package 207
 multiplexed allergen detection assay 100
 multi-stage flash (MSF) 461
 multivalent/monovalent salt ions 457
 multi-walled carbon nanotubes (MWCNT) 594, 596
 municipal sewage 463
 municipal wastewater treatment program 467
 MXene 598, 599
 mycotoxin 429
- n**
- nanoarrays 344
 nanocellulose 493
 nanoclay 493
 nanoconfined ferromagnetic material 385
 nanocopper 480
 nanoelectronic mechanics (NEMs) 7, 210, 211
 nanofilms 213
 nanofiltration (NF) 461
 membranes 452
 nanomaterial synthesis and assembly 467
 nanooptics 344
 nanoparticle patterning 33
 nanoparticles 345
 nanopores fabrication 359
 nanoporous Ag/CoFeB/Ag films 356, 359
 nanoporous carbon composite 30
 nano-porous gold thin films
 aqueous gold nanoparticles, composite of 367
 substrate transfer and characterization of 364–367
 nanoporous silicon nitride (NPN) 35
 nano-powders 627
 nanopure water 341
 nanorods (NRs) 371, 372
 nanoscale plasmonic optics 344
 nanoscale preconfinement 35
 nanoscale ultrathin films 428
 nanosilver 480
 nanosphere lithography (NSL) 340
 Ag NPs fabricated 352–354
 aqueous phase Ag nanoparticles 351–356
 NPs 352
 size and shape controlled fabrication of nanomaterials 340–344
 ultrathin nanopore arrays 356–357
 uniform nanoporous films 357–359
 nanosphere mono layer 340
 nanosphere templates 340, 342
 nanostructure thin films 381
 with enhanced magneto-optic Kerr effect 381–385
 for SERS 394–396
 nano-titanium dioxide (TiO₂) 456
 nanowire/polymer nanocomposites 594
 nanowires (NWs) 371, 372
 nano-zinc oxide 456
 natural polysaccharides 476
 natural rosin 521
 natural rubber (NR) 596
 NbNi-based/Co-based super-alloys 615

- negatively charged acidic amino acids 478
 - negative refractive stealth 606
 - negative Thomson effect 310
 - neutral and acidic amino acids 478
 - neutral arabinoxylan (AX) 497
 - NF-CA-50 nanofiltration membrane 477
 - nickel-base superalloys 618
 - nickelcoendash aluminium (Nioendash Al) metal film 418
 - NiCoCrAlY/PtAl-based metallic bond coating 617
 - nitroaromatic explosives 426, 427
 - nitroaromatic explosives testing 426
 - nitrobenzene (NB) 427
 - nitrogen-doped rGO/MWCNT composite foams 605
 - nonacoustic module 561
 - non-anti-EpCAM binding cells 390
 - non-covalent interfacial heterojunctions 649
 - non-defective welds 188, 190
 - nondirectional sonar buoy 563
 - non-fossil fuels 472
 - non-graphene Weyl semimetals 667
 - non-imprinted (NIP) materials 430
 - non-magnetic semiconductor thin films 261
 - light emitting devices 261–263
 - phase change semiconductor thin films 265–268
 - thin film transistors (TFTs) 263–265
 - non-polarized capacitors 433
 - non-porous membranes 451
 - non-tin organic antifouling agents 518
 - NPs fabrication 341
 - NTEGRA scanning probe microscope 183
 - n-type polymers 314
 - nylon 449
- O**
- octamethyl trisubstituted silane 455
 - ohmic injection 61
 - oligosaccharides 476
 - one-dimensional GNR superlattice 654
 - one-dimensional inorganic nanofibers 433
 - one-dimensional magneto-phonic crystals (1D-MPC) 126
 - “one-point contact, multi-point response” 426
 - O₂/N₂ separation 449
 - O₂/N₂ silicone polymers 455
 - on-surface synthesis technology 651
 - optically pumped magnetometers (OPMs) 161
 - optical polarization vector 664
 - optical polymer based films 435
 - opto-acoustic effect 663
 - opto-acoustic materials 555
 - orbital angular momentum (OAM)
 - detection 238–240
 - generation 222–234
 - multiplexing mode 227
 - organic antifouling agents 518
 - organic-based thin film TE materials 313
 - organic bentonite 523
 - organic DNA sensors 319
 - organic fluorine release-type antifouling paint 532
 - organic fluorine silicon series fouling release type antifouling paint 534
 - organic fluoropolymers 532
 - organic fluoro-resins 531
 - organic-inorganic composite nanofiltration membrane 478
 - organic inverter circuit 316–318
 - organic light emitting diodes (OLED) 8, 285, 318, 319
 - organic membrane 452
 - organic monomer 455
 - organic-organic composites 291, 292
 - organic radio frequency identification (RFID) tags 319, 320
 - organic solar cells (OSCs) 669
 - organic sol-gel inversion method 413
 - organic thin film transistor (OTFT) 317
 - organic tin antifouling coatings 522

- organic tin self-polishing coatings 527
- organofluorine fouling release type
 - antifouling coatings 534
- organosilicon fouling release type
 - antifouling coating 532
- organotin antifouling agents 518
- original single-layer graphene 430
- osmosis 452
- oxygen evolution reaction (OER) 26, 28, 670
- oxygen reduction reaction (ORR) 25, 26
- oxygen separation 470

- p**
- partially stabilized zirconia (PSZ) 624
- passive sonar process 554
- patulin (PAT) 429
- PDMS substrate 399–401
- pectin 494
- Peltier coefficient 300, 308
- Peltier effect 10, 84, 302, 307, 308
- penicillin fermentation 478
- penicillium expanse 429
- pentafluorophenylethyl ammonium (FEA) 15
- perfect electric conductor (PEC) layer 236
- perfect magnetic conductor (PMC) layer 236
- perfluoropolyether 532
- periodic boundary condition (PBC) 228
- permalloy 591
- permeability coefficient 450
- permeability-selectivity trade-off 453
- permeability theory 87, 88
- perovskite 77
 - single-junction solar cells 14
 - solar cells 11, 12, 15, 16
- perovskite nanoflakes (PNPL) 17
- perylene diimide (PDI) 314
- petrobased polymers 503
- phase change amorphous magnetic semiconductors 275–277
- phase change semiconductor thin films 265–268
- phase-inversion film-forming methods 456
- phase inversion method 456
- phase shift 234
- [6,6]-phenyl C61 butyric acid methyl ester (PCBM) 431, 432
- phonon-mediated colossal magnetoresistance 106
- phonon thermal theory 83, 84
- photoacoustic coupling 81
- photocatalyst immobilized polymer film 428
- photocrosslinking step 33
- photodetector noise 174
- photodetector signal 172
- photolithography 200, 201
- photoluminescence quantum yield (PLQY) 18
- photonic band gap (PBG) 241
- photonic crystals 237, 239
- photovoltaic (PV) technology 11
- phthalocyanine dye waste water 428
- physical vapor deposition (PVD) 258, 285, 287, 454
- picosecond lasers 664
- picosecond THz pulse 657
- piezoceramics 554
- piezoelectric (PZT)
 - based sonar systems 39
 - effect 208
 - polymer-based, skin-like tactile sensor 416
- piezoresistance coefficient 208
- piperazine (PRP) 458
- planar polymer films 389
- Planck's constant 111, 170, 233, 241
- plane heterojunctions (PHJ) 15
- plasma chemical gas-sinking fit (PCVD) 454
- plasma enhanced chemical vapor deposition (PECVD) 203
- plasma-enhanced chemical vapor deposition (PECVD) 258
- plasma induced polymerization 455
- plasma polymer films 454–456

- plasma polymerization reaction 455
- plasma-sprayed thermal barrier coatings (PSoendash TBC) 624
- plasma spray oendash physical vapor deposition (PS-PVD) 626
- plasma state polymerization 455
- plasma-state polymerization reaction 455
- plasmic gratings 170
- plasmon active stealth 607
- plasmonic polymers 455
- plasticizers 495
- plastic liquid crystal display 436–438
- platinum–ionomer interface 25
- PMMA substrate 398–399, 402, 403
- PNIPAm modified graphene (PG) 31, 503
- polar ferroelectric (PFE) 15
- polarizability model 62, 64, 224–225
- polarization density 63, 64, 224, 225
- polarization electric current 62, 224
- polarized capacitors 433
- polar magneto-optical Kerr effect (P-MOKE) 69, 70
- poly(3,4-ethylenedioxythiophene) (PEDOT) 313, 432
- poly(3-hexylthiophene) (P3HT) 314, 431, 432
- poly(diphenylacetylenes) 475
- poly(ethersulfone) (PES) 593
- poly(vinyl alcohol) (PVA) 423
- polyacetylene 313, 592
- polyacetylenes 475
- polyamide (PA) 458, 464
 - hydrazide membranes 463
 - wax 523
- polyamide thin film composite (PA TFC) membranes 463
- polyaniline (PANi) 313, 428, 592
- polyanions 459
- polybenzothiazole (PBT) 474
- polybenzoxazole (PBO) 474
- polycaprolactone 427, 530
- polycarbonate filter membrane 480
- polycations 459
- polydimethylsiloxane (PDMS) 397, 416
- polyether alum 452
- polyethylene 427
- polyethylene glycol (PEG) 538
- polyethylene terephthalate (PET) 431, 502
- polyglycolide 530
- poly 3-hexylthiophene (P3HT/PCBM) polymer solar cells 432
- polyhydroxy butirate (PHB) 416
- polylactic acid 504
- polylactide 530
- polymer-based composites 432, 592–593, 596, 599, 604
- polymer-based organic solar cells 431
- polymer-based pyroelectric infrared sensor 418
- polymer-based strain sensor 421
- polymer-based synthetic membranes 449
- polymer chain rigidity 473
- polymer films 454, 457
- polymer functional membrane 453, 454
- polymer materials 452
- polymer membrane-based seawater desalination RO 461
- polymer/mineral oil 422
- polymer osmosis membrane technology 477
- polymer permeable membranes 477
- polymer poly(carbonate) (PC) 436
- polymer separation membrane 453
- polymer thin films 411
- poly[2-methoxy-5-(2'-ethylhexyloxy)-1,4-phenylene vinylene] (MEH-PPV) 438
- poly-(methyl-hydro siloxane) 463
- polymeric materials 314, 436, 470, 472, 473
- polymer-inorganic nanocomposites 434
- polymerization induced phase separation (PIPS) method 438
- polymers of intrinsic microporosity (PIM-1) 472, 473, 475
- polymesoy chloride 458

- polymethyl methacrylate (PMMA) 110,
 288, 340, 363, 397, 427, 463
 polymethylphenyl silicone oil 532
 polyols 502, 503, 534, 539
 polyphenylene sulfide 592
 polypropylene (PP)/mineral oil film 422,
 463, 651
 polypyrrole 313, 314, 592
 polysaccharide-based films 502–503
 polysaccharides 32, 411, 476, 490–492,
 494, 495, 497, 502
 polystyrene 313, 340, 341, 342, 427–429,
 504, 594
 polystyrene sulfonate (PEDOT: PSS) 313
 polysulfone (PSF) 458
 ultrafiltration membrane 454
 polythiophene 313, 314, 432, 592
 polyurethane anti-mildew coatings 517
 polyurethanes 34, 419, 499, 517, 530,
 532
 polyvinylidene fluoride (PVDF) 416,
 452, 554
 polyvinylpyrrolidone (PVP) 203, 367
 POMA/V₂O₅ hybrid thin films 428
 pore size screening effect 451
 porous base film 456
 positively charged basic amino acids 478
 post-annealing crystallization 128,
 129–130
 potential energy 79
 power conversion efficiency (PCE) 15,
 16, 18, 302, 311, 445
p-phenylenediamine (PPD) 458
 precise nano-transistors 653
 pre-deposited α -Al₂O₃ thin film 624
 pressure-driven membranes 448, 450,
 457
 pressure-enhanced osmosis (PEO) 452
 pressure-retarded osmosis (PRO) 452
 primary mucosa-forming organisms and
 their attachment 512–513
 printed circuit board (PCB) technique
 222, 516, 517
 probing magnetometry 164
 programmable microcontroller 180
 prostate specific antigen (PSA) detection
 404
 protective coatings 514, 517
 protein-based electronic skin (PBES) 34,
 419
 protein based polymers 490, 503
 protein concentration and buffer
 exchange 449
 protein-, pig skin gelatin-, lipid-based
 films 503
 proton exchange membrane (PEM) 10,
 25
 ptychography 656
 pulse deposition system 413
 pulsed laser deposition (PLD) 324, 326,
 413
 pure iron 591
 P(VDF-TrFE) powder 416
 P(VDF-TrFE) thin film 417
 PVP-Cu₂O microcapsules 535
 pyridine salts 536
 pyrochlore-type zirconates (M₂Zr₂O₇)
 635
 pyroelectric material (PVDF film) 418
- q**
- quantum anomalous Holzer effect
 (QAHE) 59, 60, 95–114, 111,
 112
 quantum cryptography 659
 quantum 2D graphene chains 653
 quantum entanglement theory 648, 650
 quantum films 199–214
 quantum hall effects 648
 quantum hegemony 655, 660
 quantum mechanical magnetoresistance
 effect 59, 96
 quantum no-cloning theorem 659
 quantum optics 245, 658
 quantum-well (QW) 15
 quasi-perfect absorption property 578
 quasi-periodic EM surfaces 227–233
 design 228–229
 full-wave simulation 230
 simulation algorithms 229–230

- quaternary ammonium molecules 5, 651
 quaternary ammonium salt 480, 548
- r**
- radar absorbing material 38, 601–604
 radar-frequency bands 588
 radar stealth coatings 38
 absorbing material 601–604
 carbonaceous-based RAM 604–606
 radioisotope RAM 604
 radiation sensor 269
 radio frequency identification (RFID) tag 319
 radioisotope RAM 604
 radioisotope thermoelectric power generator 10
 Raman effect 394
 Raman-Nath diffraction 82
 Raman scattering 68, 361–363, 394, 395, 396, 401
 rapid insertion of commercial acoustics (ARCI) program 569
 rare-earth doped YSZ 636
 rare earth zirconates ($\text{RE}_2\text{Zr}_2\text{O}_7$) 636
 Rayleigh scattering 395
 reaction monomer electrospray 480
 reactive ion-beam sputtering (RIBS) 127
 received signal strength (RSS) 572
 received signal strength indicator (RSSI) 572
 receiver arrays 555
 reconnaissance (BTA) sonar 555, 563
 red mercury oxide-based coatings 520
 reduced graphene oxide (rGO) 17, 597, 607
 reference sensors 571
 reflect-array antennas 228
 reflectometric interference spectroscopy (RIfs) 389–391
 refractive index 67, 69, 70, 81, 82, 139, 153, 154, 175, 176, 241, 244, 286, 386, 387, 389, 437, 634
 reinforced polyvinylidene difluoride (PVDF) nanocomposites 594
 related layered thin films 648
 renewable energy 22, 299, 472, 669
 residual xylan acetate 505
 resin acid 520, 521
 reverse osmosis (RO) 28, 37, 430, 447, 448, 452, 461, 464–466
 desalination process 462
 membrane desalination 469
 reversible electrolyzer-fuel cell scheme 670
 rhamnogalacturonan-I (RG-I) 494
 rhamnogalacturonan-II (RG-II) 494
 right circularly polarized (RCP) 236
 rigorous coupled-waves analysis (RCWA) 147, 154
 roll membrane 452
 rosin 520, 521–523
 rubber shellac 520
- s**
- Salisbury screen materials 602
 satellite based quantum-secure time transfer 661
 saturation magnetization 126, 127, 146, 165, 166, 169, 275, 361, 603
 scanning electronic microscope (SEM) 24, 459, 601
 scatterer simulation 228–230
 Schelkunoff's electromagnetic shielding transmission line theory 590
 Schrodinger equation 81, 213
 seawater desalination 361, 430–431, 454, 458, 461, 463, 467, 469
 seawater reverse osmosis (SWRO) 464, 466
 secondary-ion-mass-spectroscopy (SIMS) 152
 Seebeck coefficient 11, 84, 86, 299, 300, 301, 302, 304, 305, 306, 308, 312–314, 316, 321, 322
 Seebeck effect 10, 84, 85, 300, 301–306, 307, 310, 316, 326, 327
 Seebeck experiment 301
 selected area electron diffraction (SAED) 274
 selective diffusion process 448

- selective permeable membranes
 - chemical modification method 456–457
 - gas separation 469–470
 - low molecular substances 476–479
 - phase inversion method 456
 - plasma polymer film 454–456
 - polymer functional membrane 454
 - polymer separation membrane 453–454
 - purification of water 457–469
 - types and characteristics of 452–453
- selective xenon difluoride 35
- self-absorbing 28 μ m PVDF pyroelectric sensor 418
- self-assembled membranes 419
- self-assembled monolayers (SAMs) 340, 390, 391, 427
- self-noise detecting sonar (ONA+ACC) 555, 563
- self-polishing antifouling coatings 523–531, 528
- self-polishing resin 523, 524–526, 528
- semiconductive nanowires thin films
 - AAO template-assisted fabrication of 371–376
- semiconductor thin films
 - magnetron sputtering 259–260
 - metal-organic chemical vapor deposition (MOCVD) 260–261
 - molecular beam epitaxy (MBE) 259
 - non-magnetic semiconductor thin films 261–269
 - sensors 268–269
- semi-metals 74–77, 648
- semi-permeable membrane 453, 454
- semipermeable synthetic membrane 448
- semitransparent OSCs 669
- sensors, semiconductor thin films 268–269
- separation membrane 37, 454, 456, 472
- SERS 394, 395, 404
 - aqueous gold nanoparticles 399–401
 - in cancer cell detection 402–404
 - composite aqueous gold nanoparticles in 398–399
 - development nanostructure thin films for 396–397
- SERS-based immunoassays (SIA) 404
- SF composite membranes (SFCMs) 419
- shielding composites 589, 593
- shielding effectiveness (SE) 589
- shipboard passive direction finding (FA) sonar 555
- shipboard passive ranging (PRA) sonar 555
- Shockley-Queisser limit 14, 19
- Shubnikov-de Haas and de Haas-van Alphen oscillations 654
- signal-to-noise ratio (SNR) 147, 386
- silane-based components 434
- silicone-acrylate resins 532
- silicone anti-mold coating 517
- silicone-epoxy resin 532
- silicone oil 532
- silicone-polyether resin 532
- silicone-polyurethane resins 532
- silicone resins 517, 526, 527, 531, 532, 538, 539
- silicon isotropic dry etchants 209
- silicon steel 591
- silk 34, 419, 490
- silk fibroin composite membranes (SFCMs) 34
- silk fibroins (SF) 34, 419
- silk protein 34
- simple solution-casting membrane method 480
- Si nanomembrane diode sensors 414
- single atom catalysts (SACs) 25
- single-beam echo sounders 555
- single-crystal diamond (SCD) 210
- single crystal thin films 650
- single-molecule detection 35, 397
- single NPs 344, 377
- single photon detector 655, 659, 660
- single photon phase coded key system 659

- single-walled carbon nanotubes (SWCNTs) 596
- slime-producing bacteria 511
- small-celled commercially available TI structures 436
- smart display 436–438
- smart mines 551, 571
- smart polymer films 411
- smart polymer thin films and coatings for AI
 - ammonia sensors 428
 - bio-integrated wearable sensors 422–425
 - biosensor film substrate 421–422
 - capacitors 432–434
 - degradation of complex phthalocyanine dye waste water 428–429
 - explosives detection 426–428
 - human thermoregulation 418–421
 - patulin 429–430
 - preparation methods 412–413
 - seawater desalination 430–431
 - smart device integration 413–415
 - solar energy 431–432
 - tactile sensor 415–417
 - thermal sensor 417–418
 - thermoelectric devices 434–435
 - ultraviolet radiation monitoring 425–426
- sodium alginate (SA) 501, 599
- soft magnetic alloy materials 591
- softwood lignin 498
- solar energy 9, 11, 12, 14, 405, 431, 435, 436, 670
- sol-gel method 412, 413, 500, 501
- sol-gel phase inversion coatings 500
- solid electrolyte interfaces (SEIs) 21
- soluble aromatic polyimides 474
- solution precursor plasma spraying (SPPS) 617, 625, 627–629
- solution-processable synthesis 663
- solvent casting 448, 454, 594
- sonar buoy 563, 565, 571
- sonar detection 39
- sonar systems
 - advanced hostile 565–573
 - anechoic coating 573–574
 - Doppler effect 552–573
 - echolocation 552–573
 - types and construction of 553–555
 - typical 555–565
- sono-radio-buoy 551, 571
- sorbitol 495, 496, 498, 502, 503
- sound navigation and ranging 38, 550
- soy protein isolate (SPI) 498
- spatial-localization method 344, 572
- specific Faraday rotation (SFR) 73, 145, 153, 154, 181
- spectrally selective film 435
- spherical sonar arrays 556, 557
- spin angular momentum (SAM) 233
- spin-coating 340, 416, 427
- spin detection technology 61
- spin polarization 60, 61, 75, 106, 107
- spintronic device magnetic
 - semiconductors 277, 279
- spintronic devices 61, 112, 113, 257, 270, 271, 279
- spintronics 3, 6, 60, 61, 76, 95, 112, 113, 270, 271, 278, 279, 662
- spintronic theory 60–62
- spontaneous emission rate (SER)
 - calculation 242
 - inhomogeneous electromagnetic environment 241–242
 - metamaterials 242–243
 - metasurfaces 243–244
- SPP dispersion 147, 148
- sputtering technique 320, 321, 356
- starch 490, 495–496, 502, 503, 504
- stealth coatings
 - multiband absorbing materials 607
 - negative refractive stealth 606–607
 - plasmon active stealth 607–608
 - radar 600–606
- steel plate 592
- steered cathodic arc plasma evaporation (steered CAPE) 432

- Stephen-Boltzmann's constant 634
 sterane derivatives 536
 steric hindrance effect 451
 sterile filtration 449
 strain tolerant oxide 633
 stretchable, elastic conductive material 416
 stretchable SF/CaCl₂ electrodes 419
 string theory 648
 strong electron acceptability 426
 structurally highly oriented
 supramolecular assembly
 composite membrane 480
 substituted galacturonans (GS) 494
 substituted polyacetylenes 472, 475
 sub-wavelength and quasi-perfect
 underwater sound absorber 577
 sulfate-reducing bacteria 511
 sulfonated-polysulfone/PSf alloy
 ultrafiltration membranes 458
 sulfonated-PSf/PSf alloy 458
 sulfur copper zinc 523
 sum frequency generation (SFG) 657, 664
 superalloy substrates 38, 86, 618–619, 628
 supercapacitors 23, 24, 30, 428, 432
 surface-assisted cyclodehydrogenation 6
 surface coating film shielding material 591
 surface conductive type EMI shielding materials 589
 surface enhanced Raman scattering (SERS) 362–363
 surface metal foil coating 589
 surface metallization 589
 surface micromachining 209, 269
 surface microstructure bionic antifouling paint 539–540
 surface plasmon polaritons (SPP) 146, 174, 175, 386, 388
 surface plasmon resonance (SPR) 8, 9, 66–73, 344, 346–351, 363
 surface water eutrophication 449
 surface water supplies 463
 susceptibility model 64, 65, 225–226
 suspension plasma spraying (SPS) 617, 629–633
 symmetric para-linked isomers 474
 synthetic aperture sonar 555, 569
 synthetic basis function (SBF) method 231
- t**
- tactile sensor 415–417
 tall oil fatty acid (TOFA) 498
 Tamm 1D-MPC with Bi, IG bi-layer 136–138
 TB-16 coarse linear array sonar 562
 TB-16 towed array sonar 561
 TCPM 523
 tear and stack technique 5
 TE materials 10, 11, 311–315
 temperature ellipsometry 287, 288
 template transfer nanoimprinting method 663
 terahertz (THz) technology 438
 ternary organic solar cells (OSCs) 16
 tetracyanoquinodimethane (TCNQ) 315
 tetraheptylammonium bromide 5, 651
 Themis aberration-corrected 152
 thermal annealing 108, 262, 342, 343, 353
 thermal barrier coatings (TBCs) 38, 86, 615–617
 aerospace application 617
 applications 620–621
 electron-beam physical vapor deposition 621–624
 gas turbine/aero-engine parts 615
 gas turbine components 616
 plasma-sprayed 624–627
 solution precursor plasma spraying process 627–629
 superalloy substrates 618–619
 suspension plasma spraying 629–633
 system compositions 619–620

- thermal barrier insulation theory 86
- thermal conductivity 11, 299, 301, 304, 311, 312, 314, 326, 591, 634
- thermal evaporation 137, 203, 260, 324, 325
- thermal expansion reduced graphene 24
- thermal gel method 456
- thermally rearranged (TR) polymers 472–474
- thermal management for electronic equipment 439
- thermal sensor 269, 417–418
- thermal stability 34, 35, 108, 268, 286, 295, 419, 473
- thermoacoustic effect 80
- thermocouple 287, 306, 307, 308
- thermoelectric devices 11, 300, 304, 305, 316, 320–326, 434
- thermoelectric effect 84–86, 300, 303–305, 307, 309
- thermoelectric generators 10, 299, 301, 316
- thermoelectric heating and cooling devices 439
- thermoelectricity 11, 300–301
- thermoelectric materials (TE) 299
 - cooling 316
 - limitations 320
 - organic DNA sensors 319–320
 - organic inverter circuit 316–318
 - organic light emitting diode (OLED) 318–319
 - organic radio frequency identification (RFID) tags 319, 320
 - power generation 316
- thermoelectric (TE) process 10
- thermoplastic starch (TPS) 503
- thermopower 305, 311
- thermosensitive substances 449
- thin film composite nanofiltration (NF-TFC) membranes 458
- thin film composite polyamide based reverse osmosis membranes 458
- thin-film materials 286, 412
- thin-film nanocomposite mixed matrix films 469
- thin film nanomaterials 21
- thin films
 - biomedical engineering and life science 32–37
 - and coatings
 - findings of 647–650
 - high precise fabrication technique 650–655
 - high spatiotemporal resolution characterization methods 655–661
 - microstructure vs. property 661–668
 - modern technology innovation and the society progress 668–671
 - ecological environment of Earth 28–32
 - fabrication methods 3
 - of information technology 2–7
 - national defense and homeland security 38–41
 - for sustainable energy application 9–28
 - for ultrasensitive sensing devices 7–9
- thin film transistors (TFTs) 5, 257, 263–265
- thin-layer composite films 456
- thin polyimide film 416
- thiol compounds 351–354, 355
- third thermoelectric effect 309
- thixotropic agents 523
- Thomson coefficient 309, 310
- Thomson effect 84, 85, 309–311
- Thomson heat 309, 310
- three dimensional graphene 662
- THz pulse 657
- time difference of arrival (TDOA) 572
- time of arrival (TOA) 572
- time-reversal symmetry (TRS) 60, 75, 111, 113
- TMOKE effect 387
- topological insulators (TIs) 3, 5, 60, 74–77, 111, 112, 648, 654, 666

- torpedoes 551, 571
- total energy of sound 79
- towed array sonar systems 561
- towed line array (TA) sonar 555, 561, 562
- towed slender line array sonar 561, 562
- transimpedance amplifier 170, 171
- transition-metal dichalcogenides (TMDs) 211, 652
- transmembrane pressure difference 450, 451
- transmission electron microscopy (TEM) 23, 146, 212, 274, 352, 597, 655
- transmitter arrays 555
- transparent conductive oxide (TCO) films 431
- transparent heat-insulating film 435
- transparent insulation (TI) structures 436
- transparent plastics 436
- transverse Kerr effects 168, 169, 176, 177
- transverse magneto-optical Kerr effect (T-MOKE) 71, 175, 382, 387
- tributyltin (TBT) 524
- trigonal layered PtBi₂ 653, 654
- trimesoyl chloride (TMC) 458, 464
- trinitrotoluene (TNT) 427
- triply degenerate point (TP) fermions 653
- trivinylcyclopentadienyl manganese dye-doped ethylene/styrene copolymer 427
- tubular membrane 452
- tungsten-carbide-type materials 653
- tunneling magnetoresistance (TMR) 59, 95, 106, 107
- applications 110–111
- multi-layered thin films fabrication 107–110
- tunnel junction injection 61
- turpentine 520
- two-dimensional layered materials (2DLMs) 649
- two-dimensional van der Waals magnets 667
- two-layer graphene 650
- T-W wastewater 461
- type I single collagen molecule 491
- Type 214 Submarine 555, 556, 558
- type 885 Yassen class attack nuclear submarine 557
- U**
- ultra-broadband metamaterial-based acoustic absorption material 580
- ultra-dense nanoparticle arrayed thin films
- AAO template-assisted fabrication of 367–371
- ultrafiltration (UF) 447, 448, 454
- membranes 452
- ultra-high vacuum (UHV) 259
- ultra-permeable membranes (UPMs) 464
- ultrapure biological treatment 449
- ultrasensitive ferroelectric switcher 663
- ultrasensitive magnetic/optical detector 394, 663
- ultrasensitive magnetometry 161–174
- ultrasensitive sonar system 551
- ultra-small transistors 6
- ultra-stable glass 289
- ultra-thin acoustic metamaterial panel 580
- ultrathin BiIG films 126, 127
- ultrathin films, magneto-optical (MO) response in 145–155
- ultrathin nanopore arrays 356–357
- ultrathin polymer films 455
- ultraviolet lasers 663
- ultraviolet lithography (UV-LIGA) 345
- ultraviolet radiation (UVR) monitoring 425
- uncertainty principle 659
- underwater hydro-acoustic transducers 554
- underwater sound reflections 574

- uniaxial anisotropy constant 126, 183
 - uniform Ag NPs formation 356
 - uniform nanoporous films, with
 - controlled layers 357–359
 - unmanned aerial vehicle 571
 - U type large aperture array 558
 - UV antifouling technology 540
 - UV-curable acrylic resin 436
- V**
- vacuum evaporation coating method
 - 412
 - vacuum gold plating 589
 - vacuum plasma spraying (VPS) 625, 626
 - vacuum thermal spray processes 626
 - valerolactone 530
 - vanadium dioxide 413, 438
 - van der Waals force 3, 4, 650, 656
 - van der Waals heterostructures (vdWHs) 649
 - Van der Ziel criterion 164
 - vapor compression distillation (VCD) 461
 - vdWHs heterojunctions 656
 - vector sonar technology 569
 - Vegard's law 127
 - vibration isolation module (VIM) 561, 562
 - vinyl chloride-vinyl acetate copolymers 521
 - Virginia attack nuclear submarine 557, 568
 - Virginia class attacking nuclear submarine 558, 561, 562
 - Virginia class submarine 558–560, 563
 - viscoelastic polymer slab 575
 - viscose 505
 - viscosity of the penetrating liquid 450
 - Vivinal® GOS 477
 - Voigt effect 169
 - voltage difference 305, 306
 - VO₂ thin film smart windows 413
- W**
- waste polystyrene 429
 - wastes into wealth 490
 - wastewater treatment and resource utilization 457
 - water flux/magnetic permeability 461
 - water permeability 37, 461–463, 467, 468, 469, 480
 - water purification 31, 32, 430, 449, 453, 457, 670
 - water resources 457
 - water/salt permeability selectivity 461
 - water vapor delamination 35
 - wave impedance 590
 - well-crystallized ITO films 431
 - wet etching process 201, 203
 - wet method 456
 - Weyl/Dirac node 77
 - Weyl equation 76
 - Weyl fermion 661, 662
 - Weyl points 662
 - Weyl semimetals 2, 112, 648, 661, 662, 666
 - winched AN/SQR-18
 - towed array sonar 561
 - towed linear array sonar 562
- X**
- X-ray diffraction (XRD) 370, 371, 384, 433, 655
 - X-ray electron-free laser 655
 - X-ray free electron lasers (XFELs) 657, 658, 664
 - X-ray lasers 656, 657, 663, 666
 - X-ray lithography 200, 209
 - xylan 490, 497–498
 - xylene 397, 523
 - xylitol 495, 496
 - xylogalacturonan 495
- Y**
- yttria-stabilised zirconia (YSZ) 619, 633

Z

Zeeman effects 662

zero-index-metamaterials (ZIM) 222

zinc acrylate self-polishing resins 524,
525

zinc oxide 518, 520, 523, 524,
603

zinc selenide 262

