

Index

a

acid catalyzed Schiff-base formation 201
 activation energy 38, 303, 400, 401
 adsorbed natural gas (ANG) tanks 352
 adsorption
 aromatic *N*-heterocycles 385
 biomolecules from water 385
 of drug molecules from water 383
 properties of MOFs 411–412
 removal of aromatic *N*-heterocycles 385–386
 adsorption-driven heat pumps (ADHP)
 thermodynamics 413–415
 working principle 412–413
 adsorption sites 37–39, 47, 94, 136, 151, 287, 305, 307, 321, 322, 341, 344, 347, 352, 353, 357–359, 371, 385, 405, 407, 409, 420
 (Al)MIL-53(OH) 412
 Al-soc-MOF 95, 354
 amide-based solvents 74
 amide coupling 166–167, 169
 amino functionalized linkers 167–168
 amino functionalized MOFs 166–168
 amorphous to crystalline transformation 246
 anisotropic diffusion properties 373
 anthropogenic emissions 313
 architectural stability 20, 22–23, 30, 160, 190, 218, 227, 340, 467
 aromatic C₈ hydrocarbons 376–379
 aromatic *N*-heterocycles (ANHs) 385–386

Arrhenius diagram 414
 asymmetric stretching vibration (ν_3) 318
 augmented nets 436, 439–440

b

base-catalyzed reactions 151, 152, 172
bct topology 103
bcu topology 99, 112, 407, 408
 Be₁₂(OH)₁₂(BTB)₄ 110, 111, 348, 349
 Bent ditopic linkers 101
 benzene-tricarboxylate (BTC) 15, 124
 benzophenonedicarboxylic acid 63
 benzoxazole COFs 212–213
 β -ketoenamine COFs 210–211
 binary metal-organic frameworks 83–114
 BIPY 13–15
 bipyridine-4-4'-dicarboxylic acid 152
 borazine based COFs 217
 boronate ester bond formation 198, 233, 255, 459
 boronate ester COFs crystallization 271
 colloidal nanocrystal by seeded growth 274–276
 solution growth on substrates 273–274
 thin film growth in flow 276
 vapor-assisted conversion 277
 boronates, reversible condensation reactions of 198

- boronic acids, reversible condensation reactions of 198
 - borosilicate COFs 198–199
 - boroxine bond formation mechanism 198
 - boroxine COFs formation 281
 - bottom-up approach
 - COF-5 formation 273
 - colloidal nanocrystals 274–276
 - crystal nucleation 271
 - mono-functional catechol competitor 271
 - nanoparticles 278–279
 - nanostructured materials 271
 - solution growth on substrates 273–274
 - thin film growth in flow 276
 - thin-films at liquid-liquid interface 280–281
 - vapor-assisted conversion 277
 - breathing MOFs 316–317, 482, 487
 - bridging hydroxyl groups 171
 - Brunauer-Emmett-Teller (BET) model 35, 38–40
 - building units of MOFs
 - activation of MOFs 77–79
 - organic linkers
 - design of organic linkers 59–62
 - carboxylate based 58, 61, 69, 77, 103, 130, 385
 - secondary building units 71–74
 - synthesis of MOFs
 - divalent metals 74–76
 - group 3 elements 76
 - linker synthesis 59
 - tetravalent metals 77
 - trivalent metals 76–77
 - transition metals 76–77
- C**
- capillary condensation 407–411, 422
 - Carnot-cycle 413
 - 4-c copper paddle wheel 86, 88, 132, 354
 - C₁-C₅ separation 367–370
 - 8-c cubic SBUs 102
 - Cd(BIPY)₂(NO₃)₂ 13
 - chemical bonding 180–182, 187, 490, 493
 - chemical exfoliation 267–271
 - chemical stability 15, 20, 57, 58, 93, 107, 155, 165, 201, 205, 206, 211, 212, 214, 220, 251, 261, 263, 267, 346, 352, 379, 404
 - chemisorption 31–33, 38, 299, 305, 317, 319, 320, 405–407, 420
 - Clausius–Clapeyron equation 300
 - click chemistry 168–171, 258–260
 - cluster mediated pore filling mechanism 407
 - C₈ naphthenic hydrocarbons 366, 367
 - Co(BTC)(Py)₂ 15, 16
 - cobalt-metallated COFs 248
 - CO₂ capture and sequestration (CCS)
 - aqueous alkanolamine solutions 313
 - covalently bound amines 323
 - energy loss 313
 - hydrophobicity 325–326
 - important MOFs 329–331
 - infrared spectroscopy 318–320
 - MOFs 326–327
 - open metal sites 321–322
 - organic diamines 322–323
 - post-combustion flue gas
 - composition 314
 - pressure vacuum swing adsorption (PVSA) 328–329
 - SBUs 323–325
 - solid-state NMR spectroscopy 320–321
 - structural tunability 315
 - temperature swing adsorption 328
 - X-ray and neutron diffraction techniques 315–318
 - Co₂Cl₂(BTDD) 400, 408
 - [Co(NH₃)₆]Cl₃ 5
 - [Co(NH₃)₄Cl₂]Cl 5
 - [Co(NH₃)₅Cl]Cl₂ 5
 - CoCl₃·6NH₃, chemical structure of 4
 - colloidal nanocrystal by seeded growth 274
 - complexity frameworks, MOFs

- mixed-linker 126–131
- mixed-metal
 - chemically distinct binding groups 123–126
 - linker de-symmetrization 123
- TBU
 - organic linkers 134–135
 - SBUs 133–134
- compressed of natural gas (CNG) 352
- configurational diffusion 301–303
- coordination networks 8
 - BIPY 13
 - bis(alkylnitrilo) 8, 9
 - Cd(BIPY)₂(NO₃)₂ 13
 - with charged linkers 15–16
 - [Cu(Cu-TCP)](BF₄) 11, 12
 - [Cu(Cu-TTP)](BF₄) 11, 12
 - [Cu(TCTPM)](BF₄) 11
 - [Cu(ADI)₂](NO₃) 8, 10
 - [Cu(BIPY)_{1.5}](NO₃) 13, 14
 - TCTPM 10, 11
 - Zn(BIPY)₂SiF₆ 14, 15
- coordination polymers 8
- coordination solids 3
- coordinative alignment (CAL) method 156
- core unit 59–62, 64, 66, 87, 90, 91, 96, 134, 342
- coupling reactions 58–61, 151, 255
- covalent bond 60, 165, 179–183, 187, 192, 197, 233, 481, 490, 491, 494
- covalent functionalization 171, 249–250, 256–263
- covalent interactions
 - amino functionalized MOFs 166–168
 - bridging hydroxyl groups 171
 - click chemistry 168–171
 - cycloadditions 168–171
 - PSM 165
- covalently bound amines 323
- covalent organic frameworks (COFs) 179–193, 197–220
 - acrylonitrile linkages 218, 220
 - B—O bond forming reactions 197–201
 - borazine linkages 217–218
 - chemical exfoliation 269–271
 - COF-42 207, 208
 - COF-43 208, 268, 269
 - COF-202 199
 - COF-300 203
 - COF-320 204
 - COF-366 202
 - COF-105 and COF-108 formation 239, 240
 - COF-366-Co 233
 - colloidal nanocrystal by seeded growth 274–276
 - condensation reactions 189, 190
 - CS-COF 211, 212
 - 3D-Py-COF formation 241
 - embedding nanoparticles 246–247
 - grinding 269
 - hxl** topology 235–236
 - ICOF-1 200, 201
 - imide linkages 213–216
 - imine linkages 201–207
 - kgd** topology 236–237
 - kgm** topology 233–235
 - linker geometries 227, 228
 - liquid-liquid interface 280–281
 - monolayer formation 281
 - nanoparticles 278–280
 - NiPC-COF 232
 - permanent porosity 191
 - post-synthetic modification 250–263
 - pre-synthetic modification 248–249
 - reticular synthesis 225, 226
 - in situ* modification 245–247
 - solution growth on substrates 273–274
 - sonication 268–269
 - thermal stability 190
 - thin film growth in flow 276
 - triazine linkages 216–217
 - vapor-assisted conversion 277
- covalent organic polyhedra
 - cubes and heterocubes 457–459
 - design consideration 453–454

- covalent organic polyhedra (*contd.*)
 octahedron 456–457
 tetrahedron topology 454–456
- covalent post-synthetic modification, in
 COFs 256, 257
- boronate ester linked COF-5 259
- BZ linkers 261, 262
- copper(I) catalyzed click reactions
 256, 258
- CO₂ uptake capacities 257
- imine linked COF-366 258
- linkage conversion 262–263
- linker exchange 261–262
- nitro reduction and aminolysis
 260–261
- post-synthetic succinic anhydride
 ring opening 259–260
- stable organic radical TEMPO 257
- Cr(CO)₃ functionalized BDC linkers
 347
- (Cr)MIL-101(NH₂) 411, 415
- Cronstedt, Alex F. 463
- cross-coupling reactions 58, 61, 255
- cross-linked nets 442–443
- cryptands 185
- crystalline solid, porosity 29–30
- crystallography 121
- crystal nucleation 271, 273
- crystals as molecules 264
- [Cu(Cu-TCP)](BF₄) 11, 12
- [Cu(Cu-TPP)](BF₄) 11, 12
- [Cu(TCTPM)](BF₄) 11
- Cu₄Cl(BTC)₈(R4N)₃ 99
- Cu₄Cl(-COO)₈ SBU 98, 99
- [Cu(ADI)₂](NO₃) 8
 crystal structure of 10
 topological classification of 8
- [Cu(BIPY)_{1.5}](NO₃) 13, 14
- [(Cu(TAP)(SQ)₂)]_{squaraine} 209
- cycloadditions 168–171
- d**
- degradation mechanism of MOFs
 396–398
- de-symmetrization 64
 linker 123
- Diels–Alder cycloaddition 170, 171,
 269
- diffusion mechanisms 301
 Knudsen diffusion 302–303
 molecular diffusion 301–302
 and pore size 302
 surface diffusion 303
- dimethylamine (DMA) 75, 103, 200
- 2,5-dioxidoterephthalate (DOT) 43, 44
- dissociation energies 345
- ditopic linkers 8, 62–64, 85–88, 92,
 99–101, 130, 160, 215, 228, 229,
 447, 454, 459
- divalent metals 7, 74–76, 91, 98, 110,
 348
- DMOF (Zn(BDC)(DABCO)_{0.5}) 402
- dual nets 41, 43, 44, 441, 442, 444
- DUT-67 99, 100, 103, 105
- DUT-69 103, 105, 106
- dynamic covalent chemistry
 catenane 187, 188
 macromolecular architectures 187
 mechanically interlocking molecules
 189
 molecular Borromean rings 188
 supramolecular assemblies 187
- dynamic frameworks
 independent global dynamics
 492–494
 independent local dynamics
 490–492
 synchronized global dynamics
 discrete SBUs, MOFs 484–486
 distorted organic linkers 487
 MOF, from Rod SBUs 483–484
 synchronized local dynamics
 487–490
- e**
- eight-connected (8-c) SBUs 98
- electronic configuration of the metal
 centers 403
- [(en)Pd(BIPY)(NO₃)₈]₄ 12
- equilibrium adsorption 306, 365
- etb** topology 43–45, 405, 409
- ethylbenzene 367, 376, 378

- 2-ethylimidazole (eIM) 476
 [(ETTA)(BDA)₂]_{imine} formation 233, 234
 excess adsorption 295, 296
- f**
- fcu
 net 109, 148, 153, 407
 topology 109, 160, 401, 421, 487, 488
- FDM-3 124–127
- flexible MOFs 368, 482
- flu 101
 net 101, 02, 105
 topology 102
- fossil fuels 313, 314, 339, 385, 386
- four-connected (4-c) SBUs 84
- Friedel, Georges 464
- functionalization, of COFs
 post-synthetic modification 250–263
 pre-synthetic modification 248–249
in situ modification 245–247
- functionalized (Cr)MIL-101 analogs 411
- g**
- gallium hydroxide 76
- gas adsorption
 BET model 38–40
 chemisorption 31–33
 excess and total uptake 295–297
 gravimetric *vs.* volumetric uptake 40
 isotherms 33–35
 Langmuir model 37, 38
 physisorption 31–33
 system-based capacity 298–299
 terms and definitions 31
 on two-dimensional surface 296
 volumetric *vs.* gravimetric uptake 297
 working capacity 297–298
- gaseous hydrogen 340
- gas separation
 adsorbent selectivity 305
 breakthrough experiments 308
 kinetic separation 299
 selectivity calculation
 ideal adsorbed solution theory 307–308
 from single component isotherms 306–307
 thermodynamic selectivity 305–306
 thermodynamic separation 299–300
- gate-opening effect 304–305, 370, 375
 gate-opening. ZIF-7 375
- Gibbs excess 295
- gravimetric gas uptake 50, 94, 297
- gravimetric *vs.* volumetric uptake 40
- h**
- hard-soft acid-base (HSAB) concept 399
- [(HAT)(NTBA)₂]_{imine} formation 236, 237
- [(HAT)(NTBCA)₂]_{imine} formation 236, 237
- H₂BPDC linker 99, 100, 130
- hcb** topology 83, 189
- Heck reaction 58, 61
- hetero-dual net 41, 43, 44, 48, 49, 51, 91, 92, 441, 442
- heterogeneity frameworks
 disordered vacancies 139–141
 multi-linker MTV-MOFs 136
 multi-metal MTV-MOFs 136–139
- hexatopic linkers 51, 69, 70, 134
- HKUST-1 89, 124, 309, 328, 346, 357, 372, 405, 433–435
- Hofmann clathrates 6–8, 30
- hydrated (Zn)MOF-74 406
- hydrazone COFs 207–208, 212
- hydrocarbons, separation of
 aromatic C₈ hydrocarbons 376
 C₁-C₅ separation 367–370
 gate-opening effect 375
 kinetic separation of olefin/paraffin mixtures 372–375
 mixed-matrix membranes 379–381
 molecular sieving 375–376

- hydrocarbons, separation of (*contd.*)
 thermodynamic separation of
 olefin/paraffin mixtures
 371–372
- hydrogen spillover 348
- hydrogen storage in MOFs
 accessible surface area 342–344
 important MOFs 349
 isosteric heat of adsorption 344
 light weight elements 348–349
 spider graph 341
 volatility 340
- hydrolytic stability of MOFs
 activation energy 400
 degradation mechanism 396–398
 electronic configuration of the metal
 centers 403–404
 experimental assessment 396
 hydrophobicity 403
 reactivity of metals towards water
 399
 steric shielding 401–403
 strength of the metal–linker bond
 398–399
 structural factors 396
 thermodynamic and kinetic factors
 395
- hydrophilic MOFs 411
- hydrophobicity 321, 325–326, 401,
 403, 404, 411
- hydrophobic mesoporous silica 404
- hysteresis 33–35, 52, 407, 409, 411,
 420, 421
- i**
- ideal adsorbed solution theory (IAST)
 306–308
- idealized homogeneous materials
 343
- imine COF formation 277
 monolayer formation 281
 nanoparticles 278–280
 resonance stabilization 206–207
 stabilization through hydrogen
 bonding 205–206
 thin-films at liquid-liquid interface
 280–281
- infinite rod SBUs 112–114
- inflection point 40, 403, 404, 409, 411,
 412, 418–422
- infrared spectroscopy 11, 318–320
- inorganic membranes 379, 380
- in situ* functionalization, NP matrices
 147
- International Union of Pure and Applied
 Chemistry (IUPAC) 31
 classification of isotherms 33, 34
- interpenetrated PCN-6 346
- IRMOF-3 83, 166
- IRMOF-74-III(CH₂NH₂) 320, 323
- IRMOF-74-III(CH₂NHMe) 320
- IRMOF-74 series 44, 45
- isobar 414, 415
- isophthalate linkers 132
- isorecticular IRMOF-993 (Zn₄O(ADC)₃)
 368
- isorecticular metal-organic framework
 (IRMOF) series 41, 42
- isorecticular MOFs 145, 157, 323, 368,
 400, 412
- isorecticular series 41, 45, 49, 50, 93,
 107, 454
- isosteric heat of adsorption 295, 300,
 305, 318, 344–348, 353, 368, 372,
 385, 414
- functionalization 347–348
- open metal sites and other
 coordinatively unsaturated metal
 centers 344–346
- pore size 346–347
- using Langmuir–Freundlich equation
 300
- using virial-type equation 300
- isosteric heats of methane adsorption
 352
- isotherms, gas adsorption 33–35
- ith** topology 105
- k**
- kgd** topology 96
- kinetic gas separation 299, 301
 diffusion mechanisms 301–303
- gate-opening effect 304–305

- pore shapes, effect of 303–304
 - size selective exclusion 304
- kinetic inertness
 - electronic configuration of the metal centers 403–404
 - hydrophobicity 403
 - steric shielding 401–403
- kinetic separation factor 305
- kinetic separation of olefin/paraffin mixtures 370, 372–375
- Knudsen diffusion 301–303
- I**
- Langmuir equation 37
- Langmuir–Freundlich equation 300
- Langmuir isotherm equation 38
- Langmuir model 35–38
- Lewis acidic sites 345
- Lewis bases 317
- Lewis cubic atom 180, 181
- Lewis dot structures 181
- ligand-to-metal charge transfer (LMCT) 149
- light weight elements 348
- linear linkers, in COFs 227
- linear units 59
- linker design methods 59
- linker geometry 85
 - ditopic linkers 62
 - hexatopic linkers 69
 - octatopic linkers 69
 - pentatopic linkers 69
 - tetratopic linkers 64
 - tritopic linkers 64
- liquid-liquid interface 280
- m**
- MAMS-1 ($\text{Ni}_8(5\text{-BBDC})_6(\mu_3\text{-OH})_4$) 370
- mechanical stability 20, 22, 160, 163
- mechanical stress 309, 340
- metal–N–donor interactions 10
- metal-organic frameworks (MOFs) 287, 288, 476
 - building units 57
 - chemical functionalization of 146
 - complexity frameworks
 - mixed-linker 126–131
 - mixed-metal 123–126
 - TBUs 132–135
 - covalent functionalization 171
 - functionalization of
 - analytical methods 171
 - pre-synthetic functionalization 149
 - PSM 149–172
 - in situ* 146–148
 - gas adsorption 295–299
 - gas separation 299–305
 - heterogeneity frameworks
 - disordered vacancies 139–141
 - multi-linker MTV-MOFs 136
 - multi-metal MTV-MOFs 136–139
 - isorecticular principle 145
 - isorecticular series of 45
 - large pores 41, 45
 - MOF-5 3D structures
 - activation of 20–21
 - architectural stability of 22–23
 - framework structures 20
 - permanent porosity of 21–22
 - structure of 19–20
 - targeted synthesis of 18–19
 - multivariate 121
 - number of adsorption sites 48
 - pcu** topology 50
 - permanent porosity 16–17
 - porosity
 - pore metric designs 40–45
 - ultrahigh surface area 46–51
 - priori design 72
 - reticular chemistry of 3
 - secondary building units 16–17, 205
 - stability 309
 - synthesis of 58
 - activation of 77–79
 - divalent metals 74–76
 - tetravalent metals 77
 - trivalent metals 76–77

- metal-organic frameworks (MOFs) (*contd.*)
- with tailored water adsorption
 - properties
 - defects 421–422
 - pore sizes 421
 - SBUs 420–421
 - metal-organic polyhedra
 - cubes and heterocubes 457–459
 - cuboctahedron 459–461
 - design consideration 453–454
 - octahedron 456–457
 - tetrahedron topology 454–456
 - methane storage in MOFs
 - important MOFs 359
 - isosteric heats 352
 - polar adsorption sites 357–359
 - pore shape and metrics 353–357
 - 4,4',4'',4'''-methanetetrayltetrabenzoic acid (H₄MTB) 66
 - m*-H₂BDC 63, 85, 86, 140
 - microporous 31, 33, 113, 125, 140, 296, 354, 407, 409, 415, 421, 464
 - microscopic reversibility
 - borosilicate COFs 199
 - imine COFs 204
 - 3D COFs 203–205
 - MIL-100(BO₂H₂) 385
 - MIL-53 family 368
 - Milton, Robert M. 464
 - micropore filling 34
 - mixed-linker MOFs 126–131
 - mixed-matrix membranes (MMMs) 365, 379–381, 476
 - mixed-metal MOFs
 - chemically distinct binding groups 123–126
 - “linker de-symmetrization” 123
 - mmen-CuBTTri 319, 320, 322
 - (Mn₄Cl)₃(L)₄(BTT)₈ 346
 - M₆O₈-core SBUs 401
 - MOF-5
 - (Zn₄O(BDC)₃) 348
 - activation of 20–21
 - architectural stability of 22–23
 - crystal structure of 19–23
 - isoreticular series of 41
 - permanent porosity of 21–22
 - structure of 19–20
 - targeted synthesis of 18–19
 - MOF-5(Cr(CO)₃) 347
 - MOF-102 87, 88
 - MOF-177 48, 49, 91, 121, 126, 191, 307, 342
 - MOF-210 128–130, 342, 354, 355
 - MOF-222 86, 87
 - MOF-520 111, 156, 160, 163
 - MOF-808 96, 97, 155
 - MOF-841 102, 105
 - MOF-based separation processes 365
 - MOF-2 Zn(BDC)(H₂O) 16
 - molecular diffusion 301–302, 305
 - molecular sieving 304, 371, 375–376, 379
 - M₃OL₃(-COO)₆ SBUs 93, 94
 - monocarboxylic acids 76, 77, 95
 - M₂(-COO)₄ paddle wheel 84
 - mtn** topology 44, 92, 467
 - MTV-MOFs
 - multi-linker 136
 - multi-metal 136–139
- n**
- naproxene 383
 - natural gas 89, 313, 326, 339, 340, 349, 356, 357, 367
 - NbOFFIVE-1-Ni 376
 - nbo** net 43
 - nbo** topology 87
 - neutral N-donor linkers 156
 - Ni_{2.5}(OH)(L-Asp)₂ 113, 114
 - Ni(CN)₃(η₆-C₆H₆) molecules 6
 - (Ni)MOF-74 317, 318, 323
 - nitrogen adsorption isotherm 22
 - N,N'*-dimethylethylenediamine (mmen) 319
 - N,N'*-dimethylformamide (DMF) 30, 75
 - non-interpenetrated PCN-6 346
 - nonlocal density functional theory (NLDFT) 40, 209, 230
 - NU-1000 154, 155, 160

O

- o*-Br-H₂BDC linkers 88
- octatopic linkers 69
- offset units 60
- olefin/paraffin mixtures
 - kinetic separation of 372–375
 - molecular sieving 375–376
 - separation utilizing gate-opening effect 375
 - thermodynamic separation of 371–372
- O_h-nano-Ag₂CAl-PMOF 147
- open metal sites
 - chemisorption on 405
 - MOFs 151
- organic diamines 322–323
- organic linkers 57
 - carboxylate based 58, 61, 69, 77, 103, 130, 385
 - linker design methods 59–62
 - linker geometry
 - ditopic linkers 62–64
 - hexatopic linkers 69
 - octatopic linkers 69–71
 - pentatopic linkers 69
 - tetratopic linkers 64
 - tritopic linkers 64–68
 - TBU 134–135

P

- palladium nanoparticles 150, 151, 252
- p*-arsanilic acid 383, 384
- PCN-6 (Cu(TATB)₂) 89, 90, 346, 354
- PCN-125 140
- pcu** net 42, 43, 163, 323, 440, 442
- pcu** topology 107
- pentatopic linkers 69
- perfluoroalkyl carboxylic acids 154, 156
- 2-periodic nets 436, 437, 447–449
- 3-periodic nets 438, 445–447
- permanent porosity 16–17, 20–24, 30, 190, 191, 200, 204, 208, 212, 215, 220, 230, 237, 238, 467, 481

- phenazine COFs 211–212
- physisorption 31–33, 36, 37, 299, 305, 317, 341, 344, 406
- PI-COF-4 215, 239
- PNMOF-3 83, 84
- polar adsorption sites 357–359
- poly(*p*-phenylene) 50
- polymeric membranes 379–381, 386
- polynuclear metal clusters 3, 179
- polyoxometallates (POMs) 147, 246, 386
- pore metric designs
 - dual nets of 41
 - geometric relation 42, 43
 - IRMOF-16 41
 - IRMOF-74 series 44, 45
 - isorecticular principle for 45
 - MOF-74 crystal structure 43
- porosity
 - in crystalline solids 29–30
 - definition 29
 - gas adsorption theory
 - BET model 38–40
 - chemisorption 31–33
 - gravimetric *vs.* volumetric uptake 40
 - isotherms 33–35
 - Langmuir model 37–38
 - physisorption 31–33
 - terms and definitions 31
- MOF
 - pore metric designs 40–46
 - ultrahigh surface area 46–52
- permanent MOFs 16–17
- porous inorganic membranes 379
- porous material 306
 - gas adsorption 295–298
 - gas separation 299–309
 - long-term and cycling stability 309
 - selectivity calculation
 - breakthrough experiments 308–309
 - ideal adsorbed solution theory 307–308
 - from single component isotherms 306–307

- porous solids 20, 29, 30, 33, 35–37, 52, 145, 299, 301, 305, 365, 367
- post-synthetic amide coupling 166
- post-synthetic ion metathesis and oxidation 164, 165
- post-synthetic linker exchange (PSE) 154, 156, 161
- post-synthetic linker installation 160–163
- post-synthetic metal ion exchange 164–165
- post-synthetic metallation, of COFs 253
- dehydrobenzoannulene macrocycles 255
- imine-linked frameworks 253
- molecular palladium complexes 255
- molybdenum-functionalized framework 255
- post-synthetic modification (PSM) 145
- analytical methods 171–172
- covalent interactions
- amino functionalized MOFs 166–168
 - bridging hydroxyl groups 171
 - click chemistry 168–171
 - cycloadditions 168–171
- isorecticular principle 149–150
- strong interactions
- coordinative alignment 156
 - ordered defects 163–164
 - post-synthetic ligand exchange 154–156
 - post-synthetic linker exchange 156–160
 - post-synthetic linker installation 160–163
 - post-synthetic metal ion exchange 164–165
 - SBUs by AIM 154
- weak interactions
- guests encapsulation of 150–151
 - linker 151–153
 - open metal site 151
- post-synthetic trapping
- of biomacromolecules and drug molecules 251–253
 - of fullerenes 253
 - of functional small molecules 250–251
 - of palladium nanoparticles 252
- powder X-ray diffraction (PXRD) 15, 19, 140, 166, 171, 201, 233, 246, 269, 316, 318, 396
- pressure vacuum swing adsorption (PVSA) 328, 329
- pre-synthetic functionalization, MOFs 149
- pre-synthetic modification, of COFs 248–249
- covalent functionalization 249–250
 - metalation 249
- primary adsorption site 94, 329, 353, 405, 407, 420, 421
- Prussian blue 3, 4, 30
- pto** topology 90
- pyrazolate-based MOFs 398
- q**
- qom** topology 91
- [1,1':4',1'':4'',1''':4''',1''''-quinquephenyl]-3,3''',5,5''''-tetracarboxylic acid (H₄QPTCA) 66
- r**
- rco** topology 132
- regeneration and CO₂ release
- pressure vacuum swing adsorption (PVSA) 328–329
 - temperature swing adsorption 328
- reo** topology 99
- research octane number (RON) 329, 382
- Reticular Chemistry Structure Resource (RCSR) Database 8, 433, 444–445
- reticular framework materials, applications of 287–288
- reversible cluster formation 407–409

- rht** topology 50, 132, 134, 135, 354
 RPM3-Zn ($Zn_2(BPDC)_2(BPEE)$) 375
- S**
- Schiff-base reactions 201–213
 secondary building units (SBUs) 16, 17, 323, 463
 AIM 154
 building units, MOFs 71
 $Cu_4Cl(-COO)_8$ 98
 8-c zirconium 155–156
 eight-connected (8-c) 98–103
 four-connected (4-c) 84–90
 copper paddle wheel 86
 paddle wheel 85
 infinite rod 112
 octametallal aluminum 158
 seven-connected (7-c) 97–98
 six-connected (6-c) 90–97
 TBU 133–134
 ten-connected (10-c) 103–105
 three-connected (3-c) 83–84
 trigonal anti-prismatic zirconium 97
 twelve-connected (12-c) 105–112
 zirconium 154
 $Zn_4O(-COO)_6$ 49, 121, 130
- separation
 adsorption 382–386
 hydrocarbons 366–367
 MOF-based 365
 predominant mechanism 366
- sequential linker installation (SLI) 131, 153, 160, 163
 single-crystal to single-crystal (SCSC) transformations 155, 157, 160
 six-connected (6-c) SBUs 90–97
- soc** topology 94
 solution-diffusion processes 379
 solution growth on substrates 273–274
 solvent assisted ligand incorporation (SALI) 153, 154, 156
 solvent assisted linker exchange (SALE) 154
 solvolysis 397
- sonication 267–269
 Sonogashira coupling reaction 60, 61
 sp^2C-COF 219, 220
 spiroborates
 COFs 200–201
 reversible condensation reactions of 198
 squaraine COFs 209–210
 square linkers 66, 101
 square planar linkers 107
 steric shielding 401–403, 491
 structure directing agent (SDA) 72, 91, 466
 supramolecular chemistry 183–187, 193
 surface diffusion 301–303, 305
 Suzuki coupling reactions 60
 synthetic organic chemistry 179, 180, 182–183, 263, 264
 system-based capacity 298–299, 310
- t**
- TATB 44
tbo topology 88, 433, 434
 temperature swing adsorption 320, 327, 328, 370, 407
 ten-connected (10-c) SBUs 103–105
 terephthalic acid (H_2BDC) 16, 18, 41, 63, 87, 91, 126, 130, 149, 160, 366, 376, 383, 402, 483
 tertiary building units (TBUs) 44, 46, 69, 92, 132
 organic linkers 134–135
 SBUs 133–134
 tetrahedral linker 66, 101, 102
 tetratopic linkers 64
 in COFs 227–229
 tetratopic porphyrin-based linker 102, 138
 tetravalent metals 72, 77, 80
 5-tetrazolyisophthalic acid 133
 thermally induced gate-opening effect 370
 thermal stability 20, 21, 23, 154, 202, 215, 245, 309, 381, 404, 467
 thermal stress 309

- thermodynamic gas separation 299–300
 - thermodynamic separation of olefin/paraffin mixtures 371–372
 - thermodynamic stability
 - reactivity of metals towards water 399–400
 - strength of the metal–linker bond 398–399
 - thin film
 - formation by vapor-assisted conversion 277
 - growth in flow 276
 - at liquid-liquid interface 280–281
 - thiophene-2,5-dicarboxylic acid (TDC) 99
 - three-connected (3-c) SBUs 83–84
 - 3D COFs 191, 238
 - bor** topology 239–240
 - ctn** topology 239–240
 - pts** topology 240–241
 - 3D imide COFs 215–216
 - 3D imine COFs 203–205
 - top-down approach 268
 - chemical exfoliation 269–271
 - grinding 269
 - sonication 268–269
 - topicity 75, 80, 239
 - topological density, defined 239
 - topology
 - augmented nets 439–440
 - crosslinked nets 442–443
 - crystal structure, deconstruction of 433–435
 - dual nets 441
 - embeddings of nets 435
 - graphs and nets 431–433
 - interpenetrated/catenated nets 441–442
 - 2-periodic nets 447–449
 - 3-periodic nets 445–447
 - 0-periodic nets/polyhedra 449–451
 - RCSR database 444–445
 - tiling and face symbols 437–440
 - vertex symbols 436–437
 - weaving and interlocking nets 443–444
 - toxicity of MOFs 382–383
 - TPa-1 210, 211, 269
 - transmission electron microscope (TEM) 147, 269
 - triazine based COFs 216, 217
 - 1,3,5-triphenylbenzene 48, 342
 - tritopic linkers, in COFs 227–228
 - trivalent metals
 - group 3 elements 76
 - transition metals 76–77
 - truncated tetrahedral 22, 110
 - twelve-connected (12-c) SBUs 105–112
 - 2D COFs 190, 227
 - edge-transitive 2D topologies 228, 229
 - hcb** topology 229–231
 - sql** topology 231–233
 - 2D imide COFs 214–215
 - 2D imine COFs 201–203
 - TZI linkers 133
- u**
- UiO-66 107, 139, 140, 147, 148, 160, 161, 164, 329, 379, 397, 401, 421
 - UiO-67 152, 153
 - ultrahigh surface area
 - isorecticular series 49
 - MOF adsorption sites 48
 - MOF **ntt** topology 51
 - MOF **pcu** topology 50
 - SBU 47
 - UMCM-1 121, 128–130, 167
 - UMCM-150 123, 124
 - UMCM-309a 96–98
- v**
- van der Waal pockets 354
 - vapor-assisted conversion 277, 282
 - virial-type equation 300
 - volumetric energy density (VED) 349
 - volumetric gas uptake 297

W

- water adsorption
 - capillary condensation 409–411
 - chemisorption on open metal sites 405–407
 - isotherms 404–405
 - reversible cluster formation 407–409
- water harvesting
 - climate change 415
 - down-selection of MOFs 418–419
 - fog collectors 415, 416
 - physical background 416–418
 - sorption-based systems 415
- weak interactions, PSM
 - guests encapsulation of 150
 - linker 151–153
 - open metal site 151
- weaving and interlocking nets 443–444
- Wells, Alexander F. 8
- Werner complexes 4–6
- working capacity 297–298, 305, 310, 322, 329, 339, 352–354, 407, 408, 419

X

- X-ray and neutron diffraction techniques 315
- breathing MOFs 316–317

- Lewis bases 317
- open metal sites 317–318
- xylene isomers 376, 378

Z

- zeolite-like metal-organic frameworks (Z-MOFs) 465–467
- zeolitic imidazolate frameworks (ZIFs)
 - and benzimidazolate linkers 468
 - functionalization 465–467
 - mechanical and architectural stability 467
 - organic linkers and inorganic nodes 463
 - secondary building units (SBUs) 463
 - steric index δ
 - maximum cage size 473–474
 - maximum pore opening 473
 - structural tunability 474–475
 - structures of 469–471
 - synthesis 468–469
 - tetrahedral nodes 465
 - tetrahedral single transition-metal nodes 463
 - Z-MOFs 465–467
- $\text{Zn}_2(\text{ATZ})_2(\text{OX})$ 317
- $\text{Zn}_8(\text{SiO}_4)(\text{BDC})_6$ 109
- $\text{Zn}(\text{BDC})(\text{H}_2\text{O})$ 16
- $\text{Zn}(\text{BIPY})_2(\text{SiF}_6)$ 14, 15
- $\text{Zn}_4\text{O}(-\text{COO})_6$ SBU 18, 83, 91, 97, 121, 128, 130, 342, 491
- Zr_6O_8 -core 95, 99, 105, 164, 171

