

Index

a

A15 compounds 32–38, 40, 42, 458
 acceptor doped 235
 AC conductivity and linear response 273
 AC-OELs 373, 375–376
 Ad usum Delphini 410
 Aharonov–Bohm effects 15, 356–357
 Aharonov–Bohm oscillations 356
 Alchemists' gold 40–42
 Amper's law 413–414
 amplitudons 442, 450
 Anderson–Mott transition 291
 Anderson rule 248
 Ångströms 5, 13
 angular momentum 95, 469–471, 477, 480, 493
 Anharmonic effects 162–167
 anisotropic conductivity 262
 anisotropy limit 180
 antibonding states 17, 198–199, 201, 205, 233, 304, 316
 antiferromagnetic 410, 484, 495, 497
 coupling 496
 ordering 407
 spin wave 488
 asymmetric growth 65–66
 atomic form factor 120, 122, 128
 atomic models
 linearity response 504–506
 relating field 507–509
 atomic orbitals 95, 175, 189, 191–197, 210, 219, 306
 atomic oscillator 150, 152
 atomic polarizability 505

atomic-scale contacts 243
 attenuation coefficient 512

b

band bending 247–248, 252, 254–255, 327
 bandgap 13, 60, 186, 191, 205–206, 214, 230–245, 247–248, 251, 253, 306–307, 313, 315, 374–375, 452, 543–546, 548, 553
 and doping 230–245
 band level diagrams 226–231, 233, 235–236, 244, 251
 Bardeen, Cooper, and Schrieffer (BCS) 30, 176, 412, 415–416, 420–426, 428, 431, 449
 ground state 420–425
 superconductivity 176, 426, 449
 theory 30, 412, 415, 426, 428
 bar magnet 468
 BCC *see* body centered cubic
 Bechgaard salts 42–45, 47, 431–432, 446, 449, 453
 Beer's law 241, 526, 544
 Berry's phase 11, 90
 Bessel function 486
 β -tungsten structure 33
 bipolaron 302, 329–330, 340, 358
 Bloch–Grüneisen formula 294
 Bloch's law 493
 Bloch theorem 185–186, 193, 203–207, 263
 Bloch waves 177, 187, 198, 291, 303, 312, 332, 356, 404

- body centered cubic (BCC) 84–85, 105, 108, 115, 121–122
 - lattice 103–105, 108, 116, 126–127
 - Bohr magneton 469, 471
 - Boltzmann constant 179, 276, 425
 - Boltzmann equation 267–281, 296
 - collisions 269–270
 - differential equation 268–269
 - Hall effect and magneto-transport 279–280
 - isotropic scattering 271
 - non-equilibrium distribution function 268
 - parabolic bands 272
 - relaxation time 268
 - relaxation time approximation 270–271
 - Seebeck effect and thermopower 274–277
 - sources of electron scattering 267
 - Boltzmann transport equation 161
 - bond alternation 92, 206, 312–315, 317, 441, 445
 - bonding 9, 12, 17, 75, 89, 94–103, 107, 120, 130–131, 198–199, 201–205, 220, 232–234, 241–243, 251, 303–304, 306, 312, 315–316, 417, 426, 468, 471–472, 494, 496, 532, 558
 - and antibonding states 198–199
 - orbitals 21, 134
 - bond order parameter 315
 - bond order wave (BOW) 315, 441
 - bond percolation 17
 - Born–von Karman boundary conditions 133, 185, 213
 - bound charges 373, 503, 506–507, 528
 - Bravais crystal systems 103
 - Bravais lattice 82–84, 86–88, 93, 103, 112, 114–115, 121, 129
 - Brillo pad 64
 - Brillouin paramagnets 479
 - Brillouin zone 8, 114–115, 126–127, 136, 141, 144, 147, 154–155, 165, 167–168, 170, 180, 185–187, 189, 191, 204, 211, 221, 278, 305, 308, 441, 450–451, 494
 - butadiene 201
- C**
- carbon, fullerene 15
 - carbon nanotubes 14, 55–59, 63, 68–69, 93–94, 100, 138, 158, 161, 167–168, 170, 213–215, 241–243, 249, 254–255, 277, 282, 287, 294, 302, 357–359, 368, 375, 383, 387–389, 458, 526, 529, 546, 557
 - carbon resistors 260
 - carbon-solids dimensional 8–14
 - cumulene, polycarbyne, polyene 12–13
 - diamonds 10
 - fullerene 13–15
 - graphite and graphene 10–11
 - one dimension 16–19
 - topology 14–16
 - Carnot efficiency 386
 - carrier concentrations 235–239, 256, 295, 375
 - Casimir forces 96
 - Casimir forces 245
 - Cauchy’s theorem 550
 - ceramic superconductors 415, 428
 - chalcogenide nanowires 69
 - charge density wave (CDW) 1, 49–50, 52, 301, 315, 440–454
 - energy gap 442
 - $4k_F$ 446–448
 - modulation of the electron and mass densities 441
 - order parameter 442
 - and Peierls transition 440–446
 - in phase and amplitude 450–451
 - phase dynamics 442–446
 - pinning, commensurability, solitons 442–446
 - polymers 441–442
 - threshold field 443
 - charge generation layers (CGL) 374–376
 - charge transfer 11, 42–45, 95, 308, 313, 415, 432–433, 437, 479
 - complexes 44
 - charge transport 19, 47, 62, 198, 337, 342, 353–354, 369–370, 442

- chemical potential 179, 183, 189, 226, 230, 239–240, 244–245, 276, 405–406, 408, 410
- chemical vapor deposition (CVD) 65–66
- Clausius–Mossotti equations 505, 507
- coherence length 417, 429, 435
- cohesive energy 100, 107
- collision 161, 170, 177, 261–263, 265, 267–271, 278, 425, 454
- color centers 371, 546–548
- compensation doping 236
- composite particles 403, 417, 421, 457
- conductance quantum 282
- conducting polymers 1, 4, 20, 46, 53–56, 69, 92, 248, 264–266, 284–285, 287, 289–290, 301–390, 403, 427, 557
 - highly 353–354
- conduction and valence bands 208, 544, 548
- conduction band 10, 13, 17–18, 191, 210, 230, 232–234, 236–239, 243, 245, 252–254, 264, 272, 296, 308, 312–313, 347, 404, 434, 500, 544–545, 547–548, 554
- conduction electrons 11, 34, 177, 358, 441–442, 454, 500
- conductivity 5, 7–8, 17, 47, 53–54, 214, 234, 242, 252–253, 261–262, 264–267, 272–273, 276, 283–290, 292, 296, 309, 326, 337–355, 370, 386, 412, 414, 427, 430, 433, 435, 443–445, 452–453, 529
 - of high impedance samples 288–289
 - measurements without contacts 289–290
 - of small particles 287–288
 - and temperature 264–267
 - temperature dependence 266
 - tensor properties 272
- conjugated polymers 18, 30, 54, 137, 169, 197, 203, 242, 281, 302, 310–311, 316, 325–326, 330, 334, 340–342, 345, 351, 354, 358, 360, 368, 380, 384, 387, 410, 430, 433–434, 436, 441
- conjugational defects 313–319, 321–324, 329, 331, 337
- conjugation and double bond 310–313
- contact doping 243
- contact potential 228–229, 250
- cooper pairs 34, 176, 416–417, 421, 424–426, 449, 497–498
 - binding 418–420
- correlation function 76–77, 94, 109, 111, 148, 171, 334, 485, 487
- correlation interactions 217
- correlation lengths 77, 117, 430, 478, 487
- Coulomb field 97, 267, 338, 547–548
- Coulomb force 176, 403
- Coulombic forces 107, 173, 269
- Coulombic interactions 175, 216
- coupling charge with lattice 303–305
- coupling constant 306, 438
- covalent bonding 95–96
- critical current density 412, 420
- critical exponents 77, 477
- critical magnetic field 41, 412, 427
- critical temperature 411–412, 425–427, 430, 433, 435–438, 487
- crystal cutter 8
- crystal field 148, 472–473, 477–478
- crystal field stabilization energy (CFSE) 473
- crystal lattice 1, 10, 15, 34, 77–94, 101, 111–112, 118, 123, 132, 148, 176–177, 184–185, 187, 189, 304, 443, 452
 - of sodium chloride 79
 - of sodium metal 78
- crystallography 34, 102
- crystal momentum 133, 144, 147, 164–166, 177, 203, 270
 - conservation of 144
- crystal planes 107
- cumulene, polycarbyne, polyene 12–13
- Curie law 339, 476–477
- Curie paramagnetism 476–477
- Curie susceptibility 338–340

- Curie temperature 476–477, 482–483, 516
- Curie–Weiss law 477, 479
- current-induced annealing 358
- d**
- damping constant 512, 514
- Davydov splitting 192
- DC conductivity 290, 346, 349, 352
- Debye and spectral analysis 152–156
- Debye approximation 156–159
- Debye frequency 419, 425–426
- Debye–Waller factor 129–130
- deep level transient spectroscopy (DLTS) 240, 255–257
- deformation potential method 337
- degrees of freedom 150, 152, 215, 217, 304
- de Haas–van Alphen (dHvA) oscillations 432, 454
- density functional theory (DFT) 217
- density of states (DOS) 18–19, 34–35, 37, 45, 151–152, 155, 157–160, 162, 176, 180, 183–191, 214–215, 276, 280, 305–306, 308, 312, 348–349, 404–405, 419, 424–426, 430, 438, 453–454, 479
- depletion zone 247
- Dexter transfer 368, 389–390
- diamagnetism 414, 430, 471, 479–481
- dielectric function 290, 454–455, 514–515, 540, 552
- differential scanning calorimetric (DSC) 92
- diode 248, 362, 367, 379–380
- dipole density 505–507
- Dirac comb 185–186, 219
- Dirac equation 173–174
- Dirac points 212
- direct bandgap semiconductors 191, 553
- direct gap 544
- direct piezoelectric effect 517
- dispersion relation 39, 132–133, 135–136, 138, 148–149, 152, 154, 159, 177–178, 180, 184–185, 187–189, 192, 235, 305, 318, 450–451, 490, 501, 532, 536, 541
- dispersion relationship 136, 138
- distribution function 149, 157, 161–162, 179, 236, 268, 271, 282, 323, 424
- donor 42–43, 233, 236, 239, 242, 253, 277, 360–361, 390, 435–436, 494, 496
- donor/acceptor states 239
- dopants 10, 68, 215, 237, 240–241, 243, 267, 276–277, 380, 436, 546–548
- doped polyacetylene 264, 266, 319, 326, 338, 342, 346, 349, 351–352
- doped semiconductors 10, 235–240, 252, 276, 302, 503
- doping 5, 10, 30, 45, 53–54, 230–244, 246–247, 249, 251–254, 265, 277, 302–303, 312, 316–317, 319–320, 325–327, 338–344, 348–349, 353, 355, 375, 436–437
- of conjugated polymers 325
- diamond 10
- polyacetylene 46, 325, 339
- semiconductors 230–235
- soliton model 319–320
- DOS *see* density of states
- double-decker structure 62
- double exchange 494–497
- drain current *vs.* drain voltage 384–385
- Drude metal 177, 261, 293, 356, 479, 540
- Drude model 262, 267, 272, 293, 337, 443, 454–456, 539, 546
- Drude transport 263
- DuLong and Petit 150–151
- equipartition of energy 150–151
- dynamic band bending 248
- dynamic nuclear polarization (DNP) 316
- e**
- E&M wave 510, 512, 515, 526–529, 532, 534, 539, 542
- effective Bohr magneton 471

- effective mass 8, 178, 180, 184, 197,
 235, 272, 306, 324, 337, 418, 452,
 544, 554
 eigenvalue equation 409–410
 Einstein and quantum statistics
 151–152
 elastic scattering 144, 146
 electrical efficiency factor 372
 electro-caloric effects 518, 522
 electroluminescence 14, 370, 373
 electromagnetic fields 457, 466, 494,
 519, 525, 551
 electromagnetic radiation 145, 250,
 537
 electromagnetic wave 320, 456, 494,
 510, 527, 531, 534–535, 540, 551
 electron beam lithography 66,
 287–288, 356
 electron delocalization 312
 electron density 50, 118, 120, 122, 128,
 198, 203, 216–217, 236, 262, 280,
 296, 315, 322, 404, 432, 441
 electron–electron interaction 216,
 267, 404, 410, 441, 447, 449, 525
 electron–electron shielding 470
 electron dynamics 68, 259–267
 free electron metals 259–262
 temperature and conductivity
 264–267
 electron–hole pair 326, 380–381, 548
 electron–hole symmetry 235, 238
 electron–lattice coupling 17–18,
 303–305, 307, 312, 315, 323, 366,
 410
 electron majority carriers 233–234,
 275
 electron nuclear double resonance
 (ENDOR) 323
 electron–phonon coupling 387, 417,
 425–426, 438, 441, 458
 electron scattering 267, 449
 sources of 267
 electron spin resonance (ESR) 42–43,
 314, 316, 321, 339, 449
 electrons properties 176–181
 waves 176–178
 electrons travel 176–178
 delocalization 176–178
 localization 178
 energy bands 18, 42, 50, 184–185, 189,
 192, 230, 235, 247
 energy gap 10, 184–187, 203, 212, 218,
 220, 230, 238, 405, 425, 442, 544
 energy level splitting 473
 ESR *see* electron spin resonance
 Euler’s rule 21
 Ewald sphere 119
 exchange interactions 216–217, 488
 exciton-polaritons 543–549
 excitons 1, 30, 301–390, 548–549, 551
 extrinsic doping 232, 242
- f**
- face centered cubic (FCC) lattice 84,
 105, 107–108, 127, 197, 501
 Fano resonances 241
 Fermi–Dirac expression 179
 Fermi–Dirac statistics 181–182
 Fermi energy 5, 179, 183–184, 189,
 281, 306, 308, 347–348, 425, 432,
 447
 Fermi gas 177, 181, 184, 187
 Fermi level 5, 35, 37, 39, 45, 50, 179,
 182, 184, 189, 226–228, 230–234,
 237, 239–240, 244, 246–249, 252,
 254, 261, 274–276, 306, 325, 327,
 348, 364, 369, 404, 419, 421–422,
 424–426, 430, 432, 438, 458, 479
 fermions 148, 179, 182, 189, 421
 Fermi Sea 99, 179, 184, 233–234, 421
 Fermi’s golden rule 270, 544
 Fermi surface 7–9, 111, 180–181, 184,
 189, 213, 220, 222, 272, 308–310,
 356, 420, 428, 431–432, 435, 438,
 441, 447, 452–454, 497–498
 warping 309–310
 Fermi wavelength 5, 13, 179
 Fermi wavevector 179, 305–306, 354,
 440, 452
 ferromagnetic Ising model 484
 ferromagnetic order 495, 497
 ferromagnetic phase 483, 497

- ferromagnetic state 500
 - ferromagnetism 479, 481–482
 - Feynman diagram 416, 422, 525
 - fibril conduction 341–346
 - field activated organic light emitting device 364, 374
 - field effect transistor (FET) 287, 358–359, 384–385
 - field-induced organic emitters 373–376
 - field-induced spin density wave (FISDW) 453
 - first order differential equations 527
 - first order Raman effect 170
 - fluctuation assisted tunneling (FAT) 250, 345–352
 - fluctuation induced tunneling (FIT) 351–352, 354
 - flux tubes 413
 - focused ion beam (FIB) 4, 287
 - forbidden gaps 18, 185, 187–188
 - Fourier's law 161
 - Fourier's theorem 454, 527
 - Fourier transform 111–112, 118, 120, 126, 220, 418, 549
 - Fowler–Nordheim tunneling 370
 - fractionalized quasiparticles 410
 - Franck–Condon effect 547
 - Franz–Keldysh 553–555
 - free electron magnets 478–479
 - free electron metals 183, 259–263, 481
 - fluid 262–263
 - free electron model 181–184, 187, 191, 218–222, 263, 305, 478, 494
 - Frenkel exciton 548
 - Frenkel Pair 548
 - frozen-in magnetism 468
- g**
- gated semiconductor quantum wires 66
 - Gaussian function 370
 - giant magnetoresistance (GMR) 355, 497
 - Goldstone modes 493
 - Goodenough–Kanamori rules 496
 - Greninger charts for reflection 125
- h**
- Hall effect 6, 278–280, 292, 333, 356, 432, 501
 - and magneto-transport 279–280
 - Hall measurements 240
 - Hall voltage 279, 356, 453
 - halogen-bridged mixed-valence transition metal complexes 50–52
 - Hamiltonian 174, 193, 208, 210–211, 217, 403, 406–409, 422, 484–485, 487, 493, 497
 - harmonic oscillator 143, 150, 152, 162, 325, 455, 510–511, 514
 - Hartree approximation 216
 - Hartree–Fock formalism 217
 - Hausdorff dimension 22
 - heat generation 521
 - heat transfer 161
 - Heaviside function 550
 - Heisenberg magnet 488–489
 - Heisenberg model 485–488
 - Helmholtz energy 179, 240
 - Helmholtz free energy 240
 - Heterogeneity 226–251, 295
 - types of 249–251
 - heterogeneous conductor 249
 - hexagonal close packed (HCP) structure 106
 - hexatriene 201–203
 - highest occupied molecular orbital (HOMO) 191, 201–205, 230, 313
 - highest occupied orbital 191
 - high-resolution transmission electron microscopy (HRTEM) 116–117
 - hole 18, 125, 234–236, 275–278, 280, 326, 371–372, 407–408, 421, 494, 544, 548, 554
 - HOMO-LUMO gap 367
 - Hooke's law 133–134, 137
 - Hopfield models 487–488

- hopping 178, 212, 221–222, 264, 266, 277, 279, 290–293, 342, 345–353, 355, 369–370, 384, 405–408, 495–497
 conductivity 264, 266, 345–352, 355
 Hubbard Hamiltonian (HH) 406, 409
 Hubbard model 405–408, 410–411, 421, 447, 457
 in lower dimensions 408–410
 two-site 408
 hybridization 89, 96, 194, 209–211, 251
 hydrogen bond 94, 99–100
- i**
- ideal gas 181
 indirect bandgap semiconductors 191
 indirect gap 544
 induced magnetization 476
 induced polarization 504, 507, 510–511, 514
 induction signal 429
 inorganic acceptors 42–43
 inorganic semiconductors 14, 316, 330
 interband transitions 267, 553–554
 intercalation 49, 341, 425, 437
 interchain coupling 6, 52, 353
 intermetallic compounds 32, 415, 430
 internal quantum efficiency (IQE) 372–373, 381
 intersoliton hopping 264, 338–339
 intrinsically conducting polymers 302
 iodine-doped polyacetylene 284, 325, 349, 351, 355
 ionic bonding 96, 532
 ionic crystals 80, 109–110, 537, 543, 547
 ionization energy 404
 Ising model 483–485
 isotope effect 426
 isotopic dependency 426
 isotropic approximation 180
 isotropic ordering 75
 isotropic scattering from stationary states 271–272
- j**
- Jahn–Teller effect 35–36, 305
 jellium 320, 442–443, 452
 Josephson effect 429
 Joule heating 283, 358
- k**
- KCP 37–40, 49, 124–125, 262, 308, 313, 334, 450
 kinetic energy 5, 7, 112, 143, 145, 178, 217, 275, 406, 408, 422–423
 Koch Curve 24–25
 Kohn anomaly 38–40, 111, 169, 308–309, 440–442, 450–451
 and phonon softening 308–309
 Kosterlitz–Thouless transition 487
 Kramers–Anderson super exchange 496
 Kramers–Kronig relations 551, 554
 krogmann salts 37–40, 42, 49, 68, 81
 Kronig–Penney model 185–186, 188
- l**
- Landau damping 456
 Landauer–Büttiker approach 281–283
 Landau level 61, 279–280, 432, 454, 554
 Landau orbits 432, 554
 Landau quantization 453–454
 Landé factor 469–471
 Langevin diamagnetism 480
 Langevin function 509–510
 Langevin paramagnets 479
 Langevin-type rate 370
 Langmuir–Blodgett (LB) diodes 363–364
 Larmor diamagnetism 471
 Larmor frequency 481
 Larmor precession 480
 lattice parameters 10, 26, 58–59, 81, 93, 97, 113–115, 123, 126, 133, 170, 212, 222, 253, 296, 438, 490
 law of mass-action 237–238
 law of thermodynamics 152, 517, 520
 LCAO methods *see* linear combination of atomic orbitals

- leakage currents 283, 372
 Lennard-Jones potential 96, 98, 107
 Lenz's law 480
 Leonhardt charts for transmission 125
 linear combination of atomic orbitals
 (LCAO) 191–197, 203,
 219–220, 479
 formalism 193–194
 s-band 194–195
 s-bands in one-dimension 195–196
 s-bands in three-dimension
 196–197
 s-bands in two-dimension 195–197
 Liouville theorem 269
 lithography 5
 Little's superconductor 29–30, 53
 lock-in amplifier 429
 London equation 414–415
 long wavelength vibrations 136
 Lorentz force 277, 279, 354–356, 358,
 432, 501, 511, 521
 low energy electron diffraction (LEED)
 116
 lower Hubbard band 405
 lower polariton band (LPB) 537
 lowest conduction band states 191
 lowest unoccupied molecular orbital
 (LUMO) 191, 201–204, 230,
 313, 316
 luminous efficacy of radiation (LER)
 372
 Lyddane–Sachs–Teller equation 538
- m**
- Madelung constant 96, 109–110
 magnetic dipole moments 467–469
 magnetic field 6, 15, 34, 37, 61–62,
 101, 145, 279, 354–359, 412, 419,
 427–428, 432, 453–454, 469, 471,
 476, 509, 511, 520, 527
 magnetic flux 414
 magnetic Franz–Keldysh 553–555
 magnetic interactions 467–501
 magnetic moment 324, 330, 334,
 467–472, 478–483, 488, 493, 499
 of atom 469–472
 diamagnetic response in 469
 electrons 484
 interactions 468
 orbitals 470
 magnetic susceptibility 184, 334, 338,
 428
 magnetism 467–482, 499
 of atom 469–472
 in condensed systems 474–481
 magnetization effect 491, 528
 magnetochiral anisotropy 357–358
 magnetometers 429, 499
 magnetoresistance 279, 295, 354–359,
 432
 magnon dispersion relation 490
 magnon-photon coupling 494
 magnons 448, 457, 468, 488–494, 501,
 521
 in different dimension 501
 particle nature of 493
 Markov chains 488
 martensitic transition 34–35, 37
 mass correlation functions 76–77, 94,
 111, 171
 matrix composites 250–251, 302–303
 Maxwell and solid 527–532
 in general solution 529–532
 in material 528–529
 in vacuum 527–528
 Maxwell's equation 359, 413, 455, 507,
 525–531, 535, 539–540
 mean field model 483, 488
 mean squared amplitude 143
 Meissner effect 412, 414–415, 429
 Mermin–Wagner theorem 486
 metal-insulator-semiconductor
 244
 metallic bonding 99
 metal-semiconductor 244–245,
 247–248
 metal to insulator transition (MIT) 42,
 44, 291, 293, 305, 403–410, 441,
 444
 Miller indices 86
 modulated waves 177–178, 181, 303
 modulation doping 252–254

- molecular orbital 42, 192, 204, 233, 312, 388
- molecular switches 360–363
- momentum 7, 111–116, 126, 131–133, 144–145, 147–148, 162, 164, 167, 171, 177, 261, 310, 353, 374, 416, 421, 430–431, 544, 554
and energy 111–113
- Mott Gap 404, 407
- Mott–Hubbard insulator 447
- Mott–Hubbard models 410
- Mott relations 276
- Mott–Wannier excitons 548
- n**
- nanocomposites 302
films 388
systems 250
- nanoplatelets 13, 538
- nano-porous templates 65
- nanoscale 5, 64, 87, 94–97, 100–101, 103, 214, 218, 228, 242, 287, 529
- nanotubes 57–59, 93–94, 103, 139, 159, 161, 213–215, 243–244, 250, 254, 276, 357–358, 385, 458, 519
- nanowires 63–67, 250, 283
isolated, freestanding 63–64
metal 66–68
- nearest-neighbor (NN) bond-lengths 243
- Neél temperature 482
- negative magnetoresistance 355–357, 359
- nesting 310, 441, 453–454
- neutron diffraction 128, 130, 342, 440
- neutron scattering 39, 334, 449
- Newton’s law 112, 497, 535
- noise spectrum 333, 445–446
- nondegenerate approximation 237
- non-equilibrium distribution function 268
- nonlinear differential equation 317–319, 332
- nonmagnetic state 468
- nuclear angular momentum 471
- nuclear magnetic moment 499
- nuclear magnetic resonance (NMR) 449
- nuclear spin ordering 471
- O**
- Ohmic resistance 291
- Ohmic transport 259
- Ohm’s law 261–262, 267, 271–272, 283
- ohmmeter 283
- one-dimensional organic superconductors 432–435
- Onsager relations 519–522
- open circuit voltage 381, 383
- optical longitudinal (OL) 532
- optical transverse (OT) waves 532
- orbitals 21, 54, 192, 197–206, 209–211, 220, 232, 307, 469, 471–472
angular momentum 469
Bloch’s theorem 203–206
bonding and antibonding states 198–199
effect 358
geometries 470
polyenes 199–203
polymers 198
- orbit-orbit interaction 470
- order parameters 77, 442, 451, 497–499
- organic acceptors 43, 45
- organic ferromagnets 63
- organic field effect transistors (OFET) 384–385
- organic lasers 365–366, 376–380
- organic light emitting devices (OLEDs) 110, 327, 364–373, 552
contact 379
current densities 379
designs for 371–372
fundamental 366–370
materials for 370–371
performance for 372–373
polarons and triplets 379–380
- organic light emitting transistor (OLET) 376–380, 384
structure of 380

- organic molecular devices 360–387
 - field-induced organic emitters 373–376
 - Langmuir–Blodgett (LB) diodes 363–364
 - molecular switches 360–363
 - organic field effect transistors (OFET) 384–385
 - organic lasers and organic light emitting transistors 376–380
 - organic light emitting diode (OLED) 364–373
 - organic solar cells 380–384
 - organic thermoelectrics 385–388
 - organic semiconductors 360, 376, 378, 384
 - organic solar cells 289, 380–384
 - organic superconductors 1–3, 19, 29–30, 426, 429, 431–440, 557
 - one-dimensional 432–435
 - three-dimensional 436–438
 - two-dimensional 435
 - organic thermoelectrics 385–388
 - oscillation frequency 444, 456
- P**
- pair correlation 417
 - parabolic approach 192
 - paramagnetism 474–479
 - Curie paramagnetism 476–477
 - free electron magnets 478–479
 - Weiss correction 477–478
 - particle-hole symmetry (PHS) 407–408
 - particle-hole transformation (PHT) 408
 - Pauli exclusion 96–97, 107, 181–182, 216, 218, 235, 547
 - Pauli exclusion principle 176, 179, 184, 496
 - Pauli principle 184, 216–217, 469
 - Pauli susceptibility 339–341
 - p-doped to n-doped semiconductors 244
 - p-doping 234–235, 241, 326
 - Peierls distortion 63, 124–125, 206, 305, 307–308, 312, 316, 326, 333, 417
 - Peierls–Fröhlich mechanism 451–452, 458
 - Peierls–Fröhlich superconductor 451
 - Peierls instability 305–307
 - Peierls transition 35, 38, 43, 303, 307–308, 310, 313, 315, 353, 440–442, 448, 450
 - penrose tiling 107
 - percolation 17
 - permanent magnetic moment 479, 486, 499
 - perovskites 1, 59–60, 69, 508–509
 - phase diagrams 102, 408, 446, 449, 458
 - phase dynamics 442–446
 - phase slip 315, 321, 333, 442
 - phase transition 19, 34, 38, 41–42, 77, 171, 294, 313, 341, 411–412, 441, 477, 485–486, 497
 - phase velocity 132, 136
 - phasons 442, 450–451
 - phonon-assisted quantum mechanical tunneling 346
 - phonon-polariton 535–538, 540, 543, 552
 - phonons 1, 30, 130–143, 148, 152, 164, 168, 532–535, 545, 549
 - assisted tunneling 266, 291
 - with electrical polarization 532–534
 - energy distribution model 150–156
 - exchange 164, 416, 426
 - frequency 131, 152, 348, 425
 - internal energy 149
 - oscillator 152
 - phonon-polariton 535–538
 - photons 534–535
 - plasmon-polariton 538–543
 - quasi-particles 130, 148, 163–164, 175
 - and resistance 293
 - thermal properties 147–148
 - phonon softening 308–309, 440
 - and Kohn anomaly 308–309
 - photoinduced absorption 360–361

- photoluminescence efficiency 376
 - photoluminescence quantum yield (PLQY) 377
 - phthalocyanines 47–48, 287, 334, 364
 - π -electron system 315, 364
 - piezoelectrics 509, 515–520, 522
 - 7-piperonyl-7', 7'-diapocarotene-7'-nitile (PCNC) 360
 - Planck's constant 5, 112–113
 - Planck distribution 152–153, 156, 166
 - plane waves 177, 181, 185, 261, 490
 - plane wave solutions 527, 536
 - plasma frequency 455, 540, 552
 - significance of 455–456
 - plasma oscillations 526, 540, 552
 - plasmon-polariton 538–543, 552
 - plasmons
 - Drude model and dielectric function 454–455
 - plasma frequency significance 455–456
 - platinum orbitals 38
 - Plemelj relation 551
 - p/n junctions 244, 248, 251, 255
 - point symmetry groups 84, 87, 102–103
 - polariton 175, 494, 526, 534–535, 539
 - polarization current 373–374, 552
 - polarization fields 507, 532
 - polar Kerr effect 498
 - polaron excitons 330
 - polarons 18, 301–390
 - non-degenerate ground state polymers 328, 332
 - polyacetylene 7, 13, 30, 53, 93, 204–205, 292, 310–312, 316, 321, 325, 329, 333, 443
 - in anti-soliton 321
 - band conductivity in 338
 - bandgap 313
 - bond scission in 304
 - chain 30, 292, 321–323, 337, 344, 353
 - charge density wave for 315
 - conductivity of 309
 - defects 317–318
 - degenerate ground state 323
 - electrical conductivity of 338
 - film 341–342, 353
 - high doping levels in 319
 - metallic state of 312
 - optical absorption 313, 317
 - photoconductivity in 334
 - photocurrent in 336
 - picosecond photoconductive 337
 - solitons in 338
 - structure of 303
 - synthesis 322, 325
 - polycarbenes 63, 334
 - poly-deckers 62–63
 - polyethylene 12, 311
 - dehydrogenation of 311
 - polymer chains 6, 40, 292–293, 312, 322, 326, 331, 337, 360
 - polyspinolene 334
 - polysulfurnitride 45–47
 - porphyrins 47–48
 - positive magnetoresistance 355
 - power law 264, 344–345, 487
 - primitive lattices 81, 83–86, 93, 104–106, 126–127, 140–141
 - pseudo-order parameter 404
 - pyroelectric coefficient 518
 - PZT 516
- q**
- quantized Hall effect 6, 453–454
 - quantum 14, 101, 130, 143–147, 558
 - crystal momentum 144
 - general scattering 144–147
 - quantum dots 1, 13–14, 364, 368, 436
 - quantum field theory 457, 483
 - quantum Hall effect (QHE) 253, 279, 292, 333, 356, 453
 - quantum mechanics 130–132, 176, 481, 544
 - Quantum Monte Carlo Simulations 407
 - quantum resistance 68
 - quantum wire 13, 66
 - quasi-momentum 133, 136

- quasi-particles 18, 130–131, 147–148,
163–165, 168, 263, 320–325, 421,
457, 526, 551
soliton model 320–325
- r**
- radius of gyration 91–92
Raman scattering 143, 170
Rashba effect 501
rate of entropy 521
real space crystal lattice 77–94
carbon nanotubes 93–94
coordinate system 81–87
one dimensional lattices 91
polymers 92–93
two dimensional lattices 86, 90
reciprocal lattice 39, 111–128, 155
concept of 117
constructing 112–113
cubic lattice 126
Fourier components 118
general scattering 116–120
linear chain 124
momentum 113
real one-dimension systems
123–125
real systems 120–123
in two-dimensions 114
unit cell 114–115
rectification 247–248, 364
reflection condition 120
reflection high energy electron
diffraction (RHEED) 116, 119
refraction index 512
relative permittivity 508–509
relaxation time 162, 262, 268, 295
relaxation time approximation
270–271, 281, 301
residual resistance 265
resistivity 262, 266, 279, 283, 285, 290,
355, 411, 432
resonance 187, 279, 416, 511–512,
514–515, 526, 534–535
resonant frequency 534
resonator 376, 379, 389
response theory 76–77
Richardson–Dushman thermionic
emission 370
Richardson effect 22
Rietveld refinement technique 128
Ruderman–Kittel–Kasuya–Yosida
(RKKY) models 468, 496–497
- S**
- scanning tunnel microscope (STM)
66–67, 214, 333
scattering amplitude 118, 120, 122, 146
Schottky anomalies 499
Schottky barrier 246–247, 251, 255,
380, 383
Schottky gate 66
Schottky–Mott rule 245, 247
Schottky pair 548
Schrödinger equation (SE) 173–174,
185, 189, 198, 217, 221, 409, 419,
548
second order differential equations
527
second quantization 173, 405
Seebeck effect 274–277, 386, 522
semiconductor molecular beam epitaxy
(MBE) 116
semiconductors 5, 10–11, 13, 15, 50,
95, 184, 204, 213, 217, 229–249,
264, 327, 380
bandgaps and doping 230–244
band level diagrams 230–231
dope like Si 242–243
doping 230–235
Fermi level vs. chemical potential
239–240
junctions 244–249
spectroscopy of dopant levels
240–241
short wavelength vibrations 137
Shubnikov–de Haas oscillations (SdH)
356, 432, 454
Sine-Gordon equation 318, 444
single-electron effect 364
single-particle states 193–194, 261,
423, 526
single walled carbon nanotube (SWNT)
59, 158, 167, 170, 214, 243–244,
287, 357
Snell's law 526
solid-state polymerization 54, 56

- solitary wave 53, 317–320
 - soliton model 301–390
 - and conductivity 337–341
 - confinement 330, 332
 - doping 319–320
 - generation of 325–328
 - lifetime 334–337
 - photogeneration of 326–327
 - quasiparticles 320–325
 - Sommerfeld model 177
 - spectrometer 169, 229, 362
 - spectroscopy of dopant levels 240–241
 - sp hybridization 194
 - sp₂ hybridization 210–211
 - sp₃ hybridization 210
 - spin angular momentum 469
 - spin-charge inversion 324–325, 338–339
 - spin configuration 469, 484, 495
 - spin density waves (SDWs) 435, 446, 448–449, 451, 453–454
 - spin-ice compounds 334
 - spin models mechanisms 482–494
 - Heisenberg model 485
 - Hopfield model 487–488
 - Ising model 483–485
 - mean field model 483
 - XY model 485–487
 - spin momentum 470
 - spin-orbit coupling 368, 470, 496
 - spin Peierls (SP) transition 448–449
 - spin Peierls waves 448
 - spin-spin interaction 470, 478–479, 482–483, 496
 - spin waves 101, 468, 488–491, 494
 - spontaneous magnetization 483, 485
 - square root singularity 19, 34, 189, 305
 - Stark levels 473
 - static correlation function 76–77
 - static equilibrium 228
 - Stoner condition 501
 - Stoner excitations 494
 - strong electron-electron correlation 404
 - structure factor 120, 122, 127, 129–130
 - substitutional doping 232
 - superconducting condensate 416, 425, 427–428
 - superconducting gap 425–428
 - superconducting materials 415, 431
 - superconducting phase transition 34, 412
 - superconducting quantum interference device (SQUID) 429
 - superconductivity 14, 30–31, 34, 164, 176, 307, 411, 415, 428–431, 435, 440–441, 458
 - compounds 415
 - and dimensionality 431
 - measurements 428, 430
 - and nanotubes 458
 - Peierls transition 307
 - transition temperature 440
 - superconductor 30–31, 176–222, 411–440
 - basic model 415–428
 - parameters 411
 - super exchange 468, 496
 - surface plasmon polariton (SPP) 240, 539
 - surface plasmon resonance (SPR) 539
 - susceptibility 338–340, 429–430, 432, 472, 476, 500, 508
 - susceptibility Kernel 550
 - s-wave superconductivity 425
 - synthetic metals 302, 312, 360, 366
- t**
- temperature coefficients resistance 264
 - temperature dependence 158, 162, 264, 266, 340, 354, 509–510
 - tetramethyltetraselenafulvalene (TMTTF) 432–433
 - tetrathiafulvalene (TTF) 43, 433
 - thermal conductivity 10, 161, 166, 170, 385–387
 - thermal energy 5, 162, 233, 443, 543
 - thermal equilibrium 101, 149
 - thermal expansion coefficient 518
 - thermal fluctuations 410
 - thermalization 191
 - thermal properties 183

- thermal transport 94, 161–162, 215, 465
- thermionic emission 295–296
- thermocouple 229
- thermodynamics 77, 129, 147, 152, 491–493, 499
- equilibrium 149, 163, 228, 268
 - internal energy 92, 100, 483
 - laws 476
 - limit 408
 - mechanics 77
- thermoelectric coefficient 276
- thermoelectric effect 275, 386, 522
- thermoelectric power 274–276
- thermoelectric voltage 274
- thermometer 265, 294
- thermopower 274–277, 283, 386
- thermovoltage 275, 386
- three-dimensional organic
- superconductors 436–438
- tight binding 191–192, 196, 206–215, 218
- with basis 206–209
 - carbon nanotubes 213–215
 - graphene 211–212
 - hybridization 209–211
- time crystals 101–102
- time dependence 510–513
- time reversal symmetry 497–498
- total angular momentum 469–470, 477
- transition metal chalcogenides and halides 48–51
- translational invariance 83, 87
- transverse electromagnetic wave 456, 534–535, 540
- twistons 139, 215
- two-dimensional organic
- superconductors 435–436
- type II superconductors 59, 220, 408, 412, 428
- u**
- Umklapp processes 164, 167, 176, 309–310, 353
- Umklapp scattering 165–167, 171, 449
- undoped polyacetylene 325, 339, 349–350
- undoped semiconductors 239, 295, 302, 529
- unit cell 33, 58, 82–84, 86–87, 89–90, 93–94, 114–116, 139
- unit lattice vectors 81–82
- upper Hubbard band 405
- upper polariton band (UPB) 537
- v**
- vacuum level 227–228, 231, 244, 252
- valence band 10, 17–18, 191, 208, 213, 230, 232, 234, 236–239
- van der Pauw method 285–286, 429
- van der Waals bonded 96, 99
- van der Waals forces 11, 54–55, 59
- van Hove singularities 189, 214–215, 430
- Van Vleck paramagnets 479
- variable range hopping (VRH) 250, 277, 343–344, 348, 351
- virtual phonon 417
- volume plasmons 454, 456
- von Klitzing constant 292
- von Klitzing effect 6–7, 453–454
- von Laue diffraction conditions 118
- w**
- washboard model 445–447
- wavefunction 11, 130, 177, 185, 192–193, 201, 203–204, 206, 213, 217, 221, 267, 418, 421
- phase information of 92
- wave-particle duality 132, 176
- wavevector 116–117, 132–133, 135, 144, 146–147, 149, 157, 165–167, 170, 443
- Weiss correction 477–478
- Weiss molecular field constant 477
- Wigner–Seitz cell 83, 105–107, 112, 114–116, 126
- Wilczek’s model 101
- wire puller 4–5
- work function 227, 229, 244, 246, 252, 367, 371, 383
- Wulff net 125

x

X-ray diffraction 33, 59, 111, 122, 125,
127
X-ray intensity 119, 130
X-ray scattering 117, 126, 144
XY models 485–487

y

Young's modulus 306

z

Zeeman energy 432
Zeeman splitting 37
Zener tunneling 376
zero of potential 227–228
zincblende structure 105–106

