

Index

a

- acrylonitrile butadiene styrene (ABS) 374
- active pharmaceutical ingredients (APIs) 2, 258
- acyl hypobromite 80
- additive manufacturing 285, 371, 372
- aerobic oxidation of alcohols 276, 326, 338–343
- affinity-based enzyme immobilisation 416
- agarose 411, 415, 416, 420–422, 425, 449
- alcohol dehydrogenase (ADH) enzyme 447
- alcohols dehydrogenation 101
- alcohols oxidation 79, 80, 102, 109
- aldehyde 44, 64, 92, 141, 148, 161, 164, 205, 208, 224, 234, 348, 420
- aldehydes/ketones 107
- Alder-ene cycloisomerization 173
- aldimines 161
- aliphatic aldehydes 33, 35, 193, 351
- alkenes/nitroarenes hydrogenation 102
- alkoxysilane monomers 5
- alkyl amine-functionalized MOFs 169
- alkylidene malonates 196
- all-inclusive catalysts 447
- allylboration of aldehydes 53, 243
- allylic alcohols, isomerization of 206
- amides, Lewis base catalysts 247
- amino acids 33–35, 143, 231, 416, 426
- aminobenzimidazole organocatalyzed addition 211
- amino-functionalized ionic liquid 167, 175
- 6-aminopenicillanic acid (6-APA) 443
- amphiphilic resin-dispersed iron nanoparticles (ARP-Fe) 352–356
- amphiphilic resin-dispersed particles of platinum (ARP-Pt) 342–349
- aqueous aerobic flow oxidation of alcohols 343, 346, 347
- chemoselective catalytic hydrogenation 354
- flow hydrogenation of aldehydes 349–352 long-term 352 of nitrobenzenes 349–352 of olefins 349–352
- amphiphilic resin-supported chiral diene–rhodium complex 359–363
- amphiphilic resin-supported triazine-based polyethyleneamine dendrimer–copper catalyst 356–359
- Anelli's conditions 79
- anti-selective Mannich reaction, immobilized pyrrolidine for 222
- aqueous asymmetric rhodium-catalyzed 1,4-addition 359–363
- aromatic aldehydes catalyzed 140, 208
- aryl halides 98, 107, 108, 174, 207, 333–335

- 3-arylpropanoic acid, one-pot synthesis of 337–338
- asymmetric aldol reaction 81
- immobilized proline-derived catalysts for 219
 - supported primary amine catalysts for 230, 231
- asymmetric alkylation reactions 229, 230
- asymmetric hydrosilylation of acetophenone 147, 148
- asymmetric Michael additions 143, 163
- polystyrene-bound thiourea 235
 - reactions 25
- asymmetric Michael reaction
- PMHS-grafted urea for 237
 - silica-supported catalyst for 222
 - supported peptides for 234
- atom-transfer radical polymerization (ATRP) 133, 153, 285, 386, 388
- aza-Friedel–Crafts reaction, second generation MacMillan catalysts in 230
- aza-Henry reaction, immobilized phosphazene for 249
- b**
- benzaldehyde 82, 141, 164–168, 170, 173, 175, 177, 196, 348, 352, 354, 426
- benzaldehyde catalyzed 141
- benzo/*b*/furans 326, 335–337
- benzoin condensation 141
- benzoylformate decarboxylase 119
- β-ketoesters, asymmetric amination of 236
- β-nitrostyrene 35, 40, 51, 80, 82, 210, 354
- bifunctional ionic liquid 196
- bifunctional squaramide organocatalyst 39
- BINAP 119, 120, 147
- biocatalysis 233, 313, 396, 400, 416, 418, 442, 451, 458, 459
- biocatalyzed transformation 208, 209
- biodiesel transesterification 316–320
- biomass 188, 199, 201, 426
- bisacetoxiyodobenzene (BAIB) 78, 80
- bis-3,4-diazaphospholanes (BDPs) 67
- [bmim][Fe₂Cl₇] Lewis acid catalyst 276
- borasiloxanes 161
- bromide ions 80, 81
- Brønsted acids 169, 199, 241, 244
- Brønsted base catalysts 247
- Buchwald–Hartwig amination reaction 108
- c**
- calixarene 139
- calix[4]arene 140, 151, 152
- (1*S*)-10-camphorsulfonic acid (CSA) 202
- carbon–carbon coupling reactions
- defined 150–151
 - in water
 - dibenzyls and 3-arylpropanoic acids, one-pot synthesis of 337–338
 - Hiyama coupling reaction 330–333
 - Suzuki coupling reaction 327
 - Ullmann coupling reaction 333–334
- carbon nanoforms (CNFs) 77, 78, 89, 102, 109, 110
- carbon nanotubes (CNTs) 87, 425
- covalent functionalization 92–99
 - organocatalysis 92–93
 - supramolecular functionalization 88–92
- carbonylation of aryl iodides 194
- catalyst immobilization 23, 218, 250
- catalyst leaching 136, 289
- catalyst loading 11, 12, 16, 23, 36, 40, 78, 119, 135–136, 169, 195, 241, 281, 285, 446
- catalyst racemization processes 128
- catalysts 441
- immobilization strategies 218
- catalysts embedded thermoplastics 376–382
- catalysts immobilization 4, 5

- catalysts structure 103, 386
 catalytically active membrane reactor
 311
 carbon-carbon cross-coupling
 reactions 312-313
 hydrogenation reaction 311-312
 schematic diagram 311
 catalytic flow reactors (CFRs) 257
 monolithic 282-283
 packed-bed 281-282
 structure and working principle 272
 wall-coated 284-285
 catalytic membranes (CMs) 288, 308,
 311, 314, 316
 catalytic transfer hydrogenation 163
 catechol-Al catalyst 56, 57
 C-C coupling reaction 86, 110, 150,
 151, 337
 cetyltrimethylammonium bromide
 (CTAB) 7, 9
 chain transfer agent 192
 chemical enzyme immobilization 413
 covalent bonding 418-426
 hydrophobic adsorption 414-415
 ionic exchange adsorption 415-418
 non-covalent bonding 413-418
 onto solid supports 413
 chiral amines 39-41, 45, 141
 chiral DMAP catalyst 41
 chiral *N*-heterocyclic carbenes 55-56
 chitosan 108, 122, 236, 316, 420, 425
 choline chloride 199, 202, 204, 206
 choline hydroxide 190
 cinchona alkaloid derivatives 231, 233,
 248
 cinchona alkaloid-derived sulfonamide
 catalyst 241
 cinchona alkaloids 24-30, 230, 247
 cinchona-based squaramide 28
 cinchona-derived thiourea
 immobilization 235
 cinchonidine 26, 28, 30
 cinnamyl acetate, gram-scale flow
 hydrogenation of 356
cis- β -methylstyrene 149
 citric acid 206
 CO₂ fixation 104
 co-immobilization 415, 447, 456
 continuous flow (CF)
 membrane reactors 308-309
 process 177
 reactors 257
 basic form 259
 insoluble catalytic system
 277-292
 soluble catalytic systems 260-277
 continuous stirred-tank reactor (CSTR)
 259, 263, 267-269, 272, 273, 279
 copolymer-based hollow microspheres
 225
 copper-catalyzed azide-alkyne
 cycloaddition (CuAAC) 38, 52,
 269, 356, 357
 copper (I)-catalyzed Huisgen click
 reactions (CuACC) 190, 205
 copper-free Sonogashira coupling
 reaction 335-336
 copper (I) pybox catalyst 141, 142
 Co(III)-salen complex 57-58, 122
 covalent binding 6-7, 291, 419
 covalent enzyme immobilization
 419-421, 423, 425
 covalent functionalization
 carbon nanotubes 92-99
 graphene 102-109
 covalent immobilization 419
 of esterase 423, 424
 of horse liver alcohol dehydrogenase
 423
 of monomeric hemicellulase 420
 of (S)-selective methylglyoxal
 reductase 424
 of sucrose synthase 421, 422
 of ω -transaminase on silica monoliths
 419
 covalent immobilization of exoinulinase
 420
 covalent post-functionalization, of
 robocasted printed parts 396,
 397
 cross-coupling reactions 12, 63, 98,
 269, 289-290, 312
 cross-flow mode, in membrane filtration
 267

- cross-linked polymers 10, 12, 68, 69, 221
- cross-linking membranes 309
- cross-linking of enzyme aggregates 426
- cyanohydrins 205, 426
- cyclodextrin 139
- cyclohexane diamines nanocatalysts 121
- cyclohexanone 30, 33, 37, 38, 65, 108, 140, 141, 164, 168, 170, 195, 220, 361
- cycloisomerization of γ -alkynoic acids 207, 208
- cyclopentyl methyl ether 206
- cyclopropanation reaction 224, 457
- d**
- D-amino acid oxidase 418
- deacetalization-nitroaldol reaction 165
- dead-end modes, in membrane filtration 267
- deep eutectic solvents (DES) 199, 201
 - aryl boronic acids and sodium metabisulfite catalyzed 207
 - classification of 201
 - γ -alkynoic acids or alkynyl amines 208
 - imidazo[1,2-a]pyridines 206
 - multistep synthesis of isoxazoles 205
 - non-innocent 201–205
 - organocatalyzed reactions 208–211
 - transition metal-catalyzed processes 205, 208
- dehydroxylated silica-gel (DSG) 276
- dendrimers 11, 98, 224, 268
- DepolTM 333MDP 420
- designer solvents 189
- dialkylaminopyridines (DAAPs) 167
- diarylprolinol derivatives
 - copolymer-based hollow microspheres 225
 - in enantioselective Michael reaction 223
 - to silica-based matrix 225
 - supported diarylprolinols 227
- dibenzothiophene (DBT) 161
- dibenzyls, one-pot synthesis of 337–338
- dicyclopentadiene 177
- Diels–Alder reaction 42–44, 46–49, 60, 144, 145, 162, 203, 204, 225, 228, 229, 238, 375
- diethylene glycol methyl ether methacrylate (DEGMA) 42, 229
- difluoromethylation reaction, Kappe's 3D metal printed flow reactor for 400
- dihydroquinazolinones 243
- dimeric imidazolidinones 227
- dimethylammonium dimethylcarbamate 194
- dimethyl urea (DMU) 206
- (1*R*,2*S*)-diol synthesis 448
- direct HPLC separation 119, 122, 153, 154
- direct ink writing 372, 388
- DMAP embedded in 3D printed stirring rod sleeve 382
- dual amino-functionalized ionic liquid 175
- dual solvent-catalysis 195
- DVB crosslinked polystyrene 33, 38, 43, 44
- dynamic light scattering (DLS) 126, 130, 136–137
- e**
- egg-shell membrane reactors, for nitrite hydrogenation 312
- electron beam melting (EBM) 398
- electron diffraction (ED) 130
- electron microscopy (EM) 130
- electron paramagnetic resonance (EPR) 15
- electrostatic interactions 6, 7, 279
- emulsion-solid transfer (EST) approach 9
- enantioselective desymmetrization reactions 26, 27
- energy-efficient technologies 1

- enzyme immobilization strategies 409
 carbon nanotubes 425
 chemical immobilization 413–426
 nanoparticles 425
 physical immobilization 410–413
 schematic classification 410
- enzyme-magnetic nanocatalysts 139
- enzymes 441
 as catalysts 441
 in chemical processes 443
 cyclopropane-ring formation 443
 rivastigmine synthesis 444
 role in metabolic processes 441
 specific solid support material 458
 sugar nucleotides synthesis 449,
 450
 timeline 441
- enzyme timeline 459
- epichlorohydrin 153
- epicinchonidine 125, 140, 141
- ESCARGOT method 382
- ester hydrolysis 139
- ethyl cyanoacetate 82, 164, 177, 268
- ethylene glycol dimethacrylate
 (EGDMA) 33, 35
- f**
- FeOx-binaphthylruthenium
 nanocatalysts 146
- FeOx-imidazolium carbene-binaphthyl
 144
- FeOx MNPs 116, 117, 123, 125, 126,
 133, 140, 147
- feruloyl esterases 415
- flow hydrogenation
 by ARP-Fe 352–356
 by ARP-Pt 349–352
- fluorinated solvents 188
- flurbiprofen methyl ester 152
- Fréchet-type monoliths preparation
 282
- Friedel–Crafts alkylation 44, 59, 138,
 177, 178, 202, 233
- Friedel–Crafts substitution 138
- fullerene catalysts 78
- functionalized organic linkers
 grafting of active metal complexes on
 170–173
- Fuse Deposition Modeling (FDM)
 printers 371, 372, 399
 active mixing catalysts 378
 catalysts embedded thermoplastics
 376–382
 gas tight spinner/NMR tube 378,
 383
 polyether ether ketone (PEEK) 381
 polypropylene millifluidic device
 374
 polyvinylidene fluoride (PVDF) 381
 working principle 373, 374
- g**
- gas-liquid membrane reactor 312
- glycidyl methacrylate 150, 221
- graft-from/graft-to approach 125
- grafting L-proline 140
- graphene 77, 78, 99, 100, 102, 376, 388,
 415
- graphene oxide (GO) 100, 102–109,
 388, 415
- grazoprevir synthesis, enzyme-catalyzed
 cyclopropanation 444
- green chemistry 1, 2, 14, 312, 314,
 316
- h**
- Hajos–Parrish reaction 55, 221
- halobenzenes 151
- H-Cube Pro flow reactor 352
- Heck reaction 86, 272, 326, 334–335,
 337
- heterogeneous catalysts 2, 115, 159,
 307
 characterization of 15–16
- heterogenization of homogeneous
 catalysts 3–4
- H₂ heterogeneous hydrogenation
 reactions 311
- Hiyama coupling reaction 326,
 330–333
- homemade composite material printing
 376

- homogeneous catalysis 2, 3, 115, 153, 159, 189, 259, 290, 440
- homogeneous catalysts 307
- homogeneous metal catalysts
 - recycling in continuous flow systems 276
- horse liver alcohol dehydrogenase (HLADH) 423
- Huisgen cycloaddition 221, 231, 232, 248, 363
- hydroamination of β -farnesene 194
- hydroformylation processes 192, 193
- hydrogenation reactions 9, 11, 12, 110, 285, 288, 311–312, 349, 398
- hydrogen bond acceptor 199
- hydrogen bond donor 104, 105, 199
- hydrogen-transfer reduction 340–341
- hydrophilic amine-functionalized multi-walled carbon nanotubes (NH₂-MWCNTs) 310
- hydrophobic adsorption 414–415
- HyperBTM 246
- hypercrosslinked polymers (HCP) 68
- i**
- imidazolidinones 227–230
- iminophosphoranes 50, 249
- immobilised chiral aminocatalysts
 - diarylprolinol derivatives 223–227
 - imidazolidinones 227–230
 - peptide catalysts 233–234
 - primary amine organocatalysts 230–233
 - proline derivatives 219–223
- immobilised chiral H-bond donors
 - amides and sulfanoamides 240–241
 - squaramides 238–240
 - ureas and thioureas 235–238
- immobilized catalysts 23, 71, 233, 251, 293, 320, 447
- immobilized chiral phosphoric acids 243
 - BINOL-derived phosphoric acids 243
 - metal-free reduction of heterocycles 242
- immobilized dipeptide-promoted aldehyde amination 234
- immobilized dual-enzyme system 417
- immobilized ionic liquids 189
- immobilized racemization/enzyme catalysts 446
- immobilized transition-metal catalysts 325, 326
- immobilized TRIP 233, 243
- indium-based MOFs 161
- inductively coupled plasma-atomic emission spectroscopy (ICP-AES) 16
- inert membrane reactor with catalyst on the feed side (IMRCF) 308
- infrared (IR) spectroscopy 132
- inkjet 3D printers 373
- inorganic membranes 267, 308, 311
- inorganic nanoparticles 116, 310
- insoluble catalytic systems, in CF reactors 277
 - cross-coupling reactions 289–290
 - metal-free catalysts 290–292
 - reduction reactions 285–289
- insoluble polymers 10
- ionic exchange adsorption 415–418
- ionic liquids (IL)
 - heterocyclic compounds using 197
 - immobilized 103
 - organocatalyzed reactions in 200
 - organocatalyzed transformations using 195–199
 - Rh-catalyzed hydroformylation process in 193
 - ROMP catalyzed by ruthenium complexes 192
 - as solvents for catalytic organic reactions 189
 - transition metal promoted reaction in 189–195
- iridium catalyst 58–60, 195
- iridium photosensitizer 195
- IR spectroscopy 132, 134
- isobutyraldehyde 171, 210
- isocynoacetate 82
- isoprene 162
- isothiourea catalysts 244, 246, 291

j

Jørgensen–Hayashi catalysts 35, 36,
223, 224, 227

k

ketene dimerization, Cinchona alkaloid
dimer for 248
ketopantolactone 147
ketoreductase enzyme 415
Knoevenagel condensation 9, 103, 141,
163, 164, 166–169, 175, 177, 202
Knoevenagel–Michel and Diels–Alder
reaction 203, 204

l

Lewis and Brønsted base
organocatalysts 244–249
amides 247
isothioureas 245–246
NHC catalysts 245
linear polymers 10, 11, 221, 261, 277
linear-polystyrene-stabilized
palladium(II) oxide nanoparticles
Heck reaction 334–335
Hiyama coupling reaction 332
Suzuki coupling reaction 327–330
Ullmann coupling reaction 333–334
linear-polystyrene-stabilized platinum
nanoparticles 339
aerobic oxidation of alcohols
338–340
hydrogen-transfer reduction
340–341
liquid-liquid biphasic catalysis 189
liquid-liquid biphasic media (LLBM)
261, 263, 269, 272, 276
lower critical solution temperature
(LCST) 30, 33, 42
L-proline 119, 125, 135, 139, 140,
143–145, 209

m

MacMillan catalysts 42–49, 228, 229
macroporous silica monoliths 283
magnetic nanomaterials 14
magnetic nanoparticles (MNPs) 116
alcohol dehydrogenase 127

and catalyst 118–119
degradation of 135
recovery 126–127
recycling 128–129
Ru catalyst on 124
Ru(II) complex 120
stereoselective catalysts 118
structures type I 119–121
structures type II 121–122
synthesis 123–125
synthesis of 133
magnetic recovery 116, 126–127, 131,
149
malononitrile 9, 141, 164, 166, 174,
203, 204
Mannich addition catalyzed 144
Mannich reactions 34–35, 38, 50, 161,
221, 222, 231, 236, 386, 387
Mannich-type reactions 142
M-CLEAs 426
McMillan imidazolinone 119
membrane module characterization
308
membrane reactors
in biodiesel transesterification
316–320
in chemical industry 317
with suspending catalyst in reaction
mixture 314–316
membrane separation processes 308
Merrifield resin-immobilized dimeric
quinidine 24
Merrifield resin-immobilized proline
33
metal chlorides 7
metal 3D printers 396, 398
metalloporphyrins 176
metal organic frameworks (MOFs) 13,
412
for heterogeneous catalysis 160
heterogeneous reactions 179
membranes for catalysis 177–181
metalloporphyrins 176
metal/metal-oxide nanoparticles on
173–175
mixed linkers 164–166
multifunctional 166

- metal organic frameworks (MOFs)
(*contd.*)
 open metal sites 159–163
 organic linkers 162–163
 polyoxometalates (POM) 175–176
 post-synthetic grafting of active guest
 species 167
 single-linkers 163–164
metal printers 373, 396
methacrylic acid 12, 33
7-methoxy-2-tetralone 127, 147
methyl benzoylformate 146, 147
methylene malononitrile 164
microcapsules 6, 8, 9, 12
microencapsulation 6–9, 12, 13
microreactors 9, 56, 279, 284
millifluidic and flow reactors 374–376
mixed linker MOFs 164–166
mixed matrix membrane (MMM) 177,
 308, 310
Mizoroki–Heck polymerization 25, 26
Mizoroki–Heck reaction 25, 31, 63,
 241, 261, 263, 276, 289, 290
MNP-immobilized MacMillan catalyst
 229
MNP-supported quinidine
 aminocatalyst 232
MNP-supported thiourea 238
mole hourly space velocity (MHSV)
 260, 288, 291
molybdenum catalyst 60–61
monolithical polydimethylsiloxane
 (PDMS) 382
monolithic CFRs 282–284, 288
monolithic inorganic materials 14, 15
monomeric hemicellulase, from
 Trichoderma reesei 420
Morita–Baylis–Hillman reaction 169,
 378
multicomponent reactions,
 development of 190
multimeric enzymes 421, 423
multipoint covalent enzyme
 immobilization 420
multi-purpose enantioselective catalysts
 245, 246
multi-walled carbon nanotubes
 (MWCNTs) 87, 89, 92, 310, 425
- n**
nanocarbon 77, 78
nanocatalysts
 additions 141–146
 carbon–carbon couplings 150–151
 catalyst loading and leaching
 135–136
 of characterization 129–137
 condensations 139–141
 dynamic light scattering and
 Z-potential 136–137
 epoxidations and oxidations
 148–150
 hydrogenations and reductions
 146–148
 identification of supported species
 132–135
 magnetic nanoparticles 122
 morphology and crystal structure
 130–131
 properties 131–132
 racemic mixtures 151–154
 recycles 128–129
 stereoselective reactions 137
 structure 118–123
 substitutions 138–139
nanocomposite 3D printable plastics
 378
nanocomposite OSN membrane 310
N-*boc*-phenylaldimine 161
neoteric solvents 188, 258, 269
N-heterocyclic carbene (NHC) 55–56,
 60, 62, 101, 244, 263
Ni catalyst 61–62, 293
nitroalkenes 37, 39, 40, 61, 67, 137,
 222, 223, 232, 235, 236, 238–241,
 248
nitroaromatics, reduction of 288
4-nitrobenzaldehyde 144, 164, 166,
 170, 174, 220, 221, 386
nitron cycloaddition 144, 145
non-innocent DES 201–205
non-innocent ionic liquid 190

- non-solvent induced phase inversion
method 310
- O**
- olefin epoxidation 190, 191
olefins hydrogenation 171
oligomerization processes 190
open metal sites 159–162, 182
grafting of active organic species on
167–168
organic catalysts 16, 119, 134–136,
402
organic linkers 162, 163
grafting of active functional groups on
168–170
organic membranes 267, 308, 311
organic monoliths synthesis 283
organic solvent nanofiltration (OSN)
163–168, 177, 261, 309–311
organic transformations, reaction
conditions for 438
organocatalysis 217
carbon nanotubes 92–93
fullerene catalysts 78–82
graphene 102–105
organocatalytic cyclopropanation
reaction 224, 225
organocatalyzed reactions 188, 208,
211
organocatalyzed transformations
195–199
organometallic catalysis
carbon nanotubes 93–99
fullerene catalysts 82–87
graphene 105–109
oriented immobilization 416–418
oxidation processes 97, 190, 226, 393
2-oxopyridinium phase-transfer catalyst
250
- P**
- packed-bed CFRs 258, 276, 281–282,
291
palladium catalyzed cross-coupling
reaction 313
palladium-loaded nanogel particles
316
paraldehyde, site isolation-enabled use
of 226
PASSflow devices 282
Penicillin G, enzymatic synthesis of
443
peptide catalysts 233–234, 291
periodic mesoporous organosilicas
(PMOs) 14
permanent magnet 116, 126, 131, 145,
276
phase transfer catalysts (PTCs) 109,
239, 249–250
phosphotungstic imidazolium 109
photocatalysis 78, 273, 313–315, 376,
378
photocatalytic membrane reactors
(PMR) 314, 315
physical entrapment 4, 6, 7
physical immobilization methods 411
physisorption 4
Pickering emulsions 269
platinum nanoparticle 64, 338–341,
343
plug-flow reactor (PFR) 260
p-nitrobenzaldehydes catalyzed 35, 37
poly(methylhydrosiloxane) (PMHS)
147, 148, 227, 236
polydisperse MNPs 131
polyether ether ketone (PEEK) 263,
267, 284, 381, 399
poly(norbornene)-immobilized proline
33
polylactic acid (PLA) 374
polymer-based alkaline composite
catalytic membrane (PACCM)
316
polymeric microcapsules 12–13
polymer/metal organic framework
membrane 309
polymer-supported proline derivatives
223
polymethylphenylsiloxane (PMPS) 177
polyoxometalates (POM) 173,
175–176, 374
polypropylene millifluidic device 374
polystyrene 51

- polystyrene-*block*-poly(ethylene glycol)-supported transition-metal catalysts
 - aqueous aerobic flow oxidation of alcohols 342–349
 - flow hydrogenation 349–352
 - polystyrene-immobilized chiral phosphoric acids 53, 55
 - polystyrene-immobilized squaramide 40, 41
 - polystyrene-stabilized PdO nanoparticle preparation 328
 - polystyrene-supported prolinamides in Robinson annulation 221
 - polystyrene-supported squaramides 239
 - polystyrene-supported transition-metal nanoparticle catalysts
 - aqueous asymmetric rhodium-catalyzed 1,4-addition 359–363
 - aqueous Huisgen 1,3-cycloaddition 356–359
 - linear-polystyrene-stabilized palladium(II) oxide nanoparticles
 - copper-free Sonogashira coupling reaction 335
 - dibenzyls and 3-arylpropanoic acids, one-pot synthesis of 337–338
 - Heck reaction 334–335
 - Hiyama coupling reaction 330–333
 - Suzuki coupling reaction 327–330
 - Ullmann coupling reaction 333–334
 - linear-polystyrene-stabilized platinum nanoparticles 338–341
 - PS-PEG copolymer resins 341–342
 - polyurea 12, 289
 - polyurea encapsulated Pd-EncatTM system 289
 - polyvinylidene fluoride (PVDF) 381
 - porous carbon nanosheets (PCN)-supported squaramide 240
 - porous membrane, immobilized catalyst in 313
 - post-synthetic modification (PSM) 167
 - powder bed fusion printers 396–399
 - primary amine organocatalysts 230–233
 - proline derivatives 30, 219
 - polymer-supported 223
 - silica-supported 220
 - 2-propanol 107, 108, 168
 - pyranonaphthoquinones 240
 - pyrrolidine derivatives 35–39
- q**
- quaternization polymerization 28, 30
- r**
- racemic mixtures 151–154
 - reactive oxygen species 161
 - reduced GO (rGO) 100–103
 - reduction reactions 285–289, 416
 - RepRap 371
 - resin printers 372, 399
 - vs. FDM printers 383, 385
 - functionalization methodology for catalysis 386
 - microfluidic devices 385
 - monolithic catalyst 387
 - polyionic liquids 386
 - SLA and DLP 382
 - working principle 384
 - reversible addition–fragmentation chain transfer (RAFT) polymerization 33, 42, 43, 220, 229
 - Rh catalyst 65–68, 193
 - rivastigmine synthesis 444
 - chemoenzymatic strategy and polymer-bound Ru catalyst 446–447
 - by Dr. Reddy's group 445
 - dynamic kinetic resolution of precursor 446
 - by Novartis team 445

- Robinson annulation 221, 233
 immobilized TRIP in 243
- robocasting 372, 388–397
- robocasting printers 400
 Co- and Ni- MOFs 396
 drawback 388, 390
 vs. FDM printers 388
 iron/nickel monolithical structure
 fabrication 394
 MFI and FAU zeolites 396
 monolithic catalytic woodpile
 structures 390, 391, 393
 NiMo-oxide monolithical structure
 391
 working principle 391
 ZSM-5 zeolites 395
- Ru-catalysed olefin ring-closing
 metathesis reaction 263
- ruthenium-aqua complexes 149
- ruthenium catalyst 12, 69, 191,
 192
- S**
- SBA-15 84, 231, 237
- scanning electron microscopy (SEM)
 130, 131
- second generation MacMillan catalysts,
 in aza-Friedel–Crafts reaction
 230
- silanes dehydrogenation 101
- silica-binding module (SBM) 418
- silica-gel (SG) 269, 276
- silica immobilization 4, 6
- silica microencapsulation 7–9
- silica-supported catalyst, for
 asymmetric Michael reaction
 222
- silica-supported proline derivative 220
- single-linkers 163–164
- sitagliptin synthesis 450–452
- SketchUp 371
- solid-phase synthesis techniques 220
- soluble catalytic systems, in CF reactors
 liquid-liquid biphasic media and
 supercritical fluids 269–273
 metal-free catalysts 276–277
- organic solvent nanofiltration
 263–268
- supported liquid phase (SLP) systems
 273–276
- soluble polymers 10–11, 283
- solvothermal method 123, 165, 168
- Sonogashira coupling 58, 194, 326,
 335–337, 381, 387
- space-time yield (STY) 260, 269, 288,
 416, 449
- SpyCatcher 423, 424
- SpyTag 423, 424
- squaramide catalysts
 disadvantage 238
 drawbacks 240
 onto imidazolium-based
 organic-inorganic hybrid silica
 (IBOIHs) 239
 polystyrene-supported 239
 porous carbon nanosheets-supported
 squaramide 240
 for pyranonaphthoquinones
 preparation 240
 triazole-based anchoring strategy
 238
- Stetter reaction 55, 56, 245
- Strecker reaction 161, 235, 237
- Strecker reaction of isatin imines
 237
- subtractive manufacturing 371, 372
- sucrose synthase 421
- sugar nucleotides, UDP-Gal synthesis
 449, 450
- sulfonamide catalyst, for
meso-anhydrides
 desymmetrization 241
- sulfoxidation 105, 176
- superparamagnetic NPs 126
- superparamagnetism 14, 117, 131
- supported liquid phase (SLP) systems
 263, 273
- supramolecular functionalization
 carbon nanotubes 87–92
 graphene 99–100
- Suzuki coupling reaction 86, 316,
 327–331, 337

- Suzuki–Miyaura reaction 83, 263, 285, 290, 313
- Suzuki reaction 83, 107, 396
- single-wall carbon nanotubes 87, 89, 91–94, 96, 98, 99
- synthetic polymers (polymersomes) 412
- t**
- Takemoto-type thiourea immobilization 235
- tandem 138, 173, 176, 182, 191, 223, 226, 289
- tandem flow-reactor system, for catalyst leaching 289
- tandem oxidation-acetalization reaction 173
- Taylor–Couette reactor (TCR) 273
- Teflon amorphous fluoroplastic (AF) membrane 312
- telomerization reaction 193
- tert*-butyl hydroperoxide (TBHP) 161, 171, 175, 191
- 2,2,6,6-tetramethylpiperidine-1-oxyl (TEMPO) 78, 80, 165, 205
- thermodynamic phase 116
- thermogravimetric analysis (TGA) 15
- thermomorphic solvents 272
- thin film composite polymer membranes 310
- thioanisole 60, 150, 176
- thio(urea) catalysts 235
- thioetherified cinchonidium 30
- thioureas and ureas 50–53
- 3D printed stirring rods 382, 387, 390
- 3D printers 369, 371–373, 383
- 3D printing 371
- commercially available softwares 371
- feature 371
- metal-organic frameworks 378
- slicers for 371
- step-by-step process 371, 373
- types 372
- 3D replicating printer 371
- threonine derivatives 34, 231
- time on stream (TOS) 194, 260
- titanium catalysts 69
- T4L lysozyme 423, 424
- total turnover number (TON) 191, 260, 269, 285, 288, 290, 291, 293, 417
- trans*- β -nitrostyrene 168
- transesterification 316–320
- transition-metal catalysts 325
- polymer-supported 326
- transition metal-catalyzed processes 205–208
- transition-metal nanoparticles (NPs) 326–341
- transition metal promoted reaction 189–195
- transmission electron microscopy (TEM) 15, 84, 126, 130, 327
- triazole-gold catalyst 56–57
- trimethoxysilane-terminated dipeptides 234
- trimethylsilyl cyanide (TMSCN) 161, 205
- triphenylphosphine sulfonate (TPPTS) 193, 194
- tubular reactor (TR) 259
- u**
- Ugi reaction 203
- Ullmann coupling reaction 326, 333–334
- urea catalysts 235
- ureas and thioureas 50, 51, 53, 235–238
- urease, crystal structure of 441
- urea synthesis 438, 441
- uridine diphosphate galactose (UDP-Gal) synthesis 449, 450
- UV curable resin 386
- UV-Vis spectroscopy 134–136
- v**
- volatile organic compounds (VOC) 187
- volatile organic solvents 188, 196, 206, 208

W

- wall-coated CFRs 284–285
- Wieland–Miescher ketone 39, 55, 199, 221
- Wöhler synthesis of urea 441

X

- X-cube flow reactor 344, 357, 361
- X-ray diffraction 15, 131, 167, 327
- X-ray photoelectronic spectroscopy (XPS) 15, 172

Y

- Yonemitsu-type condensation 102–104

Z

- zeolite synthesis 283
- Zn catalysts 70–71
- Z-potential 136–137

