

## Index

### **a**

- acetylcholinesterase (AChE) enzyme, 180, 265, 266–267, 270, 272–275
- adenosine triphosphate (ATP), 8, 38, 39, 82
- aerosolized biotoxins, 335, 336
- aflatoxins
  - carbon nanotubes (CNT), 180, 182
  - chronic and toxic features, 173–174
  - DNA based biosensor, 176
  - metabolic oxidative activation, 173
  - QCM biosensor, 182–185
- aging, biomarkers of, 83
- alcohol dehydrogenase (ADH)
  - amperometric biosensors, 242
  - alcohol detection, 242, 244
- algal blooms, 329, 330–331, 335–337, 351
- alkaline phosphatase labeled (ALP)-OTA, 186
- $\alpha$ -hemolysin ( $\alpha$ -HL) nanopores, 232
- alpha-synuclein, 84–85
- Alzheimer disease, 83
- amperometric biosensor, 211–212
- analyte-bioreceptor interactions, 4
- antibiotics
  - amperometric biosensor, 211–212
  - electrochemical biosensor, 207
  - photoelectrochemical (PEC) biosensors, 209–210
  - voltammetric biosensors, 207–209
- antiretroviral therapy (ART), 87160

### Avian influenza viruses (AIV)

- electrochemical biosensors
- DNA and RNA oligonucleotide sequences, 297
- DNA sequence-specific detection, 298
- detection of
  - SERS strategy, 290
- transduction process, 297

### **b**

- BIACORE instruments, 161
- Biacore-chips, 318
- Bio-MEMS novel sensing arrays, 123
- bioaffinitive agents, 313
- bioanalytical techniques, 203
- biochemical detection method, 347
- biocides, 260
- biomarkers
  - Alzheimer disease, 83–85
  - applications, 73
  - cancer biomarker, 76–80
  - cancer cells, 76
  - cardiac biomarkers, 80–82
  - definition, 73
  - gene-based predictive biomarkers, 73
  - HIV biomarkers, 85, 87
  - of aging, 83
  - pharmacodynamics biomarkers, 75–76
  - predictive biomarker, 75
  - prognostic biomarkers, 75
  - types, 74, 75–76

- biomimetic sensor system, 216
- Bionic e-Eye, 347
- bioreceptor, 3–5, 40, 62, 164–165, 172–173, 226, 268, 357
- biorecognition process, 4, 340
- biosensors for cancer biomarker identification, 16
- carbon nanotubes, 129
- catalytic *vs.* affinity biosensors
- DNA-aptamer biosensors, 14
  - enzymatic biosensors, 13
  - immunosensors, 13–14
  - peptides-based biosensors, 14
  - whole-cell biosensors, 14–15
- characteristics, 4, 5
- classification, 7
- conventional techniques, 1
- definition, 1
- detection of infectious diseases, 16–17
- for drug detection, 203
- therapeutic drugs, 212–214
- electrochemical biosensors, 6
- electronic components, 2
- environmental monitoring
- applications, 16
- evolution, 6
- HIV detection, 149
- label-free biosensor, 138–139
- in microbiology, 15–16
- nanomaterials for, 227, 229
- neurotransmitter, 214, 216–218
- optical biosensors, 9
- quartz-crystal and sensing materials, 271
- rGO-based FET biosensor, 127
- sensitivity, speed, and sensibility, 1
- working principle, 3
- biotin, 60, 157, 163, 186–187, 231, 267, 298, 305, 314–320, 367
- breast cancer detection
- electrochemical DNA biosensor, 97–98
  - micro fluidic plasmonic biosensor, 100
  - optical biosensor, 98–100
- C**
- C-reactive protein, 82
- C-type lectin domain family 5, member A (CLEC5A), 119
- Camman, Karl, 1
- cancer biomarker
- cancer diagnosis, 79
  - cancer medicine, role of, 77–78
  - cancer research, uses of
    - diagnostic tests, 79
    - monitoring, 80
    - risk assessment, 79
    - screening, 79
    - staging, 80
    - types of, 80
- IDH1/IDH2 mutation, 77
- MGMT gene promoter, 76
- types of, 80
- cancer cell detection
- biomarkers, 95
  - biosensor
    - application, 96
    - physio-chemical transducer, 96
- conventional techniques, 95
- early stage of detection, 96
- in females
    - breast cancer, 97–102
    - cervical cancer detection, 103–106  - in males
    - colorimetric nanobiosensors, 106–107
    - oral cancer, 110–111
    - prostate cancer detection, 107–110
- carbon nanomaterials, 108, 313, 322
- carbon nanotubes and hybrids
- biosensors, 53–57
  - classification, 52
  - physical and chemical approaches, 52
- cardiac biomarkers
- C-reactive protein, 82
  - creatine kinase, 82
  - lactate dehydrogenase, 82
  - measurements, 81
  - myoglobin, 82

- troponin, 81–82  
types of, 81
- cellular biomarkers, for HIV, 86
- cervical cancer detection  
automated cervical cancer detection, 105–106  
impedimetric biosensor, 104–105
- cetyltrimethylammonium bromide (CTAB), 107, 274, 350
- chemiresistive sensors, 292–294
- chitosan, 48, 49, 53, 135–136, 182, 242, 267, 275
- chlorpromazine detection, 237
- DNA intercalation based  
amperometric biosensor, 238
- chronopotentiogram, 156
- ciguatera, 336
- citrinin, 173, 174, 198–199  
molecular imprinted surface plasmon resonance (SPR) biosensor, 192–194
- Clenbuterol (4-amino-[t-butylaminomethyl]-3,5-dichlorobenzyl alcohol hydrochloride, CLB), 367
- CNS depressant drug detection, 228
- CNS stimulant drug detection, 228
- cocaine, 224, 226, 229–230, 237, 244  
cocaine detection, 231, 233  
colorimetric cocaine aptasensors, 232–234  
electrochemical aptasensors, 234  
nanopore biosensor, 231–232  
quantum dots based optical biosensors, 230–231
- codeine detection, 239–241  
colorimetric assay, 189, 346, 348  
colorimetric cocaine aptasensors, 232–234  
colorimetric sensor based on Gold nanoparticles (AuNPs), 268
- conductometric biosensor, 25, 28–29, 196
- conductometric sensors, 9, 28, 194
- conventional techniques, 1, 10, 95, 112, 206, 210, 297
- counter electrode, 24–25, 297
- creatine kinase, 82
- cyclophosphamide, 213
- d**
- dengue fever detection  
conventional methods, 118  
virus detection  
impedimetric biosensor, 120–122  
nanostructured electrochemical biosensor, 118–120  
plasmonic biosensor, 120
- depressant drugs, 224
- 2D-hexagonal boron nitride (2D-hBN), 59
- diagnostic tests, 79, 120, 150, 151, 312–313, 319, 360, 367
- differential pulse voltammetry (DPV), 50, 136, 181, 183, 186, 188, 193, 205, 207, 216, 218, 297, 299
- direct electron transfer (DET), 49, 54, 63
- DNA-aptamer biosensors, 14  
domoic acid, 331, 335, 344
- 3D-printable smartphone, 369–372
- drug detection  
antibiotics  
amperimetrometric biosensor, 211–212  
electrochemical biosensor, 207  
photoelectrochemical (PEC) biosensors, 209–210  
voltammetric biosensors, 207–209  
conventional techniques, 206
- e**
- Ebola virus disease (EVD), 127
- electrical impedance spectroscopy, 7, 8–9
- electrochemical aptasensors, 134, 177, 186, 208, 234
- electrochemical biosensor (ECB), 52, 207  
advantages, 7  
aptamer based biosensors, 303

- electrochemical biosensor (ECB)  
(*contd.*)
- conductometric biosensor, 28–29
  - conductometric sensors, 9
  - dengue fever virus detection, 119
  - electrical impedance spectroscopy, 8–9
  - fabricated biosensor, 302
  - graphene, 49–50
  - impedimetric biosensors, 26–27
  - miniaturized gold electrode, 297
  - potentiometric biosensor, 8, 25–26
  - reference electrode, working
    - electrode and counter electrode, 297
    - voltametric/amperometric, 8  - zika virus detection, 122
- electrochemical immunosensors, 54, 102–103, 107–108, 179–180, 182, 186, 198, 300, 342, 367–368
- electrochemical impedance spectroscopy (EIS), 7, 8–9, 26, 56, 104, 119, 122, 134, 180, 213, 297, 302, 303
- energy biosensor
- adenosine triphosphate, 39
  - fluorescence resonance energy transfer, 39
- enzymatic biosensors, 11, 13, 48, 49, 136, 242, 383
- enzyme linked immunosorbent assay (ELISA), 102, 108–110, 119, 120, 127, 129, 135, 136, 150–152, 163, 164, 172, 185, 189, 198, 206, 298, 312, 314, 315, 317, 319, 344, 347, 363–364, 372, 377, 379
- evanescent wave fluorescence biosensors, 10
- exciton-plasmon interactions (EPI), 62
- f**
- field effect transistor (FET) biosensors, 8, 12–13, 48, 50, 96, 102, 127–128, 180, 194, 294, 299
- fluorescence resonance energy transfer, 32, 38, 39, 99, 231
- food allergen, 360, 364, 372
- food poisoning, 335
- fungicides, 256, 257–258, 259, 265
- fusarium biosensor, 198
- FBI and FB2, 175
- trichothecenes infection, 175
- g**
- gamma-aminobutyric acid (GABA) receptors, 229
- gastrointestinal stromal tumor (GIST), 77
- giant magnetoresistive technology (GMR chip), 319–320
- glassy carbon electrodes (GCE), 54, 56, 59, 63, 134, 183, 193, 212, 218, 241
- GMR biosensor platform, 363–367
- gold electrode for the detection of gene (BRCA1), 98
- gold film, 100, 101, 315, 317
- gold nanoparticles-based biosensing, 315
- goldnano rods (GNRs), 129, 274, 349–350
- gold nanowire arrays (AuNWA), 62
- graphene and composites
- applications, 47
  - chemical vapour deposition, 47
  - chitosan, 48
  - composite based electrochemical biosensors, 49–50
  - epitaxial growth method, 47
  - field effect transistor (FET) biosensors, 50, 51
  - functionalization, 47
  - highly oriented pyrolytic graphite, 47
  - inorganic and organic materials, 48
  - selectivity and sensitivity, 48
  - small biomolecules, 48
- graphene based biosensor, 47, 48, 49, 124–126

graphene quantum dots (GQDs), 133–134, 210, 217  
gymnodimines, 335

## *h*

hallucinogens, 224, 225, 229  
hemagglutinins (HA), 289, 302, 311–314, 317–318  
Hepatitis B virus (HBV)  
detection  
carbon nanotube based biosensor, 128–129  
electrochemical DNA biosensor, 129–130  
gold nanorod-based localized SPR biosensor, 129  
infection, 117  
Hepatitis C virus (HCV), 117  
detection  
aptasensor for HCV core antigen detection, 133–134  
gold nanoparticles aggregation, 131  
impedimetric genosensor, 132, 133  
nucleic acid testing (NATs) and serologic tests, 131  
Hepatitis detection, 129  
herbicides, 256, 257, 258, 260, 261, 265, 266, 272  
high performance liquid chromatography-fluorescence detection (HPLC-FLD) analysis, 344  
highly oriented pyrrolytic graphite (HOPG), 47  
human immunodeficiency virus (HIV)  
biomarkers, 85, 87  
DNA electrochemical biosensors  
chronopotentiometric transduction, 155  
hybridization, 155  
probe immobilization, 155  
impedimetric DNA biosensor, 162–163  
morphology of, 150

nanostructured optical photonic crystal biosensor, 159–160  
optical biosensors, 158–159  
piezoelectric biosensor, 163  
structure and genomic specifications, 150  
surface plasmon resonance (SPR), 160–162  
ultrasensitive biosensors, 157–158  
virus capture, 160

## *i*

illicit drugs  
biosensor for, 226, 227  
depressant drugs, 224  
drug's effect on brain and body, 225  
hallucinogens, 225  
narcotics, 224–225  
naturally occurring drugs, 224  
plant extracts, 224  
semi synthetic drugs, 224  
signs of addiction, 225  
stimulants, 224  
synthetic drugs, 224  
illumination sensor, 372–374  
immobilization technique, 4, 14  
immunoassays, 16, 28, 102, 136, 183, 191, 226, 273–274, 291–292, 313–315, 317, 319, 321, 322, 337, 342–344, 346–348, 351, 360, 364, 383  
immunosensors, 7, 9–10, 13–14, 24, 26, 28, 52, 54–55, 98, 102–103, 107–108, 120, 132–133, 163–164, 179–180, 182–183, 185–186, 188, 194, 198, 211–214, 235, 272, 298, 300, 304, 314–315, 321, 342–344, 367–369  
impedimetric biosensors, 25–27, 56, 104–105, 120–122  
impedimetric genosensor, 132–133  
influenza rapid diagnostic tests (IRDTs), 313  
insecticides, 256–257, 259–260, 261, 265, 266, 272

- integrated quartz crystal microbalance immunosensor, 164
- interdigitated microelectrodes, 305, 344
- interdigitated transducers (IDTs), 35, 344
- ion selective electrodes (ISE), 8, 25–26
- ion-selective field effect transistors (ISFET), 8, 194
- iron oxide nanomaterials, 348
- isocitrate dehydrogenase (IDH1/IDH2), 77
- j**
- Japanese encephalitis virus (JEV), 125–126
- k**
- kyotorphin (KTP), 85
- l**
- label-free optical detection technique, 9
- lactate dehydrogenase, 82
- limulus amebocyte lysate (LAL) assay, 349
- liquid crystal display (LCD), 4
- localized surface plasmon resonance (LSPR), 10, 129, 138, 154, 317, 319, 322
- long range surface plasmons (LRSPs), 341
- m**
- magnetoresistance (MR), 320, 364, 367
- marcaptopropyltrimethoxysaline (MPS), 154, 265–266
- marine lipophilic toxins (MLTs), 335
- marine toxins
- algal blooms, 330
  - biosensing, 337–338
  - goldnanorods aggregation based optical biosensor, 349–350
  - shell fish, detection of, 344–345
  - smart phone based portable detection system, 345–347
  - SPR based biosensors, 338–344
- superparamagnetic nanobeads based immunochromatographic assay, 347–348
- classification, 330–335
- human health, effects of, 335–337
- Marquis test, 226
- mass based biosensor
- piezoelectric biosensors, 32–33
  - quartz crystal micro balances, 33–34
  - SAW, 34–35
- MBio waveguide-based system, 346
- 3-mercaptopropionic acid
- self-assembled monolayers (SAM), 235
- metal and metal oxide nanoparticles features, 60
- methamphetamine colorimetric detection, 236
- methamphetamine detection, 234–235, 237
- methotrexate (MXT), 212–213
- methyl guanine-DNA methyltransferase (MGMT), 76–77
- mhealthcare monitoring, 360, 362
- micro fluidic plasmonic biosensor, 100
- microarray-based approach, 315
- MobilePAL smartphone, 379
- molecular receptors, nanobiosensors, 229
- molecularly imprinted polymers (MIPs), 172, 192, 194, 213, 343–344
- molybdenum disulphide, 342
- morphine detection, 241–242
- mouse bioassay (MBA), 291–293, 344–345
- multiwalled carbon nanotubes (MWCNTs), 52–54, 56–57, 110, 128, 180, 182, 207, 239, 241–242, 294–296, 304, 368–369
- mycobacterium tuberculosis detection, 137–139
- mycotoxins analysis
- aflatoxins, 173–174
  - biosensor technology, 172

- citrinin, 174  
conventional analytical methods, 172  
electrochemical detection systems, 179–180  
enzyme linked immunosorbent assays, 172  
fusarium, 175  
heterogeneous distribution, 172  
ochratoxins, 174  
patulin (PAT), 174–175  
myoglobin, 82
- n**
- nanobiosensor, 1–17, 56, 58, 60, 106, 119, 203, 205–208, 211–212, 219, 226, 229–231, 233, 238, 239, 245, 290, 357  
nanomaterials-based biosensors  
advantages, 45  
carbon nanotubes and hybrids  
biosensors, 53–57  
classification, 52  
electrochemical biosensor, 52  
physical and chemical approaches, 52  
1D nanomaterials, 46  
2D nanostructures, 46  
3D structures, 46  
graphene and composites, 46–51  
metal and metal oxide nanoparticles, 60  
nitride-based biosensors, 57–58  
biosensing application, 58–60  
graphite carbon nitride ( $\text{g-C}_3\text{N}_4$ )  
nanomaterials, 58  
silicon nitride ( $\text{Si}_3\text{N}_4$ ) based  
nano-fabrication technology, 58  
nanopore biosensor, 231–232  
nanostructured biosensor fabrication process, 120  
nanostructured photonic crystals (PC) biosensors, 154  
narcotics, 224–225, 228, 229, 239, 241  
neurodegenerative disorder, 83–84  
neurofibrillary tangles (NFT), 84  
neuronal pentraxins (NPR), 84–85  
neurotransmitter, 63, 205, 214, 216–218, 226, 265, 273  
nicotine, 229–230  
nitrogen-doped multi-walled carbon nanotubes (N-MWCNTs), 294–296  
non-small-cell lung carcinoma (NSCLC), 77  
nuclear magnetic resonance (NMR) spectroscopy, 120  
nucleic acid amplification tests (NAAT) devices, 126, 374  
nucleic acid testing (NATs), 131
- o**
- ochratoxin A (OTA), 174, 185–186, 188–192, 374  
ochratoxins  
aptamer-DNAzyme hairpin biosensor, 186–189  
horseradish peroxidase-screen printed biosensor, 185–186  
mutagenic and carcinogenic secondary metabolite, 174  
QCM-D biosensor, 189–192  
secondary fungal metabolites, 174  
one-step wash-free assay, 367  
optical biosensors, 158  
electronic biosensors, 12–13  
evanescent wave fluorescence biosensors, 10–11  
fluorescence effect, 31–32  
label-free optical detection technique, 9  
labeled detection technique, 9  
localized SPR (LSPR), 10  
piezoelectric biosensors, 11–12  
Raman & Fourier-transform infrared spectroscopy (FT-IR), 30  
SPR effect, 29  
surfaceplasmon resonance biosensors, 10  
oral fluid L-lactate detection, 383  
organochlorine pesticides (OCPs), 261  
organophosphorus pesticides (OPs), 272–273, 275

- Osteryoung square-wave voltammetry (OSWV), 298–299
- ovarian cancer detection
- magnetic nanoparticle-antibody conjugates (MNPs-ABS) based assay, 103
- ZnO-Au based electrochemical biosensor, 102–103
- p**
- paired surface plasma waves biosensor (PSPWB), 319
- patulin (PAT)
- cerium oxide ISFETs based immune biosensor, 194
  - conductometric enzyme biosensor, 196
  - contamination in fruits and vegetable-based products, 175
- PEGylated arginine functionalized magnetic nanoparticles (PA-MNPs), 105
- peptides-based biosensors, 14
- pesticides
- agricultural pests and vectors of plant disease, 259–260
  - AuNPs/MPS/Au electrode sensing layer based electrochemical biosensor, 265–266
  - beneficiaries, 258–259
  - benefits of, 258
  - citrate-stabilized AuNPs based optical biosensor, 266–267
  - control mechanism and strategies, 260
  - detrimental effects
    - human health, impact on, 262
    - long term effects, 263
    - on children, 263–264
    - on environment, 264
    - on Pregnant Women, 263
    - safety measures, 264–265
    - short term effects, 262–263  - food and drinking water, 256
  - fungicides, 257–258
  - gas chromatography, 256
- herbicides, 257
- high pressure liquid chromatography, 256
- insecticides, 256–257
- organophosphorus pesticides (OPs), 272–275
- piezoelectric biosensor, 267–272
- pharmacodynamic biomarkers, 75–76
- photoelectrochemical (PEC) biosensors, 59, 62, 209–210
- photon detector, 37
- photonic crystal (PC) biosensors, 105–106, 159–160
- phytotoxins, 330, 335, 337
- piezoelectric biosensor, 11, 32, 163
- pesticides, 267
- piezoelectric immunoassays, 185, 272, 342
- piezoelectric quartz crystal, 12, 270
- plasmonic biosensor, 100, 120
- plasmonic sensor, 100, 315
- platinum, 59, 60, 62–63, 156, 192, 218, 234, 341
- POC diagnostics, 346, 360, 374–375, 377
- point of care real time PCR (POC RT\textunderscore PCR), 151
- point-of-care diagnostics, 219, 374–377
- poly (3,4-ethylenedioxythiophene) (PEDOT), 180
- Polyethylene glycol (PEG), 105
- Polyvinylpyrrolidone (PVP), 107
- potentiometric biosensors, 8, 25–26
- structure and working process, 25
- potentiometric immunoassays, 343
- predictive biomarker, 73, 75, 77
- pristine graphene, 125
- probe immobilization, 153, 155, 364
- prognostic biomarkers, 75
- Prostate Cancer Detection, 107–110
- prostate specific antigen (PSA), 107–110, 155

**q**

- Q value, 34, 36  
 quantum dots based optical biosensors, 45, 110, 133, 210, 230, 272, 319, 349, 360  
 quartz crystal microbalance (QCM), 12, 32–34, 100–102, 103, 158–159, 164, 173, 175, 182–183, 185, 189–191  
 quenching of unincorporated amplification signal reporters (QUASR) technique, 126

**r**

- Raman & Fourier-transform infrared spectroscopy (FT-IR), 29, 30  
 rapid influenza diagnostic test (RIDT), 313  
 reactive oxygen species (ROSs), 330  
 reference electrode, 8, 24–26, 34, 156, 297  
 reproducibility, 2, 4–5, 7, 13, 73, 97, 176, 180, 186, 195, 196, 198, 219, 275, 292, 297, 322, 364, 367  
 reverse transcriptase polymerase chain reaction (RT-PCR), 16, 97, 127, 131, 151, 290, 313, 315–316, 322, 345  
 reverse transcription-loop-mediated isothermal amplification (RT-LAMP) assay, 122, 126, 377

**s**

- saxitoxin (STX), 331, 338–344  
 Scotch-tape method, 47  
 screen printed electrode (SPE), 157, 185, 213–214, 242, 302, 368  
 selective evolution of ligands by exponential enrichment (SELEX) approach, 14, 133, 156  
 selectivity, 2–7, 14–15, 25, 45, 48, 49, 53, 64, 81, 97, 122, 124, 126–128, 130, 132, 151, 153, 155–156, 159, 176, 179, 192, 196, 210–214, 217–219, 226–227, 238, 241, 267, 296–297, 321, 338, 343, 364, 380  
 sensitivity and linearity, 2, 5  
 serologic tests, 131  
 silicon nanowire sensor, 119, 229, 321–322  
 single walled CNTs (SWCNTs), 52, 54–55, 57, 128, 180, 182, 218, 294, 304, 314  
 skin contact, 263, 335, 336  
 smartphone based biosensors ambient light-based optical biosensing platform, 372–374  
 applications, 360–363  
 clenbuterol, detection of, 367–369  
 CVD monitorings, 377–379  
 GMR biosensor platform, 363–367  
 in cardiology, 381, 382  
 novel 3D-printable smartphone, 369–372  
 oral fluid L-lactate detection, 383–385  
 point-of-care diagnostics, 374–377  
 ZnO and graphene modified electrodes, for VOC detection, 379–381  
 solid phase photopolymerisation, 343  
 spirorides, 33  
 stability, 2, 5, 7, 13–15, 17, 33, 52, 57–61, 77, 102, 107, 130, 132–133, 173, 176, 180, 194, 214, 226, 239, 244, 263, 273–275, 303, 313, 322, 341, 343  
 stimulants, 28, 224, 228–230, 234, 242  
 surface enhanced Raman Spectroscopy (SERS) based nanosensor carbon nanotubes in chemiresistive sensors, 292–297  
 magnetic immunoassay, 291–292  
 surface plasma wave (SPW), 317, 319, 341  
 surface plasmon resonance (SPR), 29, 119, 120, 151, 160

- surface plasmon resonance (SPR)  
*(contd.)*
- absorption, 235
  - biosensors, 10
  - surface-enhanced Raman scattering (SERS) spectroscopy, 45, 176, 178, 213, 290–293, 304, 319
  - swine influenza viruses
    - carbon-based nanomaterials, 313–315
    - diagnostic methods, 312–313
    - gold nanoparticles-based biosensing, 315
    - localized surface plasmon resonance sensor, 315–319
    - magnetic nanoparticles-based biosensing, 319–321
    - synthetic drugs, 223–224
    - systematic evolution of ligands by exponential enrichment, 156
- t**
- terahertz effect, 36–37
  - terbutylazine (TBA), 266 therapeutic drugs, 96, 212–214
  - thermal biosensors
    - terahertz effect, 36–37
    - thermal radiation, 37–38
    - thermomeric sensors, 35–36  - thermal detector, 37
  - thermal radiation, 37–38
  - thermal resistance, 36
  - thermistor, 35–36
  - thermometric sensors, 35–36, 96
  - thiopurine methyl-transferase (TPMPT) enzyme, 76
  - transducer, 1, 3–6, 9–11, 14–15, 23–24, 27, 32, 35–36, 45, 96, 98–100, 149, 153–155, 158–159, 163, 173, 194, 203–205, 207, 210, 212, 216, 218, 226, 234, 264–265, 267–268, 270, 272, 302, 314, 317, 321–322, 342–344, 357
- troponin, 80–82
- tuberculosis (TB), 118, 137–139, 360
- typhoid, 118
- detection
  - nanocomposites of grapheme oxide-chitosan, 135, 136
- u**
- ultrasensitive biosensors, 157
  - fabrication process, 158
- v**
- VOCs detection, 379–381
  - voltammetric/amperometric, 8
  - voltammetric biosensors, 207–209
- w**
- Western blot assay, 151–152, 164, 290
  - whole-cell biosensors, 14–15
  - working electrode, 6, 8, 24–25, 156, 187, 207, 219, 297–298, 300
- y**
- yellow fever, 117, 126–127
  - field-effect transistor biosensor, 127
- z**
- zika viral nonstructural protein 1 (ZIKV NS1), 125
  - zika virus
    - detection
    - for early stages, 122–124
    - novel graphene-based biosensor, 124–126
    - smartphone-based diagnostic platform, 126
    - electrochemical biosensor, 124
    - ZIKV detection, 122–124, 374, 377
    - zinc oxide nanostructures, 98, 102