

Index

a

- absorption 1, 12, 170, 172
- achiral chromophores 216, 233
- acrylamide (AAm) monomers 79
- active donor–acceptor–donor (D-A-D) system 44
- α -cyclodextrin (α -CD) 40
- aerogel preparation process 177
- aerogels 169
 - classification of 172–173
 - fabrication of 173–177
 - freeze-drying 179–186
 - freezing parameters 182–186
 - functionalization 186–193
 - oil spill remediation
 - mechanisms of oil absorption 197–199
 - parameters 193–197
 - post-processing of aerogel absorbent 200
 - solutes/particles properties 180–182
 - supercritical drying 177–179
 - surface characteristics 170
 - unmodified silica aerogels 172
- aggregation induced emission (AIE) 22
- aggregation induced emission enhancement (AIEE) 44
- aging process 175, 176
- amine sensing 42–45
- anionic clusters 65
- anion sensing 35–37
- antifreezing ionic hydrogels 82, 85
- aromatic amine 43–44
- artificial gel 99
- asymmetric catalysis 216, 230
- atom layer deposition (ALD) 186

b

- bacterial cellulose (BC) 191
- β -cyclodextrin-based heat-set gels 115
- bidirectional freezing method 183
- biobased sorbents 170
- biocompatibility 51, 72, 73, 77
- biocompatible collagen-based hydrogels 65
- biodegradability 51, 156, 170, 172
- bioimaging 7, 225
- biomedical controlled drug release behavior 51
- biopolymer derived gels, for water remediation
 - heavy metal removals 141–146
 - organic pollutants removal 146–156
- biopolymer nanomaterials 132–134
- biosensing 100
- biostability 230
- biosystems 72, 73
- biphenylalanine (BPh) 104
- 1,4-bis-bromohexane
 - functionalized-pillar[5]arene guest (DPHB) 36
- 2,2-bis(4-carboxyphenyl)hexafluoropropane and N-(4-Aminobenzoyl)-L-glutamic acid diethyl ester 56
- bisphosphine ligand 112
- blue-emitting gel 218
- BODIPY 21

c

- carbohydrate biopolymer-based gel adsorbents 156
- carbon materials 72

- carbon nanotubes (CNTs) 75, 81
 cation sensing 30–35
 cellulose
 base aerogels 173, 174
 nanofibers 181–183
 nanofibrils 174, 175, 187, 192, 197
 nanofibrils-based aerogels 174
 regeneration 174
 cellulose nanocrystals (CNCs) 196
 centrifugation 170, 200
 charge transfer (CT) interactions 105
 chemical gels 1, 14, 15, 99
 chemically cross-linked hydrogels 141, 142
 chemical oxygen demand (COD) 146
 chemical vapor deposition (CVD) 186
 chitin
 derivatives 130–132
 nanofibers 184, 185
 chitin-based aerogels 139, 173, 176, 179, 185
 chitin-based gel adsorbents 144–145
 chitin-based hydrogel 146, 147, 153, 155
 chitosan (CS) 61, 75, 86, 132
 circularly polarized luminescence (CPL) 216, 230–234
 coassembly of the above-mentioned AIE organogelator 2 (CN-TFMBE) 218
 cold plasma treatment 186
 combined antitumor
 photothermal/photodynamic therapy 51
 combustion 195, 200
 composite aerogels (CAs) 143, 156, 173, 191
 conducting polymers 72
 conductive fillers 72, 75, 89
 conductive hydrogel
 electronically conductive hydrogels
 acrylic acid (AA) monomers 77
 carbon-based materials 75
 conductive polymers 72
 crosslinked interactions 72
 GO-based conductive hydrogels 77
 in-situ polymerization 74
 MXene nanosheet 77–78
 PANI-PVA conductive hydrogel 75
 polymerize polypyrrole (PPy) 75
 ionically conductive hydrogels 78–80
 mechanical properties and conductivity 73
 pressure sensors 85–89
 strain sensors 81–85
 conductive polymers 72
 conjugated metal-organic polymer 112
 continuous phase 10–12, 14
 controllable energy transfer 25
 controllable gelation 230
 coordination polymer gels (CPGs) 30
 CO_2 sensing 37–38
- d**
- diarylethene-based gelators 24
 3-dimethyl (methacryloyloxyethyl) ammonium propanesulfonate (DMAPS) 86
 dinuclear organoplatinum (II) complexes 223
 dinuclear Pd complex 27
 dinuclear platinum(II) complexes 223
 9,10-diphenylanthracene (DPA) emitter 226
 dipole–dipole attraction 215
 dipole–dipole interaction 51, 79
 directional freezing 182
 directional ice templating processes 183
 dispersed phase 10–12, 14, 172
 distillation 195, 200
 donor–acceptor pairs 225–227
 donor- π -acceptor (D- π -A) structural compound 43
 dye adsorption 61, 147, 150
- e**
- elastomer composites 72
 electronic skins 71, 78, 87, 89
 electron transfer process 62
 electrostatic attraction 58, 128, 135, 141–143, 155
 electrostatic interaction 14, 21, 36, 51, 57, 61, 64, 81, 132, 147
 electrostatic repulsion 132, 133, 135
 epichlorohydrin (ECH) 130
 esterification 186
 ether-linked alkyl chains 226
 extrusion 200

f

- flavin-binding fungal photoreceptor
Cre-recombinase 230
- fluorescence quenching 8
- fluorescent gelators 4, 21
- fluorescent gels
- for amine sensing 42–45
 - for anion sensing 35–37
 - cation sensing 30–35
 - CO₂ sensing 37–38
 - heating-cooling process 22–23
 - light 23–25
 - for nitroaromatic derivative sensing 42
 - solvent and humidity sensing 38–42
 - ultrasound 25–28
 - xerogels 28–30
- fluorescent low molecular weight organogelators 45
- fluorination 186
- freeze-drying 127, 135, 139, 141, 179–186
- Freundlich isotherm 150
- furan-modified peptide derivative of *p*-phenylenediamine (FurTpa) 104

g

- gas chromatography 38
- gas phase coagulation method 153
- gelatin organohydrogels 85, 86
- gelation 4, 6–8, 25–29, 31, 38, 52, 111
- gelator 3, 4, 6, 7, 11–15, 22, 24, 25, 27, 30, 120, 215–217
- gel disruption 36
- gel emulsion formation 10
- gel system 36, 51, 57, 101, 115
- gel-to-gel transition 44
- GO composite hydrogels 61
- GO/polyethyleneimine (GO/PEI) hydrogels 57
- graphene oxide-based composite hydrogels 52, 57–64
- graphene oxide-polyethylene glycol (GO-PEG) composite hydrogel 64
- green-emitting gel 218
- green-emitting sol 218

h

- H-atom transfer (HAT) 230
- H-bonding 215
- heating-cooling approach 22
- heating-cooling process 22–23, 28
- heat-set molecular gels
- amphiphilic monomers 101
 - anisotropic opaque gel 103
 - biphenylalanine (BPh) 104
 - bola-amphiphilic gelator 105
 - bola-shaped amphiphilic compound 103
- charge transfer (CT) interactions 105
- coordination-based nanocomposite
- heat-set hydrogel 109
- furan-modified peptide derivative of *p*-phenylenediamine (FurTpa) 104
- hydrophilic and hydrophobic interactions 103
- LCST-based supramolecular hydrogels 101
- nanocomposite gel 107, 109
- one-dimensional coordination polymer 107–109
- self-assembly behavior 103
- thermal response and pH response 108
- heat-set organic gels
- amphiphilic one-dimensional coordination system 111
 - β -cyclodextrin-based heat-set gels 115
 - β -cyclodextrin (β -CD) supramolecular interactions 115
 - 1,4-diaminobenzene 111
- gel nanomaterials and micromaterials 118
- gel-sol reversible transformation process 118
- hydrophobic and hydrophilic surfaces 115
- metallic gel systems and host-guest gel systems 117
- octahedral coordination configuration 110
- photochromic metal-organic gels (MOGs) 113–114
- tetrahedral coordination configuration 110

- heavy metal adsorption 144–145
 heavy metal removals 141–146
 highest occupied molecular orbital (HOMO) 4
 host-guest interaction 36, 40, 51, 57, 65, 72
 hybrid aerogels 173
 hybrid gel 25
 hybrid latex nanoparticles (HLPs) 87
 hydrogel-based sensors 82, 85
 hydrogels
 biopolymer nanomaterials 132–134
 cellulose and chitin derivatives 130–132
 chemically cross-linked NC/NCh 137–138
 native cellulose and chitin 129–130
 physically cross-linked NC/NCh 134–137
 hydrogels-based sensors 82, 89, 90
 hydrogen bonding 14, 21, 22, 26, 31, 36, 40, 51, 61, 100, 128
 hydrogen bonding interaction 22, 36, 40, 42, 100, 130, 134, 135, 156
 hydrogen chloride 8, 133, 153
 hydrophilic microfibrils 196
 hydrophobic interaction 81, 99, 101, 103, 194
 hydrophobization method 186
 hydrothermal treatment 135, 137, 195
- i**
 implantable electronic devices 71
 inorganic silica aerogels 173
 in situ reduction approach 61
 inter-chain cross-linking interaction 99
 intermolecular hydrogen bonding interactions 22, 40
 intermolecular non-covalent bonding 57
 intramolecular charge transfer (ICT) 44
 intra-particle diffusion model 198
 ion chromatography 38
 ionic conductive hydrogels 72, 82
 ion sensing process 33
 IUPAC classification 194, 195
- l**
 light-emitting electrochemical cell (LECs) 113
- light-responsive low-molecular-weight gelators 24
 liquid N₂ adsorption/desorption isotherms 194
 lowest unoccupied molecular orbital (LUMO) 4
 low fatigue resistance 72
 low-molecular-mass-organogelators (LMOGs) 21
 low molecular weight gelators (LMWGs) 24, 30, 100
 L-tartaric acid based gelator 33
 luminescent supramolecular gels 215
- m**
 mass spectrometry 38
 mechanical flexibility 71–74, 80, 89
 mechanical sensors 71–74, 80–89
 mechanofluorochromism (MFC) 28
 metal hydrogels 52
 metal-ligand coordination 215
 methacrylic acid (MAA) 86
 microfibrils 133, 174, 175
 molecular gel
 chemicals sensing, liquid phase 9
 design 3–4
 synthesizing fluorescent sensing films 2–3
 synthesizing porous materials 9–11
 oil on water surface, removal 11–13
 VOCs adsorption 13–14
 VOC 4–9
 molecular self-assembly 10, 14, 100, 115, 233, 247
- n**
 N-(4-amino-benzoyl)-L-glutamic acid diethyl ester 56, 57
 nanocellulose 32, 179, 181, 185
 nanocrystals (NCs) 132
 nanofibrils (NFs) 132
 naphthalimide (NID) 6, 24, 29, 34
 naphthalimide-based gelator 24, 34, 42
 naphthalimide-based organogelators 29
 natural gel 99, 100
 nitroaromatic derivative sensing 42
 7-nitrobenzofuranzan 7
 N,N-dimethylaniline 45

- N,N*-methylenebisacrylamide (MBAA)
 crosslinkers 79
- non-biocompatibility 72
- non emissive sol 218
- N*-(pyridinium-4-yl)-naphthalimide
 functionalized-pillar[5]arene host
 (P5BD) 36
- o**
- octadecylamine (ODA) 187, 194
- oil absorption efficiency 185
- oil cleanup methods 171
- oil sorbents 170
- oil spill remediation 72, 170, 188,
 193–200
- oil spills 169, 170
- oligo(oxyethylene) chains 222
- organic pollutants removal 146–156
- organogel assembled by gelator 2
 (CN-TFMBE) 217
- organogels 35, 42, 45, 52–55, 65, 115, 127
- organohydrogels 74, 85
- organometallic terpyridyl platinum
 gelators 27
- p**
- PAA-Ag/AgNPs hydrogels 62, 64
- π -conjugated molecules 216
- personalized health monitoring 71
- phenylamine 45
- photocatalysis 225, 227
- photocatalytic behavior 62
- photochromic metal-organic gels (MOGs)
 113
- photochromic process 25
- phototherapy 225
- pH responsive aerogels 192, 193
- pH-sensitive hydrogels 132, 153
- Physically cross-linked hydrogels 80,
 128, 137, 141, 142
- physical sensor 71
- platinum gelators 27, 28
- polyacrylamide (PAM) hydrogel 75, 82
- polydopamine (PDA) 82, 194
- polymer gels 1, 99, 101
- π – π interaction 4, 51
- π – π stacking 14, 16, 21, 27, 51, 56, 101,
 115
- pressure sensors 73, 81, 85–89
- pseudo-second-order model 59, 61
- pyridyl subcomponents 113
- pyrolysis 185, 192, 195, 201
- r**
- reduced graphene oxide (RGO)-based
 hydrogel 58
- relative humidity (RH) 39
- room temperature phosphorescence
 (RTP) 219
- s**
- self-adhesion 73, 81, 82, 89
- self-assembly 1, 3, 21, 51–57, 62, 100
- self-assembly process 57, 62, 103, 115,
 241, 243
- self-assembly technique
 graphene oxide-based composite
 hydrogels 57–64
- self-assembled injectable 51
- self-healing hydrogels 51
- supramolecular gels 55–57
- self-healing
 ability 71, 73, 82
- collagen-protein-based hydrogel 64
- selfhealing ability 71, 73, 82
- self-polymerization 77, 192, 196
- semiconductors 72
- sensing objects 45
- silane 186, 187, 192
- silanization 186, 192, 195, 196
- silanols 192
- silica composite 191
- silver nanoparticles 58, 61, 62
- single electron transfer (SET) 230
- sodium dodecylsulfate (SDS) 192
- sol-gel transformation 37, 44
- solvatochromic behavior 216
- solvent exchange 129, 139, 174, 177, 179
- solvent exchange and depressurization
 processes 177
- solvent molecules 1, 14, 22, 28, 215
- solvent volatilization 2
- solvophobic interaction 51
- sonication triggered gel 32
- stimuli-responsive functional materials
 217
- stimuli-responsive gel arrays 32
- strain sensors 79, 81–85

- stretchability 72, 77, 79, 81, 87
 stretchable conductive materials 72
 supercritical drying 127, 139, 172,
 177–179
 supercritical drying process 178
 superhydrophobic microfibrillated
 cellulose aerogels (HMFCAs) 196
 supramolecular gels
 circularly polarized luminescence
 (CPL) 216
 achiral luminescent gelators
 238–239
 chiral luminescent gelators
 234–237
 inorganic luminophores guest
 245–249
 organic luminophores guest
 239–245
 CN-TFMBE gels 217
 cyanostilbene gelator 3 (PyG) 217
 fluorescence quenching and
 modulation 219
 luminescent inorganic nanomaterials
 215
 luminophors 215
 multi-channel stimuli-responsive
 functional materials 218
 phosphorescence 219–224
 photon upconversion 224–230
 supramolecular hydrogels 55–57, 101
 surface wettability 195
 suspension-gel process 22
 synergistic biopolymer–surfactant
 interactions 230
 synthesized receptor 32
 synthetic polymer aerogels 173
 synthetic polymer gels 101
 synthetic polymer sorbents 170
- t**
 tertiary-butanol (TBA) 181
 1,4,7,10-tetraazacyclododecane-1,4,
 7-triacetic acid 57
- thermal insulation 2, 173
 thixotropy 1, 3, 230
 time-consuming techniques 38
 tissue engineering 51, 73, 100, 120
 triethylamine 44, 45
 triplet–triplet annihilation (TTA) 225
 triplet–triplet annihilation-based photon
 upconversion (TTA-UC) 236
 two-component organogels 52
- u**
 ultrasound 25–29, 40
 unmodified silica aerogels 172
 upconversion nanoparticles (UCNPs)
 247
 upconverted circularly polarized
 luminescence (UC-CPL) 237,
 247, 249
- v**
 van der Waals forces 21, 128, 135, 147,
 194, 197
 Van der Waals interaction 51, 227
 visual ion sensing 32
 volatile organic compounds (VOCs)
 adsorption 13–14
 vapor detection 4–9
- w**
 water pollution 9, 52, 141
 wearable mechanical sensors 72, 73
 wearable sensors 71, 74, 82, 89, 90
- x**
 xerogel assembly 39
 xerogels 6, 23, 28–30, 45, 53
 X-ray photoelectron spectroscopy (XPS)
 192
- z**
 zwitterionic hydrogels-based capacitive
 pressure sensor 87