

## Index

### **a**

A3-coupling reaction 153–154  
 agar well diffusion assay 47  
 alcohol dehydrogenase  
   (ADH) 266  
 aldol reactions 115, 267  
 alkaloid berberine 54  
 2-amino-3-arylnaphtho[2,3-*b*]  
   furan-4,9-diones 127  
 2-aminoimidazoles 118  
 antimicrobial photodynamic therapy  
   (aPDT) 47  
 Arrhenius behavior 219  
 Arrhenius-type equation 336  
 2-arylimidazoles, 125  
 atomic absorption spectrometry  
   (AAS) 329  
 atom transfer radical polymerization  
   (ATRP) 189, 202–204, 211  
 auronones 123  
 aza-Michael addition 124

### **b**

benzimidazoquinazolinone  
   derivatives 124  
 benzo-condensed heterocycles 121,  
   122  
 Biginelli reaction 136, 147–149  
 bioactive compound extractions  
   conventional methodologies 217  
   hydrophobic compounds 228–230  
   phenolic compounds

  classification 222  
   flavonoid compounds 225–226  
   IL 1-octyl-3-methylimidazolium  
     bromide 224  
   oleocanthal and oleacein 224  
   xanthone-based phenolic  
     compound 223  
   polysaccharides 226–227  
   proteins 227–228  
 biodegradability, of DES 56–57  
 biodiesel production  
   esterification of free fatty  
     acids 159–160  
   hydrolysis/dehydration of  
     carbohydrates 160–161  
   transesterification of  
     triglycerides 158–159  
 biomass  
   carbohydrates, catalytic conversion  
     of 242–244  
   carbohydrates dehydration  
     in biphasic DES/organic solvent  
       systems 246–249  
     value-added products 249–251  
   HMF production 244–246  
   lignocellulose, extraction and  
     solubility of 235–238  
   value-added products  
     extraction 238–239  
 biotransformations 95, 97, 259, 266  
 bis(indolyl)methane derivatives 121  
 broth dilution assay 47

**c**

(1*S*)-(+)-10-camphorsulfonic acid  
(CSA) 48

capillary electrophoresis 326, 328, 331

carbamate-monoprotected  
*trans*-cyclohexa-1,2-diamine 116

carbohydrates dehydration  
in biphasic DES/organic solvent  
systems 246–249  
value-added products 249–251

carbonaceous materials  
graphenic/pyrimidinic  
structure 284  
mechanochemical exfoliation of  
graphite 284  
nitrogen-doped carbon  
materials 284  
pyrrolic nitrogens 285

carbon-carbon coupling reactions 138

carbon dioxide capture  
DES properties  
gas solubility 299–305  
kinetic property 312–313  
molar heat capacity 309–312  
thermophysical  
properties 299–312  
viscosity 305–308  
DES screening and evaluation  
process simulation-based  
method 314  
property-based method 313  
thermodynamic analysis-based  
method 313–314  
energy-intensive process 297  
ionic liquids (ILs) 298  
molar heat capacity 309–312  
zinc-copper alloys 298

chiral 2-aminobenzimidazole  
derivative 115

chitin 239

choline and geranate (CAGE) 48

chromone-based bis(indolyl)  
alkanes 121

CO<sub>2</sub> chemical fixation 161–163

complex ion model 26–28, 39

conductivity 4, 16–19, 187, 189, 190,  
192, 202, 209, 284, 335, 336, 347

cross-aldol reactions 112, 114, 115

cross-dehydrogenative coupling 178

cyclization reaction 124, 125

cyclocondensation reactions 116, 118,  
119, 147, 148

cytotoxicity 49–53, 67, 68, 209

**d**

deep eutectic solvents (DESs) 26, 305  
benzo-condensed rings 120–123  
Betti bases 128  
biocatalytic concepts 266–267  
biodegradability 56–57  
carbon-carbon coupling  
reactions 138–140  
and cell lines 50–51, 319  
cellulose modification 240–242  
compositional plasticity 187  
cytotoxic activity 52  
detection techniques  
compatibility 328–330  
electrochemical properties 335  
electrostatic interactions and van der  
Waals interactions 219  
enzyme catalysis 257  
eutectic point 1  
Fischer indole synthesis 136–138  
heterocycles 116–123  
high-throughput and scalable  
approaches 188  
hydrogen-bonded nature 189  
inhibition indexes of 46  
ionic and hydrogen bonding 188  
ionic conductivity and  
viscosity 189  
multicomponent  
reactions 123–129  
nanostructure of  
complex ion model 26–27  
hydrogen-bond network  
model 27–36  
non-cholinium DES 36–38  
organocatalysis 112–116  
oxidation reactions 141–142  
properties  
density 5–11  
freezing point (*T<sub>f</sub>*) 4–5

- ionic conductivity 16–19
  - polarity of 19
  - surface tension 19–20
  - viscosity 11–16
- pyrroles synthesis 141
- root growth of *A. sativum* 55
- synthesis 2–4
- thiophenes synthesis 119
- toxicity
  - bacteria 44–47
  - choline and geranate (CAGE) 48
  - microorganism 47–48
  - plants 55–56
  - vertebrates and
    - invertebrates 48–49
- toxicity and biodegradability 57
  - cytotoxicity 49–53
  - microorganism 47–48
- Ugi and Passerini
  - Reactions 128–129
- density 5, 11, 21, 27, 29–31, 36, 37, 84–86, 98, 99, 156, 160, 219, 277, 279, 281, 284, 313, 325, 356–358
- desulfurization, of fuel
  - olefin alkylation of thiophenic sulfur 155–156
  - oxidative desulfurization 156–157
- 3,3-diaryloxindole 121
- dihydropyrimidine-5-carboxamides 118
- 2, 5-dihydroxymethylfuran (BHMF) 250
- 3-[4,5-dimethylthiazol-2-yl]-2,5-diphenyl tetrazolium bromide (MTT) assay 209
- DNA manipulation 290–291
- e**
- electrochemical potential windows (EPWs) 273, 347
- electrochemical properties, of DESs
  - conductivity 336–347
  - electrochemical stability 347–350
  - electrodeposition 350–357
  - electropolishing 336, 357–359
  - ionic liquids 335
    - polymer electrolytes 335
- electrochemical stability 347–350
- electrodeposition 276, 356
  - Cu nanoparticles 352
  - Cu-Zn alloy 356
  - cyclic voltammogram method 352
  - ionic liquids 350
  - ionic migration and electrochemical reduction 352
  - of metals 351
  - Ni deposition 352
  - Pb species 355
  - Pt nanocrystals (NCs) 352
  - Sn-Sb alloys 356
  - technique 277
  - ultrathin TiO<sub>2</sub> films 357
  - Zn-Co alloy 357
  - Zn-Ti alloys 357
- electron-density and the heteroatom distribution 284
- electropolishing 111, 314, 336, 357–359
- enantiopure sugar-annulated pyrroles 126
- enantioselective cross-aldol reactions 112, 114
- enzyme catalysis
  - hydrolases 259–264
  - non-aqueous media 257
  - oxidoreductases for enantioselective reductions 258
- epoxy resin crosslinking 136, 165–166
- esterification reactions 129, 259
- ethanol fuel 250
- 1-ethyl-3-methylimidazolium chloride 246
- extraction techniques
  - liquid phase microextraction (LPME)
    - procedures 325–326
  - microwave assisted extraction (MAE) 325
  - solid phase microextraction (SPME) 326
  - ultrasonic assisted extraction (UAE) 324–325

**f**

- Fischer indole synthesis 120, 136–138
- flavonoid compounds 223, 225–226
- Fourier transform infrared spectroscopy (FTIR)-bioassay 48
- free fatty acids 98, 159–160
- free-radical polymerization
  - acrylic
    - acid and 1-vinylimidazole 204
  - atom transfer radical polymerization (ATRP) 202
  - DES-in-oil HIPEs approach 205
  - high internal phase emulsions (HIPEs) 205
  - 2-hydroxyethyl methacrylate (HEMA) 202
  - 2-hydroxy-2-methylpropiofenone 202
  - itaconic acid 199
  - methyl acrylate 200
  - multiwall carbon nanotubes (MWCNT) 199
  - non-polymerizable HBDs and polymerizable ammonium salts 200
  - poly(ethylene glycol) (PEG) 200
  - thermal transport and Arrhenius dependence 197
- freezing point ( $T_f$ ) 4–5, 35, 204
- fuel desulfurization 154–157
- functionalized thiophenes 119, 179
- furfuryl alcohol 197

**g**

- gas chromatography 236, 326, 327
- gas solubility 104, 298, 299, 304, 314
- gold nanothorns 274
- green analytical chemistry (GAC)
  - principles 322
  - “solvent-free” schemes 321
- green multicomponent reactions (GMCRs)
  - A3-coupling reaction 153–154
  - Biginelli reaction 147–149

- chromene, pyran and spiroxindole derivatives 149
- isocyanide-based MCRs 143–144
- Mannich-type reactions 144–146
- multicomponent synthesis of pyrrole 149–153
- synthesis of quinazoline 153
- Grignard reagents 171, 173–175, 177

**h**

- haloalkane dehalogenases 264
- Hantzsch reaction 123
- hazardous volatile organic compounds (VOCs) 111
- heterocycles in DESs 116–123
- heterocyclodehydration processes 111, 118, 119
- high internal phase emulsions (HIPEs) 190, 205–207
- Hofmeister effect 47, 57
- Hole theory 11, 13, 32, 219, 336
- honey
  - nectar’s chemical composition 98
  - properties 99
  - THEDES 99–100
- Hydra sinensis* 49
- hydrogen bond acceptor (HBA) 2, 27, 43, 83, 104, 172, 173, 225, 236, 298, 335
- hydrogen bonding 2, 19, 43, 61, 68, 83, 84, 86, 91, 96, 126, 162, 168, 190–194, 199, 200, 208, 219, 240, 241, 251, 273, 287, 322, 323
- hydrogen-bond network model 27–36
- hydrolases
  - CAL-B in cross-linked aggregates (CLEA) 261
  - chemoenzymatic epoxidation
    - of 1-octadecene 263
  - 1,3-diacyl-glycerols (1,3-DAG) 262
  - esterifications 261
  - feruloyl alcohol or gallate derivatives 260
  - haloalkane dehalogenases 264
  - immobilized CAL-B 261

- lipase-mediated peracid epoxidation 263
- p*-nitrophenyl palmitate by  
Burkholderia cepacia lipase (BCL) 264
- protease-catalyzed reactions 263
- synthesis of peptides 262
- transesterification of ethyl valerate 259
- hydrophobic compounds 228–230
- hydrophobic deep eutectic solvents (DESs)
- aqueous bi-phasic systems 84
  - CO<sub>2</sub> capture 90–91
  - fatty acids and biomolecules, extraction of 87–89
  - impregnation in membranes 90
  - PC-SAFT use of 91–92
  - physiochemical properties
    - density 85–86
    - thermal stability Window 86–87
    - viscosity 86
  - removal of pesticides 90
  - transition metal ion removal, from water 89
- 5-hydroxymethylfurfural (HMF) 160
- 2-hydroxy-1,4-naphthoquinones 126, 149
- i**
- imidazo[1,2-*a*]pyridines 125
- indoles and tetrazoles 120
- intramolecular cyclization-oxidation reaction 117
- ionic conductivity 16–19, 187, 189, 190, 202, 351
- ionic liquids 1, 273, 335
- iron oxide nanostructures 278
- isocyanide-based MCRs 143–144
- isoxazoles 128
- isoxazolines 128
- k**
- Kabachnik–Fields (phospha-Mannich) reaction 136, 146
- Knoevenagel condensations 124, 129
- l**
- liquid chromatography 54, 322, 327–328
- liquid-liquid extraction (LLE) 89, 90, 324, 325
- liquid phase microextraction (LPME) procedures 324–326
- L-proline 112
- Lysinibacillus fusiformis* CGMCC1347 cells 46
- m**
- Mannich-type reactions 136, 144–146, 167
- maple syrup
  - harvesting 100
  - NADES 102
  - nutritional value 101
  - production 101
- mass spectrometry (MS) 328–329
- methyl methacrylate (MMA) 189, 190, 192, 193, 200, 202, 203, 205
- microtox assay 44
- microwave assisted extraction (MAE) 225, 325
- monomers 163, 165, 188, 190–192, 194, 197–200, 204–206, 286, 328
- multicomponent reactions (MCRs) 123, 126, 136
- multiwall carbon nanotubes (MWCNTs) surface 197, 199, 207
- n**
- nanofilms 282–283
- nanolayers 282–283
- nanoparticulated materials
  - copper NPs 278
  - copper-zinc-tin chalcogenide 280
  - fluorapatite NPs 279
  - gold nanostars 275
  - gold spiky particles 275
  - iron oxide nanostructures 278

- nanoparticulated materials (*Contd.*)
    - nanostructured metal
      - chalcogenides 279
    - Ni–P alloy nanoparticles 280
    - palladium NPs 278
    - reaction-crystallization
      - process 279
    - reaction temperature 276
    - self-assembling process 274, 276
    - sodium borohydride 276
  - nanoscale electropolishing 358
  - nanostructure, DES
    - complex ion model 26–27
    - hydrogen-bond network model 27–36
    - non-cholinium 36–38
  - natural deep eutectic solvents
    - (NADESs) 65, 74
    - antibacterial effect 45–47
    - application 77
    - biotransformation 97
    - cellular metabolism 52–53
    - classes of 61
    - classification 62
    - cytotoxicity tests 49, 50
    - DNA and RNA process 96
    - enzymatic and synthetic
      - reactions 62
    - enzymatic process 96
    - enzyme reactions 75–76
    - extraction or solubilization of
      - non-water-soluble metabolites
        - applications of 66–68
        - lipophilic compounds 67
        - phenolics, *Cajanus cajan*
          - leaves 67
    - honey
      - nectar's chemical
        - composition 98
        - properties 99
      - interaction of 53
    - in vivo* acute toxicity tests and
      - pharmacokinetics 53–55
    - macromolecules 69–75
    - maple syrup 102
    - metabolic reactions 96
    - NMR spectrometric studies 61
    - PCR results 71
    - pH 52
    - pharmaceutical applications 76
    - physical properties 53
    - physicochemical features 63–66
    - physicochemical properties 61
    - resurrection plants 106–107
    - sugar beet 102–105
  - naturally-occurring DES
    - (NADES) 34, 97
  - N*-Boc protection 129
  - N,N*-diethylene ethanol ammonium
    - chloride 159
  - non-cholinium DES 36–38
- O**
- 3-octylthiophene 190, 210
  - olefin alkylation of thiophenic sulfur
    - (OATS<sup>®</sup>) 155–156
  - organic solvents 4, 19, 61, 66, 67,
    - 86, 95, 136, 143, 145–147,
    - 156, 187–189, 192, 193,
    - 199, 210, 211, 217, 225, 227,
    - 228, 246–250, 260, 265,
    - 286, 297, 321, 325,
    - 327–331, 347, 351
  - organic synthesis, in DES
    - chiral primary amino-cinchona
      - derivatives 112
    - enantioselective organocatalyzed
      - Diels–Alder reaction 112
      - L-proline-catalyzed cross-aldol
        - reaction 114
  - 1,3-oxazoles formation 119
  - oxidation reactions 141–142, 265
  - oxidoreductases and
    - deep-eutectic-solvents 264–266
- P**
- Paal–Knorr synthesis 117
  - palladium catalysed C–C coupling
    - reactions 177–179
  - particulated polyaniline
    - (PANI) 209
  - Passerini reactions 128–129, 143
  - Perkin reaction 136, 138, 139

- perturbed-chain statistical associating  
   fluid theory (PC-SAFT) 84,  
   91–92  
 phosphorous-doped monoliths 197  
 physicochemical techniques 187  
 Pictet–Spengler reaction 120  
 polarity 4, 19, 62, 175, 187, 192, 194,  
   200, 204, 205, 210, 218–220,  
   224, 230, 242, 262, 273  
 poly(methyl methacrylate)  
   (PMMA) 193  
 polycondensation 191, 193–197, 211,  
   284, 288  
 polyhydroacridines (PHA) 123, 124  
 polyhydroquinolines (PHQ) 123, 124  
 polymer electrolytes 335  
 polymerizations  
   conductive monomers 190  
   cooperative hydrogen-bonding  
   network 194  
   co-solvents and auxiliaries 192–193  
   free-radical  
     polymerization 197–207  
   high internal phase emulsions  
   (HIPEs) 190  
   2-hydroxyethyl methacrylate and  
   crosslinking 190  
   mechanisms of 209–210  
   monomers 191–192  
   3-octylthiophene 190  
   organic solvents 187  
   petroleum-derived feedstocks 187  
   polycondensation 194–197  
   ring-opening  
     polymerization 207–209  
 polymers, chemical recycling  
   of 163–164  
 polysaccharides 64, 69, 226–227, 251  
 porous materials  
   betaine and ethylene glycol 287  
   mesoporous silica spheres 287  
   metal-organic frameworks  
   (MOFs) 289  
   nitrogen doped hierarchical carbon  
   materials 289  
   polycondensation 288  
   zirconium phosphate  
     frameworks 289  
 proteins 57, 63, 69–75, 106, 227–228,  
   259, 329  
*p*-toluenesulfonic acid monohydrate  
   (PTSA) 159  
 pyrimido[4,5-*b*]quinolinedione 125  
 pyrroles synthesis 141
- q**
- quasielastic neutron scattering  
   (QENS) 29, 30, 32, 34, 35  
 quercetin 66, 226, 324  
 quinazolines 116, 123, 136, 153, 154
- r**
- reactive oxygen species (ROS) 51, 53,  
   99, 106  
 reline 26, 274, 276, 278–284, 288, 289,  
   291, 358  
 resorcinol polycondensation 197  
 resurrection plants 63, 74, 97,  
   106–107  
 ring-opening polymerization  
   (ROP) 190, 207–209  
 rutin 54, 65, 66, 76, 225, 226
- s**
- seaweed biomass 285, 286  
 selecting salvianolic acid B (SAB) 54  
 separation techniques  
   capillary electrophoresis 328  
   gas chromatography 327  
   liquid chromatography 327–328  
 solid-phase extraction (SPE) 66, 193,  
   200, 325  
 solid phase microextraction  
   (SPME) 324, 326–328  
 solvothermal synthesis 35  
 stereoselective organocatalyzed  
   reactions 113  
 sugar beet 97, 102–105, 107  
 supramolecular macrocyclic host  
   synthesis 166  
 surface tension 4, 19–20, 227, 262,  
   273, 336

**t**

- tetrahydrocannabinol (TH) 67, 224, 228
- tetrahydrocannabinolic acid (THA) 67, 228
- tetrahydrocarbolines 120
- 1,3-thiazolidin-4-ones 125, 126
- thiophenes synthesis 119
- toxicity, of DES 57
  - bacteria 44–47
  - vertebrates and invertebrates 48–49
- toxicological assessment 47
- transition-metal-based-catalysts
  - ChCl-based eutectic mixtures 175
  - concomitant regioselective ring-opening reaction 177
- DES
  - gold catalysed cycloisomerisations of unsaturated organic substrates 180–181
  - palladium catalysed C–C coupling reactions 177–179
  - ruthenium catalysed isomerisation of allylic alcohols 179–180
- diaryltetrahydrofurans and concomitant functionalisation 176
- Grignard reagents 173–174
- hydrogen-bond acceptor 172

- non-conventional solvents 171
- organolithium reagents 176
- physicochemical properties 171
- s-block organometallic reagent 174
- 1,5,7-triazabicyclo[4.4.0]dec-5-ene (TBD) 207

**u**

- Ugi reaction 128, 129, 136, 143
- ultrasonic assisted extraction (UAE) 324–325
- ultrasound-assisted dispersive liquid-liquid microextraction method (UA-DLLME) 325
- (un)substituted (dihydro)quinazolinones 122

**v**

- viscosity 4, 11–16, 32, 53, 68, 86, 90, 104, 158, 160, 187–190, 194, 199, 200, 205, 218, 219, 222, 227, 229, 258, 261, 262, 273, 286, 299, 305, 306, 312, 314, 352

**w**

- water scrubbing 297

**z**

- zero *E*-factor value 2
- zwitterionic sulfobetaines (SBs) 48
- zwitterionic trimethylglycine 48