

Index

a

A-94964 146–148
 α -L-acurosyL- α -L-rhodinose 20
 aglycones 1, 7, 63, 197, 198, 233, 234
 aldgamycin N 114
 aldgamycins 113–114
 allosamidin 257
 amicetin 145–147
 amipurimycin 135–136
 amphotericin B 113–114
 amycolamicin/kibelomycin 268, 269
 anemoclemosides B 245–246
 anthocyanins 63, 73, 86
 antibiotic A201A 132–133
 apigenin 7-O-cellobioside 79, 80
 apoptolidin A 89, 95–98
 aquayamycin 30, 31
 arabinosyl *ortho*-hexynylbenzoate 239
 “armed-disarmed” glycosidation approach 181
 aromatic polyketide glycosides 5, 7–42
 aromatic polyketides
 aquayamycin 30
 benanomicin/pradimicin antibiotics 33–34
 calixanthomycin A 38
 cassialoin 36
 cyclamycin 17–20
 daunorubicin 29
 derhodinosylurdamycin A 31
 FD-594 36–37
 jadomycins 31–32
 lactonamycin 38–42

landomycin A 7–8
 (–)-lomaiviticin A 39
 marmycin A 35–36
 olivomycin A 13–17
 pluramycins 34–35
 TAN-1085 33
 trioxacarcin 25–29
 vineomycin A₁ 30
 vineomycin B2 20–25
 aryldisaccharide 53
 aryl glycosides of vancomycin 155
 aryltetrasaccharide 53
 asiaticoside 249
 astragalosides 252–253
 astrosterioside A 226–227
 auriside A 107–108
 avermectins 109, 110

b

Baker–Venkataraman rearrangement 85
 batatin VI 191, 193
 batatoside-type resin glycosides 191
 benanomicin/pradimicin antibiotics 33
 betavulgaroside III 247
 bicyclo[7.3.0]enediyne scaffold 59
 bidesmosides 212, 233
 bleomycin A₂ 159–165
 Boger group 157–159, 160, 164, 165
 brasiliocardins 263–266

c

calabrilicoside A 80–81
 calicheamicin γ_1^1 47–54

- calicheamicin oligosaccharide 53–54
 calixanthomycin A 38
 calonyctin A 176–179
 camellianin B 71, 72
 camphorsulfonic acid (CSA) 53, 156
 candicanoside A 222
 caprazamycins 138–141
 capuramycin 144, 145
 carambolaflavone A 82–83
 cardenolide type steroid glycosides 207–211
 cassialoin 36, 37
 C-glycosides 36, 63, 64, 72–73, 82
 C-glycosidic bond 21, 36, 64, 143
 C-glycosylations 22, 24, 30, 35–37, 64, 82–84, 153
 chikusetsu saponins 252, 253
 cholestane type steroid glycosides
 luzonicoside A 204–206
 OSW-1 197–201
 periploside A 201–204
 sepositoside 204–206
 ciclamycin 17–20
 ciwujiangoside C3 233–235
 cotylenin A 270–272
 Crimmins group 95, 96–98
 cyanidin 3-O- β -D-glucoside 74–75
 cyanidin 3-O-glycosides 73–74
 cyanidin 4'-O-methyl-3-O-glucoside 86
 pelargonidin 3-O-6''-O-acetyl- β -D-glucopyranoside 85–86
 cyanidin 4'-O-methyl-3-O-glucoside 86
 cyclic triterpene saponin 239, 241
- d**
- Dai group 99, 102, 103
 daunorubicin 29–30
 2-deoxy-glycosides 3, 5
 2-deoxy-trisaccharide phosphite 8
 derhodinosylurdamycin A 30–32
 desgalactotigonin 214–216
 D-desosaminide sulfide 90
 digitoxin 207–211
 dimethyldioxirane (DMDO) 19, 66, 212
 3,3-dimethyldioxirane (DMDO) 155, 216, 259
 2,4-dinitrofluorobenzene (DNFB) 72
 dioscin 214, 218–219
 2,6-di-tert-butyl-4-methylpyridine (DTBMP) 9
- e**
- echinoside A 242–245
 efrotomycin 266–267
 enediyne glycosides 5
 calicheamicin γ_1^1 48
 maduropeptin chromophore 59–61
 namenamicin 54–56
 neocarzinostatin chromophore 58–59
 Shishijimicin A 56–58
 ent-spinosyn A 99, 100
 erythromycin A 89
 synthesis of 90–92
 erythromycin B 90–94
 esperamicins 47, 48
 Evans group 99–100
 everninomicin 13, 384–1 259–263
- f**
- FD-594 36–38
 fidaxomicin 103
 flaccidoside II 248–249
 flavocommeline 84
 flavone and isoflavone 7-O-glycosides 67–70
 daidzin, genistin, ononin, and sissotrin 79
 flavone 6-C-glycoside 72–73
 vicenines 82
 flavonoid glycosides 5, 63
 cyanidin 3-O-glycosides 73–74
 flavone and isoflavone 7-O-glycosides 67–70
 flavone 6-C-glycoside 72–73
 flavonoid 3-O-glycosides 74–76
 flavonol 3-O-and 7-O-bisglycosides 70–71
 flavonol 3-O-glycosides 65–67
 flavonol 5-O-glycosides 71–72

- synthesis of 63
synthetic strategies 65
- flavonoid 3-O-glycosides
 houttuynoids 78–79
 isoquercitrin coumarate 76
 kaempferol 3-O-(3'',6''-di-O-E-

-coumaroyl)- β -D-glucopyranoside 76, 77
 platanoside 76, 77
 quercetin-3-O- β -D-apiofuranosyl-(1 \rightarrow 2)-[α -L-rhamnopyranosyl-(\rightarrow 6)]- β -D-glucopyranoside 77–78
 quercetin 3-O-(2''-galloyl)- α -L-arabinopyranoside 75

flavonoids 63
 flavonoid 3-O-glycosides 74–76
 and isoflavonoid 7-O-glycosides 69

flavonol 3-O-and 7-O-bisglycosides 70–71
 calabrioside A 81
flavonol 3-O-glycosides 65–67, 76
flavonol 5-O-glycosides 71–72
forbeside E 216, 217
formamicin 109, 111
D-fucose 49, 175
furostan-type steroid glycosides 212

g
Gademann group 104–106, 112–113
D-galactosamine 65
ginsenosides 239–242
 Δ^{20} -ginsenosides 247–248
glycopeptides 153
 antibiotics 153
 natural products 154
glycoresins 175
glycosides, chemical synthesis 1
1,2-cis-glycosides 3
O,C-glycosides 63, 64
O-glycosides 63–64, 77, 266
1,2-trans-glycosides 3
glycosylation reactions 3–5, 25, 63, 65, 102, 123, 156, 203, 208
N-glycosylation 153, 167

O-glycosylation 31, 84, 114, 153, 168
S-glycosylation 153
glycosyl donors 3–4, 57, 61, 68, 92, 102, 146, 167, 183, 218
types of 4
glycosyl *ortho*-alkynylbenzoate 27, 29, 41, 55, 133, 167, 242, 248, 253

gold(I)-catalyzed glycosylation
 methodology 230, 239, 242

goniopectenoside B 226

gram-negative bacteria 48, 70, 112, 144
gram-positive infections 153

h
Helferich's conditions 104
heparan sulfate proteoglycans (HSPGs) 170–171
herbicidins 129–131
HF-7 143
hikizimycin 126–128
Horner–Wadsworth–Emmons (HWE) reaction 14, 101, 126
Houttuynoids 78–79
hydrogen-bond-mediated aglycon delivery (HAD) 106
(11S)-hydroxyhexadecanoic acid 179
N-hydroxyurethane 53

i
interrupted Pummerer reaction-mediated (IPRM) glycosylation 182, 194

intramolecular Diels–Alder reaction (IMDA) 34, 99, 102, 270

ipomoeassins 185–189
isokidamycin 34, 35
isoquercitrin coumarate 76

j
jadomycins 31, 32

k
kaempferitin 70, 71
kaempferol 3-O-[2'',3''-di-O-(E)-

-coumaroyl]- α -L-rhamno-pyranoside 76

- kaempferol 3-O-(3'',6''-di-O-*E*-*p*-coumaroyl)- β -D-glucopyranoside 76
- kaempferol-3-O- β -L-arabinopyranosyl-(\rightarrow 4)- α -L-rhamnopyranoside-7-O- α -L-rhamnopyranoside 81, 82
- Kahne group 18–20, 53–54, 156–157
- kidamycin 34, 35
- Koert group 95–97
- l***
- lactonamycin 38–42
- landomycin A 10–12
- synthesis of the hexasaccharide fragment of 8–10
- lepidin A 98–103
- Lewis acid 27, 85, 99, 133, 167
- linckosides 227–228
- β -linked hexasaccharide 9
- lipiarmycin A3 103
- lipoglycopeptide arylomycin 171–172
- lipopolysaccharide 65
- lobatoside E 238–240
- ($\text{--}l$)omaiviticin A 39–42
- (2*S*,2'*S*)-lomaivitivin A 40, 41
- lotoidoside D 250–251
- luzonicoside A 204–205
- lyngbyaloside B 108–109
- m***
- macrolide glycosides 5
- aldgamycins 113–114
- amphotericin B 113
- auriside A 107–108
- avermectins 109, 110
- erythromycin 89–94
- formamicin 109, 111
- lyngbyaloside B 108–109
- mangrolide A 112–113
- mycinamicins IV 114–115
- natural products 90
- pikromycin 106
- polycavernoside A 106–107
- tylosin 109, 111
- maduropeptin chromophore 47, 59–61
- Maidong saponin C 220, 221
- malayamycin 143, 144
- mammopeptimycin α 167–169
- mammopeptimycin β 167, 169–170
- mangrolide A 112
- mannopeptimycins (MMPs) 165–170
- marmycin A 35–36
- Martin group 90, 92
- 15-membered ansa-macrolactam 59
- merremoside D 192, 194
- methicillin-resistant *Staphylococcus aureus* (MRSA) 38, 76, 166, 267
- methyl protodioscin 212–214
- methyl 11(*S*)-jalapinolate 181
- minimum inhibitory concentration (MIC) 54, 144, 153, 172
- miscellaneous glycosides 5
- allosamidin 257
- amycolamicin/kibelomycin 268
- brasilicardins 263–266
- cotylenin A 270–271
- efrotomycin 266–267
- everninomicin 13, 384–1 259–263
- peyssonnesides A 267–268
- pyrolaside B 271–273
- staurosporine 257–259
- strictosidine-type indole alkaloid glycosides 268–270
- monodesmosides 233
- monosaccharide donor 3, 11
- muraymycins 144–146
- murucoidins V 192
- mycinamicins IV 114–115
- n***
- namenamicin 47, 54–56
- (7'*R*)-namenamicin 56
- (7'*S*)-namenamicin 56
- natural glycosides 3, 5, 65, 233
- naturally occurring glycosides 1–2
- neocarzinostatin chromophore 47, 48, 58–59
- Nicolaou group 27–29, 49–51, 55–56, 95–96, 109, 156–158

- nucleosides 5
 A-94964 146–148
 amicetin 145–146
 amipurimycin 134–137
 antibiotic A201A 131–134
 caprazamycins 137–141
 capuramycin 144
 herbicidins 128–131
 HF-7 143
 hikizimycin 126–128
 malayamycin 143, 144
 muraymycins 144–145, 146
 octosyl acid A 142
 plicacetin 145–146
 polyoxin J 141–142
 primary 119
 streptcytosin A 145–146
 tunicamycins 119–126
 nucleotides, natural products 119
- o**
 octosyl acid A 142
 oleandrin 230
 oligosaccharide donor 1, 47
 olivoside 24
 O -2-[(propan-2-yl)sulfinyl]benzyl (OPSB)
 glycosyl donor 183
 osladin 216, 217
 OSW-1 197–202
 ouabain 222–223
- p**
 P57 228–230
 Paquette group 99, 101, 107
 pavoninins 218
 pelargonidin 3- O -6''- O -acetyl- β -D-glucopyranoside 85–86
 pentasaccharide donor 11
 peptide glycosides 5, 153
 bleomycin A₂ 159–165
 lipoglycopeptide arylomycin 171–172
 vancomycin 155–159
 periploside A 201–204
 peyssonnosides A 267–268
- phase-transfer-catalyzed (PTC) 67, 79, 81
 pikromycin 89, 106
 platanoside 76, 77
 plicacetin 145–146
 pluramycins 34
 polycavernoside A 106–107
 polyoxin J 119, 141–142
 polyoxins 119, 141
 polyphyllin D 219–220
 prototimosaponin AIII 223
 pulsatilla saponin D 249–250
 α -L-pyanone 24
 pyrolaside B 271–273
- q**
 QS-21 234–238
 quercetin 3- O - β -D-glucuronide 74–75, 77
 quercetin 3- O -(2''-galloyl)- α -L-arabinopyranoside 75
 quercetin 3- O -[6''- O -(trans-*p*-coumaroyl)]- β -D-glucopyranoside 76
 quercetin 3-sophorotrioside 65, 66
 quercetin-3- O - β -D-apiofuranosyl-(1→2)-[α -L-rhamnopyranosyl-(1→6)]- β -D-glucopyranoside 77
 D-quinovose 175, 242
- r**
 representative aromatic polyketide
 glycosides 8
 resin glycosides 5
 batatin VI 191
 batatoside-type resin glycosides 191, 192
 calonyctin A 176–179
 general strategies 176
 ipomoeassins 185–189
 merremoside D 192
 murucoidins V 192–195
 tricolorin 179–185
 woodrosin I 189–191
 L-rhamnose 107, 175

- L-rhamnosyl trichloroacetimidate 50, 52
 rhodexins 225
 Roulland group 104–106
 Roush group 9, 14, 99, 101, 102, 109
- S**
- Saccharopolyspora spinosa* 98
 saptomycin B 34, 35
 saptomycin H 34, 35
 schaftoside 85
 scutellarin 79–80
 secondary metabolites 1, 63, 119
 sepositoside 204–206
 Severe Acute Respiratory Syndrome (SARS) 78, 197
 Shishijimicin A 56–58
 solamargine 223–224
 spinosyn A 98–103
 spirostan type steroid glycosides 214, 216
S-2-[(propan-2-yl) sulfanyl]benzyl (SPTB) glycoside acceptor 182–183
S-2-[(propan-2-yl) sulfinyl]benzyl (SPSB) disaccharide donor 183
 O-stanny N-hydroxyurethane 53–54
Staphylococcus aureus 37, 38, 76, 114, 144, 153, 155
 staurosporine 257–259
 steroid glycosides 5
 astrosterioside A 226–227
 candicanoside A 222
 cardenolide type steroid glycosides 207–211
 cholestane type steroid glycosides 197–201
 dioscin 218–219
 forbeside E 216, 217
 furostan-type 212–214
 goniopectenoside B 226
 linckosides 227–228
 Maidong saponin C 220, 221
 oleandrin 230
 osladin 216, 217
 ouabain 222–223
 P57 228–230
- pavoninins 218
 polyphyllin D 219–220
 rhodexins 225
 solamargine 223–224
 spirostan type steroid glycosides 214–216
 timosaponin BII 223
 trewianin 228
 Xiebai saponin I 221–222
 steroidal aglycones 198, 223
 Stille reaction 99
 streptcytosin A 145–146
Streptomyces avermitilis 109
 strictosidine-type indole alkaloid glycosides 268–270
 structure-activity relationship (SAR) 7, 13, 67, 157, 192, 197, 233
 Suzuki coupling 101, 104, 106, 156, 158
 Suzuki–Miyaura coupling 70
 syndecan-1 171
 syndecan-3 171
- T**
- TAN-1085 33
 teicoplanin 153
 tetrabutylammonium bromide (TBAB) 65
 tetrasaccharide, synthesis of 50
 tiacumicin B 103–106
 timosaponin BII 223, 224
 Toshima group 13–14, 24–25, 30, 91–92
 transanular Diels-Alder (TDA) reaction 101
 trewianin 228, 229
 tricolorin 179–185
 tricolorin A 175, 176
 tridesmosides 233
 trioxacarcin 25–29
 trisaccharide acceptor 8–10, 263
 trisaccharide donor 14, 244, 245
 triterpene glycosides
 anemoclemosides B 245–246
 asiaticoside 249
 astragalosides 252–253

betavulgaroside III 247
chikusetsu saponins 253
ciwujianoside C3 233–234
echinoside A 242–245
flaccidoside II 248–249
four representative scaffolds of
233–234
ginsenosides 239–242
 Δ^{20} -ginsenosides 247–248
lobatoside E 238–239
lotoidoside D 250–251
pulsatilla saponin D 249–250
QS-21 234–238
triterpenoid glycosides 5, 233–253
triterpenoid 3-O-trisaccharide 235–236
tunicamycins 120–126
tylosin 109–111
tyrosine bis-manno-disaccharide
166–167
Umezawa group 30, 159, 161–162

V
vancomycin 155–159
aglycone 156–157
aryl glycosides 155–156
mannopeptimycins 165
vancomycin-resistant *Enterococci* (VRE)
38, 166
vicenines 82
vineomycin A₁ 30–31
vineomycin B2 20–25
vineomycinone B2 methyl ester 20–24
vineomycinone B2 trisaccharide 24

W
woodrosin I 189–191
Woodward group 89–91

X
Xiebai saponin I 221–222

Z
Zn–Hg reduction 85

