

Index

a

acrylamide (AAm) 73
 adaptive magnetic nanowires 47
 alcohol dehydrogenase (ADH) 247–248
 alginate-modified electrodes
 Fe³⁺ cations, electrochemical signal
 alginate cross-linking and hydrogel
 dissolution 264–265
 atomic force microscopy 266
 electrochemical deposition
 process 265–266
 scanning electrochemical
 microscope 267
 time-dependent lysozyme release 265,
 267
 self-operating release systems, biosensing
 electrodes 268–278
 anti-goat IgG-antibody 273
 anti-rabbit IgG-antibody 273
 bacterial cells 274
 biocatalytic-biosensing electrode 275
 biocatalytic cascades 271–272
 biocatalytic production of NADH 274
 biofuel cell activation 277
 biomolecular signals 268
 electrochemically stimulated reductive
 dissolution 276
 HRP-Ab release 277
 NADH formation 272
 PQQ-GDH 269–270, 275
 PQQ-modified electrode 272–274
 reduction process 268
 SiO₂-NPs 274–275
 β-aminocyclodextrin 136
 amino-naphthoquinone 7, 12
 3-aminophthalate 7

amyloglucosidase (AGS) 244–245,
 247–248
ano-quinone 120
 apo-glucose oxidase (apo-GOx) 238
 atomic force microscopy (AFM) 24, 266
 avidin binding 189
 2,2'-azino-*bis*(3-ethylbenzothiazoline-6-
 sulphonic acid) (ABTS) 250
 azobenzene
 β-aminocyclodextrin receptor
 units 136–137
 atomic force microscopy (AFM) and
 optical absorbance 129–130
 azobenzene-functionlized viologen 136,
 138
 chronoamperometric
 measurements 138, 140
 chronoamperometric technique 128
 cis-configuration and
 trans-configuration 134
 Cl-counter-ions 131
 electrochemical reduction 126
 electrode irradiated areas 128
 evaporation-induced self-assembly
 procedure 133
 ferrocene redox process 128–129
 ferrocene redox units 128
 Langmuir–Blodgett thin film
 deposition 126–127
 Laviron's approach 132
 light-controlled switchable features 141
 mechanism and kinetics 127
 molecular machine, assembling of 136,
 139
 monolayer density 132
 optical absorbance measurements 129
 photoisomerizable monolayers 140

- azobenzene (*contd.*)
 photoresponsive nanocomposite membrane 132, 134–135
 redox active *cis*-form 127
 self-assembled thiol monolayer 133
 soluble $[\text{Fe}(\text{CN})_6]^{4-}$ 132
 surface modification 129
 thiolated azobenzene monolayers 140
trans-azobenzene moieties 131
trans-isomer and *cis*-isomer 125–127
- b**
 binary YES/NO-operating biosensors 204
 biocatalytic oxidation, of glucose 270
 biocatalytic systems 286
 biocompatibility, of alginate polymers 264
 biocomputing systems 297–299
 bioelectrocatalytic electrodes 238–239, 242, 255
 bioelectrocatalytic process 48
 bioelectrocatalytic reaction 15
 bioelectrochemical process 17
 bioelectronics 229
 biofuel cells 231
 challenging developments in 229
 biofuel cells 1, 231
 electrical circuitry 234–235
 in vivo operation, living organisms
 in invertebrates 231–232
 in rats/mice 231, 233
 timeline of development 231–232
 magnetic signals 240
 polarization curve of 235
 with switchable/tunable power output
 electrical signals 236–238
 logically processed biochemical signals 242–243, 256
 magnetic signals 239, 242
 biomolecular computing systems 300
 biomolecular systems 203
 biosensors 1, 61
 Boolean logic operations 203, 297
 bovine serum albumin (BSA) 250–251, 266
 buckypaper 269–270, 275
- c**
 chronoamperometric technique 138
 chronoamperometry (CAM) 9, 24, 206
 cyclic voltammograms (CVs) 10, 24, 51, 242, 244
 electrocatalytic current 244
- laccase-cathode 234–235
 PQQ-GDH-anode 234–235
- d**
 diarylethenes
 Ag^+ cations 117, 119
 apo-glucose oxidase (apo-GOx) 114
 carboxyl-functionalized pyridinium-derivative 107
 Cu^{2+} and Ag^+ cations 117–118
 cyclizative photoisomerization 103
 electrochemical/photochemical transformations 113
 electrochemical properties 120
 FAD-functionalized electrode 114
 isomeric states, of photoswitchable molecules 120
 light signals (UV-Vis) 117
 monolayer-immobilized pyridinium-derivative 112
 multi-electrode array and multi-channel electrochemical device 109, 113
 ON and OFF states, absorbance spectra 106–107
 open-ring isomer 107
 optical-electrochemical signals 114, 116
 photochromic features 103
 photo/electro-switchable electron transport 114–115
 photo/electro-switchable monolayer 108, 111
 photoisomerization process 103
 photoswitchable electrochemical properties 107
 photoswitchable molecular wire 107, 109
 photoswitchable transformation 103, 106
 reversible photochemical isomerization 103, 105
 reversible photoinduced isomerization 106, 108
 reversible transition, closed-ring and open-ring states 103–104
 viologen molecules 103, 105
 dopamine ligands 59
- e**
 electrochemical fabrication method 265
 electrochemical systems and modified electrodes

- azobenzene-based photoelectrochemical switches 125
diarylethenes 103
functional interfaces
 Au electrode surface modification 173
 cyclic voltammograms 169–170
 Cyt reaction 174
 monolayer-modified electrode 171
 surface reflectance, SPR 169
 viologen-modified Au electrode
 surface 171, 173
magnetic micro/nano-species 5
magnetic nanoparticles, external magnetic field 24
phenoxy naphthacenequinones 120
pH value 177
electrolyte-insulator-semiconductor (EIS)
 chip 218, 289–290
energy harvesting
 physical methods of 231
 thermoelectric and piezoelectric effects 231
enzyme-based logic systems
 biomolecular species 206
 chemical input signals 204
 electrochemical analysis, of
 output signals
 chronoamperometric
 transduction 207–208
 chronoamperometry 206
 conductivity measurements 215
 DC-electrical conductivity
 measurements 207
 indirect electrochemical analysis 212
 pH-measurements 209, 211
 pH variation 206
 potentiometric transduction 209–210
 potentiometry methods 206
 semiconductor devices, transduction
 of 218
 signal-switchable materials 207
input signals 205
reconfigurable logic gates 204
unconventional biomolecular computing 204
enzyme-biocomputing 203
esterase (Est) 243, 245
- f**
Faradaic impedance spectroscopy 22, 50, 158
- ferricyanide solution 250
ferroceneacetic acid 47
ferrocene derivatives 12
ferrocene-derivatized thiolated monolayer 17
ferrocene oxidation 17
field emission scanning electron microscope (FESEM) 61
flip-flop systems 110
- g**
glucose dehydrogenase (GDH) 244–245, 247–248, 255, 273
biocatalytic label 273–274
glucose oxidase (GOx) 243, 245
glutaric dialdehyde 149, 151
graphene 10, 90
- h**
horseradish peroxidase (HRP) biocatalytic tag 250, 251
human serum albumin (HSA) 250–251
- i**
iminobiotin 189
implantable bioelectronic devices
 biofuel cells 231
 scientific research and engineering in 229
indium tin-oxide (ITO) electrode
 surface 20
interpenetrating-polymer network (IPN) 81, 82
iron-doped thermally reduced graphene oxide (Fe-TRGO) 10
- j**
lactate dehydrogenase (LDH) 240
logic functional devices 204
logic gates 298–300
lower critical solution temperature (LCST) 72
luminol 7
- m**
magnetic micro/nano-species
 DNA-monolayer reactions 53
 external magnetic field 24
 hydrophobic nanoparticles
 aqueous and non-aqueous environments 28

- magnetic micro/nano-species (*contd.*)
 Au electrode surface 26
 Au nanoparticles 41
 bioelectrocatalytic reaction 30
 bioelectrocatalytic systems 26
 biosensing system 39
 cathodic electrocatalytic current 35
 CdS nanoparticles 37
 cyclic voltammogram 30
 decamethylferrocene 35
 electrochemical reactions 25
 electrode surface 26
 Faradaic impedance spectroscopy 26,
 41
 GOx 39
 linear sweep voltammograms 42
 MP-modified Au electrode 33
 NAD⁺-dependent enzymes and
 ferrocene-mediated
 oxidase-enzymes 39
 photochemical electron transfer
 reactions 37
 photoelectrocatalytic reactions 30
 quantum yields 37
 quinone electrochemical process 30
 quinone-modified electrodes 44
 water-soluble naphthoquinone 28
 lateral translocation, on electrodes and
 electrode arrays 5
 magnetohydrodynamic effect 54
 polymer-composite materials 49
 repositioning and reorientation, on
 electrode surface 45
 vertical translocation, from electrode
 surface 11
 magnetic particles and nanowires
 alumina membrane templated
 method 60
 atomic force microscopy and transmission
 electron microscopy 55
 biomaterial binding 55
 biomedical and bioanalytical
 applications 55
 biosensing schemes 55
 biosensor 61
 dextran-coated magnetic particles 59
 dopamine ligands 59
 FePt magnetic nanoparticle 58
 gold-coated iron nanoparticles 55
 hybrid assemblies 57
 iron oxide magnetic nanoparticles 56
 Ni-Cu-Co composite magnetic
 nanowires 61
 one-dimension magnetic
 nanomaterials 60
 polyamidoamine (PAMAM)
 dendrimer 59
 polyfunctional nano-assemblies 58
 silica particles 56
 magnetohydrodynamic effect 239, 241
 maltose phosphorylase (MPh) 272, 278
 memory (read-write-erase or flip-flop)
 functions 203
 merocyanine 84
 methyl vinyl ether (MVE) 73
 Mott-Schottky plots 218–219
 multi-electrode arrays 109
 multi-walled carbon nanotubes
 (MWCNTs) 189, 269–270
- n**
- NADH oxidation 7
 nicotinamide adenine dinucleotide
 (NADH) 241, 247–248, 255
 N-isopropylacrylamide (NIPAM) 73
 N-vinylcaprolactam (NVCl) 73
- p**
- P4VP-brush-modified indium tin oxide
 (ITO) electrode 180
 peptide-nucleic acid (PNA) 61
 phenazine methosulfate (PMS) 289
 phenoxyphthalocyaninequinones
 ana-form and *trans*-form, reversible
 photoisomerization
 process 121–122
 ano-quinone 120
 Au electrode surface 121
 enzyme-biocatalyzed reaction 123–124
 pH dependence 122
 pH value 122
 quinone molecules and electrode
 surface 121
 single-walled carbon nanotubes
 (SWCNTs) 123–124
 spiropyran–merocyanine groups 141
 trans-quinone 120
 photoisomerizable groups 285
 photoisomerizable molecules 286
 pH-sensitive electrode 299
 pH value
 bioelectrocatalytic reactions 178

- enzymatic reactions 186–188
 NADPH electrocatalytic oxidation 179
 polymer-brush-modified electrodes
 advantages 196
 cyclic voltammograms 184
 differential pulse voltammograms
 (DPVs) 183
 electron transfer resistance 180
 enzyme-biocatalytic immune-
 biorecognition systems 196
 glutathione biocatalytic reduction 186
 hydrophilic form 179
 hydrophobic shrunken state 180
 “ON” and “OFF” states 184
 Os(dmo-bpy)₂ redox groups 183
 P4VP-polymer brush 180–181
 peak current dependences 183
 pH-stimulated biomolecule release 190
 polyacrylic acid component 181
 polymeric matrix 185
 reversible inhibition 181
 reversible pH-controlled
 transformation 184
 shrunken state 183
 viologen species, redox potential
 of 185
 pyrroloquinoline quinone (PQQ) redox
 reactions 178
 self-assembled monolayers 178
 trigger drug release 188
 physical energy conversion methods 231
 poly(2-vinylpyridine) (P2VP) 181
 polyacrylic acid (PAA) 181, 236–237
 polyamidoamine (PAMAM) dendrimer 59
 polyaniline 50
 polyethylene glycol (PEG) 273
 poly(N-isopropylacrylamide)-based
 polymer 73
 polymer-composite materials 49
 potentiometry methods 206
 1-pyrenebutanoic acid succinimidyl ester
 (PBSE) 269, 287
 pyrroloquinoline quinone (PQQ) 7, 12, 15,
 209, 236, 241
 PQQ-FAD 238
 PQQ-GDH-anode 189, 234, 269–270, 275
- q**
 quartz crystal microbalance (QCM) 23
 quinone/hydroquinone
 transformations 106, 108
- s**
 scanning electrochemical microscope
 (SECM) 267
 screen-printed electrode (SPE) 10
 self-assembled nanowires 24
 signal-responsive switchable electrodes 297
 signal-transduction methods 298
 signal-triggered release of biomolecules,
 alginate-modified electrodes 263
 “smart” signal-responsive systems 204
 spiropyran 84
 spiropyran/merocyanine
 photoelectrochemical switches
 amino-FAD synthetic
 molecules 154–155
 apo-GOx reconstitution 154–155
 bioelectrocatalyzed glucose
 oxidation 146
 conformational changes 141
 cytochrome c (Cyt) reaction 143
 ferrocene oxidation 156
 glucose oxidase apo-enzyme
 (apo-GOx) 154
 GOx chemical modification 147
 GOx reconstitution 156
 “command” electrode surfaces 142
 monolayer immobilized SP/MRH⁺ species
 and GOx enzyme 148
 multi-layer glutathione reductase (GR)
 system 149, 151, 152
 O₂ biocatalyst 142
 O₂ bioelectrocatalytic reduction 144
 open-ring isomeric form 141
 oxidation-reduction 141
 Pt nanoparticles 158
 SP-GOx hybrid immobilization 150, 153
 viologen (V²⁺) electron transfer
 mediator 149–150
 surface plasmon resonance (SPR)
 measurements 169
 switchable biocatalytic redox processes 287
 switchable bioelectronics 1
 switchable electrodes 299
 switchable enzymes
 Ca²⁺-switchable PQQ-GDH-CaM
 chimeric enzyme
 biofuel cell 291–292
 electrocatalytic function of 287–289
 semiconductor chip 289–291
 substance release system 292–294
 motivation and applications 286

- switchable/tunable biofuel cells 236
 electrical signals
 bioelectrocatalytic electrodes 238
 CO_x-Cyt-modified electrode 236
 PAA 236–237
 polarization functions and power
 release functions 239
 switched OFF state 238
 switched ON state 238
 logically processed biochemical signals
 AND Boolean logic gate 253
 AND logic gate 244–245
 anti-DNP and anti-NT antibodies 250
 biocatalytic cascade 247–248
 DNA-modified electrode 253–254
 electrocatalytic current 243–244
 HRP biocatalytic tag 250, 251
 OR logic gate 244–245
 O₂-reduction, bioelectrocatalytic
 cathode for 242, 244
 pH changes 242–243
 polarization curves 246–249, 252
 signal-switchable DNAzyme-based
 cathode 255
 magnetic signals
 biocatalytic anode, NAD⁺-dependent
 LDH 240
 depletion layer, electrode
 surface 239–240
 magnetohydrodynamic effect 239
 polarization curves 241–242
 power density 241
 synthetic hybrid enzyme 300
- t**
 theranostic approach 263
 thermo-sensitive polymers
 entrapped metal nanoparticles 93
 external signals, modified electrodes 89
 [Fe(CN)₆]³⁻-electrochemical behavior 74
 GOx biocatalytic reaction 77
 GOx-bioelectrocatalyzed reactions 74, 76
 hydrogen bonding ability 72
 hydrophilicity and solubility 72
 LCST 72–73
 PNIPAM film 74–75
 PNIPAM-GOx-modified electrode 74, 77
 PQQ-GDH, ferrocene (Fc) units 78, 79
 soluble-to-solid transformation
 characteristic 73
 temperature-and photo-sensitive modified
 electrodes 83
 temperature-and pH-sensitive modified
 electrodes 80
 upper critical solution temperature
 (UCST) 73
 trans-quinone 120
- u**
 ultraviolet (UV) irradiation 84
- w**
 W/O emulsion 216
 write-read-erase process 109, 110, 112