

Contents

| | | |
|----------|--|-----------|
| | Preface | <i>xi</i> |
| 1 | Introduction | <i>1</i> |
| | References | <i>1</i> |
| 2 | Magneto-switchable Electrodes and Electrochemical Systems | <i>5</i> |
| 2.1 | Introduction | <i>5</i> |
| 2.2 | Lateral Translocation of Magnetic Micro/nanospecies on Electrodes and Electrode Arrays | <i>5</i> |
| 2.3 | Vertical Translocation of Magnetic Micro/Nanospecies to and from Electrode Surfaces | <i>11</i> |
| 2.4 | Assembling Conducting Nanowires from Magnetic Nanoparticles in the Presence of External Magnetic Field | <i>24</i> |
| 2.5 | Vertical Translocation of Magnetic Hydrophobic Nanoparticles to and from Electrode Surfaces | <i>24</i> |
| 2.6 | Repositioning and Reorientation of Magnetic Nanowires on Electrode Surfaces | <i>45</i> |
| 2.7 | Integration of Magnetic Nanoparticles into Polymer-Composite Materials | <i>49</i> |
| 2.8 | Conclusions and Perspectives | <i>51</i> |
| 2.9 | Appendix: Synthesis and Properties of Magnetic Particles and Nanowires | <i>54</i> |
| | References | <i>62</i> |
| | Symbols and Abbreviations | <i>69</i> |
| 3 | Modified Electrodes and Electrochemical Systems Switchable by Temperature Changes | <i>71</i> |
| 3.1 | Introduction | <i>71</i> |
| 3.2 | Thermo-sensitive Polymers with Coil-to-Globule Transition | <i>72</i> |
| 3.3 | Electrode Surfaces Modified with Thermo-sensitive Polymers for Temperature-controlled Electrochemical and Bioelectrochemical Processes | <i>74</i> |
| 3.4 | Electrode Surfaces Modified with Multicomponent Systems Combining Thermo-sensitive Polymers with pH-, Photo- and Potential-Switchable Elements | <i>79</i> |
| 3.4.1 | Temperature- and pH-sensitive Modified Electrodes | <i>80</i> |

| | | |
|----------|--|------------|
| 3.4.2 | Temperature- and Photo-sensitive Modified Electrodes | 83 |
| 3.4.3 | Temperature-sensitive Modified Electrodes Controlled by Complex Combinations of External Signals | 89 |
| 3.5 | Electrodes Modified with Thermo-switchable Polymer Films Containing Entrapped Metal Nanoparticles – Inverted Temperature-dependent Switching | 93 |
| 3.6 | Conclusions and Perspectives | 94 |
| | References | 96 |
| | Symbols and Abbreviations | 98 |
| 4 | Modified Electrodes and Electrochemical Systems Switchable by Light Signals | 101 |
| 4.1 | Introduction | 101 |
| 4.2 | Diarylethene-based Photoelectrochemical Switches | 103 |
| 4.3 | Phenoxynaphthacenequinone-based Photoelectrochemical Switches | 120 |
| 4.4 | Azobenzene-based Photoelectrochemical Switches | 125 |
| 4.5 | Spiropyran–merocyanine-based Photoelectrochemical Switches | 141 |
| 4.6 | Conclusions and Perspectives | 158 |
| | References | 159 |
| | Symbols and Abbreviations | 167 |
| 5 | Modified Electrodes Switchable by Applied Potentials Resulting in Electrochemical Transformations at Functional Interfaces | 169 |
| | References | 175 |
| | Symbols and Abbreviations | 176 |
| 6 | Electrochemical Systems Switchable by pH Changes | 177 |
| 6.1 | Introduction | 177 |
| 6.2 | Monolayer Modified Electrodes with Electrochemical and Electrocatalytic Activity Controlled by pH Value | 178 |
| 6.3 | Polymer-Brush-Modified Electrodes with Bioelectrocatalytic Activity Controlled by pH Value | 179 |
| 6.4 | pH-Controlled Electrode Interfaces Coupled with <i>in situ</i> Produced pH Changes Generated by Enzyme Reactions | 186 |
| 6.5 | pH-Triggered Disassembly of Biomolecular Complexes on Surfaces Resulting in Electrode Activation | 188 |
| 6.6 | pH-Stimulated Biomolecule Release from Polymer-Brush Modified Electrodes | 190 |
| 6.7 | Conclusions and Perspectives | 196 |
| | References | 197 |
| | Symbols and Abbreviations | 201 |
| 7 | Coupling of Switchable Electrodes and Electrochemical Processes with Biomolecular Computing Systems | 203 |
| 7.1 | Introduction | 203 |
| 7.1.1 | General Introduction to the Area of Enzyme-based Biocomputing (Logic) Systems | 203 |

| | | |
|----------|---|------------|
| 7.1.2 | General Definitions and Approaches Used in Realization of Enzyme-based Logic Systems | 205 |
| 7.2 | Electrochemical Analysis of Output Signals Generated by Enzyme Logic Systems | 206 |
| 7.2.1 | Chronoamperometric Transduction of Chemical Output Signals Produced by Enzyme-based Logic Systems | 207 |
| 7.2.2 | Potentiometric Transduction of Chemical Output Signals Produced by Enzyme-based Logic Systems | 209 |
| 7.2.3 | pH-Measurements as a Tool for Transduction of Chemical Output Signals Produced by Enzyme-based Logic Systems | 209 |
| 7.2.4 | Indirect Electrochemical Analysis of Output Signals Generated by Enzyme-based Logic Systems Using Electrodes Functionalized with pH-Switchable Polymers | 212 |
| 7.2.5 | Conductivity Measurements as a Tool for Transduction of Chemical Output Signals Produced by Enzyme-based Logic Systems | 215 |
| 7.2.6 | Transduction of Chemical Output Signals Produced by Enzyme-based Logic Systems Using Semiconductor Devices | 218 |
| 7.3 | Summary | 220 |
| | References | 220 |
| | Symbols and Abbreviations | 226 |
| 8 | Biofuel Cells with Switchable/Tunable Power Output as an Example of Implantable Bioelectronic Devices | 229 |
| 8.1 | General Introduction: Bioelectronics and Implantable Electronics | 229 |
| 8.2 | More Specific Introduction: Harvesting Power from Biological Sources – Implantable Biofuel Cells | 231 |
| 8.3 | Biofuel Cells with Switchable/Tunable Power Output | 236 |
| 8.3.1 | Switchable/Tunable Biofuel Cell Controlled by Electrical Signals | 236 |
| 8.3.2 | Switchable/Tunable Biofuel Cell Controlled by Magnetic Signals | 239 |
| 8.3.3 | Biofuel Cells Controlled by Logically Processed Biochemical Signals | 242 |
| 8.4 | Summary | 256 |
| | References | 257 |
| | Symbols and Abbreviations | 260 |
| 9 | Signal-triggered Release of Biomolecules from Alginate-modified Electrodes | 263 |
| 9.1 | Introduction – Signal-activated Biomolecular Release Processes | 263 |
| 9.2 | Alginate Polymer Cross-linked with Fe^{3+} Cations – The Convenient Matrix for Molecular Release Stimulated by Electrochemical Signal | 264 |
| 9.3 | Self-operating Release Systems Based on the Alginate Electrodes Integrated with Biosensing Electrodes | 268 |
| 9.4 | Conclusions and Perspectives | 278 |
| | References | 279 |
| | Symbols and Abbreviations | 282 |

| | | |
|-----------|--|------------|
| 10 | What is Next? Molecular Biology Brings New Ideas | 285 |
| 10.1 | Switchable Enzymes and Their Use in Bioelectrochemical Systems – Motivation and Applications | 286 |
| 10.2 | Electrocatalytic Function of the Ca^{2+} -Switchable PQQ-GDH-CaM Chimeric Enzyme | 287 |
| 10.3 | Integration of the Ca^{2+} -Switchable PQQ-GDH-CaM Chimeric Enzyme with a Semiconductor Chip | 289 |
| 10.4 | A Ca^{2+} -Switchable Biofuel Cell Based on the PQQ-GDH-CaM Chimeric Enzyme | 291 |
| 10.5 | Substance Release System Activated with Ca^{2+} Cations and Based on the PQQ-GDH-CaM Chimeric Enzyme | 292 |
| 10.6 | Summary | 294 |
| | References | 294 |
| | Symbols and Abbreviations | 296 |
| 11 | Summary and Outlook: Scaling up the Complexity of Signal-processing Systems and Foreseeing New Applications | 297 |
| | References | 301 |
| | Index | 303 |