

Index

a

Alburnex 86, 88
 alginic acid 33
 alkaline phosphatase (ALP) activity
 112, 124, 166, 178
 antimicrobial activities 169
 antisense oligonucleotides (ASOs) 33,
 110, 172
 aptamer-responsive hydrogels
 147–148
 arginine-chitosan (Arg-Cs)/DNA
 self-assembled nanoparticles
 (ACSN) 29
 arginine–glycine–aspartic acid (RGD)
 77, 135, 158, 167, 168, 171, 174
 argonaute 110, 113
 artificial nano-scaled fibers 59, 166
 artificial scaffolds 168, 179
 asbestos 188
 asialoorosomucoid 72
 automotive industry, sensors 4–5

b

basic fibroblast growth factor (bFGF)
 143, 175–178
 biochip technology 48, 188
 biodegradable hydrogels 133,
 139–142, 146
 biodegradable nanoparticles 39–40,
 48, 59, 114, 119, 187
 biodegradable polymers 12, 20–25,
 58, 144, 164
 biodegradable synthetic polymers 15
 biohazard 28, 193–194

bioimaging 119, 120
 biological molecules 11, 15, 22, 161,
 178
 biological spectrum technique 15
 biomaterials technology 12, 18, 19
 biomedical engineering 19, 133, 134,
 142, 157
 biomedical materials
 biodegradable nanoparticles 39–40
 biodegradable polymers 20–25
 biosensing assays 11
 cell therapy 18
 chemical mechanisms 14
 drug control release 14
 drug screening 11
 mechanical behavior 15
 natural biomaterials 25–39
 optical properties of 15
 physical mechanisms 13
 physical properties of 15
 surface properties 17
 surface treatments of 17
 thermal properties, polymers 15
 biomineralization materials 174
 bionanotechnology 178, 179, 195
 biopolyelectrolytes 27
 biotinylated biomolecules 11, 23, 24
 bone morphogenic proteins (BMPs)
 156, 178
 bone regeneration 33, 178
 bottom-up approach 3–4, 20, 193
 bovine serum albumin (BSA) 143
 brain tissues 134, 158
 buffering effect 66

c

- cancer therapy, siRNA 113–114
- cationic dextrans 30
- cationic lipids 38–39, 49, 72, 114
- cationic microbubbles 87
- cationic polymers 56, 65–72, 111, 112, 125
- cationic polysaccharides 27, 28, 30, 73
- cationized gelatin-plasmid DNA
 - nanoparticle 68, 83, 84, 90
- cell culture scaffold 170–171
- cell cytotoxicity assay 190
- cell permeabilization 81
- cell receptor-mediated uptake 72–78
- cellular microenvironment
 - ECM 160
 - nerve tissue 161–162
 - niche 160–161
- chemokine C-X-C motif receptor 4 (CXCR4) 112, 125
- chitosan 28–29
- chitosan lactate (CL) 29
- chondroitin sulfate 33, 34, 160
- collagen degradation 134, 157
- colloidal carrier system 57–58
- connective tissue 160, 162, 165
- contact lenses 14
- conventional phosphate method 49, 72
- conventional treatment methods 117
- cyclodextrins (CD) 29–30

d

- defense applications of nanotechnology 5
- degrees of polymerization (DP(*n*)) 29
- dendritic cell (DC) 34, 56, 122
- dextran 28, 30, 32, 35, 73, 121
- dextran–spermine based conjugate 31, 36, 73–75
- dextran–spermine (D-SPM) polycations 30, 112
- Dicer 110, 111, 113
- direct plasmid injection 81
- DNA-responsive hydrogels 146–147

- double-stranded RNA (dsRNA) 55, 109
- drug control release 14, 145
- drug plasma concentrations 12, 144
- D-SPM polycations 30, 32, 35, 37, 112

e

- electronic biomaterials 15
- electrophoretic light scattering (ELS) 68, 69, 189
- endosomal escape 72, 73
- engineering hydrogels 22, 138–139
- enhanced permeability and retention (EPR) 39, 78, 122
- epithelium tissue 162
- ethylenediamine (Ed) 34, 67, 69–71
- extracellular matrix (ECM) 18, 27, 50, 77, 133, 157, 160, 161

f

- fiber bonding 154
- fluorescence *in situ* hybridization (FISH) 87
- fluorescence recovery after photobleaching (FRAP) 143

g

- gas foaming 154
- gelatin gum (GG) 34, 35
- gelatin 26, 27, 67–72, 82–85, 91, 175
- gelatin derivatives–plasmid DNA
 - nanoparticles 67, 69, 70, 82
- gene delivery systems 29, 33, 35, 63, 65, 91, 92, 111
- gene gun 79
- gene therapy
 - aim of 63
 - non viral vectors
 - cationic lipid 72
 - cationic polymers 65–72
 - cell receptor-mediated uptake 72–78
 - conventional phosphate method 72
 - DNA nanoparticle uptake 80–91

- physical methods 78–80
- viral vectors 64–65
- giga-scale integration (GSI) 2
- Gla protein 178
- glycosaminoglycans
 - chondroitin sulfate 34
 - heparin 34
 - hyaluronic acid (HA) 33–34
 - N*-glycan-polyacridine peptide 34
 - polyethylenimine 34
- glycosaminoglycans (GAGs) 26, 33–35, 134, 157, 174
- gold nanoparticles (AuNPs) 52, 54, 147, 148, 159
- gold nanorods 52
- green fluorescent protein (GFP) 81, 86
- h**
- hairy regions (HRs) 27
- heparin 33, 34, 175
- homointerpenetrating polymer network (homo-IPN) 136
- hyaluronate grafted poly-*L*-lysine copolymer 34
- hyaluronic acid (HA) 17, 33–34, 133, 134, 157
- hydrogels
 - aptamers 147–148
 - biodegradable 133
 - DNA 146–147
 - engineering 138–139
 - growth factors 133, 142–143
 - hyaluronic acid (HA) 134
 - IPN 135
 - IPNs 139–142
 - mechanical properties of 134–138
 - neural stem cells 134
 - polymer 143–145
 - RNA 146
 - tissue engineering 133, 156
- hydrophilic polymers 21, 35, 37, 39, 73, 76, 121
- hydrophobic compounds 87
- hydroxypropyl cellulose 33
- hyperthermia 80, 118, 119, 123, 125
- i**
- immunoaffinity column (IAC) 148
- information technology (IT)
 - defined 1, 6
 - nanotechnology 6
- insurance industry 192
- integrin, $\alpha_v\beta_3$ 77
- Integument Technologies, Inc. (ITI) 137
- interpenetrating networks (IPNs) 134–138, 158
- in vitro* cytotoxicity assays 190
- in vitro* gene transfection 80
- l**
- lactate dehydrogenase (LDH) 125, 190
- light scattering measurement 69
- lipofectamine 35
- Lipofectin™ 38, 49, 72
- lithotripter shock wave 81
- lower critical solution temperature (LCST) 123, 124
- lysosomal membranes 66
- m**
- macroporous hydrogels 17, 139
- magnetic hyperthermia 125
- magnetic nanoparticles 117, 122
- magnetofection 124
- medicine, biomedical materials 11
- melanoma differentiation-associated gene 5 (MDA-5) 55, 109
- mesenchymal stem cells (MSCs) 25–27, 34, 124, 135, 158, 163, 171, 174, 175, 190
- micro- and nanopatterned scaffolds 167
- microbubbles 86–88
- micro-electro-mechanical systems (MEMS) 2
- microenvironment microarrays (MEArrays) technology 161
- microRNA (miRNA) 55, 56, 109–111, 113, 146
- molecular assembly 3

- molecular nanotechnology (MNT)
 - 48, 187
- mononuclear phagocytes system (MPS)
 - 39
- multifunctional magnetic nanoparticles
 - 124
- multifunctional SPION 118
- muscle tissue 85, 158, 162

- n**
- nanofabrication 2
- nanomaterials
 - biocompatibility and toxicity of
 - cell cytotoxicity assay 190
 - chemical reference standard
 - 190–191
 - in vitro* biological approaches of
 - 188–190
 - tissue and organs 188
 - classification of
 - nanoparticles 48–49
 - nanorods 52
 - nanowires 50–51
 - proteins and peptides self-assembly
 - of 52–54
 - future aspects 195–196
 - gene silencing technology
 - miRNAs 111
 - shRNAs 110–111
 - siRNA 110
 - limitations of 194–195
 - nanocarriers
 - colloidal carrier system 57–58
 - gene therapy technology 54–55
 - nano-particulate system 59
 - siRNA technology 55–57
 - nanoscaffolding materials 59–60
 - safety issue of
 - biohazard of 193–194
 - environment 192–193
 - quality assurance statements
 - 191–192
 - nanomedicine 5, 47, 48, 187, 188
 - nanoparticle-based hyperthermia
 - 125
 - nano-particulate drug delivery systems
 - 59
 - nanoscaffolding materials 59–60
 - nanoscale size effect 2
 - nanoscale vectors 117
 - nanotechnology
 - applications of
 - consumer goods 6
 - energy 6
 - IT-based systems 6
 - medicine 6
 - bottom-up approach 3–4
 - challenges of 6–8
 - definition 1
 - impact of
 - automotive industry 4–5
 - energy and environment 5
 - health and medicine 5
 - national security 5
 - in natural hydrogel 133
 - power of 1
 - size in 2
 - tissue engineering 151
 - top down approach 2–3
 - nanotoxicology 194, 196
 - nanovaccinology 48, 187
 - nanowires 3, 49–53, 159, 195
 - natural biomaterials
 - cationic lipid 38–39
 - cells and tissues 25
 - chitosan 28–29
 - cyclodextrins 29–30
 - dextran 30–32
 - D-SPM 30–32
 - gelatin 26
 - pectin 27–28
 - polysaccharide and protein 26
 - polysaccharide polymers
 - alginic acid 33
 - glycosaminoglycans 33–35
 - hydroxypropyl cellulose 33
 - pullulan 32
 - schizophyllan 33
 - polysaccharides, gene delivering
 - agents 35–38
 - natural killer (NK) cell 57

- natural polymers 17, 26, 157
 advantages of 133
 synthetic and 25
- nerve regeneration 155, 156, 164–166
- nerve tissue 156, 161–162
- nervous tissue 162
- net-poly(ethylene glycol) (net-PEG)
 136
- neuroscience 166–167
- N*-glycan-polyacridine peptide 34
- niche 18, 160–161
- non-biological materials 15
- non-proteoglycan polysaccharides
 160
- non viral vectors
 cationic lipid 72
 cationic polymers 65–72
 cell receptor-mediated uptake
 72–78
 conventional phosphate method 72
 DNA nanoparticle uptake 80–91
- non-viral vectors 55
 siRNA delivery systems 111–113
- NOVAFACT oligomeric chitosans 29
- o**
- ochratoxin A (OTA) 148
- oligodeoxynucleotide (ODN) 172
- optison 88
- osteocalcin (OCN) 124, 178
- p**
- paramagnetic nanoparticles 119
- pectin 26–28, 58
- PEGylated dextran-spermine-pSV-LacZ
 nanoparticle 37, 76
- peptide amphiphile (PA) 50, 60, 134,
 157, 172
- periodontal microcapsules 57
- personal glucose meter (PGM) 147
- personal nanofactory 1
- pharmaceutical technology 12, 143
- photolithography 3, 4, 19, 24, 154
- photopolymerizable hydrogels 22
- plasmid DNA internalization 72, 78
- poly(acrylic acid) (PAAc) 25, 136
- polycationic nanoparticles 49
- polycations 28, 30, 32, 33, 37, 49, 65,
 73, 76, 111, 112
- poly(dimethylsiloxane) (PDMS) 147
- poly(ϵ -caprolactone) (PCL) 20
- poly(ethylene glycol) (PEG) 22, 24, 78,
 121, 133, 156
- polyethyleneimine (PEI) 49, 65, 113,
 121
- poly(glycolic acid) (PGA) 20, 21, 35,
 58, 60, 73, 76, 121, 124, 154, 167,
 189
- poly(2-hydroxyethyl methacrylate)
 (PHEMA) 136, 156
- poly(lactide-*co*-ethylene
 oxide-*co*-fumarate) (PLEOF)
 39, 40
- poly(lactide-*co*-fumarate) (PLAF) 39,
 40
- poly(lactide-*co*-glycolide) (PLGA) 27,
 39, 58, 142
- poly(lactide-*co*-glycolide-*co*-fumarate)
 (PLGF) 39, 40
- poly(lactide)-*co*-poly(ethylene glycol)
 (PLA-PEG) 39
- polymeric hydrogel, drug delivery
 system 143–145
- polymeric nanoparticles
 drug delivery with 122–123
 excretion and metabolism 117
 future aspect 126
vs. gene transfer 124–125
 in MRI technology and disease
 therapy 119–121
 surface coating polymer in 121–122
 surface modification 117
- poly(*N*-isopropylacrylamide)
 (PNIPAAm) 136
- poly(vinyl alcohol) (PVA) 78, 121, 136
- porous scaffolds 153–156
- preosteoblastic cells 33
- primary microRNAs (pri-miRNAs)
 111
- Pronectin[®] 77
- Pronectin F⁺ cationized charges 78
- protein-based polymers 133, 157

- protein kinase R activator (PACT)
110, 111
- pullulan 28, 32
- q**
- quality assurance statements 191–192
- r**
- rat gastric mucosal (RGM-1) cells 70
- receptor-mediated internalization 72
- regenerative medicine therapy
- biomineralization materials 174
 - nanomaterials
 - antimicrobial activities 169
 - cell culture scaffold 170–171
 - drug and gene delivery 171–174
 - RGD 167
 - self-assembled systems 169
 - three dimensional peptides matrix 168–169
 - self-assembled systems
 - amphiphilic peptide 179
 - bFGF promoted angiogenesis 175
 - bone regeneration 178
 - MSC 175
 - renal cell cancer (RCC) 56
 - reticuloendothelial system (RES) 38, 76, 118, 121, 123
 - retinoic acid-inducible gene-1 (RIG-1) 55, 109
 - RNA backbone 56, 110
 - RNA induced silencing complex (RISC) 110, 111, 113
 - RNA interference (RNAi) 55, 109
 - RNA-responsive hydrogels 146
- s**
- scaffolds 11, 12, 18, 21, 24, 26, 48, 53, 134, 138, 142, 153, 154, 157, 166–168, 171, 175, 178, 179, 188
- schizophyllan 33
- segmented polyurethane (SPU) 138
- self assembly 4, 50, 52–54, 59, 60, 134, 158–160, 167, 169, 172, 195
- shock wave treatment 81
- shRNAs 110–111
- silk fibroin (SF) 136
- silk-like protein (SLP) 77
- small interfering RNA (siRNA)
- AGO protein 110
 - in cancer therapy 113
 - cytoplasmic proteins 109
 - in vivo* delivery of 111
 - sense and antisense 109, 110
 - therapeutic potential of 109
- smart polymers 24
- solid free form (SFF) 154
- spermidine (Sd) 67, 69–71
- spermine (Sm) 30, 35, 67, 70, 71, 73, 112
- stimuli-sensitive drug delivery 123–124
- streptavidin 23, 24, 159, 160
- stress shielding effect 15
- succinated chitosans 29
- sulfated glycosaminoglycan 34
- sulfobetainemethacrylate (SBMA) polymer 138
- super-paramagnetic iron oxide (SPIO) 118, 123, 124
- sustained release devices 13, 144
- synthetic polymer 15, 20, 25, 136, 153, 166
- systematic evolution of ligands by exponential enrichment (SELEX) process 147
- t**
- TAR RNA-binding protein (TRBP) 110, 111
- thermal properties for polymers 15
- three dimensional peptides matrix 168–169
- 3D scaffolding materials
- casting 154
 - fiber bonding 154
 - freeze drying 154
 - gas foaming 154
 - phase separation 154
 - photolithography 154
 - SFF 154

- 3D tissue culture system 17
 - tissue engineering 12
 - cellular microenvironment
 - ECM 160
 - nerve tissue 161–162
 - niche 160–161
 - damaged tissue and organs 162
 - future aspect 179–180
 - interdisciplinary approach of 163
 - neuroscience 166–167
 - regenerative medicine 162
 - regenerative medicine therapy
 - biomineralization materials 174
 - nanomaterials 167–168
 - self-assembled systems 174–175
 - schematic illustration of 163
 - 3D *in vitro* cell culture technology
 - development of 164
 - nerve regeneration 164–166
 - 3D *in vitro* systems
 - goal of 152
 - hydrogels 156–158
 - interdisciplinary approach 152
 - porous scaffolds 153–156
 - self-assembly of proteins 158–160
 - top down approach 2–3
 - transferrin 64, 72, 79
- U**
- ultralarge-scale integration (ULSI) 2
 - US irradiation 79, 80, 82–85, 89–91
 - US-mediated transfection 85
- V**
- very large scale integration (VLSI) 2
 - viral-mediated gene therapy 54, 64
 - volumetric bar-chart chip (V-Chip) 148

