

Index

a

- acetyl-tri-n-butyl citrate (ATBC) 124
- acid-soluble collagen (ASC) 37, 38
- acidoresponsive composite films and fibrous mats 384
- active antioxidant packaging 350
- active coating
 - antimicrobial agents 85
 - antioxidant agents 85–86
- active edible coatings 85, 86
- active food packaging 10, 338, 349–353, 356, 359–363
- active packaging (AP) systems
 - active-releasing systems 325
 - active scavenging systems 325
 - antimicrobial packaging 326–328
 - benefit 340
 - definition 325
 - using polymeric films 326
- active packaging compositions and natural additives effect 358
- Ageless Eye® 377
- aggregation-induced emission (AIE) 384
- aleuritic acid 169, 186, 187
- alginate 63
- alginate-based edible coatings 63, 412
- alginate/chitosan films 404
- aliphatic–aromatic copolymer 9
- alkaline treatment with sodium hydroxide 241
- alkene ketene dimer wax (AKD) 283
- alkenyl succinic anhydride (ASA) 283
- 3-aminopropyltriethoxysilane (APTS) 117, 316
- amorphous cellulose-based bioplastics 361
- amorphous starch/zein blend films 215, 217
- amylopectin 15, 16, 71, 137–141, 143–145, 154, 165, 294
- amylose 15, 16, 71, 137–141, 143–145, 154, 165, 212, 213, 294, 410
- anthocyanin treated polyvinyl/cellulose indicator foam 382
- anthocyanins 44, 354, 376, 379–382
- antibacterial properties, PLA 115–116, 123
- antimicrobial agents 40, 58, 85, 116, 122, 201, 327–340, 412
- antimicrobial food packaging systems 326, 328, 336
 - natural antimicrobial agents 328–340
 - bacteriocins 336–337
 - chitosan 338–340
 - enzymes 337–338
 - organic acids, salts and anhydrides 335–336
 - plant extracts 328–335
 - types 327
- antioxidant agents 42, 60, 85–87, 212
- antioxidant food waste
 - chocolate industry 360
 - red beetroot 359
- antioxidant natural extracts
 - berry family 354
 - fruit seed extract 356
 - herbs and spices 354
 - phenolic compounds 353

- antioxidant natural extracts (*contd.*)
 - tea 353
- apple fruit 333
- Aticelca test method 275–276
- attenuated total reflectance (ATR-FTIR)
 - spectroscopy
 - cutin-inspired polyhydroxy esters 180, 181
 - of polyaleuritrate films on stainless steel 185, 186
- Aureobasidium pullulans* 71
- b**
- bacteria colonization, of PG coated PP surfaces 402
- bacterial cellulose nanocrystal (BNC) films 316
- bacterial nanocellulose 307, 309
- bacteriocins, in antimicrobial packaging systems 336
- barrier properties 3, 15–17, 20–22, 40–41, 73–75, 88, 110–113, 115–116, 123–124, 146–150, 200–201, 231–232, 281–283, 285–291, 296–300, 305–307, 312–316, 352–354, 400–401, 403–404, 406–416, 418
- beeswax 80, 82, 84, 86, 187–188, 400
- biaxially oriented poly(lactic acid) (BOPLA) films 410, 411
- bio-based, biodegradable polymers
 - classification 164–165
 - monomer units and applications 166–168
- bio-based multilayer food packaging 395
- bio-based polybutylene succinate (bio-PBS) 10
- bio-based polyethylene (bio-PE) 11
- bio-based polyethylene terephthalate (bio-PET) 6, 13–14
- bio-based polymers 4–6, 12, 166, 188, 217, 227, 228, 237, 282, 379, 398, 418
- bio-based polymer matrices, antimicrobial agents incorporation
 - bacteriocins 332
 - enzymes 333
 - organic acids, salts and anhydrides 331
 - plant extracts 329
- biocircular economy 248
- biocompatible cyanoacrylate monomers 283
- biocomposite films 361
- biocomposites, defined 227
- biodegradability 123–124
- biodegradable bilayer film fabrication 417
- biodegradable biopolymers 21, 135, 236, 281
- biodegradable films 21, 146, 201, 307, 335, 398, 409
- biodegradable packaging 16, 17, 20, 23, 111, 133, 135, 151, 154, 340, 410
- biodegradable polymers 4–6, 11, 22, 23, 111, 114, 133, 135, 136, 146, 153, 164–166, 218, 227, 228, 236, 249, 265, 293, 416
 - classification 228
 - definition 227
- bio-elastomers
 - antioxidant 360
 - cocoa 360
- BIO-FLEX[®] 406
- biogenic amines (food spoilage indicators) 380, 384
- bi layering approach 409
- biomass carbohydrates 5
- biomaterials 153, 220, 236, 353
 - sustainability packaging 135–137
- bioplastics 4–7, 22–23, 153, 161–166, 169, 171–172, 227–228, 247–248, 361
- bioplastic films
 - active
 - containing tea and berry extracts 354–355
 - incorporated with herbal extracts 356–357
- bioplastics production 6, 22
 - from biopolymers, advantages and drawbacks 163, 164

- biopolyesters 8, 166, 171, 420
 - advantages 418
 - multilayer film coatings on 415–418
 - biopolymers 281, 282
 - advantages 352
 - classification of 4–6
 - definition 227
 - food packaging 3
 - bio-based polyethylene 11–12
 - bio-based polyethylene terephthalate 13–14
 - poly(ϵ -caprolactone) 15
 - poly(butylene adipate-*co*-terephthalate) 9–10
 - polybutylene succinate 10–11
 - polyethylene furanoate 14–15
 - polyhydroxyalkanoates 8–9
 - polylactide 7–8
 - protein-based films 17–18
 - thermoplastic starch 15–17
 - biopolymer coated oil-derived polymer films 399
 - biopolymer-tannic acid films 334
 - biorefinery 6
 - bisphenol A (BPA) resins 163, 184, 185
 - blown extrusion technique 201, 202
 - blueberry 71, 333, 354
 - bromophenol blue dye (BPB) 383
- C**
- C16-based cutins 169
 - C18-based cutins 169
 - candelilla wax 80–82, 84
 - capstone treated cardboard 287, 288
 - Carbon fibershove 122
 - carboxymethyl cellulose (CMC) 67, 84, 86, 148, 171, 336, 338, 411
 - cardboard sheet
 - capstone and ECA treatment 283
 - chemical characterization 285
 - FTIR spectra 285, 287
 - mechanical characterization 291–292
 - moisture content 289–291
 - morphological characterization 283–284
 - oil contact angle 285–288
 - sample preparation 283
 - SEM images of 284
 - stereo-micro photograph of 283–284
 - water contact angle 285, 288–290
 - water drop deposition 285
 - XPS analysis 285, 286
 - carnauba wax 80–82, 186, 187, 412, 413
 - carrageenans 63–67
 - casein 18, 21, 73–74, 136, 166, 282, 404
 - caseinates 21, 74
 - cast polyvinyl alcohol layered PP films with REE and CEO 404
 - cellulose 17, 67, 165, 281
 - microfibrils arrangement 237
 - types 308
 - cellulose derivatives 17, 67, 68, 171, 420
 - solubility properties 68
 - cellulose fibers 121, 148, 165, 237, 245, 264–267, 272, 273, 275, 277, 285, 289, 291, 312
 - advantages 264
 - as reinforcement, development of 264
 - characteristics 264
 - cellulose nanocrystals (CNC) 147, 148, 308, 309, 312, 313, 315, 316
 - for barrier applications 315
 - cellulose nanofibers (CNF) 115, 119, 309–311, 313–315, 332, 336
 - for barrier applications 314–315
 - cellulose nanofibrils 309, 311
 - cellulose nanostructures 305
 - cellulose-based paper and cardboard 282
 - cellulosic packaging 263
 - chain extenders 9, 235
 - chemical fibre modification treatments 241
 - Chilean berry 354
 - chitin 36, 42–43, 69, 119, 147, 148, 165, 338, 352, 398
 - chitin extraction 42–43

- chitosan 69–70, 165
 - in antimicrobial packaging systems 338
 - coating, on paper-based materials 412, 413
 - chitosan films and coatings
 - characterization 43–44
 - chitin 42–43
 - food shelf-life extension 44–46
 - chitosan-based antimicrobial films 334
 - chitosan-based CO₂ indicator 387
 - chitosan-carrageenan-montmorillonite (CH/CR/MMT) layers 414–415
 - chitosan-LAE films 339, 340
 - chitosan-sodium montmorillonite films 339
 - chitosan/agarose/anthocyanin film 382
 - chitosan/methyl cellulose films 335
 - cinnamon essential oil (CEO) 328, 404
 - circular economy 8, 188, 237, 248, 264, 351
 - cloud point 203
 - CO₂ indicators 377, 387
 - coating process 313
 - cocoa bean shell waste
 - bio-elastomers 360
 - bio-filaments for 3D printing application 360
 - collagen 18
 - extraction
 - fish gelatin 37–42
 - proteins 74–75
 - colorimetric bio based pH responsive system 381
 - composite edible coatings 83
 - compostable plastics 227, 228, 406
 - continuum of mobility model 233
 - copolymers 4, 8, 9, 11–13, 15, 63, 114, 214, 215, 230, 231, 242, 283, 382, 400
 - corn zein 18, 20–21, 77, 200, 201, 212–214, 400, 404, 405
 - corn zein nanocomposite coatings (CZNC), of PP films 404, 405
 - corn zein-soy protein isolate (CZ/SPI) bilayer film 213, 214
 - corn-zein-coated PP film 213
 - corn-zein-laminated linear low-density polyethylene (LLDPE) films 3, 212, 213
 - curcumin based on-package sticker sensor 383
 - cutins
 - biodegradability 171–172
 - C16 and C18 169
 - characteristics 166
 - vs. commercial plastics and bioplastics 169–172
 - composition 169
 - dihydroxylated C16 fatty acids 169
 - mechanical properties of 171
 - sustainable renewable resource 172–173
 - cutin-inspired coatings on metal substrates 183–186
 - cutin-inspired polyesters 173–183
 - direct melt polycondensation 173
 - polymerization 173
 - cutin-inspired polyhydroxyesters
 - physical and chemical properties
 - ¹³C solid-state NMR 174, 176
 - chemical structure 174
 - monomers influence 173
 - tensile stress-strain curves 176, 178
 - TGA and TGA-derivative profiles 174, 177
 - transmission IR spectra 174, 175
 - cutin-inspired polyhydroxyesters
 - oxidation effect 177–180
 - surface vs. bulk properties 180–183
 - β-cyclodextrine 336
- d**
- degradation time, of fuel-based plastics 163, 164
 - degree of freshness (food samples) 372
 - dicumyl peroxide (DCP) 115, 242, 245
 - dip-coating 77, 283, 386
 - direct melt polycondensation 173

- double-layer polyethylene/poly-caprolactone (PE/PCL) film 404
- dried plant waste powders 359
- drop-casting 283
- dry process 43, 46, 59, 405
- e**
- ECA treated cardboard 287
- edible biopolymers
 - active coating
 - antimicrobial agents 85
 - antioxidant agents 85–86
 - edible composite materials 82–85
 - lipids 78–80
 - beewax 80
 - candelilla wax 80–81
 - carnauba wax 81
 - shellac 81
 - material selection 86–87
 - polysaccharide
 - alginate 63
 - carrageenans 63–67
 - cellulose 67–69
 - chitosan 69–70
 - pectin 70–71
 - pullulan 71
 - starch 71–72
 - proteins 72–78
 - casein 73–74
 - collagen 74
 - gelatin 74–75
 - silk fibroin 76–77
 - wheat gluten 75
 - whey protein 75–76
 - zein 77–78
- edible composite materials 80, 82–85
- edible films 58–60, 70, 72–73, 80, 85, 87, 333, 338, 400, 405
- edible packaging 58, 60, 217, 218, 307
- electrospun polycaprolactone (PCL)/black pepper oleoresin extract (OR) blends 408
- enzyme-soluble collagen (ESC) 37, 38
- enzymes, in antimicrobial packaging systems 337
- epigallocatechin-3-gallate (EGCG) films 333
- essential oils (EOs) 45, 85, 88, 217, 327, 328, 332
- ethyl cyanoacrylate (ECA) 282–292
- ethylene-vinyl acetate (EvOH)-thermoplastic starch films 4, 200, 281, 314, 414
- ethylenediaminetetraacetic acid (EDTA) 37, 336, 337
- extrinsic parameters (microbial food spoilage) 370
- extrusion-hydro-extraction (EHE) 38
- f**
- fatty hydroxyesters, chemical structure of 174
- fibre purification/delignification methods 241
- fibre-matrix compatibility 244
- fish gelatin films and coating
 - characterization of 39–40
 - collagen extraction 37–39
 - food shelf-life 40–42
- fish production 36
- fish spoilage sensor 381
- fluorinated organic polymers 283
- fluoropolymers 283, 288
- food demand 349, 361
- food lifetime 349, 352
- food packaging
 - bio-based polyethylene 11–12
 - bio-based polyethylene terephthalate 6, 13–14
 - biodegradable 9
 - cellulose derivatives 17, 18, 67, 68, 171, 420
 - chitosan films 42–46
 - fish gelatin films 37–42
 - materials 3
 - poly(*ε*-caprolactone) 15
 - poly(butylene adipate-co-terephthalate) 9–10
 - polybutylene succinate 10–11
 - polyethylene furanoate 14–15
 - polyhydroxyalkanoates 8–9
 - polylactic acid 111

- food packaging (*contd.*)
 - polylactide 7–8
 - protein-based films
 - corn zein 20–21
 - gelatin 18
 - milk proteins 21
 - soy protein 20
 - wheat gluten 18–20
 - thermoplastic starch 15–17
 - food packaging sector, PHA-based composites 247–248
 - food safety and quality monitoring 374
 - Food Sentinel System[®] 378
 - food shelf-life 35, 40–42, 44–46, 87, 361, 362, 369, 373, 400
 - chitosan films 44–46
 - fish gelatin films 40–42
 - food spoilage
 - biogenic amines 380–386
 - carbon dioxide detection 387–388
 - colorimetric detection 378, 379
 - colorimetric indicator 380, 381, 383
 - colorimetric sensor array 384
 - description 370
 - factors determining 372
 - foodborne bacteria detection 388
 - H₂S detection 384
 - lipid oxidation 350
 - manifestations 370
 - microbial activity 370–372
 - natural and biocompatible indicators 379–380
 - on-package colorimetric indicator 383
 - optical detection 378, 379
 - organic acid indicator 380
 - oxygen detection 386–387
 - pH changes 380
 - physical and chemical process 372
 - synthetic dye indicators 384
 - food spoilage detection
 - on package and on site sensing technologies 373–378
 - sensory evaluation 372
 - food waste 3, 57, 87, 154, 164, 247, 264, 325, 327, 340, 356, 359, 360, 388
 - foodborne bacteria detection 388
 - freshness indicators (food spoilage detection) 376, 384
 - fruit seeds 356, 359
 - FucoPol bilayer films 410
 - fuel-based plastics, degradation time of 163, 164
 - 2,5-furandicarboxylic acid (FDCA) 14, 15
 - fused deposition modelling (FDM) 276
- g**
- gallic acid (GA) antioxidant 146, 356, 417
 - gas permeability, of nanocrystalline based films 311
 - gelatin 18, 37–42
 - proteins 74–75
 - generally recognized as safe (GRAS) 7, 40, 60, 70, 80, 81, 328, 335, 336, 338
 - glass fibers (GF) 121
 - gliadins 18, 75
 - glutaraldehyde (GDA)-modified zein 205, 339
 - grease resistance test 282, 297
 - green packaging materials 200, 281
 - green polyethylene 11
 - green polymers 6
- h**
- headspace chromatography 373
 - healthy diets 349
 - hemicelluloses 237–241
 - herbs and spices 354, 356
 - hexamethylene diisocyanate (HMDI) 247
 - high amylose potato starch (HAP) 144
 - high methoxy pectin (HMP) 70
 - high-amylose corn starch (HACS)-zein composite films 212, 213
 - hydrochloric acid-treated cellulose nanocrystals 316
 - hydrophilization of PE surfaces 403
 - hydroxypropyl methylcellulose (HPMC) 67–69, 82, 85, 336

i

- implicit parameters (microbial food spoilage) 371
- in corn gluten meal/starch extrudates 209, 210
- injection moulding
 - Poly-Paper composites 269
- innovative active food packaging 349
- integrity indicators (food spoilage detection) 376, 377
- intrinsic parameters (microbial food spoilage) 370

j

- Joncryl[®] 119, 247

k

- kafirin-gelatin multilayer films 407
- kit test 297
- konjac glucomannan (KGM)/zein blend films 214

l

- lactoferrin 337–338
- lactoperoxidase system-whey protein isolate films 338
- laminated flexible films 397
- layer-by-layer (LbL) approach
 - 313–314, 408, 409, 412–414
 - deposition method 410, 411
- lignin 163–165, 172, 237, 239–241, 339, 360
- lignocellulosic fibres 236, 237
 - mechanical properties of 239
 - in polymer matrix composite materials
 - advantages and disadvantages 240
 - biological modification 241
 - chemical modification 241
 - fibre-matrix chemical anchor 242
 - physical modification 241
 - properties of 239
 - structure of 237–240
 - thermal stability of 239
- lipid oxidation 45, 70, 75–76, 84–85, 212, 350, 354, 356, 362

- lipid-based edible coatings 78, 81

lipids 78

- beewax 80
- candelilla wax 80–81
- carnauba wax 81
- shellac 81

- loads (filling materials) 240

- low methoxy pectin (LMP) 70

- lumen 237

- lysozyme 337–338

- lysozyme-chitosan composite films 337

m

- macro-debris 163

- Maillard reaction 40, 214

- maleic anhydride (MA) 113, 118–119, 152, 242, 244, 418

- mannan-based films 415

- marine plastic debris 163

- MaterBi[®] 417

- matrix-fibre adhesion 245

- McLafferty rearrangement 234

- mechanical properties, PLA 114

- merocyanine (MC) 385

- metal-oxide composite, PLA 123

- methylcellulose (MC) 67–68, 333, 336, 387

- micro-debris 163

- microbial food spoilage 370–372

- microbial polyethylene 11

- migration process, of molecules 312

- milk proteins 21, 73, 75, 405

- minimally processed food 58, 60, 337

- modified atmosphere packaging (MAP) 58, 69–70, 314

- moisture content (MC) 44, 144, 317
 - of treated and untreated cardboard 289–291

- montmorillonite (MMT) 20, 123, 146, 202, 414

- multi-layer liquid food container
 - structure 397

- multilayer films 397

- based on polysaccharides 409–415

- based on proteins 405–409

- multilayer films (*contd.*)
 coatings on biopolyesters 415–418
 one-way water barrier property
 407–408
- n**
- nanocellulose (NC) 305, 308
 crystallinity of 310
 effect on networking 310–311
 in food packaging industry
 307–308
 need for packaging 310
 O₂ barrier properties of 306
 overview of 308
 types 308–310
 utilization of 306
 water vapor transmission rate of
 315
- nanocellulose-based multi-dimensional
 structures 305–317
- nanocrystalline cellulose 308–309, 316
- nanocrystalline-based structures,
 processing routes of 312
 coating process 313
 layer-by-layer approach 313–314
 solvent casting method 313
 spinning 312–313
 vacuum filtration method 313
- nanofibrillar cellulose 309
- nanofibrillated cellulose 309, 411
- nanofillers 9, 114–116, 122, 147–149,
 235
- nanolayered films 403–404
- natural biopolymers 136, 229, 338, 362
- natural fiber-PLA 111, 116
- natural fibers 17, 113, 114, 116–121,
 266
 advantages 264
- natural plant-based antioxidants 352,
 353
- naturally occurring bioactive
 compounds 337
- naturally occurring biopolymers 398,
 399
- nisin 336
- nisin grafted CNF 336
- nisin-impregnated protein coated PP
 films 400
- non-biodegradable biological based
 polymers 228–229
- non-migratory antimicrobial polymers
 327
- normal potato starch (NPS) 144, 146
- nucleating agents 114, 119, 235, 243
- o**
- odor-intensive volatiles 332
- oil contact angle (OCA) 282, 285, 288
 of untreated and treated cardboard
 289
- onsite and on-package sensing
 technologies, for food spoilage
 detection
 biosensors 375
 CO₂ indicators 377
 freshness indicators 376
 integrity indicators 376, 377
 overview 375
 oxygen indicators 376, 377
 RFID systems 377
 time temperature indicators 376
- optical properties, PLA 113
- optochemosensing mechanisms 379
- oregano essential oil 45, 328
- oregano extract 356
- oregano-EO-whey protein isolate films
 328
- organic acids (food spoilage indicators)
 380
- organic acids, in antimicrobial
 packaging systems 335–336
- oxidation effect
 cutin-inspired polyhydroxyesters
 177–180
- oxybiszenesulphonylhydrazide
 (OBSH) expanding agent 270
- oxygen indicators 376–377, 387
- oxygen permeability
 of CNF films 314
 of nanocrystalline film 315
- oxygen transmission rates (OTR)
 of CNF films 314–315
 for PLA nanocomposites 316

p

- paper sheet
 - capstone and ECA treatment 283
 - sample preparation 283
- paper surfaces
 - grease resistance properties 298, 299
 - morphological analysis 295
 - oxygen barrier properties 299
 - physical characteristics and mechanical properties 296–300
 - SEM analysis 295
 - water and oil resistance properties 296
- paper-based packaging materials 212
- pectins 61, 70–71, 82, 84, 136, 164, 166, 237, 239, 352, 371, 410, 412–413
- pepper fruit cutin composition 170
- pepsin-soluble collagen (PSC) 38
- peptization 203
- peracetic acid treatment 241
- permselectivity of whey protein film 406
- petroleum-based plastics 161
 - advantages 161–163
 - drawbacks 162, 163
- petroleum-based polymers 6, 8, 281
 - biodegradation rates 171
- pH (food spoilage indicator) 380
- PHA-based composites, in food packaging industry 247–248
- PHBV/TPU blends 245
- PHBV/PBAT films 417
- phenolic compounds 46, 165–166, 328, 332, 353, 356, 384
- photochromic composite 385
- physical aging 232–234
- physical fibre modification methods 241
- PLA-gelatin based films (PLA/Ge/PLA) 406
- PLA-WG-PLA multilayer film 409, 416
- PLA/clay nanocomposites 122–123
- plant cuticle-like film composites 186–188
- plant cuticles
 - chemical composition and location 166, 169
 - description 166
- plant extracts, in antimicrobial packaging systems 328–335
- plant-based food packaging materials, antioxidant capacity of 352–361
- plant-based monoethylene glycol (bio-MEG) 13
- plasticizers 16–17, 20–21, 39, 44, 58, 60, 74, 113, 114, 117, 124, 141–146, 153–154, 200, 212, 214–215, 217, 218, 235, 244, 264, 354, 356, 400, 405–406, 410
- plastics production (2004–2017) 162
- plastics
 - for packing materials 351
 - threat 134
 - wastes 163, 361
- pMDI compatibilizer 245
- poly (ethyl cyanoacrylate) (PECA) 283–285, 288, 291
- poly 3-hydroxybutyrate (PHB) 8, 9, 229
 - agave compounds 243
 - cellulose composites
 - achievements and limitations 242–245
 - trends 245, 247
 - opportunities 235–236
 - strengths 231–232
 - threats 236
 - weakness 232–235
- poly(ϵ -caprolactone)(PCL) 15
- poly(butylene adipate-*co*-terephthalate) (PBAT) 9–10, 119, 150–151, 245, 335, 416–417
- poly(butylene succinate-*co*-adipate) (PBSA) 11, 150, 414
- poly(butylene succinate-*co*-terephthalate) (PBST) 11
- poly(ethylene glycol) (PEG) 114

- poly(lactic acid) films for food packaging
 - biodegradable isolated soy protein coatings 415
 - biodegradable isolated soy protein coatings on 415
 - natamycin based sol-gel antimicrobial coatings on 416
 - PLA-WG-PLA multilayer film 416
- poly(lactic acid)-fish gelatin (PLA-FG) multilayer films 408
- poly(vinyl alcohol)-chito-oligosaccharide (COS) films 339
- poly-3-hydroxy-butyrates-co-3-hydroxy-valerate (PHBV)
 - agave compounds 243
 - cellulose composites
 - achievements and limitations 242–245
 - trends 245, 247
 - opportunities 235–236
 - strengths 231–232
 - threats 236
 - weakness 232–235
- Poly-Paper 265
 - 3D printed samples 272
 - adhesive property results of 274
 - Aticelca method 275, 277
 - end of life 275–277
 - self-healing by water 273–275
 - shape memory forming of 272–273
 - water dissolution kinetics 275, 276
- Poly-Paper composites 269
 - cellulose fiber reinforcement material 266
 - expansion tests 270–271
 - extrusion process 267
 - formulations 266
 - injection moulding 269–270
 - PVA matrix material 265
 - thermoforming 270
- polyamides (PAs) 4
- polybutylene adipate co terephthalate (PBAT) 9–10, 119, 150–151, 245, 335, 416–417
- polybutylene succinate (PBS) 10–11, 416
- polybutylene succinate adipate (PBSA) 11, 150, 414
- polycaprolactone (PCL)/zein blend films 215
- polycondensation 10, 14–15, 110, 173–175, 177–178, 186, 188
- polydimethylsiloxane (PDMS)-based water-repellent layer 293
- polyester amide (PEA) 150, 414
- polyesters 4, 10, 14–15, 109–110, 149–151, 153, 166, 174, 177–178, 188, 248, 314, 406, 414
- polyethylene (PE) 11–12, 109, 113, 134, 143, 161, 171, 281, 292, 384–385, 387, 397, 403
- polyethylene furanoate (PEF) 14–15
- polyethylene oxide (PEO) 151, 385
- polyethyleneimine (PEI)-nanofibrillated cellulose (NFC) composite layers 412
- polyglycerol-coated polypropylene films 400, 402
- polyhydroxyalkanoates (PHA) 8, 229
 - characteristics 231
 - classification 231
 - description 229–231
 - growth rate 236
 - production process 231
 - structure 230
 - zein multilayer structures 418
- polyhydroxybutyrate-co-valerate (PHBV) 8, 151, 227–249, 282, 414, 416–417
- polylactic acid (PLA) 109
 - antibacterial properties 115–116
 - barrier properties 111, 113
 - functional fillers
 - biodegradability 123–124
 - clay nanocomposites 122–123
 - metal-oxide composite 123
 - mechanical properties 114
 - natural fiber 116–121
 - optical properties 113
 - properties 110
 - structural formula 110
 - synthetic fibers 121–122
 - thermal properties 114–115

- polylactide (PLA) 5, 7
 polymer treated cardboard 285–287
 polyolefins 3, 8, 200–201, 404
 polysaccharides 59, 147
 alginate 63–65
 carrageenans 63, 66, 67
 cellulose 67–69
 chitosan 69–70
 pectin 70–71
 pullulan 71
 starch 71–78
 polysaccharide-based edible coatings 64
 polysaccharide-based films and coatings 410
 alginate-based edible coatings 412
 chitosan 412, 413
 chitosan based films 410
 chitosan-carrageenan-montmorillonite layers 414, 415
 efficiency and functional properties 410
 EvOH-thermoplastic starch based films 414
 PEI-NFC composite layers 412
 SPS-PLA bilayer films 410
 TPCS based films 413
 polyterpenes 165
 potassium sorbate 335, 413
 propionic acid (PA) 110, 335–336
 proteins 72
 casein 73–74
 collagen 74
 gelatin 74–75
 silk fibroin 76–77
 wheat gluten 75
 whey protein 75–76
 zein 77–78
 protein-based edible coatings 79
 protein-based films
 corn zein 20–21
 gelatin 18
 milk proteins 21
 soy protein 20
 wheat gluten 18, 20
 protein-based food packaging 200
 protein-derived coatings 59
 Psychrotrophic Bacteria Count (PBC)
 determination 373
 pullulan 61, 71, 228, 338
 PVA/cellulose micro-fibers composites 266–268
 mechanical tensile properties of 268, 269
- q**
 quercetin 356, 384
- r**
 radiofrequency identification (RFID)
 systems 375, 377–378
 rancidity 61, 76, 84–85, 214, 360, 372
 raspberry extract 354
 reactive compatibilization in PHA/fibre composites 244–246
 reactive processing 152, 242
 recycled newspaper cellulose fiber (RNCF) 121
 red beetroot 359–360
 reinforcement materials 240, 268, 308
 rhubarb ethanolic extracts (REE) 404
 ring-opening polymerization (ROP) 7, 14–15, 110–111
 rosemary extract 356
 rosin 283
- s**
 salt-soluble collagen (SSC) 37, 38
 secondary crystallization 151, 232, 234–235
 self-healing effects, Poly-Paper 273
 self-polycondensation reaction 174
 semicrystalline aliphatic polyester 10
 SensorQ[®] 376
 shape memory forming, Poly-Paper 272–273
 shellac 80, 81, 136, 169
 silicone oil 282, 294
 silicone oil-functionalized starch/PDMS treatment on paper 294
 silk fibroin 73, 76–78, 88, 385
 smart packaging systems 373, 374, 377
 sodium alginate (ALG) 62, 63, 82, 187, 328, 403, 410–412

- sodium alginate (ALG)/polyethyl-eneimine (PEI) coated BOPLA films 410, 411
- sodium dodecyl sulfate–polyacrylamide gel electrophoresis (SDS-PAGE) 208
- solvent-cast zein films 208
- soil burial weight loss curves 407
- solvent cast zein films
- dimethyl sulfoxide (DMSO) 204
- mechanical properties 205
- solvent casting method 10, 143, 202, 313, 353, 361
- solvent-cast zein films
- chemical characteristics 206
- Fourier Transform-Raman spectroscopy 206, 207
- solid-state ¹³C-NMR spectra 208, 209
- surface elemental compositions 208
- surface morphology 206
- soy protein (SP) 18, 20, 86, 136, 166, 214, 219, 331, 354, 356, 400, 405, 415
- spices and herbs 352, 354
- spinning process 312–313
- spiropyran (SP) dyes 385
- Standard Plate Count (SPC) determination 373
- starch 71, 165, 294
- gelatinization 140
- granules 140
- starch/PDMS treatment, on paper 298
- starch/polyvinyl alcohol (PVA)/citric acid blend films 335
- sugar palm starch (SPS)-PLA bilayer films 410
- surface hydrophobicity, of fatty polyhydroxyesters 182
- sustainability 46, 133–137, 145, 153, 184, 214, 248, 264, 349, 352, 361, 378, 388
- sustainability packaging 135
- biomaterials 135
- plastic threat 134
- sustainable packaging technology 363
- SWOT analysis 248, 249
- of PHA's 236
- synthetic dyes, covalent immobilization of 384
- synthetic fibers 116, 121–122, 264
- t**
- tea extracts 41, 353, 354
- TEMPO-oxidized CNFs 314–315, 336
- terpenes 164, 165
- thermal degradation 14, 116, 140, 149, 187, 209, 219, 234–235, 239, 241, 359, 417–418
- of PHA's 234
- thermal properties, PLA 114–115
- thermal stability 15, 115, 124, 140, 145–146, 149, 152–153, 175, 215, 239–240, 242–244, 249
- PHB and PHBV 234, 235
- thermoforming process 234
- Poly-Paper composites 270–271
- thermoplastic corn starch (TPCS) based films 413–414
- thermoplastic starch (TPS) 5, 15, 16, 114, 141, 413
- chemical modification 152
- commercial packaging materials 152–153
- fillers composites 146–147
- packaging materials
- technical and legal 145–146
- physico-chemical properties 137
- polyesters 149–151
- polysaccharides composites 147–149
- processing of 143–145
- sustainability packaging 135
- biomaterials 135
- plastic threat 134
- plasticizers 142–143
- thiobarbituric acid reacting substances (TBARS) 46
- third generation feedstock 6, 22
- three-phase model 232–233

- time temperature indicators (TTI) (food spoilage detection) 376
- tomato fruit cutin
 composition 170
 mechanical properties 171
- tomato pomace 172–173, 187–188
- treated cardboard 284–289, 291
- treated paper surface 294
- triallyl isocyanurate (TAIC) 114–115
- trifluoroacetic acid 361
- triglycidyl isocyanurate (TGIC) 247
- type I cellulose 238
- U**
- untreated cardboard
 chemical characterization 285
 FTIR spectra 285, 287
 mechanical characterization 291–292
 moisture content 289–291
 morphological characterization 284
 oil contact angle 285
 SEM images of 284
 stereo-micro photograph of 283
 water contact angle 285, 288–290
 water drop deposition 285
 XPS analysis 285, 286
- untreated paper surfaces
 morphological analysis 295
 oxygen barrier properties 299
 physical characteristics and mechanical properties 296–300
 SEM analysis 295
 water and oil resistance properties 296
- UV-vis blocking capacity, of polyhydroxyester films 182–183, 188
- V**
- vacuum filtration approach 313, 316
- vanillin 334–335
- vegetable fibres 236–237
- W**
- water contact angle (W-CA)
 of fatty polyhydroxyester 182
 of treated and untreated cardboard 285, 288–290
- water vapor 15, 20, 59–61, 63, 67, 70–75, 82, 111, 135, 145–149, 153–154, 182, 213, 215, 281, 306, 308, 310–311, 315, 353–354, 359, 386, 397, 403–404, 406–409, 415–416
- water vapor permeability (WVP) 17, 21, 44, 59, 61, 73, 76–77, 80, 113, 134, 146–148, 150, 182, 205, 213, 219, 316, 403–406, 408, 413
 of PLA 409–410
- water vapor transmission rate (WVTR) 213, 315, 412
 of whey protein monolayer films 406
- water-soluble protein 18
- wet/solvent process 405
- wheat gluten (WG) 18, 20, 73, 75, 136, 201, 400
 coated paper 406
- wheat gluten coated surface treated paper (WG-TP) 406
- wheat gluten coated untreated paper (WG-UTP) 406
- whey protein 18, 21, 73, 75–76, 214, 328, 356, 397–398, 400, 405–406
- whey protein isolate (WPI) 21
 biodegradable films 398
 coatings
 barrier properties 400, 401
 on PP films, oxygen permeation characteristics of 400
- X**
- xylan-based films 415
- Z**
- Z19 zein 199, 200
- zein 20–21, 77
 aging effect in aqueous ethanol solutions 204
 biodegradation 201
 biopolymer coatings 200
 blend films 214–217

zein (*contd.*)

chemical amino acid composition

analysis 199

extrusion processing 209–212

extrusion techniques 201

molecular structure 199

nanoparticles/nanofibers 219

plasticized 211–212

solubility behavior 203, 204

types 199

zein film forming 201

zein microfluidic devices 205

zein/F127 composite films 215, 216

zein/gelatin multilayer films 408

zein/poly(vinyl alcohol) blends films

214–215

