

Index

a

acetaldehyde (CH₃CHO) 207
 acetic acid (CH₃COOH) 207
 activated carbon (AC) 365, 446, 447, 453, 456, 483
 alcohol fuel cells 207, 208, 215
 alcohol oxidation 217
 ammonium peroxy-disulfate (APS) 118
 ammonium persulfate (APS) 48, 54
 amphiphilic rodcoil block copolymers 57
 Anderson-localization 10
 Anderson metal-insulator transition 10
 aniline 269
 anions 19
 annular dark field (ADF) detector 168
 anodic polarization 467, 474
 anti-bacterial coating 96
 anti-CO-poisoning 208
 apparent quantum yield (AQY) 249
 asymmetric electrode configuration system 377
 asymmetric flexible micro super capacitor (AfMSC) 471
 atomic force microscopy (AFM) 67, 173
 ATR-FTIR spectroscopy 133
 Au/PEDOT nanohybrids 244

b

bacterial cellulose (BC) 474
 band structure engineering
 electron hole pairs 273
 solid-liquid interface 281–283
 solid-solid interface
 SC-M heterojunction 279–281
 SC-SC heterojunctions 274–279
 benzonitrile 88

2,1,3-benzothiadiazole-,4,7-bis (boronic acid pinacol ester) 254
 bilayer structure 300
 bioactive aqueous gel matrices 51
 bio persistent organic molecules 284
 bipolaron 447
 1,2-bis(trialkylstannyl)ethene 305
 Bismuth based oxyhalides 285
 2,2'-bithiophene 340
 block copolymers (BCPs)
 BHJ 305
 1,2-bis(trialkylstannyl)ethene 305
 cross-linked 303
 disadvantages of 303
 donor and acceptor segments 302
 DPP copolymer 305
 extraction electron-layer (EEL) 302
 hydrophilic and hydrophobic properties of 302
 lamellar active layer morphology 304
 P3HT 304
 polythiophene/polyfluorene-based conjugated polymers 302
 3D nanopatterning technology 302
 borohydride-peroxide fuel cell 221
 boronic acid 269
 bulk heterojunction (BHJ) solar cell 301
 bulk' polymerization methods 268

c

C₆₀ 301
 capacity losses 381
 carbon-based photocatalysts 248
 carbon cloth (CC) 451
 carbon composites 213
 carbon materials 376

- carbon nanotubes (CNT) 457, 465
 - polypyrrole 409–416
 - polythiophene 432–433
- carbon nitride ($g\text{-C}_3\text{N}_4$) 248
- carbon nitride (CN_x) nanofiber 212
- carbons nanotubes (CNT) hybrids 100
- carboxyl-group-functionalized ethylene oxide (PS-PEG-COOH) 249
- carboxylic substituent perylene diimide (P-CMPDI) 249
- carrier activation 271
- carrier deactivation/relaxation step 271
- carrier transfer 271
- cationic surfactants 48
- cetyltrimethylammonium bromide (CTAB) 48
- charge carriers 6
 - density 10
- charge compensation 22
- charge-injection doping 13
- charge retention 361
- charge trapping 176
- C-H/C-C/C-N coupling of monomer units 269
- chemical doping techniques 13
- chemically converted graphene (CCG) 424
- chemical polymerization 448
- chitosan-coated glassy carbon (GC) electrode 223
- 1-chloronaphthalene (1-CN) 315
- chronoamperometry (CA) measurements 213
- cis-polyacetylene 4, 8
- CNT-PANI composites 223
- coat inorganic compounds 385
- commercial Pt/C catalysts 221, 222
- conducting polymer nanostructures (CPNs) 85
 - category 234
 - chemical structures of 209, 210
 - conducting polymer hydrogels 64–67
 - dry spinning 59–60
 - electrocatalysts support
 - advantages 209
 - metal catalysts deposited 211–219
 - electro-spinning 60–61
 - material properties and characteristics 43
 - melt spinning technique 59
 - mixed solvents technique 64
 - nanolithography 67
 - optoelectronic properties of 234
 - in photocatalysis 234
 - physicochemical properties of 233
 - reprecipitation technique 64
 - seeding approach 61–63
 - template-based synthesis
 - hard-template method 44–46
 - soft-template method 46–53
 - template-free synthesis
 - interfacial polymerization (IP) process 54–57
 - post-synthetic self-assembly process 57–58
 - wet spinning process 58
 - whisker method of polymer synthesis 63–64
- conducting polymers (CPs) 85, 97, 466
 - chain length 146–147
 - EDOT molecules 119
 - electrical conductivities 147–148
 - facile preparation of 117–118
 - gamma-radiation induced oxidative polymerization 124–126
 - gamma-radiation-induced synthesis 126–131
 - γ -rays and X-rays radiolysis 118
 - HO-induced EDOT polymerization 120–124
 - hydrogels 64
 - optical and electronic band gaps of 147
 - radiation induced polymerization 120
 - radiation-induced synthesis 137–141
 - reduction-polymerization route 134–137
 - thermal properties 148–149
- conduction band (CB) 271
- conductive polyaniline/TMV composite nanowires 52
- conjugated D-A block copolymer (CDABP) 305
- conjugated ladder polymers (CLPs) 388, 389
- conjugated microporous polymers (CMPs) 279
- conjugated polymer actuation 22
- conjugated polymer nanocomposites (CPNCs)
 - bottom up approach 269
 - carbon materials 376

- cell system and electrode material 376
- charge/discharge cycling 379
- CNF nanocomposite 377
- CoO and PPy nanostructures 376
- CP nanostructures 267
- dimensional stability of 374
- electrochemical performances 379, 380
- enhanced capacitance and cyclic stability 377
- fabricate graphene/PANI nanohybrids 378
- graphene materials 378
- graphene/PANI nanohybrids 379
- inorganic material nanocomposite electrodes 377
- inorganic semiconductor 268
- metal based nanocomposites of CP 268
- metal compounds 376
- microstructural deformation 375
- MOF 376
- NiCo₂O₄ nanorod arrays 375
- non-metallic nanocomposites of CP 268
- PANI shell 375
- photocatalysis
 - band structure engineering 273–283
 - challenges 272–273
 - fundamental principles 271–272
 - hydrogen generation application 287
 - NO removal 289
 - water remediation 284
- potential pseudocapacitive materials 374
- template assisted method 270
- template free method 270–271
- top down method 269–270
- conjugated polymer nanostructures (CPNs)
 - absorption and emission 27–30
 - atomic force microscopy (AFM) 173–176
 - band gap of 23–27
 - charge carrier transport models 9–13
 - coherent exciton diffusion and energy transfer 30–33
 - conductive mechanism
 - doping and band structure evolution 5–9
 - inherent molecular structure 4–5
 - cryo-TEM 163–166
 - ECs 360
 - electrical conductivity of 359
 - electrochemical characterization 181
 - electrochemical properties
 - reversible oxidation/reduction process and charge storage behavior 16–20
 - swelling and de-swelling behavior 20–22
 - electrochromism 22–23
 - field emission scanning electron microscopy 172–173
 - Fourier transform infrared (FTIR) spectra 160, 190
 - higher conductivities 33
 - inorganic or nanocarbon species 360
 - Kelvin Probe Force Microscopy (KPFM) 176
 - LIBs 360
 - electrode materials 382–384
 - heterocyclic 386–381
 - protective/network layers 384–386
 - nanotomography 194
 - nuclear magnetic resonance spectroscopy 191
 - organic light-emitting diodes (OLEDs) 160
 - π -conjugation systems 160
 - quantum size effect 160
 - Scanning Kelvin Probe Microscopy (SKPM) 176
 - scanning transmission electron microscopy (STEM) 166–170
 - scanning tunnelling microscopy 170–172
 - surface area and smaller dimensions 33
 - temperature dependence 13–16
 - thermogravimetric analysis (TGA) 194
 - transmission electron microscopy (TEM) 161–163
 - UV-vis and photoluminescence spectroscopy 185
 - X-ray diffraction (XRD) analysis 193
 - X-ray photoelectron spectroscopy (XPS) 178

- conjugated polymers (CPs) 209, 267, 318, 401
 based electrode materials 405–407
 chemical structures 402
 polyaniline 402–403
 dopant size in nanostructure 420
 graphene and CNT 423–426
 nano-architectures of 416, 420
 nanostructure 420–423
 polypyrrole 402
 graphene and CNT 409–411, 414–415
 nano-architectures of 407–408
 nanostructures, electrode materials 408–410
 polythiophene 403–405
 graphene and CNT 432–433
 nano-architectures of 430
 nanostructure 430
 conventional capacitors 360
 conventional fuel cell 208
 conventional metals 15
 conventional semiconductors 6
 copper phthalocyanine 300
 coulombic efficiency 361
 Coulomb interaction 25
 Coulomb interactions link 298
 counter-electrode (CE) 448
 covalent-organic frameworks (COFs) 372
 CPs-BT 254, 255
 cross-coupling 269
 Cryo-electron tomography (cryo-ET) 166
 current density 361
 cyclic voltammetry (CV) 17, 181, 217, 363, 364, 448, 456, 467, 473
 cyclic voltammograms 18, 216
- d**
- de-doping process 16
 delocalized π -bond 4
 density functional theory (DFT) 120
 deposition procedure 124
 2,6-diaminoanthraquinone 372
 dication (DC) 447
 dichloromethane (DCM) 88, 142
 2,4-dichlorophenol 284
 diketopyrrolopyrrole (DPP) copolymer 305
 diphenylbutadiyne (DPB) 236
 dip-pen nanolithography (DPN) 67
 direct alcohol fuel cells (DAFCs) 207
 direct ethanol fuel cell 207
 direct methanol fuel cells (DMFCs) 207, 212
 conjugated thiophene polymers 307
 junctions 254
 1,3-diyne-linked conjugated microporous polymer nanosheets (CMPNs) 248
 dodecyltrimethylammonium bromide (DTAB) 48
 donor-acceptor (D-A) 288
 doped conjugated polymers 11, 367
 doping 366
 doping and de-doping processes 17
 doping conjugated polymers 14
 doping/de-doping 13, 181
 doping ions 17
 double layer nanotubes (DLNTs) 470
 dry spinning 59
- e**
- EDOT monomers, pH effects 132
 ejection process 96
 ejection test method (ETM) 94
 electrical double-layer capacitor (EDLC) 360, 362, 365, 366, 445, 449
 electrochemical actuation 20
 electrochemical capacitors (ECs)
 advantages and disadvantages of 362
 charge retention 361
 CV and GCD measurement 363–364
 EDLCs 365–366
 electric energy storage mechanism of 362
 energy density 363
 history of 362
 hybrid capacitors 365
 power density 363, 364
 power density and energy density 360
 pseudocapacitive
 conjugated polymer nanocomposites 374
 conventional heterocyclic 366
 MCP 372
 pseudocapacitor 360, 365
 specific capacitance 363
 symmetrical two-electrode cell 363
 symmetric and asymmetric structures 362, 363

- three-electrode cell 363
 - electrochemical doping techniques 13
 - electrochemical double layer capacitor (EDLC) 405
 - electrochemical impedance spectroscopy (EIS) 183, 242
 - electrochemically active surface area (ECSA) 213, 216, 221, 222
 - electrochemical polymerization 268, 269, 448, 450, 467, 468, 471, 473
 - electrochemical process 18
 - electrochemical synthesis 44, 448
 - electrochemo-mechanical actuation 21
 - electrochromism 22
 - electrohydrodynamic lithography (EHL) 70
 - electrolytic capacitor or EDLC 362
 - electron donor-acceptor materials 30
 - electron-hole pair 298
 - electronic conducting polymers (ECP) 445-447
 - electrochemical storage properties 448-449
 - with entangled CNT composites 458-459
 - morphology and nanostructuring of 449-453
 - synthesis 447-448
 - with vertically aligned CNT composites 460-465
 - electro-oxidation process 17
 - electropolymerization
 - advantages 338
 - approach 90
 - poly(carbazole) 342-343
 - poly(thiophenes) 338-342
 - poly(triphenylamine) 343-344
 - electropolymerization method 450, 452, 458, 460, 465, 473, 478, 481
 - electro-polymerization reaction 17
 - electropolymerized poly(terthiophenes) 339
 - electrospinning 60, 96
 - electrostatic forces 97
 - emulsion-based RIR-MAPLE vaporation 318
 - energy conversion efficiency (ECE) 338
 - energy density 360
 - energy-dispersive spectroscopy (EDS) 169
 - energy-dispersive X-ray (EDX) 133, 452
 - energy storage devices (ESDs) 359
 - coulombic efficiency 361
 - energy density and power density 360-361
 - Faradaic 361
 - energy transfer 32
 - ene-yne polymer chains 235
 - environmental remediation technology 233
 - equivalent circuit (EC) mode 183
 - ethanol oxidation reaction (EOR) 207, 220
 - 3,4-ethylenedioxythiophene (EDOT) 50, 57, 124, 269
 - exciton 271, 298
 - external quantum efficiency (EQE) 325
 - extraction electron-layer (EEL) 302
 - extrinsic semiconducting materials 273
- f**
- fabricating polymer nanostructures
 - template methods
 - microemulsion 332-337
 - miniemulsion 321-332
 - PBT layer 317
 - PCBM in BHJ solar cells 317
 - poly(2,2'-bithiophene) polymer 317
 - RIR-MAPLE 318-320
 - fabrication of conjugated polymers 370
 - Faradaic capacitance 449, 482
 - Faradaic capacitors 360
 - Faradaic charge transfer 478
 - Faradaic processes 445
 - Faradaic redox process 376
 - fast Faradaic charge 445
 - femtosecond pump-probe spectroscopy 189
 - Femtosecond spectroscopy 189
 - Fermi energy level 273
 - FESEM 420, 426
 - fluorescence 29
 - formaldehyde (HCHO) 207
 - formate (HCOO⁻) 207
 - formic acid (HCOOH) 207
 - Förster resonance energy transfer (FRET) 240
 - Fourier Transform-Infrared Spectroscopy (FTIR) 190
 - free-standing method 385

Frenkel excitons 234
 Frenkel type 298
 fuel cells
 DEFs 207
 DMFCs 207
 electrodes 208
 primary components of 207

g

Gaf unit 29
 galvanostatic 448
 galvanostatic charge 448, 449, 476, 480
 galvanostatic charge-discharge (GCD)
 363, 364, 406
 galvanostatic electrosynthesis 463
 galvanostatic mode 481
 galvanostatic square wave method 211
 glassy carbon electrode (GCE) 211
 glycerol 220
 goldendash polyaniline (Auoendash
 PANI) nanocomposite 218
 gold-loaded graphene oxide/PDPB
 (polymer
 poly(diphenylbutadiyne))
 (Au-GO/PDPB) 241
 γ -radiolysis 128
 graphene
 nanocomposites 465, 482
 polyaniline 466–471
 polypyrrole 471–478
 thiophene-based polymers 478–482
 graphene composites 466
 graphene oxides 223
 graphene quantum dots (GQDs) 425
 graphene sheets 468, 474
 graphitic carbon nitride 224
 gravimetric energy density 360
 Grignard metathesis (GRIM)
 polymerization 302
 ground-state polymer 7
 ground-state polymers 7
 Gr-PPy 415

h

hard template assisted synthesis of CPNCs
 270
 hard-template method 44
 hard template methods 85
 Heckoendash Mizoroki coupling 305
 helical hexaazatrinaphthylene nanowires
 57

heterocyclic conjugated polymer
 nanostructures
 EC
 characteristics of 367
 doped conjugated polymers 367
 3D porous PPy hydrogel 370
 hydrogel-based PANI nanofibers
 372
 PANI 368
 poly(3,4-ethylenedioxythiophene)
 (PEDOT) 368
 PPy 368
 PPy nanospheres 370–371
 surface-to-volume ratios 370
 type I (PPy/PPy) 367
 type II (PPy/pMeT) 367–368
 type III (pDTT/ pDTT) 367
 LIBs
 advantage 388
 anode and cathode electrode
 applications 389
 CLP 388–389
 MCPs for 389
 NTCDA 388
 heterogenization 272
 heterojunction of CPNCs 272
 hexaazatrinaphthalene MCP (HATN)
 389
 hexadecyl trimethyl ammonium
 bromide(CTAB) 49
 3-hexylthiophene (3HT) 141
 H₂ generation 248
 high-angle annular dark field (HAADF)
 detector 168
 highest occupied molecular orbitals
 (HOMO) 4, 239, 271, 367
 highly oriented pyrolytic graphite
 (HOPG) 178
 homocoupling 269
 hot electrons 280, 281
 HRTEM 413
 Hummer's method 473
 hybrid capacitors 365
 hydrogen evolution reaction (HER) 249
 hydrogen generation application 287
 hydrogen/hydrogen-rich fuels 207
 hydrous molybdenum oxide 221

i
 ICBA core fractional composition 325
 I-I type heterojunctions 278

- incident photon-to-current conversion
 efficiency (IPCE) 343
- industrial production 284
- inglet fission-triplet energy transfer 32
- inorganic semiconductor materials 233
- in-situ* doping 13
- in-situ* oxidative polymerization 474
- in situ* polymerization 269
- interchain band gap 25
- interchains 27
- interfacial polymerization (IP) process
 54
- intermolecular interactions 234
- intrachains 27
- intrinsic semiconducting materials 273
- k**
- Kelvin probe force microscopy (KPFM)
 176
- Koutecky–Levich and Tafel analysis 224
- l**
- laser etching technique 479
- leucoemeraldine 403
- LiFePO₄ 386
- linear sweep voltammetry (LSV) 181
- liquid fuels 207
- lithium-ion batteries (LIBs)
 advantages and disadvantages of 362
 capacity 361
 charge/discharge cycles of 381
 charge retention 361
 charging and discharging 381
 charging process 379
 components 379
 conjugated polymer nanostructures
 electrode materials 382–384
 heterocyclic 386–391
 protective/network layers 384–386
 coulombic efficiency of 361
 power density and energy density 360
 pseudocapacitor 360
 types of 381–382
 working principles of 379–380
- lithium nickel cobalt aluminum oxide
 381
- localization 9
- lowest unoccupied molecular orbitals
 (LUMO) 4, 239, 271, 367
- LUMO of the acceptor (LUMO_A) 299
- LUMO of the donor (LUMO_D) 299
- m**
- MEH-PPV
 (pol[2-methoxy-5-(2-ethylhexyloxy)
 -1,4-phenylenevinylene])
 nanoparticles 325
- melt spinning technique 59
- metal catalysts deposited
 CPN
 carbon nanotubes (CNTs) 221, 222
 graphene 221
 pd nanoparticles 217, 218
 Pd nanostructures 212–215
 platinum nanoparticles 211–212,
 216, 217, 220
 Pt nanostructures 215
 Pt NPs 220–223
 V₂Se₉ NSs/NF 219
- metal chalcogenides 284
- metal/semiconductor heterojunctions
 281
- methanol oxidation reaction (MOR)
 211, 212
- 2-methoxyaniline 269
- microemulsion 332
- microemulsion polymerization 46
- microporous conjugated polymers (MCPs)
 372, 389–391
- microsupercapacitor 471
- miniemulsion
 active layers deposited 325
 aqueous dispersions 332
 BHJ layer 321
 conjugated semiconducting polymers
 321
 definition 321
 different particle formulation
 procedure 329
 Landfester's group 329
 PCBM 331
 polymer nanoparticles 321
 PS (polystyrene) 324
 semiconducting polymer 321
 stirring and ultrasonication 322
 surfactant content 329
 xylene/chloroform 324
- miniemulsion method 309
- mixed solvents technique 64
- monohydrogenophosphate 90
- Mott-Schottky (M-S) analysis 183
- Mott's law 15
- Mott-Wannier 298

- multi-electron redox processes 18
- multi-walled carbon nanotubes
 - (MWCNTs) 223, 411, 457–459, 463
 - PANI 424
 - PPy 411, 413
- n**
- nanocomposites (NCs) 267
 - carbon nanotubes 457–465
 - graphene 465–482
- nanocube assemblies (NCAMs) 212
- nanoinprint lithography (NIL) technique 69
- nanolithography technique
 - dip-pen nanolithography (DPN) 67–69
 - nanoinprint lithography (NIL) technique 69–71
- nanostructured conductive polymers 234
- nanostructured electrocatalysts 209
- nanostructured polymer surface 96
- nanotomography 194
- nanowire arrays 173
- 3,4-naphthalenedioxythiophene (NaphDOT) 91
- 1,4,5,8-naphthalenetetracarboxylic dianhydride (NTCDA) 388
- N-doped graphene (NG) 477
- negative doping 446
- neutral soliton 7
- nitrobenzene 88
- nitrogen-doped carbon fiber cloth (NCF) 379
- N*-methyl-2-pyrrolidone (NMP) 379
- non-acidic anions 90
- nondegenerate ground-state polymers 6
- non-Faradaic charge storage mechanism 361
- non-Faradaic phenomena 360
- non-Faradaic reactions 385
- non-noble metals 268
- non-p-n junction-based heterojunctions 276
- non-redox doping 13
- normal hydrogen electrode (NHE) 287
- n*-type doping 7
- n*-type semiconducting materials 273
- n*-type semiconductors 280
- nuclear magnetic resonance spectroscopy 191
- nucleporepolycarbonate membranes 45
- o**
- o-dichlorobenzene (o-DCB) 329
- one-dimensional conjugated polymer films 32
- one-dimensional (1D) nanostructures 211
- 1D P3HT nanowires (NWs) 163
- optical band gap 25
- organic light-emitting diodes (OLEDs) 160
- organic/metal-semiconductor interfaces 300
- organic photovoltaics (OPV)
 - absorption of photons and creation of exciton 297, 298
 - BHJ solar cell 301
 - bilayer structure 300–301
 - block copolymers (BCPs) 301–305
 - diffusion of excitons 297–298
 - dissociation of excitons 297, 299
 - fabricating polymer nanostructures 316
 - organic semiconductor materials 297
 - PNF 311–316
 - PNP 309–311
 - PNWs 305–309
 - Schottky cell 300
 - transport and extraction of carriers, electrodes 297, 299
- organic pollutant degradation 254
- organic semiconducting materials 273
- overoxidation 19
- oxidation process 6, 20
- oxidation/reduction processes 6
- oxidative polymerization 448, 453, 469, 471
- oxygen reduction reaction (ORR) 208, 217
- p**
- palladium oxide (PdO) monolayer 216
- palladium/polypyrrole (Pd/PPy) 217
- PANI core-shell nanospheres 251
- PANI nanofibres (PANI NFs) 212
- PANI-PAMA-Pt-RuO₂ 222

- PANI-poly(acrylic acid-co-maleic acid) (PAMA) film 222
- P3AT nanorods 57
- π -conjugated molecular structures 234
- π -conjugated polymer nanowires (PNWs) 305
- π -conjugated system 6
- Pd metal-based complexes 269
- Pd nanoparticle (NP)-based multimetallic alloys 180
- p*-doping 7, 21
- Pd-polyaniline nanocomposite 269, 270
- Pd polymer nanocomposites 212
- PEDOT-MWCNTs 223
- PEDOT NSs/NF 219
- PEDOT-poly(styrene sulfonic acid) (PSS) 220
- perchloric acid 317
- perfluorooctane sulfonic acid 56
- 3,4,9,10-perylene-tetracarboxylic-dianhydride (PTCDA) 339
- PF₆-doped
poly(3,4-ethylenedioxythiophene) (PEDOT) 16
- PF11112 particles 324
- phenyl-C61-butyric acid methyl ester (PCBM) 329, 334
- 1,4-phenylenediboronic acid 254
- 3,4-phenylenedioxythiophene (PheDOT) 90
- phosphate buffer solution (PBS) 90
- phosphorescence 29
- phosphoric acid substituted perylene diimide (P-PMPDI) 248
- photocatalysis
carbon dioxide reduction 235
CPNCs 267
environmental protection
Ag/g-C₃N₄ 246
Au/PEDOT nanohybrids 244
carbon nanostructures 235
organic pollutant removal 235
PANI 245
PANI/Ag/Ag₃PO₄ composites 246
PDPB 240
PDPB-ZnO 240–243
phenol 239
P3HT nanoparticles 245
P3HT nanostructures 239
plasmonic nanocrystals 243
poly-(diphenylbutadiyne) (PDPB) nanofibers 235–236
PPy-NS-c nanostructures 238
Rhodamine B 239
H₂ generation 235, 248–256
organic pollutant degradation 254
pollutant degradation 235–247
water splitting 235, 248
photocatalytic degradation 284
photocatalytic hydrogen evolution reaction (PHER) 287, 288
photocatalytic water-splitting reaction 233
photodoping 13
photoexcitation 271
photo-generated charge carriers 246
photo-generated excitons 243
photo-induced force microscopy (PiFM) technique 178
photoluminescence 29
photo-physicochemical treatment 284
photovoltaics 32
P3HT monolayer nanowhiskers 63
planarity 26
plasma polymerization 103
plasmonic metal-based CPNCs 286
plasmonic metal-CP nanocomposites 281
platinum-gold (Pt-Au) NPs electrocatalysts 223
platinum nanoparticles (Pt/PPy-C) 221
PN heterojunction 300
p-*n* junction-based heterojunctions 274
polaron 447
polaron/bipolaron ratio 6
pollutant removal 233
poly(2,2'-bithiophene) (PBT) 317, 340
poly(3,4-ethylenedioxythiophene) (PEDOT) 209–211, 219, 224, 234, 237, 238, 340
poly(3-(4-fluorophenyl)thiophene) (PFPT) 367
poly(3-alkyl thiophene) (P3AT) 301, 403
poly(3-hexylthiophene) (P3HT) 104, 239, 304
poly(3-octyl thiophene) (P3OT) 100
poly(9,9-dioctylfluorene-co-benzothiadiazole (F8BT) 325
poly(acrylic acid) (PAA) 100

- Poly(benzobisimidazobenzophenanthroline) poly[(9,9'-dioctylfluorenyl-2,7-diyl)-co-(1,4-benzo-thiadiazole)] (PFBT) 388
- poly(benzoxadiazole) (B-BO₃) 279
- poly(carbazole) 342
- poly(*N*-acetylaniline) 211
- poly(*n*-butyl acrylate) (poly(*n*BA)) 302
- poly(*o*-phenylenediamine) (POPD) 209, 210
- poly(*p*-phenylene) (PPP) 288
- poly(styrenesulfonate) (PSS) 98
- poly(terthiophenes) 338
- poly(thieno[3,4-*b*]-thiophene-co-benzodithiophene) (PTB7) 334
- poly(thiophenes) 338
- poly(triphenylamine) 343
- poly(3,4-ethylenedioxythiophene) 450
- polyacetylene 6
- polyacetylene layer 300
- Polyamide 6 Nanofibers 214
- polyaniline (PANI) 209–211, 402, 403, 450, 455, 456
- electrochemical properties 428
 - graphene 466–471
 - graphene and CNT 423–426
 - nano-architectures of 416–420
 - nanofiber 212
 - nanostructure 420–423
 - nanotubes 55
- polyaniline–poly(styrene sulfonic acid) (PSS) 220
- poly(3-hexylthiophene) (P3HT) assemble 164
- polyazazaacene
- (poly(1,6-dihydropyrazino[2,3*g*]quinoxaline-2,3,8-triyl-7-(2*H*)-ylidene-7,8-dimethylidene) (PQL) 388
- poly(3-hexylthiophene)-*block*-poly(3-(2-ethylhexyl)thiophene) 302
- poly(butylthiophene)-*block*-poly(octylthiophene) 302
- poly(4-vinyltriphenylamine)-*block*-poly(3-hexylthiophene)-*block*-poly(4-vinyltriphenylamine) 302
- poly(NVTri) blocks 302
- poly(3-hexylthiophene) (P3HT) chains 163
- poly[(9,9'-dioctylfluorenyl-2,7-diyl)-co-(1,4-benzo-(2,10,3)thiadiazole)] (PFODTBT) 249
- poly[(9,9'-dioctylfluorenyl-2,7-diyl)-co-(1,4-benzo-thiadiazole)] (PFBT) 249
- poly-(diphenylbutadiyne) (PDPB) 50, 235, 236, 241
- poly(*o*-phenylenediamine) electrode 211, 212, 241
- polyethylenedioxythiophene (PEDOT) 220, 456, 457
- poly(*N*-phenyl-1-naphthylamine) film 18
- poly(3,4-ethylenedioxythiophene) (PEDOT) films 87
- poly[(9*H*-carbazole-2,7-diyl)-1,4-phenylene] 248
- poly-3-hexylthiophene (P3HT) 245
- polyindole nanowires 53
- polymer composites 267
- polymer dots (Pdots) 249
- polymer electrolyte membrane fuel cells (PEMFCs) 220
- polymer graphene composites 466
- polymer matrix 21
- polymer nanofibers (PNF) 311
- polymer nanoparticles (PNPs) 309
- polymer nanowires (PNWs)
- AFM image of 305
 - donoroendash acceptor conjugated thiophene polymers 307
 - electronic properties of 305
 - formation of 305
 - P3HT 307, 308
 - poly(3-butylthiophene) 306
 - P4TNTz-2F 307
- polymer/polymer surface heterojunction catalyst 253
- polymer-supported metal nanoparticles 219
- poly[2-methoxy-5-(2-ethylhexyloxy)-1-phenylenevinylene] (MEH-PPV), 173
- poly[2-methoxy-5-(2'-ethylhexyloxy)-*p*-phenylenevinylene] (MEH-PPV) 300
- poly-3-methyl thiophene (PMT) 88, 209, 210
- poly(diphenylbutadiyne) (PDPB) nanofibers 187
- poly(3,4-ethylenedioxythiophene) nanosheet array 218

- poly (3-methylthiophene) nanotubes 430
- poly(3-hexylthiophene) nanowhiskers 63
- poly[9-(1'-(octylonyl)-9H-carbazole-2,7-diyl)-2,5-thiophenediyl-2,1,3-benzothiadiazole-4,7-diyl-2,5-thiophene-diyl] 329
- poly(3,4-ethylenedioxythiophene)-poly(styrene sulfonic acid) (PEDOT-PSS) film 221
- poly(2,2'-bithiophene) polymer 317
- poly(3,4-ethylenedioxythiophene) polymer 223
- poly(*p*-phenylene), polythiophene 367
- poly(o-phenylenediamine)-Ptoendash Ru nanocomposite 215
- polypyrene films 94
- polypyrrole (PPy) 8, 161, 209, 210, 402, 450, 454, 458
 - electrochemical properties 417
 - graphene 471–478
 - graphene and CNT 409–416
 - nano-architectures of 407–408
 - nanostructures, electrode materials 408–410
- polypyrrole-carbon (PPy-C) composites 221
- Polypyrrole hollow nanospheres 47
- polypyrrole nanowires 90
- poly(Ani-co-MAni)-RSBLPC composite 220
- poly(*p*-phenylenevinylene)s (PPVs) 29
- polystyrene (PS) 249
- polystyrene grafting 249
- polythiophene (PTh) 7, 403, 405
 - electrochemical properties 434
 - graphene and CNT 432–433
 - nano-architectures of 430
 - nanostructure 430
- polythiophene/CNT composites (PTh-CNTs) 223
- polythiophene/polyfluorene-based conjugated polymers 302
- polyvinylpyrrolidone (PVP) 451
- porous carbon nanocomposites 453–457
- porous 3-(4-cyanophenyl)thiophene (PCNPT) 367
- porous inorganic materials 334
- positive doping 446, 447
- post-synthetic self-assembly process 57
- potentiodynamic polymerization 448, 460
- potentiostatic polymerization 448, 461
- power conversion efficiency (PCE) 301
- power density 360
- PPy nanowire electroprocess 92
- PPy-NS-c nanostructures 238
- pristine conjugated polymers 366
- 1, 2-propanediol 220
- 1, 3-propanediol 220
- propanol 220
- propylene carbonate 88
- proton (perfluorosulfonic acid, PFSA) 220
- proton exchange membrane fuel cells (PEMFC) 207, 208
- protons 19
- PS (polystyrene) 324
- pseudocapacitive
 - conventional heterocyclic CPNs 366–372
 - microporous conjugated polymers 372–374
- pseudocapacitors 360, 365
- pseudo-supercapacitance 445
- Pt-based catalysts 208
- Pt catalysts (Pt/C) 220
- Pt/CeO₂ HNRAAs 221, 222
- Pt/CeO₂/PANI THNRAAs 221, 222
- Pt/PANI HNRAAs 221, 222
- p*-type doping 7, 367
- p*-type semiconducting materials 280
- p*-type semiconductors 273
- pulsed chronoamperometry 450, 451, 459
- pulsed chronopotentiometry 450, 451
- pulsed electrodeposition 459
- pulsed electron beam irradiation 124
- pulsed galvanostatic 461, 464
- pulverization 17
- pump-dump-probe 189
- pump-push-probe 189
- pyrene-based polymer (PyP) 253
- pyrrole 90
- q**
- quantum confinement 26
- quantum yield (QY) 187
- quartz crystal microbalance (QCM) sensor 99

r

radiation-based methodology 135
 radiation-induced doping 13
 radical-cation (RC) 447
 radical polymerization 269
 radiosynthesized PPy polymers 150
 Raman enhancement 244
 real-time microradiography 90
 recombination mechanism 32
 redox polymerization techniques 269
 redox reactions 18, 446
 reference electrode (RE) 448
 regioregular poly(3-hexylthiophene) (rr-P3HT) 302
 renewable energy 359
 reprecipitation technique 64
 resonant infrared matrix-assisted pulsed laser evaporation (RIR-MAPLE) 317
 reverse micro-emulsion polymerization 117
 reversible redox processes 22
 RGO/PANI/NCFC nanocomposite electrode 379
 rice straw black liquor based porous carbon (RSBLPC) 220
 rotating ring disc electrode voltammetry (RRDE) 217
 ruthenium oxide (RuO₂) 222

s

sandwich-structured nanotube array (SNTA) 215
 scanning Kelvin probe microscopy (SKPM) 176
 scanning near field optical microscopy (SNOM) 325
 scanning transmission electron microscopy (STEM) 166
 scanning tunnelling microscopy 170
 Schottky barrier 279, 280
 Schottky junction 300
 Schottky-type solar cell 300
 seeding approach 61
 self-assembly 55, 56
 self-assembly of regioregular poly(3-hexylthiophene) (P3HT) fibers 178
 self-discharge 361
 Self-doping approach 118
 self-made fitting programs 183

semiconducting materials 273
 semiconductor-metal (SC-M) heterojunction 279
 semiconductor photocatalysis 233
 semiconductor-semiconductor (SC-SC) heterojunctions
 non-p-n junction-based heterojunctions 276–278
 p-n junction-based heterojunctions 274–276
 type I (straddling gap) 274
 type II (staggered gap) 274
 type III (broken gap) 274
 Z-scheme type 278–279
 simplified template-free method (STFM) 56
 single-triplet energy transfer 32
 single-walled carbon nanotubes (SWCNTs) 377, 411, 457
 PANI 424
 PPy 414
 small organic molecules 207
 sodium dodecyl sulfate (SDS) 332
 soft template assisted synthesis of CPNCs 270
 soft-template methods 46, 85
 solar cell configuration 301
 solar energy 233
 solar inks 317
 solid-liquid interface 281
 Spectrokinetic analysis 120
 square wave voltammetry (SWV) techniques 181
 staircase potentiometric electrochemical impedance spectroscopy (SPEIS) 183
 stannylated derivatives 269
 steady-state radiolysis 122
 step-by-step mechanism 121
 Stille coupling reactions 269
 sulfonated graphene (SG) 471
 supercapacitors 401, 405, 474
 surface enhanced Raman scattering effect 194
 surface plasmon resonance (SPR) effect 252, 280
 surface potential (SPs) 178
 surface recombination 272
 Suzuki coupling reactions 269, 279
 Suzuki cross-coupling polycondensation reaction 254

- Suzuki–Miyaura cross-coupling polymerization 249
synthetic metal 446
- t**
- TAT-MCP-2 374
temperature dependence 13
template assisted method 270
template free methods 85, 270
template-free synthesis
 electrochemical polymerization
 acid and neutral pH 89
 “bottom-up” approach 86
 gas bubbles 90
 of indole 89
 mechanism of 87
 poly(3,4-ethylenedioxythiophene) (PEDOT) films 87
 polypyrene surfaces 93
 π - π stacking interactions 92
 PPy nanowire electroprocess 92
 of pyrrole 90
 superhydrophobic and parahydrophobic behavior 94
 electrospinning 96–100
 plasma polymerization 103–105
 vapor phase polymerization 100–103
templateless electropolymerization process 90
tetracarboxylic perylene derivative 300
thermal annealing 332
thermogravimetric analysis (TGA) 148, 194
thienothiophene derivatives 91
thienothiophene monomers 91
thiophene (Th) 223
thiophene-based surfactant
 2-(3-thienyl)ethoxybutylsulfonate sodium salt (TEBS) 332
thiophene derivative 478
2,5-thiophenediboronic acid 254
thiophene polymer graphene 478, 482
3D graphene hydrogel (3DGH) 468
3D nanopatterning technology 302
three-layered hollow nanorod arrays (THNRAs) 221
tin oxide (ITO) substrates 317
top down method 269
transmission electron microscopy (TEM) 57, 161
1,3,5-triethynylbenzene (TEB) 248
1,3,5-triformylphloroglucinol 372
triphenylamine 343
triphenylethylene polymer poly(TPCz) 342
triquinoxalinylene unit 389
1,3,5-tris-(4-ethynylphenyl)-benzene (TEPB) 248
2,4,6-tris(4-bromophenyl)-1,3,5-triazine (TBPT-Br) 254
- u**
- ultracapacitors 401
ultra-high vacuum (UHV) conditions 170
ultrasonic emulsification 317
UV-vis absorption spectrum 122
- v**
- valence band (VB) 271
Van der Waals forces 54
vapor deposition polymerization technique 377
vapor-phase deposition (VDP) technique 403
vapor phase polymerization (VPP) 118, 451
vertically aligned carbon nanotubes (VACNTs) 457, 460
volatile organic compounds (VOCs) 98
volumetric power density 360
V₂O₅ NSs/NF 218
Vulcan XC-72 and PANI-doped trifluoromethane sulfonic acid 220
Vulcan XC-72 carbon black 208
- w**
- water remediation
 inorganic semiconductor based CP nanocomposites 284–285
 plasmonic 286
 polymer-based nanocomposites 286–287
water splitting 248
Weinberger’s work 300
wet spinning process 58
working electrode (WE) 448, 474

X

- X-ray diffraction (XRD) analysis 193, 452
- X-ray irradiation 99
- X-ray photoelectron spectroscopy (XPS) 178

Z

- zeolitic imidazolate framework and conductive PPy nanotubes (ZIF-PPy) 376
- ZnO nanoparticles (NPs) 187
- Z-scheme photocatalysts 279