

Index

a

accelerate electron/ion transfer 200
 active carbons 2
 additive manufacturing 113–118
 aminopropyltriethoxysilane (APS) 138, 141, 144
 3-aminopropyl-trimethoxysilane (APTMS) 126
 ammonia borane 27
 anode/separator interface 166
 aqueous electrolyte 113, 218, 219, 222, 225, 230, 265
 argon atmosphere 67
 armchair graphene nanoribbons (AGNRs) 13
 asymmetric supercapacitors (ASCs) 230–232
 atomic force microscopy (AFM) 8, 223
 Au clusters 42
 Au-Ag thin foil 42

b

ball milling 17, 27, 77, 78, 194, 201, 252, 262
 ball-milling graphite 252, 262
 battery capacity attenuation 206–207
 B-doping graphene 176
 bicontinuous microstructure 49
 bio-sources carbon precursor 64
 blade-coating polyacrylamide-grafted graphene oxide molecular brushes (GO-g-PAM) 167, 168
 blade coating strategy 172

p-block foreign atoms 74
 boron co-doped monolithic graphene aerogels (BN-GAs) 226
 boron-doped graphene composite electrode 197
 boron-doped porous graphene 235
 bottom-up approaches
 epitaxy growth
 direct thermal annealing 29
 MBE 29
 soluble salt template methods 32–33

c

calcination temperature 72
 calcined mesoporous layered bimetallic hydroxide (MGAlDH) 194
 captured lithium polysulfide 207
 carbon adatoms defects 9–11
 carbon-carbon bonding 2, 3
 carbon dioxide reduction reaction (CO₂RR) 245, 246, 255, 260, 264–266, 268
 carbon-fiber-based materials 1
 carbon-fiber-reinforced carbon materials 1
 carbon fibers 1, 256
 carbon material/inorganic metal compound composite 208–210
 carbon materials 1–5, 33, 56, 64, 66, 67, 72, 102, 142, 193, 198, 199, 201, 207–208, 210, 216, 219, 221, 232, 245, 252, 256, 258

- carbon materials, as coating layer 207–208
- carbon nanotubes (CNTs) 3, 5, 14, 34, 102, 106, 109, 111, 193, 198, 199, 200, 201, 205, 206, 216, 245, 256
- carbon nitride ($\text{g-C}_3\text{N}_4$) 257
- carbon precursor/salt ratio 68, 72, 73
- carbon precursors 33, 62, 73, 77, 78, 79, 81, 86, 226
- carbon–sulfur composite 64, 83
- carrier olefinic composite 202
- casting/stamping/pyrometallurgy processes 1
- centrifuged graphene 196
- charge-discharge mechanism 216
- chemical reduction 16, 28, 222
- chemical vapor deposition (CVD) method 5, 6, 11, 14, 29–35, 41, 44, 45, 48–54, 63, 74, 82, 84, 95–97, 99, 101, 104, 107, 132, 136, 137, 142, 146, 194, 195, 200, 205, 222, 225
- closed nanoreactor 79
- 1C magnification 206
- CNTs un-zipping 33
- commercial supercapacitors 215, 218
- Co-MOF/three-dimensional graphene network (Co-MOF/3DGN) precursor 146
- compaction density 124
- composition homogenization annealing 41
- conductive carbon black KetjenBlack (CB) 208
- conductive polymer materials 228
- conductive polymers 15, 218, 228, 229, 233
- Coulombic efficiency (CE) 124, 151, 164–166, 170, 172–174, 176–178, 180, 181, 191, 195, 198
- critical point dryer (CPD) 97
- crystallinity of carbon materials 221
- cyclic voltammogram (CV) 126, 218, 219, 228, 231, 264
- d**
 - 3D bimodal porous carbon 43, 44
 - 1D carbon nanotubes (CNTs) 5, 205
 - 2D carbon nanosheets (CNs) 64, 66, 72, 85
 - 3D duct-like graphene (3D-DG) 31, 55, 231
 - “dead lithium” 192
 - dealloying approach 41
 - dealloying method 41–43, 54
 - dendritic electro-deposition 164
 - dendritic Li growth 164–166, 169, 174, 175, 183
 - density functional theory (DFT) 43, 47, 128, 140, 252, 253, 258, 263, 265
 - 2D ferrite/carbon composite nanosheets 74
 - 2D ferrite/carbon nanosheets 74
 - 3D graphene aerogel microlattices (GAMs) 15
 - 3D graphene architectures (3DG) 12, 14–15
 - 3D graphene foam (3D GF) 15, 17, 32, 95, 102, 109, 111, 128, 150
 - 3D graphene-based materials 79
 - different dimensional graphene 12–15
 - diffusion coefficient 169
 - 3D interconnected cubic NaCl particles 72, 82
 - Dirac points 6, 9
 - dirac quasiparticles 7
 - direct thermal annealing 29
 - dispersed single/few-layer graphene 25
 - 2D monolayer films 34
 - 3D monoliths 103, 113, 118
 - 3D nanoporous graphene 42–57, 113, 178
 - 3D nanoporous graphene based composite materials 49
 - 3D nanoporous graphene films 42, 46–48, 54, 113
 - 3D nanoporous graphene lattices 46
 - 3D nanoporous graphene oxide 48
 - 2D nanosheet-shaped carbon materials 64, 66

dopamine hydrochloride (DA)
64, 66, 72

dopant-free carbon nanocages 263

double-layer templated graphene (DTG)
194, 195

3D porous graphene (3DPG) 14, 41, 62,
64, 71, 78–86, 117, 118, 127, 133,
227, 230
materials 41, 64, 116

3D porous graphene-like networks (3D
GNs) 127

2D porous graphitic carbon nanosheets
70, 76

3D PPy coated porous graphene (PPy/PG)
composites 15

3D rebar ultrastiff GF (ruGF) 102, 103

3D salt templating assembly technique
71, 80, 85

DTG-sulfur composites (DTG/S) 194

dynamic floating electrodeposition
method 16

e

edge-halogenated graphene
nanomaterials 248, 252

edge-oriented multilayer graphene (EOG)
128, 129

edge-selectively halogenated 252

“eggshell” composite 111

electrical conductivity 2, 9, 12, 14, 15,
17, 61, 76, 85, 86, 109, 116, 117,
123, 124, 126–129, 131, 133, 134,
138, 139, 142, 143, 146, 147, 149,
151, 152, 170, 173, 194, 197, 199,
205, 206, 216, 232, 234, 261, 265

electrical double layer mechanism
(EDLC) 216, 218, 219, 222, 232

electrocatalysis reactions 245, 246, 258,
259
toward energy conversion 245

electrocatalysis reduction reaction 256

electrocatalyst surface 246, 259

electrocatalytic reaction 245, 246, 255,
256, 258, 263

electrochemical CO₂ reduction (ECR)
264–266

electrochemical processes 28, 260

electrodeposition of, inorganic
nanomaterials 16, 256

electrodes of, supercapacitors 2

electrolyte decomposition 193

electrolyte dielectric constant 220

electrolyte permeability 195

electron conductivity 71, 81, 201, 256

electron distribution 256, 258

electrospinning process 133

electrostatic interaction 126, 131, 138,
141, 147, 149, 151

energy overconsumption 245

ether electrolyte 190

ethylene thermal 63

ethylenediaminetetraacetic acid disodium
zinc salt 68

exfoliation
liquid exfoliation 26–27

extrinsic defects 9, 11–12

f

facile molten-salt pathway 73

Fermi level 74

ferrite nanocrystals 73, 74, 76

ferrite/carbon nanosheets 73, 74, 76

freeze-drying process 81

freeze-drying treatment 71, 81, 127

g

galvanostatic charge/discharge test 218

gaseous raw materials 34

Gibbs free energy 47, 260

graphene
applications 17–18
history of 5–6
different dimensional graphene 12–15
3DG 14–15
graphene nanoribbons 13–14
property of 7–9
structure defects 9–12
carbon adatoms defects 10–11
of graphene 9–10

- graphene (*contd.*)
 - graphene extrinsic defects 11–12
 - structure of 6–7
- graphene-based alloying-type composites
 - metal/graphene alloy-type composites 131–136
 - nonmetal/graphene alloy-type composites 136–138
- graphene-based conversion-type composites
 - transition metal oxides/graphene composites 139–142
 - conventional metal sulfides/graphene composites 142–146
 - 2D metal disulfides/graphene composites 146–150
- graphene-based electrocatalysts,
 - application of 260
 - for CO₂RR 264–266
 - for NRR 266–268
 - for ORR 262–264
 - for water splitting 260–262
- graphene-based hosts for, Li storage 169
 - free-standing 3D graphene-based hosts 170–174
 - with high SSA 170
- graphene-based insertion composites
 - TiO₂/graphene composites 125–130
- graphene-based materials 1–18, 63–64, 70, 72–86, 116, 123–152, 163–183, 189–210, 215–238, 245–268
- graphene-based materials, for
 - electrocatalysis 246
 - edge and defects sites 253–256
 - graphene as, supports 256–259
 - heteroatom doping graphene-based materials 247–248
 - multidoping graphene 252–253
 - single doping graphene 249–252
 - template method synthesis 259–260
- graphene-based nanoscale layers 166–169
- graphene-based supercapacitor performance improvement
 - composition on, graphene 226–230
 - 3D graphene by, template method 225–226
 - graphene electrode, design of 222–223
 - heteroatom-doping of, graphene 224–225
- graphene carbon atoms 9
- graphene clusters 12, 13
- graphene-coated sulfur particles 194
- graphene combined with, other lithiophilic materials 179–182
- graphene composites 15
 - graphene/conductive polymer composites 15
 - graphene/inorganic composites 16–17
- graphene/conductive polymer composites 15
- graphene foam (GF) 128, 142, 151, 170, 173, 232, 265
- graphene framework (GF) 49, 146, 168–170, 175, 178, 263
- graphene/inorganic composites 15–17
- graphene intrinsic defects 9
- graphene lamellar 235
- graphene nanoribbons 12–14, 33, 175, 252, 262
- graphene nanosheets 16, 50, 74, 100, 101, 132, 139, 141, 143, 204, 205, 250, 259
- graphene oxide (GO) 166
 - based chemical synthesis methods 14
 - possess 6
- graphene preparation methods 25, 26
- graphene/single-walled carbon nanotubes (G/SWCNT) hybrid materials 200, 201
- graphene skeleton 16, 44, 201, 250
- graphene structures 61, 139, 141, 143, 252
- graphene supercapacitors 18, 236, 238
- graphene synthesis
 - bottom-up approaches
 - CNTs un-zipping 33
 - CVD 29–30

- CVD, on nanoporous metal template 31
 - epitaxy growth 29
 - laser ablation 34
 - molecular self-assembly 33–34
 - powder metallurgy template method 31–32
 - pyrolysis solid carbon sources 34–35
 - soluble salt template methods 32–33
 - top-down approaches
 - exfoliation 26–29
 - mechanical cleavage 25–26
 - graphene-transition metal oxide electrode materials 228
 - graphite anodes 163
 - “growth” process 25
- h**
- heteroatom-doped 2D porous carbon nanosheets (CNs) 64
 - heteroatom-doped graphene 12, 79, 166, 174–179, 195–197, 247, 248, 265, 268
 - for uniform lithium nucleation 174–178
 - heteroatom-doped graphene nanoribbons (GNRs) 14, 175
 - heteroatom doping 68, 71, 74, 177, 196, 224–225, 232, 247–248, 252, 253, 256, 263
 - heteroatomic doped 2D nanocarbons/graphene 68
 - heteroatoms-doped 3D nanoporous graphene
 - Li metal anode application 48
 - N and Ni single atoms co-doped 3D nanoporous graphene 47–48
 - N-doped 3D nanoporous graphene 44–46
 - N, S co-doped 3D nanoporous graphene 46–47
 - N, S, P tri-doped 3D nanoporous graphene 47
 - hierarchical carbon nanostructures 82
 - hierarchical nanoporous graphene (hnp-G) films 49
 - hierarchical porous carbons 68, 70
 - high-energy ball-milling 194, 201
 - high-energy-density batteries 170
 - high oriented pyrolytic graphite (HOPG) 25, 26, 250
 - high-quality 3D nanoporous graphene 43, 54
 - high-speed deep charge-discharge cycles 215
 - hot and cold rolling process 41
 - hydrogen evolution reaction (HER) 46, 47, 245, 246, 250–252, 255–258, 260–262, 267, 268
 - hydrothermal reaction 127, 128, 144
 - hydrothermal reduction 15, 170
 - hydrothermal synthesis 15, 16, 47
 - hydroxylamine hydrochloride (HAH)-assisted hydrothermal method 149
- i**
- ideal cyclic voltampere (CV) curve 126, 218, 219
 - impregnation diffusion method 67
 - impurity scattering 7
 - indium tin oxide (ITO) 17
 - inhomogeneous porous 166
 - in-plane flexible supercapacitors 235
 - in-plane introduced defects 12
 - in-plane supercapacitor 234, 235
 - in-situ fabricated MgO 84
 - intercalation exfoliation 26, 28–29
 - intercalation pseudocapacitance materials 218
 - intercalation/de-intercalation mechanisms 49
 - intrinsic (undoped) graphene 7
 - intrinsic 2D electronic characteristics 43
 - intrinsic defects 9, 12, 250, 263
 - intrinsic dispersibility 76
 - ionic liquid mixture 230
 - ionic surfactants 61, 147
 - iron oxide nanocrystals 76

L

laser ablation 34
 laser-induced graphene 35, 117
 laterally oriented graphene (LOG) 128
 Li dendrites 164–167, 169, 171, 174, 176, 183
 Li deposition 165–183
 Li-ion batteries 163, 189
 Li-ion distribution 165
 Li-ion intercalation/deintercalation 219
 Li metal anode (LMA) 48, 52, 163–165, 167, 168, 170–172, 180–183
 Li/Na nucleation 166
 Li plating process 164, 173, 174, 176
 liquid crystalline graphene oxide (LCGO) dispersion 150
 liquid exfoliation 26–28
 liquid-phase exfoliation process 6
 Li–S batteries 64
 challenges of 191–193
 development history of 189–190
 graphene as host, for S 193–210
 functionalized graphene 197, 198
 graphene used, in separator 206–210
 graphene-based composites 199–201
 heteroatom-doped graphene 195–197
 high quality graphene 194–195
 metal compound anchored, on graphene 201–204
 metal compounds, anchored on carbon composite material 204–206
 structure-designed graphene 197–199
 working mechanism of 190–191
 lithiophilic materials 166, 178–182
 lithiophilic seeds 181
 lithiophilic transition of, graphene 176
 lithium corrosion 193
 lithium-ion batteries (LIBs) 2, 5, 123–126, 128, 131, 133, 134, 138,

139, 141–144, 146, 147, 150, 151, 190, 215, 218, 232

lithium-ion capacitors (LIC) 54, 232, 233
 lithium metal anodes 191
 lithium metal batteries (LMBs) 163–183
 lithium metal electrode 169, 192
 lithium negative electrode 191, 192, 206, 209
 lithium polysulfide 15, 190, 191, 193–197, 202, 204–209
 lithium/sodium-ion batteries 123–152
 lithium sulfur batteries 189, 205
 long-cycling stability 195
 low electrochemical potential 163, 170
 lyophilization 77

m

mesoporous cerium nitride
 microspheres/niobium-doped graphene nanosheet composites 204
 mesoporous NbN microspheres 204
 mesoporous protrusions 194
 metal-air batteries 48, 264
 metal/graphene alloy-type composites 131–136
 metal-ion capacitor 232–233
 micro-fabrication techniques 236
 microporous structure 43
 micro-supercapacitors 236–237
 molecular beam epitaxy (MBE) 29
 molecular self-assembly 33–34
 molten-salt pathway 63, 68, 72, 73
 mosaic-like flakes 167
 MoS₂ dispersion 150
 multidoping graphene 252–253
 multiple vacancies 9

n

NaCl recrystallization 70
 NaCl surfaces 72, 81, 82
 Na⁺ diffusion kinetics 129
 Na-ion batteries 44
 nano-carbon based materials 68
 nanoboxes 72, 82

- structure 72
 - nanoconfined nitrogen-sulfur co-doped
 - 3D porous carbon microspheres 73
 - nanoindentation technique 8
 - nano-piezoelectric generators 236
 - nanopolymers 80
 - nanoporosity 42, 47
 - nanoporous copper 42, 51
 - nanoporous Cu
 - continuously hierarchical nanoporous graphene 49–51
 - 3D nanoporous graphene based composites 54–57
 - heteroatoms-doped 3D nanoporous graphene 51–54
 - ligaments 56
 - nano porous metal 31, 41–57, 95, 259
 - nanoporous metal foil 41–42
 - nanoporous metal template methods
 - dealloying method, nanoporous metal foil preparation 41–42
 - nanoporous Cu
 - 3D nanoporous graphene based composites 54–57
 - continuously hierarchical nanoporous graphene 49–51
 - heteroatoms-doped 3D nanoporous graphene 51–54
 - 3D nanoporous graphene 42–49
 - nanoporous Ni
 - 3D nanoporous graphene 42–49
 - 3D nanoporous graphene based composite materials 49
 - 3D nanoporous rGO 48–49
 - heteroatoms-doped 3D nanoporous graphene 44–48
 - nanoporous Ni foils 42, 44, 46
 - nanoporous nickel 42, 113
 - nanoscale interfacial layers 164
 - nano-structured Cu scaffold (NCS-SG) 166, 167
 - N*-butyl-*N*-methylpyrrolidinium bis(fluorosulfonyl)imide (PYR14-FSI) 229, 230
 - N*-doped carbon 64, 72, 77, 85, 146, 149, 250, 253
 - N*-doped carbon nanostructures 253
 - N*-doped graphene 224, 249
 - coating 177
 - nanosheets 204
 - quantum dots 265
 - N*-doped nanoporous graphene 45, 48, 51, 52, 54
 - N*-doping effect 221
 - N*-graphene hybrids 258
 - NiCo-layered double hydroxide (NiCo-LDH) nanoneedles 56, 57, 230
 - nitrogen atoms 47, 267
 - nitrogen reduction reaction (NRR) 245, 246, 255, 260, 266–268
 - nitrogen-doped graphene 44, 84, 141, 149, 175, 177, 197, 201, 248, 257, 260
 - nitrogen-doped hierarchical porous carbons 68, 70
 - n*-layer graphene 8
 - N*-methyl-*N*-propylpiperidinium bis(fluorosulfonyl)imide (PIP13-FSI) 229, 230
 - non-carbonizable inorganic salts 62, 78
 - non-ionic amphiphilic block copolymers 61
 - nonmetal/graphene alloy-type composites 136–138
 - nonuniform distributions 166
 - n*-type semiconductor properties 224
 - numerical simulations 8
- O**
- one-dimensional (1D) carbon allotrope 3
 - one-dimensional carbon nanofibers (CNFs) 133
 - one-pot hydrothermal method 126, 143
 - one step electrodeposition 16
 - onion-like carbon shells 76
 - organic electrolyte 189, 210, 218, 222, 230

- organic-inorganic hybrid 64
 - out-of-plane heteroatom introduced
 - defects 11
 - oxidation-exfoliation-reduction 27–28
 - oxygen evolution reaction (OER) 47, 48, 245, 246, 252, 253, 255, 256, 260–262, 268
 - oxygen reduction reaction (ORR) 16, 44–48, 245, 246, 248–253, 255–260, 262, 264, 266, 268
 - testing 44
- p**
- P-doped graphene 224, 251, 258
 - pentaerythritol tetraacrylate 168
 - phosphorus heteroatom co-doped
 - graphene anode materials 232
 - planar graphene 10, 25
 - plasma discharge 194
 - plasma enhanced chemical vapor
 - deposition (PECVD) method 30, 128
 - plasma-induced abundant defects 256
 - plating process 164, 166, 173, 174, 176
 - poly(3,4-ethylenedioxythiophene) (PEDOT) 15, 228, 229
 - poly(diallyldimethylammonium chloride) 138
 - poly(ethylene glycol)diacrylate 168
 - polyacrylonitrile (PAN) 15, 102
 - polyaniline (PANI) 15, 79, 218, 228–230, 235
 - polydopamine (PDA) 138, 252
 - polyethylene oxide 138
 - polymer-based nanocomposites 5
 - polypyrrole (PPy) 15, 218, 224, 228, 229
 - polythiophene (PTh) 228
 - polyvinyl alcohol 138, 226
 - porous graphitic carbon (PGC) 67, 83
 - porous materials 41, 222
 - porous metallic materials 41
 - porous non-metallic materials 41
 - powder metallurgy 15, 31–32, 95–118
 - powder metallurgy templates (PMT)
 - methods 31, 32
 - additive manufacturing 113–118
 - basic synthesis procedure 96–97
 - carbon sources 102–103
 - cold-pressing pressure 105–106
 - CVD growth of graphene 97
 - 3D bmG 101, 102
 - 3D GM and its composites 108–113
 - heating temperature and heating
 - method 104–105
 - mechanism of 106–108
 - metal powders 100
 - metal templates/carbon sources ratio
 - 103–104
 - pristine graphite 5
 - protic solvents 27
 - proton-coupled multielectron transfer
 - reaction 264
 - pseudocapacitance 147, 216, 218, 221, 224, 226, 234, 235, 238
 - pseudocapacitance mechanism 216, 218
 - pseudocapacitor electrode 218, 231
 - pseudocapacitors 218, 219, 230
 - pure ferrite/carbon nanosheets 74
 - pyrolytic graphite surface 5
- q**
- quantum Hall effect (QHE) 6, 7
 - “quasi-graphene” character 34
- r**
- Ragone plot supercapacitors 216
 - reduced graphene oxide (RGO/rGO) 48, 167, 229, 231
 - composite 125
 - rGO-CB composite interlayer 208
 - rinse/dry process 43
- s**
- salt template methods 61, 62
 - acquisition method 68–72
 - effects of, different kinds of salts
 - 62–68, 69
 - important influencing parameters
 - 72–73

- salt template-directed graphene-based materials
- 2D graphene-based materials 73–78
 - 3D porous graphene-based materials 78–86
- “Sand’s time” model 169
- sandwich-like graphene 170
- sandwiched carbon/metal oxide structure 82
- Sb/graphene composites 131, 134
- scanning transmission electron microscopy (STEM) 42, 45, 46, 48, 53–55, 78, 228
- SEI-coated graphene (SCG) 170
- short-chain lithium polysulfide 191
- shuttle effect 191, 194, 195, 206, 208
- silicon carbide (SiC) 5, 6, 29
- single doping graphene 249–252
- single vacancies 9
- single-atom (SA) Ni doping 175
- single-atom (SA) Ni doping on nitrogen-doped graphene frameworks (SANi-NG) 175, 176
- Sn ultra-small nanoparticles 133
- Sn-Co nanoparticles 133
- Sn/graphene/Sn heterostructures 131
- SnSb nanocrystals 82
- SnSb-nanoconfined ultrathin N-doped graphene walls 72, 82
- sodium sulfate (Na_2SO_4) salt powder 74
- sodium-ion batteries (SIBs) 123–152
- soft templates 61, 62, 260
- sol-gel method 17, 125
- solid ball milling process 27
- solid electrolyte interphase (SEI) layers 151, 164, 165, 168, 170, 171, 174, 181, 183, 192
- solid exfoliation 26, 27
- solid-state supercapacitors 51, 56
- soluble salt template methods 32–33, 61–86
- spatial inhomogeneous distribution 166
- specific surface area (SSA) 14, 16, 17, 31, 44–48, 51, 54, 72, 79, 84, 104, 106, 123, 166, 169, 170, 172, 174, 176, 183, 194, 197, 198, 202, 216, 218–222, 225, 234, 246, 256, 259
- spray-drying process 72
- stable P/graphene composites 138
- stacked graphene (SG) 166, 167, 176
- “state-of-the-art” mechanism 189
- Stone-wales defect 9, 10, 253
- stripping process 48, 52, 164, 167, 169–172, 181
- sulfur-carbon composite positive electrode 207
- sulfur/carbon nanocomposite cathode materials 190
- sulfur-containing compounds 190, 192
- sulfur-doped graphene (SG) host 176
- sulfur nanoparticles 67, 83, 197, 201
- sulfur positive electrode 193, 198, 204
- supercapacitor 2, 215
 - advanced graphene-based supercapacitor
 - ASC 230–232
 - electrolyte design 230
 - flexible supercapacitor 233–236
 - metal-ion capacitor 232–233
 - micro- supercapacitor 236–237
 - and Li-ion battery 218–219
 - fundamentals 215–216
 - future 237–238
 - graphene-based supercapacitor 221–237
 - advantages of 221–222
 - performance improvement 222–230
 - influencing factors carbon-based supercapacitor 219–221
 - mechanism 216–218
- supercapacitor electric bus 215
- superior lithiophilic surface 171
- surface Faraday pseudocapacitance 218
- synergistic effect 15, 47–49, 140, 141, 209, 252, 257
- t**
- tetrabutyl titanate (TBOT) 17, 125
- thermal conductivity 7, 8, 16, 17, 28, 61

- thermal conductivity (κ) 7, 8, 16, 17, 28, 61
 - thermal-induced expansion strategy 196
 - three-dimensional (3D) nitrogen 226
 - three-dimensional (3D) porous hosts 169
 - three-dimensional bi-functional modular graphene network (3D bmG) 100, 101
 - three-dimensional nitrogen-boron-doped graphene aerogel 197
 - three-dimensional structure, TiO_2 nanoparticles 125, 126, 128
 - TiO_2 /graphene composite 16, 17, 49, 125–130
 - titanium dioxide layer 201
 - top-down approaches
 - exfoliation
 - intercalation exfoliation 28–29
 - liquid exfoliation 26–27
 - oxidation-exfoliation-reduction 27–28
 - solid exfoliation 27
 - transition metal oxides (MO_x) 54, 139–142, 226
 - transition metal oxides/graphene composites 139–142
 - transition metal sulfides/graphene composites
 - conventional metal sulfides/graphene composites 142–146
 - 2D metal disulfides/graphene composites 146–150
 - trifunctional catalyst 255
 - triple-doping carbon electrocatalyst 252, 253
- U**
- ultrahigh mobility 7
 - ultrathin anatase TiO_2 nanosheets/rGO composites 126
 - undoped graphene composite 197
 - uniform lithium deposition 167
- V**
- vacuum filtration 128, 133, 142, 231
 - vacuum permittivity 220
 - van der Waals force 25, 95
 - violent method 25
 - voltage window 125, 126, 138, 146, 220, 221, 225, 230, 232
- W**
- water splitting 246, 260–262
 - water-bearing aluminosilicate 64
 - Wiedemann–Franz law 7
- Y**
- yielding micrometer-sized spheres 72
 - Young's modulus 8, 17, 222

