

Index

A

acetophenone 46, 47, 51, 59, 81, 153, 321
 acidic zeolites, 251
 activated carbon-supported trimetallic PdNiAg alloy nanoparticles (PdNiAg/C) 295
 active metals 23, 28, 30, 148, 243, 249, 257, 281, 301, 302
 active pharmaceutical ingredients (APIs) 148
 adipic acid 127
 adsorbed isopropylamine 334
 aerosol pyrolysis method 162
 Ag nanocubes 186
 Ag nanoplates 186
 Ag nanospheres 186
 Ag/NH₂-UiO-66 288
 AgNPs-core (macro)molecules-shell 101, 102
 AgPd/MOF-5-C-900 preparation 288
 Ag@Pd nanoparticles 292
 airborne particulate matter 23
 air stable ILs 123
 albeit low-cost bimetallic catalyst 332
 alcohol oxidation 222–224
 ALD-SiO₂ layer-protected PdCoNi alloy nanoparticles 296–298
 alditol bearing polysaccharides 108
 alkylimidazolium aluminate IL 123
 alkyl poly(ethylene oxide) (PEO) 215
 alloyed AuPd NPs 186

alloyed PtCo NPs 186
 amine-functionalized SBA-15 226, 231
 amine-functionalized silica nanotube (ASNTs)-supported Pd NPs 233
 amine-functionalized UiO-66 288
 amines 28, 46, 64, 75, 106, 174, 186, 218–220, 228, 229, 312, 346
 1-aminoisopropyl radical 336
 (3-Aminopropyl)triethoxysilane (APES) 146, 220
 3-aminopropyltriethoxysilane (3-APTS) functionalized silica 228
 ammonia synthesis 332
 ammonium-type surfactants 51
 APTS-functionalized SiO₂ supported trimetallic PdAuCr alloy nanoparticles 295
 artificial photosynthesis 257
 atomic charges 342, 347
 atom probe tomography (APT) 291
 Au@Pd NPs 206
 Au@Pd/N-rGO nanocatalyst 292, 293
 Au@Pd/N-rGO nanomaterial 293
 Au@ZIF-8 198, 208
 Au/ZnO@ZIF-8 flower-like nanocomposite 203
 AuPdCeO₂ decorated reduced graphene oxide 296
 automobile catalysts 23
 azide-alkyne cycloaddition reaction (CuAAC) 22

B

Balandin–Sabatier volcano curve 340, 346
 ball mill treatment 29
 bare cluster 336–337
 bathocuproine disulfonic acid disodium salt (BCDS) 49
 bi-and multimetallic nanoparticles (NPs) 73
 bimetallic alloy-type MNPs 186
 bimetallic CuRu–MOF precursor 270
 bimetallic FeCo nanoparticles 313–314
 bimetallic FeNi nanoparticles 313
 bimetallic nanoparticles 75, 77, 88–90, 94, 108, 116, 118, 133, 137, 199, 228, 249, 317, 327
 bimetallic palladium-based nanocatalysts in alloy structure 287–291
 core@shell structure 291–294
 physical mixture form 286–287
 selenium (Se) doped graphene/CoFe₂O₄ 301
 small-sized PtRuBiO_x nanoparticles 297
 trimetallic Pd-containing nanocatalysts 294–297
 bimetallic PdNi NPs 200
 bimetallic 2D MOFs 203
 bi-/multimetallic electrocatalysts 272
 biologically inspired magnetically recoverable metalloporphyrin-based catalysts 165
 biomass 7, 9, 133, 141–143, 148, 153, 242, 279
 biosourced materials 9
 biosynthesis method 188
 biphasic catalysis 45
 bitter-taste dipeptide 165
 blue diamonds 341
 BMIm.PF₆ 128
 boron hydrides 279
 boron–nitrogen compounds 279
 bottom-up liquid-phase techniques 73

Brønsted–Evans–Polanyi (BEP) linear scaling relationship 332
 Brunauer–Emmett–Teller (BET) method 259
 Buchwald–Hartwig amination reaction 176
 bulk magnetic materials 160

C

calcined silica supports 220
 capping agents 2, 3, 45, 65, 67, 86, 101, 103, 112, 115, 186, 187, 194, 262, 264, 332
 capping agent-stabilized metal nanoparticles 3
 ϵ -caprolactam 127
 carbohydrates 9, 108–113
 carbonaceous ligands 47, 51
 carbon black (CB) 272, 287
 carbon capture and storage (CCS) 323
 carbon–carbon (C–C) coupling reaction 4, 6, 64, 130, 148, 229
 carbon feedstock valorization 309
 carbon ligands 49–50
 carbon microfibers (CFs) 265
 carbon monoxide (CO) oxidation 221–222
 carbon nanofibers (CNFs) 285
 carbon nanotube-graphene (CNT-GR) 244
 carbon nanotubes (CNT) 29, 93, 167, 201, 227, 244, 279
 carbon-neutral fuel cycle diagram 280, 281
 carbon-supported PdAu alloy nanoparticles (PdAu/C) 290, 294
 carboxylic acids 46, 75, 78, 84–86, 88, 110, 161, 183, 199, 265, 267, 269, 312
 carboxymethylated CNFs 147
 catalysis activated by magnetic gas-phase catalysis 314
 heated micro-and macro-scaled materials 314–316

- hyperthermia of nanoparticles 316–318
- catalyst loading 22, 24, 86, 233, 258
- catalyst poisoning methods 30
- catalyst recycling 54, 159, 173
- catalyst supports 34, 146, 159, 161, 167, 173, 229, 317
- catalytic carbon dioxide hydrogenation 133–134
- catalytic contamination 22–24
- catalytic reactions in solution 318–321
- C–C cross-coupling reaction 14, 16, 20, 105, 108
- C–S cross-coupling reaction 18, 19, 21
- CelluForce 141
- cellulose nanocrystals (CNCs) 7
- advantages 141
 - cellulose pulp 141
 - CNC-based nanocatalysts
 - functionalized 145–146
 - unmodified 144–145 - enantioselective catalysis 142
 - organic transformations catalyzed
 - C–C coupling reactions 148–151
 - reduction reactions 151–153 - publication trend 142, 143
 - solid supports
 - amino groups 146
 - carbon source 147
 - sulfuric acid 142
 - whisker-shaped nanomaterials 141 - chemical transformations 6, 18, 145, 184, 187, 332
 - chemical vapor deposition (CVD) 99, 162, 187, 296
 - cinnamaldehyde hydrogenation 89
 - cleaner chemistry 8
 - climbing image nudge elastic band (CINEB) method 347
 - C matrix/C-based support 266–270
 - CNC-based nanocatalysts
 - biphasic separation 144
 - surface functionalities 145–146
 - unmodified 144–145
- CO adsorption and oxidation reactions 77
- CO₂-expanded liquids 190
- CO₂ hydrogenation
- into dimethyl ether 250–252
 - into formic acid 242–246
 - methanol 247–250
- CO₂-in-IL microemulsion 192
- CO₂-mediated H₂ energy cycle 242
- CO₂ transformation 9
- cocktail-type systems 6, 13, 14, 17
- cold catalysis 322
- collagen fiber (CF) 110
- colloidal AuPd-PVA NPs 173
- colloidal deposition method 195, 197
- colloidal immobilization method 218–219
- colloidal MNPs 187, 194, 332
- colloidal nanoparticles, immobilization of 172–174
- colloidal polyvinylpyrrolidone (PVP)
- stabilized PdAg alloy nanoparticles 290
- commercial Cu-ZnO-Al₂O₃ catalyst 248
- CoNi nanoparticles 297, 314
- contactless selective heating 311
- conventional microscopy techniques 17
- coordination capture methods 168
- CoPd alloy nanoparticles 291
- copper-oxide-catalyzed C–S
- cross-coupling reaction 18
- core/ligand interfaces 73
- core-shell Fe@FeC configuration 312
- core@shell nanocatalyst 291, 293, 294
- core–shell structured MNP@MOF
- composites 205, 206
- cross-coupling reactions 14, 20, 24, 29, 131, 148
- cucurbit[6]uril (CB[6]) 63, 66
- Cu₂O nanoparticles 20
- Cu-ZnO-Al₂O₃ catalyst 248, 251
- Cu-ZnO-based catalysts 248
- Cu-ZnO-ZrO₂ methanol synthesis 251
- cyclodextrins 47, 55, 56, 75
- 1,3-cyclohexadiene 129

cyclohexadiene 128, 129
 cyclohexene 23, 78, 92, 127–129, 132,
 133, 171, 172, 175
 [bis(1,5-cyclooctadiene)nickel(0)] 171
 cyclooctene 184

d

dI-I band centers 339, 342, 343, 347,
 348
 dendrimer (G_3 DenP)-coated nickel
 colloids 65
 dendrimer-functionalized silica 226
 density functional theory (DFT) 25, 82,
 84, 207, 331, 332
 deoxygenation of fatty acids 79
 deposition–precipitation method 195,
 217–218, 285
 DFNS-supported Pt NPs 229
 DFT-calculated dissociative adsorption
 341
 dialkylarylpophosphines 79
 1,3-dialkylimidazolium ILs 123, 124,
 128
 dichloropalladium(II) complex 51
 diethylenetriaminepentakis(methyl-
 phosphonic) acid (DTPPA)
 49
 9,10-dihydroanthracene 93
 diimine functionalization 231
 dimetallacycle 334–336, 338, 339
 dimethyl ether (DME) 7, 250–252
N,N-dimethyl-*N*-alkyl-*N*-(2-hydroxy-
 ethyl)ammonium salts (HEA
 salts) 52
 direct detection of nanoparticles 19
 dissociative adsorption Gibbs free energy
 340–342, 345
 diverse supported metal nanoparticle
 catalysts 169
 dopant materials 302
 dried and calcined Cu-ZrO₂ precursor
 249
 dynamic catalysis
 catalyst poisoning techniques 30–33
 cross-coupling reactions 14

leaching 16, 24
 nanosalts 14
 re-capture 24

E

earth-abundant metals 4, 9, 301
 earth-abundant transition metal
 nanoparticle catalysts 4
 electrochemically active surface area
 (ECSA) 259
 electrochemical method 126, 188, 191,
 295
 electronic/steric effects 78
 Eley–Rideal mechanism 334
 enantioselective catalysis 142
 enantioselective hydrogenation of
 prochiral ketones 79, 80
 energy diagram,
 Langmuir–Hinshelwood-type
 334, 337
 Epigallocatechin-3-gallate (EGCG) 110
 ethylammonium nitrate 123
 ethylene glycol 6, 100–105, 114, 293

F

FA dehydrogenation 280–283, 287, 289,
 291–297, 301, 302
 FA over PdAg/resin-N(CH₃)₂ catalyst
 289
 facile, one-pot, ligand-protected synthesis
 245
 Faradaic efficiency 261
 fast and localized heating 311
 Fe₃O₄@silica- α CT 165
 Fe@Pd nanocatalyst 113
 Fermi energy 339, 347
 ferrocenyl phosphine 78
 Fischer carbene complex 64
 Fischer–Tropsch synthesis (FTS) 133,
 312
 fluorous silica gel (FSG) 222
 formic acid (HCOOH) 242, 333
 active metals 301
 advantages 279

- bimetallic palladium-based nanocatalysts 286
- dopant materials 302
- heterogeneous catalysts 280
- large-scale FA dehydrogenation 302
- monometallic Ni-based heterogeneous catalyst 281
- monometallic Pd-based nanocatalysts 282
- selective decomposition of 280
- structure of catalyst 301
- support material 301–302
- four-membered dimetallacycle 334, 339
- functionalized CNCs 7, 145–146, 150, 153
- functionalized NH₂-UiO-66 199
- G**
- gas phase catalysis 309, 314
- gas phase ¹³C NMR 317
- Gd-MOF 193
- Gibbs–Curie–Wulff theorem 200
- Gibbs free energy 340–342, 344–346
- glassy carbon (GC) 258
- glycerol 4, 6, 8, 68, 100, 105–109, 114, 115
- glycodendrimer-stabilized Pt nanoparticles 63
- GNs–CB surface decorated PdNi nanoparticles 291
- gold colloids 187
- graphene nanosheets (GNs) 290, 296
- graphitic carbon nitride (g-CN) 147, 148, 244, 265, 290
- green catalysis 45–68, 281
- green chemistry 13, 29, 68, 153
- greenhouse gases 309, 323
- green impregnation–H₂ reduction method 224
- green solvents 8, 192
- H**
- harmonic approximation 331
- H/D exchange mechanism 334–337
- H/D isotopic exchange 333–339
- HEA16 surfactants 52
- Heck and Suzuki coupling 131
- Heck cross-coupling reactions 102, 103
- Heck reaction 25, 131, 132, 150, 231
- heterogeneous catalysis 1, 319
- heterogeneous catalysts 73, 168
- heterogeneous catalytic processes 18
- hexadecylamine (HDA) 76, 172, 313
- hexafluorophosphate 123, 128
- hexene 184
- hollow silica-based polyaniline 224
- homocoupling process 27
- homogeneous catalysis 25, 32, 33, 45, 47, 67, 79, 331
- hybrid bifunctional catalysts 251
- hydrodeoxygenation (HDO) 151, 152, 321
- hydroformylation 6, 127, 132–133, 135
- hydrogen adsorption Gibbs free energies 346
- hydrogenation/dehydrogenation cycle storage system 279
- hydrogenation of organic compounds 27
- hydrogenation reaction 226
- carbon ligands 49–50
- nitrogenated ligands 47–51
- organometallic MNPs
- bimetallic nanoparticles 88–90
 - carboxylic acids 84–86
 - fullerenes 82–84
 - N-heterocyclic carbenes 80–82
 - Ni NPs 86, 87
 - phosphorus ligands 78–80
 - Ru NPs 86, 88
 - supported nanoparticles 90–94
 - zwitterionic ligands 82
- phosphorous ligands 46–47
- polymers stabilization 58–67
- surfactants stabilization 52–58
- hydrogen exchange reaction 333
- hydrogen evolution reaction (HER) 7, 257
- catalytic efficiency 258
- optimal ligands 344–346

- 4-phenylpyridine-protected RuNPs 341–344
 potential 318
 hydrogen (H_2) storage 279
 hydrolysis of silane 224–226
 hydrothermal/solvothermal methods 162
 hydroxyethylammonium (HEA) derivatives 56
 hydroxyethylammonium (HEA16Cl) surfactant 61, 63
 hydroxylated ammonium surfactants 55
- I**
 Igepal® CO-520 164
 imidazolium-based ILs 123, 124
 inorganic $[Ti_8Zr_2O_{12}(MeCOO)_{16}]$ clusters 189
 inside heating 311
 integrated nanocatalysts (INCs) 184
 ionic liquid (IL)-based fibrous nanosilica KCC-1 297
 ionic liquids (ILs) 3, 192
 air-stable 123
 alkylimidazolium aluminate 123
 catalytic application of
 carbon dioxide hydrogenation 133–134
 catalytic hydrogenation of aromatic compounds 127–130
 C–C coupling 130
 Fischer–Tropsch synthesis (FTS) 133
 hydroformylation 132–133
 IL-soluble NPs 127
 structure 127
 charge-ordering structures 124
in situ chemical synthesis 125
 magnetron-sputtering deposition 126
 molten salts 123, 124
 nonfunctionalized 123, 126
 organic or inorganic anions 123
 RTILs 123, 124
 stabilization of 124–125
 ionization sources 20
- iridium nanoparticles 28
 iron carbide Fe(C) nanomaterials 312–313
 iron (0) nanoparticles 312
 iron oxides 161, 166, 176
 iron oxide spherical NPs 318
 isopropylamine compounds 336
 isopropylamine model 334
- K**
 KCC-1/IL/PbS nanoparticles 297, 300
 Knoevenagel condensation and transesterification reactions 189
 KSKG (silica)-supported monometallic and bimetallic catalysts 228
- L**
 Langmuir–Hinshelwood-type mechanisms 334
 large-scale FA dehydrogenation 302
 leaching 14, 16–18, 20–22, 24–27, 29, 30, 33–35, 80, 91, 92, 105, 111, 168, 171–173, 177, 184, 196, 218, 233, 295–297
 Le Chatelier’s principle 248
 Lewis acids/Lewis bases 188
 ligand-capped metal NPs 218
 ligand exchange method 49
 ligand-free soluble Pd NPs 131
 ligand influence on catalytic properties 174
 ligand-stabilized nanoparticles 331, 340
 liquid mercury 30, 31
 liquid organic hydrogen carrier (LOHC) strategy 279
 liquid-phase hydrogenation of benzene 127, 227
- M**
 macroscale induction heating 310
 magic angle spinning (MAS) 76
 magnetic hyperthermia
 bimetallic FeCo nanoparticles 313–314
 bimetallic FeNi nanoparticles 313

- catalytic reactions in solution 318–321
 CoNi nanoparticles 314, 315
 energy efficiency and environmental considerations 324–326
 gas phase catalysis 314
 iron carbide Fe(C) nanomaterials 312–313
 iron (0) nanoparticles 312
 metal oxide nanomaterials 312
 renewable energy use 323–326
 stability of the catalytic bed 322
 thermal management and process chemistry 322–323
 magnetically recoverable metal nanocatalyst $\text{Fe}_3\text{O}_4@\text{silica-Pd}$ 165
 magnetically recoverable metal nanoparticle (NP) catalysts decomposition of organometallic precursors 171–172
 immobilization of colloidal nanoparticles 172–174
 immobilization of metal precursors prior to reduction 168–171
 influence of ligands on catalytic properties 174–176
 magnetic support material 161–163
 reverse microemulsion system 176
 magnetic monodomain nanoalloys 309
 magnetic separation 86, 92, 159–161, 165, 168, 172, 177
 magnetic support material aerosol pyrolysis method 162
 chemical vapor deposition 162
 hydrothermal/solvothermal methods 162
 magnetic separation efficiency 161
 magnetite 161
 magnetite coated with carbon-based materials 167–168
 magnetite coated with ceria, titania and other oxides 166–167
 magnetite coated with silica 163–166
 magnetron-sputtering deposition 126
 Markovnikov-type hydrothiolation of terminal alkynes 14
 mass activity parameter 259
 matrix-assisted laser desorption/ionization (MALDI) 19
 matrix sputtering technique 116
 MCM-41 215, 216, 227, 229, 233, 287
 MCM-41-supported Pt NPs 227
 mechanochemical synthesis 192
 MeCOO ligands 344
 (3-mercaptopropyl)trimethoxysilane 220
 11-mercaptoundecyl-*N,N,N*-trimethylammonium bromide (MUTAB) 116
 mercury test 6, 30–34
 mesoporous alumino-silicate (Na-Al-SBA-15) 227
 mesoporous HKUST-1 and 2D Cu(HBTC)-1 nanosheets 193
 mesoporous HKUST-1 with large mesopores 190
 mesoporous MOFs (mesoMOFs) 190
 mesoporous silica nanospheres (MSNs) 215, 245
 metal-catalyzed coupling reactions 144
 metallic copper 22
 metallic Ru 258, 260, 264, 265
 metal–metal bonds 3
 metal nanoclusters (MNCs) 186
 metal nanoparticles (MNPs) 331 aqueous suspensions of 45
 biosynthesis method 188
 catalytic properties of 185–186
 CNCs C–C coupling reactions 148–151
 Stöber method 162
 surface functionalization 161

- metal nanoparticles (MNPs) (*contd.*)
- functionalized 145–146
 - reduction reactions 151–153
 - unmodified 144–145
 - colloidal suspensions 187
 - electrochemical techniques 188
 - evolution 73
 - functionalized CNF 147
 - ionic liquids (ILs) 141
 - ligands protection 46
 - ligand-stabilized 73
 - metal vapor condensation/deposition method 187
 - in nanocatalysis
 - capping agent-stabilized metal nanoparticles 3
 - earth-abundant transition 4
 - homogeneous and heterogeneous fields 4
 - ionic liquids 3
 - molecular and heterogeneous catalysts 5
 - potential applications 1
 - reactivities 2
 - steric and/or electronic effects 3
 - targeted catalytic reaction 2 - nanocellulose-based solid supports, CNC
 - carbon supports 147
 - embedded supports 146–147
 - functionalized 146–147 - organometallic 74
 - polymers stabilization
 - carbon–carbon coupling reactions 64–66
 - hydrogenation reactions 58–64
 - oxidation reactions 66–67 - in polyols 99
 - surfactants stabilization
 - hydrogenation reactions 52–56
 - oxidation reactions 56–57
 - sodium laurate-protected rhodium 58 - synthesis strategies 73
- TBAB-coated palladium nanospecies 57, 58
- wet-chemical reduction method 187
- metal nanospecies 1, 41, 46, 49, 51, 67
- metal–organic complexes 74
- metal–organic frameworks (MOFs) 7, 183
- catalytic activity and catalytic sites 188–189
- electrochemical method 191
- green solvents 192
- integration methods of MNPs with 194–195
- materials 279
- mechanochemical synthesis 192
- microemulsion method 193
- microwaves irradiation technique 192
- porosity 189–190
- solid matter transformation 193
- sonochemical method 191
- metals and semimetals 272
- metal oxide nanomaterials 312
- metal vapor condensation/deposition method 187
- methanol (CH_3OH) 247
- methanol-to-olefins (hydrocarbons) technology 247
- S*-methylisothiourea functionalized MCM-41 231
- microemulsion method 193
- microkinetic (MK) models 332
- microwave-assisted synthesis 100, 192
- microwaves irradiation technique 192
- MIL-100@Pt@MIL-100 composite 207
- MIL-53(Fe) synthesis 192
- mixed-ligand MOFs 183
- Mizoroki–Heck cross-coupling reactions 27
- MNP@MOF 195
- MNP/MOF nanocomposites
- core-shell/yolk-shell nanostructures 205
- nanoreactor-like MNP/MOF composites 208
- one-dimensional 201

- sandwich-like nanostructures 206
 three-dimensional 203
 two-dimensional 203
 zero-dimensional 201
 MOF-74(Ni) monolith 204
 MOF-177 monoliths 204
 molecular and heterogeneous catalysts
 dynamic catalysis
 cross-coupling reactions 14
 leaching 16, 24
 re-capture 24
 nanosalts 14
 interface
 catalytic contamination 22
 molecular species, mass
 spectrometry 19
 nanoparticle evolution, electron
 microscopy 17
 molecular chemistry 74, 76, 94
 mono-and bimetallic NPs 327
 monometallic Ni-based heterogeneous
 catalyst 281
 monometallic Pd-based nanocatalysts
 282
 monomolecular Pd complexes 20
 mononuclear palladium species 14
 Mulliken population analysis (MPA) 347
 multi-step chemical reactions 331
 multinuclear palladium-oxygen species
 formation 20
- N**
- nanocatalyst design principles 332
 nanocellulose
 cellulose nanofibers (CNFs)
 cellulose pulp 141
 functionalized 147
 CNCs 141
 definition 141
 nanochemistry 2–4, 8, 9, 73, 74, 331
 nanoclusters 1, 6, 14, 17, 100, 186, 267,
 269, 293, 341, 342, 347, 348
 nanometer-sized transition metal
 particles 4
 nanoparticle-based catalysts 6
 nanoparticle catalysts
 catalyst poisoning techniques
 applications of 30
 fundamental limitations of 33
 contamination 22–24
 Cu₂O nanoparticles 20
 direct detection of 19
 electron microscopy 17
 in solvent-free and solid-state organic
 reactions 27–29
 mercury test 31–33
 mononuclear complexes 14
 nanosalts 13
 nickel thiolate complex 21
 4-nitrophenol reduction over gold
 nanoparticles 20
 organic synthesis 13
 Pd nanoparticles 16, 24, 25
 Pd_n typ 14
 zero oxidation state metal 13
 nanoparticle contamination 22, 23
 Nanoparticle-Embedded Paper-Spray
 approach 20
 nanoparticles,
 1,3,5-triaza-7-phosphadamantane
 (PTA) 46, 48
 nanoporous carbon MSC-30 282
 nanoporous CeO₂ 290
 nanoreactor-like MNP/MOF composites
 208
 nanosalts 13, 14, 16
 nanoscale metal-based species 1
 nanostructured metal catalysts 340
 negative-ion mode electrospray ionization
 mass spectra of [Pd₂dba₃] 21
 N-heterocyclic carbene (NHC) 21, 32,
 46, 47, 49, 50, 77, 80–82, 132, 174,
 175, 228
 N-heterocyclic compounds 130
 NH₂-UiO-66 199, 288
 nickel catalysts 24, 128, 171
 Ni@MOF 194
 Ni NPs 66, 86, 87, 107, 130, 134, 171,
 194, 200, 313, 317
 nickel salt 16

- nickel thiolate complex $[\text{Ni}(\text{SAr})_2]_n$ 21
 nickel thiols 16, 18, 21
 NiMo@MIL-103 199
 nitrogen adsorption energy 332
 nitrogenated ligands 46–51
 nitrogen-containing mesoporous graphitic carbon nitride (mpg- C_3N_4) 244
 nitrolis(methylphosphonic) acid (NTPA) 49
 4-nitrophenol reduction over gold nanoparticles 20
 $(\text{Ni-Cu})(\text{Ni-Cu-MOF})$ 205
 noble metal nanoparticles 117
 nonfunctionalized ILs 123, 126
 nonionic triblock copolymers 215
 nonmagnetic catalytically active species 161
 nontoxic polyoxoethylene–polyoxo-propylene–polyoxoethylene triblock copolymer (P123) 61, 62
 nudged elastic band (NEB) method 333, 347
- O**
- n -octylamine ligands 346
 olefinic complexes 74
 olefinic ligands 125, 171, 332
 oligomeric surfactants 215
 1D Au/ZnO@ZIF-8 203
 one-dimensional (1D) MOFs 201
 one-pot deacetalization–Knoevenagel condensation 189
 one-pot tandem catalysis 184
 organic anions/chelating agents 194
 organic polymers 75, 279
 organic synthesis 13, 27, 68, 90, 224
 organic transformations 9, 105, 148, 151
 organocatalysis 143
 organometallic metal nanoparticles advantages of 94
 hydrogenation reactions bimetallic nanoparticles 88–90
 carboxylic acids 84–86
 fullerene 82–84
 N-heterocyclic carbenes 80–82
- Ni NPs 86, 87
 phosphorus ligands 78–80
 Ru NPs 86, 88
 supported MNPs 90–94
 zwitterionic ligands 82
 stabilizer effect advantage 74
 CO oxidation 77
 immobilization of 75
 ionic liquids 75
 molecular chemistry concepts 74
 organic polymers 75
 synthesis of 74, 75
 organometallic precursors 171–172, 197, 198, 262, 332
 organotrialkoxysilanes 170
 oxalate coprecipitation method 249
 oxidation reactions 27, 28, 52, 56–57, 66–67, 77, 198, 221–226
 oxidative addition mechanism 334
 oxide-derived materials 273
 oxygen evolution reaction (OER) 205, 317, 340
- P**
- palladium nanoparticles 16, 296–298
 palladium(0) complex Pd_2dba_3 20, 22
 PCy_3 (tricyclohexylphosphine)-modified Cu catalyst 175
 $\text{PdAg}/\text{NH}_2\text{-UiO-66}$ 288
 $\text{Pd}/\text{Al}_2\text{O}_3$ 175, 244, 282
 PdAuNi alloy nanoparticles 295, 296
 Pd atom detachment 25, 26
 Pd-based bimetallic alloy 293, 294
 Pd-based trimetallic nanocatalysts 297, 300
 PdCoNi alloy nanoparticles 297, 298
 Pd containing bimetallic catalysts, forms of 286
 $\text{Pd}_{0.60}\text{Co}_{0.18}\text{Ni}_{0.22}/\text{TiO}_2$ nanocatalyst 297
 Pd_n type nanoparticles 14
 $\text{Pd}(0.25)\text{-Cu}/\text{SiO}_2$ 250
 $\text{Pd}(\text{OAc})_2$ Contamination 22
 Pd/Diene-catalyzed cross-coupling 20
 Pd-diimine@SBA-15 231

- Pd/MSC-30 282, 284, 285
 PdNi/GNs-CB nanocatalyst 290
 PdNi@UiO-67 200
 Pd/N-MSC-30 nanocatalysts 284, 285
 Pd NPs-modified
 CuO-ZnO-Al₂O₃-ZrO₂/HZSM-5 catalysts 252
 Pd/NH₂-UiO-66 288
 Pd/PDA-rGO 283, 284
 Pd/Vulcan XC-72R 282
 PEG-coated palladium NPs 64
 PEG-tagged compound 64
 periodic DFT calculations of metal clusters 347
 2-phenyl-4-(1-naphthyl)-quinolinium ion, QuPh⁺-NA 273
 4-(3-phenylpropyl)pyridine (PPP) 88
 N-phenylhydroxylamine (PHA) 88
 4-phenylpyridine-capped RuNPs 341
 phenylpyridine-capped RuNPs 346
 4-phenylpyridine(PP)-capped Ru NPs 263
 4-phenylpyridine (4PP)-protected Ru NPs 340
 4-phenylpyridine-protected Ru NPs 341
 phosphine ligands 20, 25, 75, 78, 79, 88, 90
 phosphorous ligands 46–47, 51, 78–80, 88, 175
 photocatalytic effect 147
 Pickering emulsion 141, 193
 piperazine–gold interface 174
 P/N-doped C nanofibers 271
 poly(alkylene oxide) block copolymers 215
 polyaniline fibers (PAni) 269
 polydopamine (PDA)-coated Ru NPs 266
 poly(ethylene glycol) (PEG) 100–104
 polymeric thiolate species 18
 polymers stabilization
 carbon–carbon coupling reaction 64–66
 hydrogenation reactions 58–64
 oxidation reactions 66–67
 polyols
 bottom-up colloidal synthesis
 carbohydrates 108–113
 ethylene glycol 100–104
 glycerol 105–108
 in microwave-assisted synthesis 100
 poly(ethylene glycol) (PEG) 100–104
 top-down synthesis (sputtering) 113–117
 polytetrafluoroethylene (PTFE) labware 23
 polyvinylalcohol (PVA) 60
 polyvinylpyrrolidinone (PVP)-stabilized palladium NPs 64
 polyvinylpyrrolidone (PVP) 172, 273
 polyvinylpyrrolidone (PVP)-stabilized metallic nanoparticles 58, 60
 polyvinylpyrrolidone PVP (RuNP@PVP) 334
 porous coordination polymers (PCPs) 183
 porous MOFs 183, 190, 198, 205, 208
 porous Ru nanomaterial 340
 porphyrin-based MOFs 203
 post-synthetic grafting method 220
 potential energy surface (PES) 331
 PP-stabilized Ru NPs 265
 pristine catalysts 184
 projected density of states (pDOS) 347
 projector augmented waves (PAW) 347
 protein-induced biomineralization process 197
 Pt@DUT-5 composite 199
 Pt@MOF-181 198
 Pt@MOF-259 200
 Pt@UiO-66 184, 200
 Pt/Au@Pd@UiO-66 206
 PVA-stabilized Pd NPs 175
 PVP-coated rhodium nanospecies 60
 PVP-stabilized M@Pd core@shell 291
 PVP-stabilized RuRe NPs 77

Q

quantitative poisoning methods 30
 quantitative structure–property relationship (QSPR) 25
 quasi-MOF 189
 quaternary Cu-ZnO-ZrO₂-TiO₂ composite catalyst 249

R

recycling 9, 27, 28, 45, 49, 54, 60, 80, 84, 87, 92, 94, 105, 132, 144, 147, 150, 151, 159, 172, 173, 325
 red diamond 341
 reduced graphene oxide (rGO) 289, 292
 reduced graphite oxide (r-GO) 244
 reductive organic transformations 151
 renewable energy use 323–324
 residual magnetization 160
 resins (Amberlite-type) 291
 reticular synthesis conceptual approach 190
 reverse microemulsion methodology 163, 164
 reverse microemulsion system 176
 reverse water-gas shift (RWGS) 247
 Rh/C₆₀ NPs 84
 Rh@HEA16Cl catalyst 54
 rhodium-catalyzed tandem process 54
 roof-shaped phosphine ligands 79
 room temperature ILs (RTILs) 123, 124
 Ru NPs 86, 88, 133
 Ru@HEA16Cl catalyst 57
 Ru-based NPs in HER electrocatalysis
 Brunauer–Emmett–Teller (BET)
 method 259
 C matrix/the C-based support 266–270
 current density 259
 double-layer capacitance 259
 electrochemical measurements 258
 factors ruling the performance of 272–273
 Faradaic efficiency 261
 mass activity parameter 259
 metals and semimetals 272
 overpotential 259
 phase structure and degree of crystallinity 265–266
 phosphorous 270–272
 rotating disk electrodes 258
 rotating ring disk electrode 261
 surface composition 262–265
 turnover frequency 260
 turnover number 260
 Volmer–Heyrovsky/the Volmer–Tafel pathways 260
 Ru13D_n, *n* = 6–17 338
 Ru13D19 338
 Ru₁₃H₁₄ cluster 344
 Ru₅₅H₅₃ model 348
 Ru-modified Cu-1,3,5-benzenetricarboxylic acid 265
 ruthenium nanoparticle-intercalated montmorillonite clay 28
 ruthenium nanoparticles 46, 47, 76
 ruthenium nanoparticles and clusters
 atomic charges 347
 bare cluster 336
 ceRu13D_n, *n* = 6–17 338
 ceRu13D19 338
 d_{Li}-band centers 347
 H/D exchange mechanism 334–336
 hydrogen evolution reaction See hydrogen evolution reaction (HER)
 NEB calculations 347
 periodic DFT calculations of metal clusters 347
 projected density of states (pDOS) 347
 reference activation and dissociation energies 333
 ruthenium NPs (RuNPs) 46, 61, 333, 344, 346, 347

S

Sabatier optimum 332, 336
 Sabatier principle 331–348
 Sabatier reaction 316, 317, 322–325, 327
 salicylaldimine Schiff base 222
 sandwich-like MIL-101@Pt@MIL-103 207

- sandwich-like nanostructures 206–208
 sandwich-structured MOF@MNP@MOF 207
 saturation magnetization 160, 161, 165, 168, 312–314
 SBA-11 (cubic) 215
 SBA-12 (3-d hexagonal) 215
 SBA-15 (hexagonal) 215
 SBA-15-supported Pt NPs 216, 217
 SBA-16 (cubic cage-structured) 215
 secondary phosphine oxide (SPO) 79, 80, 174
 seed-mediated growth strategy 186
 selective heating 311
 selenium (Se) doped graphene/CoFe₂O₄ 301
 self-limiting deposition technique ALD 198
 silica coating 162, 165, 167
 silica-supported Ag particles 222
 silica-supported monodispersed rhodium 218
 silica supported nanoparticles
 alcohol oxidation 222–224
 carbon–carbon (C–C) coupling reaction 229–234
 carbon monoxide oxidation 221–222
 colloidal immobilization method 218–219
 deposition–precipitation method 217–218
 hydrogenation reaction 226–229
 hydrolysis of silanes 224–226
 post-synthetic grafting method 220–221
 solid-state grinding method 219–220
 wet impregnation technique 216–217
 silicate-1 (MFI) zeolite encapsulated ultrafine Pd nanoparticles 284
 single-domain nanoparticles 160
 SiO₂-supported Pd–Cu bimetallic catalyst 250
 size-selective catalysis 184
 small-sized PtRuBiO_x nanoparticles 297
 sodium borohydride 52, 65, 144, 151, 227, 283, 290, 296
 sodium laurate-protected rhodium 58
 solid grinding 197, 198
 solid-phase electron microscopy 17
 solid-phase metal-catalyzed organic reaction 28
 solid-state grinding method 219–220
 solid-state reactions 27, 29
 sol-immobilization (SI) method 92, 173, 285
 solvent-free reactions 27
 sonochemical method 191
 Soxhlet extraction 164
 space-efficient organic linker 183
 sputtering
 AuNPs and AgNPs 114
 gold target 116
 in liquid 114
 matrix 116
 vacuum 113
 stabilized Au NPs 146, 173
 Stille reaction conditions 25, 231
 Stöber method 162
 structure dictates function principle 186
 styrene hydrogenation 47, 48, 50, 77, 78, 81, 82, 90
 subsequent stabilizing transformations 25, 26
 sulfonated diphosphines 46
 supercritical carbon dioxide (scCO₂) 192, 227
 superoxophilic MnO_x nanoparticles 295
 superparamagnetism 160
 supported catalysts 17, 159, 172, 173, 198, 222, 228
 2–5 nm supported metal NPs 169
 supported nanoparticles 29, 90–94
 support material 4, 148, 153, 176, 220, 283, 284, 287–291, 293, 295, 301, 302
 magnetic 161–168
 supramolecular self-assemblies of polyethyleneimine (M6PEI)
 amphiphilic polymer 61, 63

- surfactants stabilization
 hydrogenation reactions 52–56
 oxidation reactions 56–58
 sodium laurate-protected rhodium 58
 surfactants stabilization (TBAB)-coated
 palladium nanospecies 57, 58
 sustainable developments 8, 141, 323
 Suzuki–Miyaura coupling reactions 24,
 27, 29, 47, 51
 nitrogenated ligands 47–49
 carbonaceous and phosphorous ligands
 51
 synthetic processes 45, 188
- T**
 ternary Cu-Ga₂O₃-ZrO₂ catalyst 249
 ternary Cu-ZnO-Al₂O₃ catalysts 248
 tetrabutylammonium (TBAB)-coated
 palladium nanospecies 57, 58
 tetrafluoroborate (BF₄⁻) 123
 1,2,3,4-tetrahydroquinoline (THQ) 130
 tetraphenyl ethylene 184
 thermal management and process
 chemistry 322
 three-dimensional (3D) MOFs 203
 3D hierarchical porous UiO-66 monoliths
 204
 3D porous [Cd(4-btapa)₂(NO₃)₂]·6H₂O·
 2DMF_n 189
 TiO₂-supported PdCoNi alloys 297
 transition-metal catalyzed-processes 18,
 19, 30
 transition metal heterogeneous catalysts
 332
 transition metal nanoparticles 4, 6, 24,
 27, 28, 124
 transition metals 2, 3, 23, 27, 68, 104,
 105, 118, 244, 282
 trans-stilbene 184
 1,3,5-triaza-7-phosphadamantane (PTA)
 46, 48
 triarylphosphine-capped ru NPs 79
 trimetallic Pd containing nanocatalysts
 294–297
 triphenyl ethylene 184
- trishydroxyethyl ammonium (THEA)
 surfactant 56
 turnover frequency (TOF) 186, 260, 332
 turnover number (TON) 260
 2D Au@NMOF-Ni 203
 2D metalloporphyrinic MOF nanosheets
 203
 two-dimensional MNP/MOF
 nanocomposites 203
 2D Ni-based MOF nanosheets 203
- U**
 ultrafine bimetallic Pd-CoO NPs 245
 ultrasmall Ag NPs 145, 222
 ultrasmall Zn-MOF-74 nanodots 201
 underpotential deposition (UPD) method
 260
 unmodified CNCs 144–145
 unprotected MNPs 194, 200
 UTSA-16(Co) monolith 204
- V**
 vacuum sputtering 113
 Vienna *ab initio* simulation package 347
 Volmer–Heyrovsky/the Volmer–Tafel
 pathways 260
 Vulcan XC-72R 282
- W**
 water-in-IL microemulsions 193
 water-soluble ligands
 hydrogenation reactions
 carbon ligands 49–50
 nitrogenated ligands 47–49
 phosphorous ligands 46–47
 phosphorous or nitrogenated ligands
 46
 Suzuki–Miyaura coupling reactions
 carbonaceous and phosphorous
 ligands 51
 nitrogenated ligands 50–51
 water-splitting process 7, 9, 275, 340
 wet chemical reduction method 187
 wet impregnation technique
 216, 217

X

X-ray crystal structure 1

zero oxidation state metal nanoparticles

13

zwitterionic imidazolium-amidinate

Z

zeolites 183, 194, 209, 251, 252, 279, 284

zwitterionic ligands 82

zero-dimensional MNP/MOF

nanocomposites 201

ligands 82

