

Index

a

- acid–base neutralization process 69
- acrylamide 102, 106, 110
- acrylic acid (AA) 79
- actin filaments 2, 41, 45, 46, 148, 167–169, 182, 379, 384, 388–390, 392, 396, 399, 403
- activator–inhibitor network 27, 73
- active buckling 47
- active control, of active nanosystems 398
- active flows 41, 46–47
- active gels 21, 23, 40–48, 403
- active gel theory 42–45
- active nanosystems
 - active control 398
 - analyte concentration 382
 - based on cytoskeletal filaments 395
 - biological components 384
 - actin filaments 388
 - dynein 388
 - kinesin 387
 - microtubules 385, 386
 - myosin 389
 - biological importance 401
 - biology and soft matter physics 382
 - biosensors 396
 - cargo delivery 394–396
 - cargo transport 381–382
 - computation 382–384
 - design 381
 - dynamics 383
 - external control 383
 - filament response to external load 390
 - filament–cargo interactions 392
 - filament–filament interactions 392
 - force generation 382
 - force measurements 397
 - higher-order structure generation 399, 400–401
 - inverted configuration 383
 - inverted motility configuration 399
 - lifetime extension 398–399
 - molecular detection 382
 - motor–filament interactions 390–392
 - motor–surface interactions 393
 - native configuration 383
 - native motility configuration 401
 - native motor-on-filament configuration 402
 - optimization problems 384
 - packaging 384
 - passive control 397
 - performance 383
 - self assembly 401
 - surface characterization 396–397
- active nematic gels 403
- active self-assembly 148, 392, 399
- actuating nanotransducers 263
- acylhydrazones 231, 233, 289
- adaptive materials 8, 9, 150
- adenosine triphosphate (ATP) 2–3, 41–45, 167, 176–180, 194–202, 308
- aldehyde reactivity, photomodulation of 282, 283
- alpha-beta tubulin heterodimer 168, 385, 386
- 2-aminoethylbenzenesulfonyl fluoride (AEBSF) 104–106, 109
- aminomethylcoumarin (AMC) 102, 111
- anticooperative supramolecular polymerization 135
- arsenite-iodate-chlorite oscillator 107
- arsenite-iodate-chlorite reaction 73

- artificial molecular devices 309
 artificial regulatory networks 111
 arylazopyrazole- β -cyclodextrin chemistry 258
 arylazopyrazoles 256, 258
 aster formation 41, 45, 46
 atomic force microscopy (AFM) 136, 139, 141, 145, 149, 152, 153, 156, 173, 392, 397
 ATP-fueled motor proteins 293
 autocatalysis 7, 11, 38, 62–69, 71, 73–74, 76, 77, 79–81, 94, 97, 99, 102–104, 106–107, 109–110, 115–120
 autocatalytic decomposition-product 62
 autocatalytic reaction 61, 65–66, 73, 75, 77–79, 94, 104, 109–110, 113, 119
 autonomous chemically fueled catenane rotary motors 327–331
 autonomous chemically-fueled synthetic motor 381
 autonomous light-activated motors 381
 axonemal dynein motors 388
 azo-surfactant 261, 266
 azobenzene(s) 7, 241, 279, 280
 bridged crown ether dimer 294
 decorated nanoparticles 296
 light-controlled complexation of 268
 light-induced self-assembly 243
 terminated ligands 265
 azobenzene derivative (Azo) 145–146
- b**
- Barton–Kellogg reaction 341, 346
 base-catalyzed hydrolysis of gluconolactone 74
 Belousov–Zhabotinsky (BZ) reaction 62, 70, 91, 92, 150, 170
 oscillator 4, 23, 28, 49
 biocatalytic transient supramolecular polymer system 177
 bioinspired self-regulation chemical systems
 clock reactions 65–66
 closed reactor, autocatalysis 66–69
 collective behavior 77–78
 coupled reactions and materials 78–79
 far-from-equilibrium 69–71
 feedback 63–65
 Frank’s model 62
 in polymerization and precipitation processes 79–81
 kinetic switches 71–72
 oscillators, design of 72–74
 waves and pattern 74–77
 biological homochirality 62
 biological signaling reaction networks 1
 biomolecular motors 13, 379–403
 biotin-streptavidin interaction 392, 394, 397, 399
 bipyridine-appended HBC molecule (HBC-BPy) 156
 bis-arylazopyrazole crosslinker 258
 bis-arylazopyrazole linker 256–258
 bis-carboxylate based amphiphilic motors 367
 bistability 7, 32–36, 38, 40, 73, 91, 94, 97, 99, 107, 110–112
 bistability or complex Turing patterns 4
 bistable networks 34–35, 37–39, 102, 110, 116
 bistable/toggle switch 72
 (*R,R*)-BMC 133, 136, 138
 Boltzmann distribution 169, 276, 278, 307, 338
 Borromean rings 226
 bromate-sulfite clock reaction 66
 Brownian motion 93, 327, 352
 BTA-Pep 151, 152
 4-butyl-4'-(trimethylammoniumbutyloxy) azobenzene 261
 4-butyl-4'-(trimethylammoniumhexyloxy) azobenzene 266
- c**
- C–C bond formation 284–286
 C16TACN 208
 carbodiimides 173–175, 196
 catalytic microparticles 77
 catenanes 207, 224, 311
 autonomous chemically fueled rotary motors 327–331
 -based motors 290
 composition 328
 molecular switches and energy ratchets 325–327
 vs. rotaxanes 324
 CB[8] 265
 cell differentiation 22
 cell-free transcription-translation (TX-TL) systems 36, 39

- cellular metabolism 91, 93
- cetyltrimethylammonium bromide (CTAB) 258–260
- chaotic oscillations 107
- chemical clock 93, 99
- chemical energy 2, 21, 23, 38, 39, 42, 48, 191, 201, 205, 210, 215, 297–299, 309, 313, 315, 319, 379
- chemical equilibrium 298, 305, 379
- chemical fuel-driven supramolecular polymerization 166, 167, 169, 172
- chemical oscillations 11, 63, 77, 79, 109, 113
- chemical oscillations function 93
- chemical oscillator 62, 79, 93, 102, 107, 108, 110, 183
- chemical reaction networks (CRNs) 4, 174
 - AESBF 105
 - autocatalysis 116–119
 - biochemical regulatory networks 93
 - bistability 91
 - challenges 119–120
 - chemotaxis 93
 - connectivity diagram 98
 - de novo* design of 102–103, 107–111
 - de novo*-designed reaction-diffusion networks 112–116
 - DNA computation 94
 - emergent properties 91
 - flow system 112
 - fundamental property of 93
 - orchestrate cellular metabolism 91
 - kinetics 96–98
 - patterns 92, 93
 - properties and functions 94, 95
 - sensitivity of 94
 - stoichiometry 96
- chemically fueled DCC 231
- chemically fueled dissipative supramolecular polymer systems
 - anionic carboxylate precursors 173
 - carbodiimides 175
 - cycle-dependent pathway selection 179
 - enzymes 176
 - high-energy carbodiimides 174
 - sodium dithionite 176
 - viologen redox chemistry 179
- chemically fueled networks 172
- chemically fueled self-assembly
 - activation and de-activation 206
 - catenane 206
 - characteristics of 206
 - dissipative conditions 199–201
 - experiment 191
 - gold nanoparticles 197–199
 - GTP-fuelled microtubule formation 208
 - kinetic asymmetry 208
 - out-of-equilibrium self-assembly 201–205
- chemically fuelled systems, quality of 309
- chemically gated photochromism 282
- chemomechanical cycle, for myosin II 389
- chemotaxis 92, 93
- chiral bis(merocyanine) dye 136
- chiral nematic LC 358, 359
- chiroptical switch 359–360, 363
- chlorite-iodide-malonic acid (CIMA) reaction 25, 28, 75, 77, 97, 114
- cholesteric LC 358, 360
- cholesteric pitch 358
- chymotrypsin 102, 111, 119
- α -chymotrypsin transacetylation 175, 177
- cis-trans isomerization, of double bond 231
- clock reactions 11, 65–67, 73, 74, 78
- closed batch reactor 66, 72
- co-conformations 319–323, 327
- colloidal micron-sized particles 268
- combinatorial chemistry 215–236
- compartmentalization of DCLs 235
- competitive autocatalysis 62
- concurrent impetus 5
- concurrent polymerization 2, 132
- π -conjugated molecule-based monomers 135
- continuous stirred tank reactor (CSTR) 70–73, 77, 79–80, 98, 101–102, 106, 109–110, 112, 120
- continuously-fed Unstirred Reactor (CFUR) 76
- contractions 2, 41, 44–46, 76, 355–356, 367, 379, 382, 388
- cooperative supramolecular polymerization 166, 168, 170, 176

- copper catalysed click reaction 355
 corrugations 41, 47–48
 coumarin-based system 250
 coumarin-driven reversible bond formation 267
 coumarin-functionalized nanoparticles
 light-induced self-assembly 251
 crazy clocks 66
 creatine phosphokinase (CPK) 178, 180, 194
 critical gelation concentration (*cgc*) 176, 196
 cryogenic transmission electron microscopy (cryo-TEM) 137, 148, 366
 crystallization 81, 113, 147, 153, 225–227
 in metallocsupramolecular library 225
 crystallization-driven self-assembly (CDSA) 147, 153–156
 cucurbit[8]uril 265
 Curtin–Hammett principle 221
 cyclic heptamer 137
 cyclical reaction network 63
 cycloaddition reactions 222, 250, 252
 cyclobis(paraquat-*p*-phenylene) (CBPQT) ring 313, 314, 316–317, 320–321
 α -cyclodextrin 256–258
 β -cyclodextrin 252, 256–258, 268
 cystamine 104, 106, 117, 119
 cytoplasmic dynein 388
 cytoskeletal active gels, filaments and molecular motors 41
 cytoskeletal systems *in vitro*, vesicle and droplet deformation and movement 47–48
 cytoskeleton 2, 5, 13, 40, 41, 49, 168, 308, 379
- d**
- deactivating hydrolysis reaction 193
 dead (equilibrium) responsive materials 7
de novo design CRN 11, 91–120
 deoxyribonucleotides (dNTPs) 31, 38–39, 107
 depolymerization 2, 41, 138, 148, 150, 169, 179, 183, 385–388, 392, 398–399
 dextran-coated iron oxide nanoparticles 249–250
 diarylethene(s) 279–281, 283–286, 290, 292
 diarylethene-type photoswitches 285
 dibenzo[24]crown-8 (DB24C8) based macrocycle 322
 dibenzylamine (DBAm) 314–315
 dibenzylammonium (DBA) 322–323
 dicarboxylate peptide precursors 173–174
 dicyanofumarate 284
 didodecyltrimethylammonium bromide 244
 diffusion coefficient 24, 26, 28, 33, 35, 71, 76, 78, 113, 144
 diffusion-coupled DCLs 235
 dimethyl sulfate (DMS) 192
 dinaphtho[24]crown-8 (DN24C8) 317
 dioxynaphthalene (DNP) 316, 321
 dipolar merocyanine units 136
 directed self-assembly 6
 dissipative (D) state 6, 166, 230, 234, 277, 306, 308, 315, 317–319, 331
 dissipative chemistry 230
 dissipative DCC 230–234
 dissipative self-assemblies 4–7, 12, 202, 207, 210
 dissipative structures 3, 62, 70, 95, 97, 176, 201
 disulfide (SS) blocking group 314
 dithiothreitol (DTT) 148
 DNA nanoscience 5
 DNA strand displacement (DSD) 36–38, 94, 97, 109, 402
 DNA/enzyme predator-prey (PP) oscillator 31
 DNA/enzyme waves 31
 DNA/RNA networks 109, 111, 120
 DNA/RNA-based oscillators 107
 double antibody sandwich assay 396
 driving self-assembling systems 2
 Drosophila blastoderm 35–36
 1D supramolecular polymer 141–142, 144, 146, 151, 157, 193
 dual-responsive nanoparticles 243, 246, 269
 dynamic combinatorial chemistry (DCC)
 chemically fueled 231
 description 216
 kinetic control in 217–230
 kinetically trapped self-assembly 223–225

- light-driven 231–234
 - phase changes in 225–228
 - dynamic combinatorial library (DCL)
 - 137, 147, 216
 - applications 216
 - compartmentalization 235
 - free energy landscape 216
 - irreversible reactions 217–218
 - multiple DCL members 221–223
 - specific library member 218–221
 - kinetic self-sorting 221
 - liquid-gas phase transitions 227
 - nitrene-imine exchange 222
 - self-sorting behavior 226
 - spatiotemporal pattern formation 229
 - under kinetic control 220
 - under non-equilibrium conditions 228–230
 - dynamic combinatorial resolution (DCR)
 - process 219–220
 - dynamic instability 169, 209, 385, 386
 - microtubules 193, 385, 388
 - dynein 41–42, 45–46, 380, 384, 388, 392
 - dynein motors 168, 379, 388, 399, 401–402
- e**
- EDC-fueled primitive chemical reaction
 - network 196
 - electrical energy 310
 - electrochemistry 310
 - electron microscopy 136
 - electrostatic repulsion 156, 192, 313
 - embodied intelligence 4, 8, 9
 - embryo development 11, 21–50
 - embryo growth 22
 - enantiomeric excess (ee) 136, 219, 358
 - energy consumption pathway 171, 205, 209
 - energy minimization 4, 5
 - energy ratcheting mechanism 317
 - energy-driven non-equilibrium states 2
 - energy-fueled DCC-related chemical systems 232
 - entropy production rate 44, 174
 - enzymatic oscillator 102
 - enzymatic reactions 96, 115, 148, 150, 219
 - enzyme-catalyzed reaction networks 63, 69, 71, 74
 - equilibrium model, cooperativity 32, 34
 - equilibrium self-assembly 5–7, 10
 - equipment-controlled supramolecular polymerizations 149, 151–153
 - 1-ethyl-3-(3-dimethylaminopropyl) carbodiimide (EDC) 175, 196, 209
 - excitability 74, 76
 - excitation energy 276, 298
- f**
- far-from-equilibrium 5–7, 11, 69–71, 73, 76, 94, 216, 356
 - feedback-controlled redox oscillator 4
 - filament-cargo interactions 389, 392–393
 - filament-filament interactions 389, 392
 - first generation molecular motors
 - hydroxyl functionalized 346
 - McMurry reaction 346
 - 360 unidirectional rotation mechanism 339
 - first-order reaction rate constant 24
 - flexural rigidity, of motor-propelled filaments 390
 - flow-distributed oscillations (FDO) 77
 - fluorescence spectroscopy 137, 174, 200, 318
 - Fmoc tripeptides fiber structures 174
 - Fmoc-protected aspartic acid 196
 - Fmoc-tripeptides 174
 - formose reaction 69
 - Frank's model 62
 - frontal polymerization 80–81
 - frozen imine library 222
- g**
- gel effect 79–80
 - gel formation 176, 181, 193
 - genetic regulatory networks 61
 - Gibbs free energy 94–95, 216, 275, 277, 305–306
 - of chemical system 307
 - gliding filaments 45
 - dynamic properties 396
 - surface characterization 396–397
 - gliding microtubules 392–394, 396–399, 401
 - shrinking rate 391

- gliding of fluorescently-labeled microtubules 396
- glucose-oxidase catalyzed reaction 69
- gold nanoparticles 12, 113, 197–199, 208, 249, 253, 257, 260, 297, 353, 394
- Goodwin's model for biological oscillations 74
- gradient refractive index (GRIN) materials 81
- Gray–Scott model of cubic autocatalysis 75, 77
- GTP-fuelled microtubule formation 208
- guanosine triphosphate (GTP) 2, 12, 41, 43, 45, 47, 167–169, 171, 182–183, 208, 215, 308, 385, 388
- h**
- Hamilton wedge 261
- HBC–F_R 156
- HBC–F_S 156
- helical twisting power 358–360
- helicate formation, linear and circular 223
- helix-sense-selective supramolecular polymerization 156
- hemithioindigo-based molecular motor 344, 346
- heptamer 137, 147, 224
- hexabenzocoronene (HBC) derivative 156
- hexamine macrobicyclic cage 218
- hexamer 137, 147, 220, 224–225
- hexokinase (HK) 178, 180, 194
- hexylisocyanate polymerisation 362
- histidine-containing amphiphile (C18H) 209
- homeostasis 9, 62, 93, 101
- Hopf instability 24
- H2TPPS²⁺ 152
- hydrazone (HY) blocking group 314
- hydrolysis reactions 67, 69, 193, 286
- hydrophobization 174, 259
- 2-hydroxypropyl-4-nitrophenyl phosphate (HPNPP) 197
- 2-hydroxypropyl *p*-nitrophenyl phosphate (HPNPP) templates 208
- hypercycle 63
- i**
- imine-based DCLs 218, 222, 226
- imine/ligand DCL 226
- immobilization, of molecular motors
3D polymer networks 355–357
surface attached molecular motors 352–355
- inorganic nanoparticles 241, 296
- iodine clock 66
- irreversible self-assembly, of nanoparticles 265–267
- isodesmic model 134
- j**
- Jacobian matrix 26, 27
- Janus micromotors 267
- k**
- KaiC protein 93
- kinesin 45, 308, 379–380, 387, 403
motors 386, 387, 401
- kinesin-1 motor protein 387
- kinetic instability, microtubules 385
- kinetic switches 71–72
- kinetically controlled supramolecular polymerization 11, 131–157
- kinetically trapped (KT) state 5–6, 91, 143–144, 170, 217, 223–225, 229–230, 233, 277, 296, 306–309, 329
- Krebs citric acid cycle 62–63
- l**
- L-alanine ethyl thioesters 106, 110, 119
- Landolt clock reaction 66
- Le Chatelier's principle 217, 284–286
- Lengyel–Epstein model 75, 77
- Liesegang rings 93, 113, 115
- Liesegang structures 81
- light energy 255, 296, 310–311, 317
- light or chemo-driven molecular motors 10
- light-controlled self-assembly 253, 268
of non-photoswitchable nanoparticles 257, 260
- light-driven chemical transport 294
- light-driven DCC 231–234
- light-driven molecular information ratchet 288
- light-driven molecular walker 287, 289
- light-driven proton pump 295
- light-driven reactivity reversal mechanism 286

- light-driven rhodopsin pumps 293
- light-driven rotary molecular motors
338, 348
amplifying motor functions 350–352
design and synthesis 339–342
dynamic speed modification for 345
immobilization 352–357
as out-of-equilibrium systems
346–348
polymer doping 361–364
tune properties of 342–346
- light-driven supramolecular pump 318
- light-driven unidirectional molecular
motor 290, 291
- light-fueled systems 7
- light-gated reactivity 282
- light-induced adsorption, of
photoswitchable molecules
256–261
- light-induced chemical reduction, of
nanoparticle-bound ligands 265
- light-induced reactivity modulation
281
- light-induced self-assembly
of azobenzene-functionalized
nanoparticles 243
of coumarin-functionalized
nanoparticles 251
of pNIPAm-coated nanoparticles 262
of spiropyran-functionalized
nanoparticles 249
- light-responsive molecules 242, 252
- light-responsive system, of
non-photoswitchable
nanoparticles 254
- linear stability analysis 26
- liquid crystals (LC) 358, 360
categories 358
chiral dopants 359
nematic vs. cholesteric phases, dynamic
conversion 359
- living polymers 140
- living radical polymerization 132, 146
- living supramolecular polymerization
139, 143
advantage of 140
Azo 145
CDSA 154
Cor 144
Cor-NMe 144
Cor_R and Cor_S 145
coupled preequilibrium 146
J- to H-aggregates 141
2PBI 142, 144
of 2PBI-OMe 144
3Por-OHex and 3Por-OHep 142
2Por-OMe 146
3Por-OMe 141, 146
3Por-OPh 146
seed 147
living systems 1–2, 4, 22, 24, 45, 61, 63,
69, 71, 167, 215, 235, 293
LiYF4-induced photoswitching 258
Lotka-Volterra model 99
of chemical oscillations 109
- m**
- macrocycles 117, 119, 137, 147, 175, 218,
220, 224–227, 258, 287–288, 293,
313–317, 320–325, 327–329
- macrocyclic oligoimine libraries 222
- macromolecule 4, 63, 67, 69, 132, 165,
171, 358
- majority-rules effect 136–137
- maleimide 102, 106, 110–111, 222,
285–286, 290
- MAPK phosphorylation 105
- McMurry reaction 340, 341, 346
- mechanical switching 137, 327
- mechanically interlocked molecules
(MIMs) 13, 306, 311–312, 331
- metal ion-directed synthesis, of molecular
Solomon knot 226
- metastable (MS) state 5, 145, 170, 217,
223, 233, 245, 247, 269, 276–279,
287, 290, 296, 299, 308–309, 313,
338, 347–348
- metastable energy-rich state 2
- metastable self-assembled states 5
- 6-methoxyquinoline 255
- methylcyclohexane (MCH) 136, 138,
140, 144, 152, 252
- methyl iodide 192
- methylstilbene unit (MS) 322
- α -methyl stilbene gate 287, 288
- “Michaelian” response 99
- micron-sized beads 267
- micron-sized silica colloids 267
- microtubules 2, 308, 385, 386, 390, 397,
399

- Min protein waves 23, 29–31
- molecular machines 2–4, 7, 10, 11, 235, 290, 307, 319, 327, 331–332, 338, 346, 348, 385
- molecular motors 13, 41–42, 337–369, 379, 387, 394
- role in biological systems
- cargo transport 381–382
- molecular photochromism 279
- molecular photoswitches 280, 298, 347, 352
- challenges 298
- molecular Solomon link 220, 226
- molecular stirrer design 350
- molecular switches 4, 247, 254, 269, 312, 325–327, 338, 347
- molecular-organic-framework (MOF) 356–357, 368
- monobenzylammonium (MBA) units 322–323
- Morita–Baylis–Hillman (MBH) reaction 219
- morphogenesis 1, 9, 21–24, 31, 40–49, 61, 78
- motor doped LC matrix 361
- motor proteins 2, 5, 168, 293, 308, 330, 338, 379, 381, 382–384, 387–389, 391, 395, 398, 403
- motor-filament interactions 389, 390–392
- motor-surface interactions 389, 393
- motorized metal-organic frameworks (moto-MOFs) 356, 357
- motorized molecular nanocar 348, 349
- motorized polymer gel 355
- multi-stimuli responsive supramolecular polymerization 181
- multimeric kinesin motors 403
- MV²⁺-decorated ZnO nanoparticles 265
- myosin 2, 41, 43, 45–47, 379–381, 384, 388, 389, 392, 393, 396
- n**
- N,N'*-dibenzoyl-L-cystine (DBC) 192
- nanocomposite tectons 255, 261
- nanoflasks 246, 296
- nanoparticle(s)
- assembling using photodimerization reactions 250–252
- doped hydrogels 254
- irreversible self-assembly 265–267
- nanoparticle surfaces 242–250
- photoswitchable host–guest inclusion complexes on 256–258
- nanoparticle-bound ligands
- (de)protonation of 252–255
- light-induced chemical reduction of 265
- nanoparticles surface-functionalized with
- photoswitchable molecules
- azobenzene-functionalized nanoparticles 242–247
- spiropyran-functionalized nanoparticles 247–250
- nanoroadster 349
- negative feedback 1, 3, 7, 61, 63–65, 73–74, 96–98, 101–104, 107, 109–111, 113, 149–150, 179, 196, 235
- nematic LC 358–359
- N*-isopropylacrylamide (NIPAMM) 79
- nitroaldol library 220
- p*-nitrophenol (NP) 175, 209
- non-equilibrium dissipative (or active) assembly or transient 170
- non-equilibrium supramolecular polymer system 178, 180–181
- non-photoresponsive microgel particles 267
- non-photoswitchable nanoparticles 257, 260
- light-controlled self-assembly 253
- non-stirred reactors 4
- nonequilibrium self-organization 62
- nonequilibrium thermodynamics 4, 7, 10, 94–95
- nonselective adsorption, of
- photoswitchable molecules 258–261
- nucleation–elongation mechanism 12, 135, 166, 194, 220
- nucleation–elongation process 135–137, 148, 150, 157
- nucleation–elongation supramolecular polymerization 135
- nucleoside triphosphate molecule 168
- o**
- oligonucleotides 29, 31, 107, 109, 241, 245, 394–396, 398

- (*S*)-oligo(*p*-phenylenevinylene) (SOPV) 133–135, 138, 140
- Onsager coefficients 44
- out-of-equilibrium (OEQ) systems 9, 215
 conditions 305, 307
 energy inputs 309–311
 molecular systems 2
 states 313
- oxindole motors 344, 346
- oxo-halogen oscillators 97–98, 107
- p**
- papain-catalyzed ester hydrolysis 69
- passive control, of active nanosystems 397
- pattern formation 21, 22
 chemo-mechanical and
 mechanochemical couplings link 22
 by reaction-diffusion Turing instability 25
- PEN DNA toolbox 31
- PEN DNA/enzyme patterns 38
- (SPepBnS)₆ bearing benzyl side chains 147
- (SPepCyS)₆ bearing cyclohexylmethyl side chains 147
- peptide assembly 5
- peptide derivative 137, 174, 176, 177, 195
- periodic process 62
- perylene diimide derivative (PDI) 150, 177–179, 193–195
- 3,4,9,10-perylene diimide (PDI) 176, 195
- pH clocks 67, 78
- pH-dependent hydrolysis rate 193
- phalloidin 41, 388, 399
- phase changes, in DCC 225–228
- phenylalanine-containing amphiphile (C18F) 209
- 4-phenylazophenoxyacetate 259
- phosphocreatine (PCr) 178, 180, 194–195
- phosphoryl transferase enzymes 194
- photo-crosslinker 223
- photoacids 12, 252–255, 259, 266–267, 269
- photobases 12, 242, 252–255, 269
- photochemical reactions 81, 279, 310, 321
- photochemistry 275–276, 295
- photochromic molecules 13, 245, 254, 276, 279, 282, 290
 features 279
- photodimerization reaction 12, 250–252, 267
- photodynamic covalent bonds 232–233
- photodynamic equilibrium 278–279
 vs. thermodynamic equilibrium 277
- photogated reactivity 284
- photoinduced electron transfer 151, 264
- photoisomerization 143, 145, 231, 233–234, 242, 244–245, 266, 279–280, 283–284, 286–291, 293–296, 320–321, 323, 326, 341, 344, 347, 359, 362, 364
- photonic stimulation 310
- photoredox catalysis 298
- photoresponsive compounds 259
- photoresponsive nanoparticles 242
- photostationary state (PSS) 258, 279, 317–318, 323, 340, 347, 354, 357, 359–362
- photoswitchable ground-state catalysis 281, 282
- photoswitchable host–guest inclusion complexes
 on nanoparticle surfaces 256–258
- photoswitchable molecules 276, 279
 light-induced adsorption 256–261
 nanoparticles surface-functionalized with 242–250
 nonselective adsorption 258–261
- photoswitches 241, 278
 challenges 299
- photosynthesis 298
- phototriggered supramolecular polymerization 146, 151
- piperazine 81
- plasmonic nanoparticles 249
 phase transitions of thermoplastic polymers 261–263
- platinum nanoparticles (PtNPs) 195
- plug flow reactor (PFR) 77
- pNIPAM-coated nanoparticles
 light-induced self-assembly 262
- poly(*N*-isopropylacrylamide) (pNIPAm) 261, 262
- poly(dimethylsiloxane) (PDMS) 112, 152–153
- poly(ferrocenylsilane) (PFS) 153
- poly(NIPA-co-MAA) 79

- polydispersity index (PDI) 150, 176–179, 193–195, 224
- polyethylene glycol (PEG) chains 182–184, 290, 292, 383, 397, 399
- polyisocyanate 361–364
- polyisoprene (PI) 153
- polylactic acid (PLA) 80
- polymer doping 358–364
- polymeric gel 355, 356
- polymeric organogels 355
- 3Por-OEne 153
- 3Por-OMe 140, 152
- porphyrin derivative 140–141, 153
- positional information 21–23, 27, 32–40
in vitro 36
- positive feedback 3, 7, 63, 64, 69, 74, 97–99, 101, 107, 109, 119, 179, 194, 218, 235
- potential energy diagrams 277, 281, 283
- potential energy surfaces 13, 275–278, 317, 331
- precipitation 79–81, 93, 113, 115, 227, 230, 242
- predator-prey dynamics 31
- predator-prey model 99
- predator-prey oscillator 109
- principle of detailed balance 278, 289
- principle of microscopic reversibility 277–278, 287, 338
- principle of minimum energy 275–276
- propagating waves 74
- protein kinase A (PKA) 176–177, 195
- protofilaments 385–387, 392, 401
- proton consumption 73
- pseudorotaxanes 311, 312–319
 based supramolecular pumps 312
 semirotaxane-based molecular reservoirs 313–315
 supramolecular pumps 315–319
- P*-SOPV-3 138
- P*-type photoswitch 279
- purinergic signalling pathway 198
- r**
- radical polymerization 80, 132, 146, 252
- reaction-diffusion (RD) system 7, 9, 11, 23, 24, 25, 30, 32, 76, 81, 93, 98, 112, 113, 115, 116, 151
- reaction-diffusion mechanism 35, 113
- reaction-only mechanism 34
- redox active supramolecular polymer 192–193
- redox fuelling 179
- redox reactions 23, 29, 67, 91, 97, 183, 298, 310
- redox-driven supramolecular pump 316
- responsive macromolecules 4
- responsive materials 4, 7–9, 61, 79, 337, 338, 339, 352
- reverse microemulsion 78
- reversible equilibrium switches 4
- reversible metastable switches 4
- reversible photochemical process 310
- RGB nanopixels 155
- rhodopsin pumps, light-driven 293
- ribonuclease 107
- ring-chainsupramolecular polymerization 135
- RNA model substrate 197
- rock-paper-scissors oscillator 109
- Rondelez's oscillator 107
- rotaxanes 131, 218, 227, 311, 319–324, 327, 330
 β -nitrostyrene reduction 324
 molecular ratchets 319–322
 non-equilibrium states, generation of 322–324
 property 319
 structures 319
 template-directed thermodynamically controlled synthesis 218
- S**
- Schulz distribution 385
- second generation molecular motor 340–343, 346, 348–350, 360, 362
 Barton–Kellogg reaction 346
 helicity 362
 short half-lives 342, 343
 360 unidirectional rotation mechanism 340, 341
- seeded supramolecular polymerization 147–150
- selective pathway activation 199
- self-assembled systems 201, 364–368
- self-assembling systems 2, 5–7, 148
- self-assembly 296
 activenanosystems 401–403
 defined 364

- of acid-coated nanoparticles 296
 - of silica nanoparticles 256
 - self-erasing materials 245
 - self-healing materials 337
 - self-organizing far-from-equilibrium systems 7
 - self-reverting photoswitches 7
 - self-sorting process 221
 - behavior 226
 - of DCL compositions 228
 - self-synthesizing materials 236
 - semirotaxane-based molecular reservoirs 313–315
 - sigmoidal switch 71
 - signal processing systems 9
 - single stranded DNA (ssDNA) 31, 102, 111, 115, 116
 - smart materials 337, 338, 344, 352, 356
 - Soai reaction 62
 - sodium dithionite 176, 178, 179
 - solvent-assisted linker exchange (SALE) 357
 - SOPV-x derivatives 138
 - spatial and time-reversal symmetries 4
 - spatial bistability 35, 36, 38, 40
 - spiropyran(s) 241, 247–250, 252, 253, 255, 259, 261, 267, 268, 279, 280, 295, 296
 - derived photoacids 255
 - merocyanine photoswitch 295, 296
 - spiropyran-functionalized nanoparticles 247–250
 - light-induced self-assembly 249
 - stationary concentration patterns 76–77
 - stationary pattern formation 81
 - stilbenes 279–280, 338
 - stomatocyte 195
 - strain-induced reactivity, of macrocyclic imines 229
 - substrate-depleted network 27
 - sulfonated hydroxypyrene 255
 - supramolecular chirality 194, 358, 359
 - supramolecular electropolymerization 149, 151
 - supramolecular polymerizations 306
 - equipment-controlled 148–149, 151–153
 - living 139, 143
 - supramolecular polymers
 - CDSA 153, 154
 - chemical fuel-driven 167, 169
 - chemically fueled dissipative 184
 - chemically fueled networks 172
 - covalent-bond-based counterpart 132
 - definition 131, 132, 165
 - dynamic and monomers exchange 169
 - kinetically controlled 133, 136–140
 - living 140–147
 - non-equilibrium dissipative (or active) assembly or transient 170
 - non-equilibrium kinetically trapped assembled structures 170
 - thermodynamic models for 133, 134–135
 - traditional covalent polymers 165
 - transient 184
 - supramolecular pumps 312, 315–319
 - surface attached molecular motors 352–355
 - surface immobilization 352
 - surface mounted molecular motors 353
 - surface plasmon resonance (SPR) band 255, 257, 261, 263, 266
 - surface-adhered motor proteins 382, 394, 395
 - surface-assisted self-assembly 151
 - switchable self-assemblies 7
 - syncytial blastoderm 35
 - synthetic cage receptor 218
 - synthetic citronene-based replicator 222
 - Systems Chemistry 1, 10, 24, 62, 235
- t**
- taxol 41, 45, 380, 385, 390, 391, 399, 400
 - template-fueled formation, of macrocyclic receptor 231
 - temporal bistability 34–36
 - tetrahydrofuran (THF) 136, 152, 153, 250
 - tetrasulfonated porphyrin {TPPS} 152
 - tetrathiafulvalene (TTF) 321
 - theory of nonequilibrium thermodynamics 4
 - thermal *E-Z* isomerization (TEZI) 340, 341
 - thermal Diels–Alder equilibrium 284
 - thermal Diels–Alder reaction 284
 - thermal feedback 63, 79, 80

- thermal helix inversion (THI) 290, 291, 340–342, 347, 348, 352, 357, 360–365, 367
- thermodynamic equilibrium 4, 12, 94, 131, 134, 169, 170, 204, 228, 275–278, 287, 305, 307, 312, 338, 347, 360, 369
- vs. photodynamic equilibrium 277
- thermodynamic models, supramolecular polymerization 132, 133, 134–135
- thermodynamically driven process 206
- thermophoresis 95
- thermoresponsive polymers, phase transitions of 12, 242, 261–263, 269, 398
- Thioflavin-T (THT) assay 174
- thiol oscillator 98, 102–106, 108–110, 117
- thiolated gold nanoparticles 252, 266
- third generation molecular motor
- 180 unidirectional rotation mechanism 341, 342
- threadedsupramolecular structure 311
- time-lapse polymerization 78
- TiO₂ nanoparticles assembly 264, 265
- toehold 36, 38
- transcription factor 34, 39, 40
- transcription-translation patterns 39–40
- transientsupramolecular polymerization
- biocatalytic 176, 177
- enzyme catalysis 181
- hydrogels 182
- pH triggered 182
- pyridine-based amphiphile 184
- thermoresponsive gels 181
- triarylamine-based derivative TAA 151
- 1,4,7-triazacyclononane (TACN) 197, 199, 200, 208
- triazolium (TRIA) station 314, 315
- trimesoyl chloride (TMC) 81
- tripodal molecular motor, for surface attachment 354
- T7 RNA polymerase 107
- Trommsdorf effect 79
- trypsin oscillator 98, 102, 103, 104, 106–110
- trypsinogen 102, 109, 111, 114, 115, 117
- T-type photoswitch 279
- tunable colloidal interactions 4
- Turing instability 22, 24–32
- and positional information 22
- short mathematical analysis of 26–27
- Turing patterns 4, 21, 24–29, 36, 49, 76, 93–95, 98, 113–115
- in vitro* 28
- in vivo* 27–28
- formation, by positional information 32–40
- reaction-diffusion waves *in vitro* 29–31
- Turing's model 76
- u**
- ultrasensitive networks 99, 100
- ultrasensitivity 7, 71, 93, 99, 106
- uncatalyzed process 63
- unidirectional threading-dethreading movement 313
- Unimolecular Submersible Nanomachine (USN) 350, 351
- 2-ureidopyrimidin-4[1*H*]-ones (UPy) 134
- urease-catalyzed hydrolysis 69, 181
- UV light induced photoisomerization 286, 289, 297
- UV-irradiated azobenzene-functionalized nanoparticles 246
- v**
- van der Waals (vdW) interactions 142, 165, 263, 265, 266
- w**
- water-based photoresponsive medium 254
- Watzky–Finke model 81
- z**
- Z-ring 29, 93
- zero-order ultrasensitivity 99
- zinc pillared-paddlewheeled MOF 356, 357