

Index

17-4 PH powder 37, 39
 316L stainless steel 82, 83, 85, 96, 129,
 131, 183, 271, 285

a

additive manufacturing (AM) 2–8
 history and fundamentals of 1–2
 metal powder-based 8
 post-processing 8, 9
 Additive Manufacturing Customized
 Machines (AMCM) 269
 aerated flow energy (AE), of spheroidized
 tungsten powder 61
 aerodynamic Weber number 30
 Aerojet Rocketdyne 269
 aerospace
 air and noise pollution 263
 aviation components 264
 Boeing and Airbus 263
 components 263
 fabrication of 268
 Fraunhofer ILT 264
 high-performance 264
 Inconel® 718 gas turbine compressor
 seal unit 265
 L-DED 264
 LEAP engine 267
 liquid oxygen/gaseous hydrogen rocket
 injector 269
 methodology 266
 Optomec 264
 RPM Innovations 265

Al6061–TiO₂ nanocomposite powders
 48
 aluminum alloys 28, 34, 77, 84, 103, 115,
 121–126, 148, 221–223, 231, 245,
 267, 278, 285
 angle of repose 17
 apparent density of a powder 15, 16
 Arcam EBM system 162
 commercialized materials for 171
 and printing process 162
 preheating and melting processes
 165–168
 pre-sintering stage 163
 ArianeGroup 268, 269
 atomic absorption spectrometry (AAS)
 method 18
 atomization 27–43
 fundamental principle of 27
 gas 28–35, 40
 plasma 38–41
 water 35–38
 attritor milling process 47, 48
 auto-calculation algorithm 169
 automotive industry 275, 276
 aviation components 264, 266

b

balling effect 19, 86, 94, 129
 bending-based auxetic metamaterials
 146
 β-type Ti–24Nb–4Zr–8Sn (Ti2448) alloy
 177
 bidirectional scanning 77, 80, 194

binder jetting 2, 3, 5, 7, 8, 23, 237–259, 264, 276
 biomedical application, AM 270–275
 bipolar plates (BPPs) 285
 Boeing and Airbus 263
 breakup process, of TA15 titanium alloy droplets 29
 bulk analysis methods 18–19

C

calcium phosphate ceramic 273
 carbonyl reactions 50, 57–58
 cellular origami metamaterials 137
 cellular structures 119, 122, 130, 131, 133, 135, 139, 141, 223, 225, 226, 284
 centrifugal spray models 42
 chemical etching 9, 10, 23
 chemical polishing 9, 10, 23
 chloride reduction process 56, 57
 chute splitting method 12
 close-coupled gas atomization 33, 35
 CMSX-4 alloy, microstructure of 179–181
 CO₂ laser 78, 107
 Co–Cr–Mo alloys, microstructure 181, 182
 Co–26Cr–6Mo–0.2C samples 182
 cobalt alloys 28, 77, 132, 148, 180–183, 207
 CoCrFeMnNi HEA powder particles 30, 31
 CoCrFeMnNi high-entropy alloy (HEA) powder 168
 CoCrFeNiMn powder particles 32
 commercialized EBM machines 172
 composition inhomogeneity, in EBM-printed parts 167, 168
 Conformance Européenne (CE)–certified Fixa Ti-Por hip implant 161
 conical pouring and quartering method 12
 copper alloys 28, 77, 82, 132–133, 148, 168, 225, 231, 255, 268, 269

copper/nickel bimetallic structure 225
 cracks and warpage 96–102

d

design of experiments (DOE) 194
 diesel engines 289
 differential scanning calorimetry (DSC) 21
 differential thermal analysis (DTA) 20, 21, 243
 diode-pumped neodymium-doped yttrium aluminum garnet (Nd:YAG) laser 78
 direct drop formation model 41, 42
 directed energy deposition (DED) 2, 4, 6, 174, 191–231, 238, 264
 directed light fabrication 191
 DirectSteel 20, 75
 dry-type sandblasting 10

e

EBM-printed Co–29Cr–6Mo alloy femoral knee implant 271
 EBM-printed Co–Cr–Mo alloy 182
 EBM-printed components vs. LPBF-printed 170
 EBM-printed non-weldable Ni–Co–Cr–Mo–Al–Ti–B nickel-based superalloy 170
 EBM-printed non-weldable nickel-based airfoil 170
 EBM-printed parts
 cracking 170
 high surface roughness of 171
 surface defects 171
 EBM-printed Ti–6Al–4V parts, micro-CT scans 170
 electric discharge machining (EDM) 8
 electrode-induction-melting gas atomization 29, 34, 35
 electrolysis process 54–56, 60
 electrolytes, requirements for 55
 electron backscatter diffraction (EBSD) 20, 30, 123, 170, 216

electron beam freeform fabrication (EBF) 4, 6

electron beam melting (EBM) 6

- advantages 165
- equipment for 172–173
- fundamentals 162–165
- history of 161
- limitations 165
- vs. LPBF 168
- machine models, specifications of 173
- metallurgical defects 168–171
- microstructures and mechanical properties 173–174
- cobalt alloys 180–183
- copper and its alloys 184, 185
- high-entropy alloys 185
- iron alloys 183, 184
- nickel alloys 179–180
- titanium and its alloys 174–179
- powder materials 171
- preheating and melting process 165–168, 174
- scanning pattern 163

electroplating process 12, 286

electropolishing 10, 20

elongation

- Co–26Cr–6Mo–0.2C sample 182
- EBM-printed copper parts 185
- EBM-printed HEA 185
- printed 316L alloy 183, 184

energy application, in AM 281–285

EOSINT M 270, 76

f

$\text{Fe}_x(\text{Si}_{15}\text{B}_{10})_{1-x}$ metallic glass powders 32

fiber laser 76, 78, 129, 194, 204

film disintegration model 41, 42

first-line scan balling 88

flexible joining mechanisms 286

fluidized-bed granulation technique 58, 64, 65

focused ion beam (FIB) microscopy 20

Fray–Farthing–Chan Cambridge process 55, 56

free-fall gas atomization 33–35

friction stir AM 7

functionally graded porous scaffolds (FGPSSs) 142

fused deposition modeling 2, 4, 6, 147

g

gas atomization 27–35

- amount of satellite particles 34
- close-coupled 33
- CoCrFeMnNi HEA powder particles, inverse pole map of 30
- electrode-induction-melting 34
- $\text{Fe}_x(\text{Si}_{15}\text{B}_{10})_{1-x}$ metallic glass powders 32
- free-fall 33
- mechanism 29
- metal powder morphology 34, 35
- plasma-melting-induction-guiding 34
- process parameters 30
- schematic experimental setup 29
- vacuum-induction-melting 33

gas-atomized $\text{Al}_{0.6}\text{CoCrFeNi}$ powder particles 30

gas pycnometry 16

General Electric (GE) Aviation manufactures 267

granulation–sintering–deoxygenation process 58, 61–64

h

H13 tool steel, microstructural analysis of 184

Hall–Petch relationship 119, 175

Hall–Petch type strengthening 225

hatch spacing 78, 79, 81, 125, 163, 193, 195, 197, 199, 201

Hausner ratio 17

heat conduction 83, 96, 277

heat convection 83

heat exchangers 184, 281–283

high angle grain boundaries (HAGBs) 130, 131, 170

high-entropy alloys (HEAs) 28, 104, 105, 135, 168, 169, 185, 203, 229–230, 258

high-pressure reactors 284
 high speed sintering process 6
 hot isostatic pressing (HIP) heat treatment 9, 11, 175, 243
 hydride-dehydride process 28, 50–53, 60, 64, 65
 hydride-milling-dehydride system 53, 55
 hydrodynamic cavitation abrasive finishing 10

i

impact breakup mode 30
 implant dentistry 273
 IN718 helicopter engine combustion chamber 266
 Inconel 625, 179
 equiaxed grains in horizontal plane 179
 microstructures of 179
 powders 38, 40
 Inconel 718
 face-centered-cubic (FCC) γ -matrix 179
 microstructures of 179
 inductively coupled plasma atomic emission spectroscopy (ICP-AES) 18
 inert gas fusion 18, 19
 infrared (IR) spectroscopy 18, 19
 interfere breakup mode 30
 iron-based alloys 129, 183
 irregular pores 90, 93, 94, 135, 169
 island scanning 80, 98

j

jewelry 8, 263, 285–287, 289

l

lack-of-fusion porosity 200
 laminated object manufacturing 1, 5, 7
 laser attenuation 204, 205
 laser-based directed energy deposition (L-DED) 6
 deposition process 195–199
 equipment 203–209

fundamentals
 advantages of 193
 attributes and mechanisms pertaining 192
 scanning strategies 194
 surface roughness and grain texture 194

history 191
 metallurgical defects 199–202
 microstructure and mechanical properties
 aluminum alloys 221–223
 copper and its alloys 223–229
 high-entropy alloys 229–230
 iron alloys 218–221
 nickel alloys 214–218
 tensile properties 210
 titanium and its alloys 209–214

parameters of 193
 powder materials 202–203

laser-based treatment methods 10

LaserCusing 76

laser polishing 9–11, 23

laser powder bed fusion (LPBF) 6

 aluminum alloys 121–126
 cobalt alloys 132
 copper alloys 132–133
 equipment 106–109
 fundamentals 76–81
 high-entropy alloys (HEAs) 135
 history 75–76
 iron alloys 129–132
 magnesium alloys 133–135
 mechanical metamaterials 135–148
 metallurgical defects

 cracks and warpage 96–102
 porosity 91–96

 nickel-based alloys 126–129

 powder materials 102

 printing process

 balling 86–88

 melt pool 82–86

 spattering 88–91

 titanium and its alloys 109–121

laser/powder/gas interactions 195

laser/powder interaction 195
 laser remelting 11
 laser shock peening 9, 10, 23
 laser wire additive manufacturing
 (LWAM) 4, 6
 LASERTEC 65 3D hybrid manufacturing
 system 266
 Leading Edge Aviation Propulsion
 (LEAP) 267
 ligament disintegration model 41, 42
 liquid blasting 10
 liquid pycnometry 16
 low-temperature stress relief annealing
 11

m

magnesium alloys 28, 35, 133–135, 148,
 203, 245, 257
 magnetically driven abrasive polishing
 10
 marine, oil, and gas industries 287–289
 material extrusion technique 5, 6
 material jetting technique 5
 material–structure–performance
 integrated AM 22
 mechanical alloying 45–50
 advantages and disadvantages 47
 drawback 50
 vs. mechanical blending 46, 47
 nanocomposite powder formation 48
 powder contamination 50
 mechanical blending 45–50
 advantages and disadvantages 47
 drawback 50
 vs. mechanical alloying 46, 47
 powder contamination 50
 mechanical metamaterials
 fundamentals of 136
 high Young's modulus 137–143
 with zero or negative Poisson's ratio
 146–148
 metal binder jetting (MBJ)
 equipment 247–249
 fundamentals 237–239
 history 237

microstructure and mechanical
 properties
 cobalt-based alloys 257
 cobalt–chromium–tungsten 258
 copper and its alloys 255–256
 high-entropy alloys (HEAs) 258
 iron alloys 250–251
 magnesium alloys 257
 nickel alloys 252–254
 nickel–manganese-based
 ferromagnetic shape memory
 alloys 258
 refractory metals 256–257
 soft magnetic Fe–6Si powder 258
 titanium and its alloys 254–255
 printing process
 binder and powder particles 239
 curing 243
 densification process 243
 drying duration 242
 granule formation mechanisms
 240, 241
 green strength 243
 infiltration 243
 intermediate stage 244
 liquid binder droplets 239
 powder spreading speed 242
 raster scanning strategy 241
 saturation level 242
 scanning strategies 241
 sintering 244
 spreading and cratering mechanisms
 240
 raw materials 245–247
 metal binder jetting 7, 237–259, 264
 metal powder–based AM technology
 aerospace 263–270
 biomedical 270–275
 automotive 275–277
 challenges and future trends 21, 23
 challenges and risks 289–290
 energy 281–285
 jewelry 285–287
 marine, oil, and gas 287–289
 molding and tooling 277–281

metal powder-based AM technology
(*contd.*)

- post-processing treatment 8, 9
 - aesthetic improvement 11, 12
 - powder properties and
 - characterization methods 12
 - residual stress relief and defect reduction 11
 - surface quality improvement 9–11
- metal powder preparation process
 - atomization 27–44
 - commercial 27
 - hydride-dehydride process 55
 - mechanical mixing 44–50
 - overview 28
 - powder modification 58–65
 - reduction process 50–58
- metallurgical defects 21, 79, 91–102, 118, 134, 148, 164, 168–171, 185, 199–202
- microhardness, EBM-printed HEA 185
- molding and tooling 8, 263, 277–281, 289
- multi jet fusion 4, 6
- multi-track deposition 198

n

- natural convection 199
- negative-compressibility metamaterials 143, 145, 146
- negative-thermal expansion (NTE) metamaterials 146
- nickel–aluminum–bronze (NAB) 223, 226, 288
- nickel-based alloys 82, 126, 127, 179–180, 246, 267, 286
- non-weldable alloys 170, 179, 259
- non-weldable nickel-based alloys 180
- normal necking down mode 30
- NovaLT16 gas turbine 287

o

- origami-inspired structures 137
- orthopedic field 270, 271

p

- pentamode metamaterials 144, 145
- planetary ball milling 47, 48, 53
- plasma atomization 27, 28, 38–41, 43, 44, 64, 67
- plasma effects 195
- plasma-melting-induction-guiding gas atomization methods 32, 34, 35
- plasma rotating electrode process 27, 28, 32, 41–45, 52, 64, 67, 171, 201, 202
- plasma spheroidization 27, 28, 32, 50, 58–61
- polishing process 10
- PolyJet system 5
- porosity 8, 11, 15, 19, 20, 22, 23, 38, 41, 43–45, 58, 87, 91–96, 104, 118, 120, 129, 141, 149, 164, 168, 177, 192, 195, 197, 199–202, 223, 224, 242, 243, 250, 251, 253–256, 258, 272, 274
- porous structures 10, 135, 177, 251, 254, 268, 270, 271, 274
- post-AM stress-relief treatment 211
- post-processing techniques, for metal
 - powder-based AM 9
 - aesthetic improvement 11, 12
 - powder properties and characterization methods
 - chemical composition analysis 18, 19
 - flowability of powder 16, 17
 - microstructure 19–21
 - packing density 15, 16
 - particle morphology 12, 13
 - particle size distribution 14, 15
 - powder sampling 12
 - residual stress relief and defect reduction 11
 - surface quality improvement 9, 11
 - chemical etching 10
 - laser-based treatment methods 10
 - laser polishing 11
 - laser shock peening 10
 - machining process 9
 - manual grinding 9

polishing process 10
 sandblasting process 9, 10
 shot peening 10
 powder bed fusion (PBF) 2, 4, 6, 57, 75, 191, 238, 264
 powder materials 20, 75, 77–79, 81, 82, 91, 93, 102–106, 129, 148, 149, 161, 165, 167, 168, 171, 172, 191, 193, 202–203, 209, 238, 239, 245, 246, 279
 powder particle momentum 199
 proton-exchange membrane fuel cell (PEMFC) 285
 pushing phenomenon 167
 pycnometric methods 16

r

radiation heat transfer 196
 reduction process
 advantages 50
 carbonyl reactions 57, 58
 chloride 56, 57
 hydride-dehydride process 50–53
 oxide reduction process 53–56

s

scoop sampling method 12
 selective laser melting 6, 75, 174
 selective laser sintering 1, 6, 147
 shaker milling technique 47
 sheet lamination technique 2, 5, 7, 23
 shell lattice structures 139
 shot peening process 10
 spattering 82, 84, 88–91, 93, 94, 104, 109, 148, 194, 201
 specific energy 61, 141, 148, 195
 speed function index 163
 spherical NbMoTaW refractory HEA powders 61
 spherical pores 91, 96, 169, 178
 spray painting technique 12, 23
 stacking fault energy (SFE) 225
 standardization, of metal powder-based AM 22
 stereolithography 1, 2, 5, 75, 76, 270

stress relief annealing 11, 23
 stripe scanning 80
 surface analysis methods 18
 Swiss RUAG group 269

t

tap density, of powder 16, 53
 tensile properties, printed 316L alloy 184
 tensile strength, Ti2448 alloy 177
 thermal analysis methods 20
 thermogravimetric analysis (TGA) 20
 three-dimensional (3D) printing 1, 237
 Ti/TiC composite powder 53
 Ti2448 alloy, microstructure 177
 Ti–48Al–2Cr–2Nb alloy 178
 Ti–6Al–4V powders 27, 28, 43, 44, 62, 63
 Ti–6Al–4V sample 174
 β -to- α phase transformation 175
 mechanical properties 175
 microstructure 175
 TiAl alloys 177, 179, 276
 TiRO™ process 56, 57
 titanium alloys 28, 29, 62, 109, 115, 119, 163, 174, 177, 207, 208, 264, 267, 270
 top-down stereolithography process 5
 transmission electron microscopy (TEM) 20, 123
 triply periodic minimal surface (TPMS)-based structures 133, 139, 271
 Trumaform LF 250, 76
 tungsten heavy alloys (WHAs) 256
 two-dimensional (2D) metallographic method 170

u

ultimate tensile strength
 Co–26Cr–6Mo–0.2C sample 182
 EBM-printed copper parts 185
 EBM-printed HEA 185
 printed 316L alloy 183
 ultrasonic AM 7

ultrasonic cavitation abrasive finishing
10
unidirectional scanning 80

V

vacuum distillation process 57
vacuum-induction-melting 32, 33
vat photopolymerization technique 2–5,
23
Velo3D 109, 111, 114, 281, 282

W

water atomization 27–28, 35–41
characterization 37
critical variables in 37
Fe–Si–B–C–P magnetic powder
37, 38
vs. gas atomization 37
geometry parameters 37

limitations 35
process parameters 37
thermophysical properties 37
weldable nickel-based alloys 179
The Welding Institute (TWI) 266
Widmanstätten α -laths 209, 211
wire arc additive manufacturing (WAAM)
6

X

X-ray diffraction (XRD) 19, 100
X-ray fluorescence (XRF) 18, 19

Y

yield strength
EBM-printed copper parts 185
EBM-printed HEA 185
printed 316L alloy 183
Young's modulus, Ti2448 alloy 177

