

Index

a

- absorption spectra 120
- acrylic 5, 21, 25, 33, 41, 61, 64, 67, 69–72, 116, 139, 140
- AC signals 10, 80, 114, 184
- all-in-one 13
- alternating current (AC) 61, 67, 72, 79, 182, 186, 315, 318–320
- anode 89, 104, 110–113, 175, 178, 181–183, 191, 194, 196, 200, 237
- anodized aluminum oxide template 116
- antibacterial 186
- applications 1–3, 8, 13, 19, 21, 41, 84, 114, 119, 122, 162, 209, 235, 247, 278, 320, 339, 342, 347
- asymmetric electrostatic potential 261, 264–266, 300, 303
- atomic force microscopy (AFM) 28, 136, 137, 173

b

- bacterial cellulose (BC) 28
- band bending 124, 338, 339
- barium titanate (BTO) 10, 29, 43, 188, 190, 224, 228, 260, 293, 303, 309, 323, 326, 337, 341, 342, 344
- barrier height 98, 112, 125, 264, 266, 303, 339, 346
- $\text{Ba}_{0.7}\text{Sr}_{0.3}\text{TiO}_3$ (BST) 224, 238
- BaTiO_3 *see* barium titanate (BTO)
- BiFeO_3 (BFO) 10, 43, 137, 144, 146, 153, 156, 160, 167, 224, 231, 260, 262, 268, 286, 296, 303

bionic materials 27

- bismuth ferrite (BFO) 27
- Bi_2Te_3 201, 239, 346
- BiTiO_3 (BTO) 10
- built-in electric field 146, 259, 261, 263, 300, 303, 331, 341, 344, 346, 348

c

- cadmium sulfide (CdS) 1, 259, 269, 295, 338
- carbon 175, 181, 187, 196–198, 202, 239, 247
- carbon nanotubes (CNTs) 133–135, 151, 158, 194, 198, 226, 231, 235, 239, 242, 244, 245
- Cassie state (C-state) 104
- cathode 89, 104, 110–113, 175, 178, 181–183, 189, 194–196, 200, 237
- cellular phones 175
- cellulose 27, 53
- cellulose nanocrystals (CNCs) 27, 29
- cellulose nanofibrils (CNFs) 27
- ceramics 294, 296, 305, 307
- cetyltrimethylammonium bromide (CTAB) 101
- charge(ing) 11, 13, 30, 37, 38, 41, 46, 49, 50, 60, 77, 85, 89, 90, 100, 107, 115–117, 120, 123, 147, 152, 175, 178, 180, 183, 184, 186, 187, 188, 193, 195, 204, 212, 219, 221, 233, 235, 259, 261, 263, 279, 285, 308, 320, 347
- charge balance 178
- chemical equilibrium 178, 180, 188

- chemical exothermic process 226
 COMSOL 105, 119, 142
 conduction band 98, 124, 125, 261,
 263–265, 277, 299, 300, 303,
 308
 conjunction manipulation 76
 convoluted power (CP) 205
 coupled nanogenerators 2, 9–11, 13,
 14, 293–298, 300, 302–307, 310,
 313, 315, 317, 318, 320, 322, 323,
 325, 331, 337, 350
 coupling effect 4, 10, 14, 238, 262, 265,
 277, 279, 281, 300, 303, 304, 310,
 313, 326, 342
 coupling enhancement 10, 14, 228,
 337, 344, 348, 350
 CuInP_2S_6 342
 current 1, 4–6, 10, 11, 14, 22, 37–41,
 46, 49, 52, 60–63, 65, 67–72, 76,
 77, 79, 80, 82, 90, 100, 101, 105,
 107, 119, 126, 144, 146, 150,
 152–154, 158–160, 162, 163, 166,
 167, 181, 186, 209, 233, 245, 247,
 263, 264, 266, 276, 277, 279, 281,
 300, 308, 310, 315, 317, 320, 322,
 329, 339, 342, 347, 348
 current density 3, 4, 119, 157, 235,
 315
- d**
 depletion region 261
 depolarization electric field 308
 depolarization field 264
 diameter 32, 33, 35, 38, 74, 101, 116,
 122, 134–137, 143, 190, 192–196,
 224, 226, 267, 268, 271, 272, 298,
 302, 304
 dielectric 29, 30, 33, 175, 190
 direct current (DC) 79, 178, 182, 186,
 237, 306, 320
 discharge(ing) 89, 107, 120, 175, 178,
 180, 183, 186, 195, 204, 207, 221,
 222, 233
 displacement current 1
 domain wall 261, 264, 308
 droplet energy 173
 dual-function 247
 dye decomposition 190
- e**
 edge effect 60
 effective polarization 144
 electret film 134, 140, 149, 157, 163
 electrical conductivity 29, 122, 136,
 191, 244, 346
 electrical signals 40, 62, 133, 173, 212,
 231, 233
 electric dipoles 143, 221, 264, 266, 268,
 285, 304, 308
 electric energy 2, 4, 19, 20, 25, 37, 45,
 46, 61, 85, 110, 173, 175, 178,
 186, 188, 193, 200, 201, 233
 electricity 5, 8, 14, 19, 21, 49, 59, 60,
 62, 67, 69, 86, 89, 91, 101, 107,
 173, 175, 183, 186, 193, 200, 204,
 209, 219–222, 226, 233, 235, 245,
 247, 250, 259, 264, 265, 268, 272,
 273, 293, 303, 308, 317, 320, 322,
 331
 electrocatalytic 212
 electrochemical 49, 97, 101, 107, 112,
 128, 175, 178, 180, 183, 191,
 194–196, 200, 212, 213, 220, 224,
 237, 238, 267
 electrochemical capacitors (ECs) 175,
 196
 electrochromic 201, 209, 212
 electrode 10, 11, 23, 25, 29, 30, 32, 35,
 41, 61, 63, 65, 67, 69, 70, 98, 101,
 104, 107, 110, 112, 116, 117,
 122–124, 126, 138–140,
 142–144, 146–148, 152, 167, 175,
 180, 182, 183, 187, 193, 194, 196,
 198, 201, 202, 226, 228, 235,
 261–264, 270, 271, 281, 284, 286,
 298, 300, 302, 303, 305–309, 329,
 344, 347, 348
 electrodegradation 120, 212
 electrolyte 98, 103, 104, 107, 110, 112,
 175, 178, 180, 187, 191, 195, 200,
 201, 231, 347
 electromagnetic 2, 4, 19, 52, 59, 148,
 193
 electromagnetic generator (EMG) 4, 5,
 59, 67, 70, 76, 82, 86, 87

- electromagnetic induction 61, 72
 electromagnetic induction phenomenon 59
 electromagnetic wind turbine 19
 electron-hole pairs 99, 144, 261, 262, 264, 299, 305, 350
 electronic devices 19, 28, 46, 49, 59, 77, 85, 86, 173–175, 177, 180, 183, 186, 191, 200, 201, 207, 209, 211–213, 219, 220, 235, 248, 250, 269, 297, 322
 electronic skin 140, 163
 electrospun 226
 electrostatic equilibrium 67, 69–71, 178, 183, 308
 electrostatic induction 4, 19, 24, 25, 29, 37, 40, 43, 52, 59–61, 63, 67, 68, 72, 337
 energies 2–6, 9, 11, 13, 14, 59, 97, 98, 120, 173, 175, 186, 201, 227, 273, 293, 294, 302, 306, 310, 337, 342, 350
 energy band 98, 111, 112, 123, 126, 144, 146, 299, 300, 303, 331, 338, 342, 344, 346, 348–350
 energy consumption 41, 173, 219
 energy crisis 19, 69, 97, 128, 188, 212, 219, 250, 259, 293
 energy harvest and storage 175, 181, 183, 191, 193, 194, 196, 200, 209, 211, 212
 energy storage devices 49, 173, 214
 energy storage systems 175
 environment pollution 212, 250
 equation 1, 2, 35, 90, 98, 112, 117, 144, 148, 149, 151, 153, 175, 180, 183, 194, 196, 260
f
 ethyl cellulose (EC) 29
 excitons 123, 261, 265, 266, 285, 299, 300, 303, 308
F
 Fe_3O_4 nanoparticles 75, 79
 FEP *see* fluorinated ethylene-propylene (FEP)
 FEP film 21, 22, 28, 61, 67, 70, 71, 182, 183, 192, 193, 201, 308, 309
 Fermi-level 111, 112, 124
 ferroelectric effect 261, 263
 ferroelectric materials 10, 13, 14, 43, 137, 151, 153, 261, 264, 268, 308, 337, 341, 345, 350
 ferro-pyro-phototronic effect 10, 337, 341, 350
 fiber-shaped dye-sensitized solar cells 202
 figure of merit 346
 filterless color discrimination 167
 flexibility 27, 30, 105, 173, 193, 220, 224, 226–228, 241, 242, 245, 247, 296, 297
 fluorinated ethylene-propylene (FEP) 21, 27, 28–30, 33, 41, 43, 61, 67, 70, 74, 116, 182, 193, 201, 307
 fluoroalkyl silane 102, 105
 Fourier transform infrared spectroscopy (FTIR) 29
 frequency 35, 37, 38, 61, 78, 79, 82, 87, 107, 117, 174, 184, 186, 204, 207, 209, 233, 235, 318, 326
 FTO 97, 98
g
 graphene 101, 103, 133, 134, 136, 140, 150, 158, 168, 200, 226, 242, 305
 graphene-ecoflex 134, 140, 150, 163, 239
 graphene-pyroelectric infrared (GPIR) 237
 guanidinium 245
h
 heterojunction 98, 100, 123–125, 146, 153, 261–263, 270–272, 302, 303, 310, 315, 322, 329, 347, 348
 heterostructure 233, 245
 high resolution transmission electron microscopy (HRTEM) 101, 136
 horizontal axis wind turbines (HAWTs) 19, 20
 human movement 59, 173

- hybrid 2–4, 68–70, 72, 74, 76, 79, 80, 85, 87, 89, 97, 112, 113, 115, 116, 119, 120, 122, 124–127, 177, 178, 186, 188–191, 193–196, 198, 200, 201, 203, 207, 209, 212–214, 226–228, 231, 233, 235, 245, 250
- hybrid cell 110, 112, 114, 119, 126, 201, 212, 250
- hybrid energy cells 2, 115, 119, 120, 126, 193, 201, 212
- hybridized nanogenerators 2, 9, 13, 14, 59, 97
- hybridizing nanogenerators 133, 173
- hydrogen (H_2) 27, 49, 212, 225, 237, 238, 250
- hydrophile 107
- hydrothermal method 97, 135, 137, 144, 146, 267, 268, 295
- hydroxyl 104, 238
- i**
- image figure 283, 284, 286, 329
- image photodetector 284, 326
- image sensor 166, 168
- indium tin oxide (ITO) 3, 10, 11, 27, 67, 110–112, 115, 116, 122, 123, 126, 137–139, 144, 146–148, 152, 167, 228, 262–267, 270–272, 276, 281, 284, 286, 295, 298–300, 303, 305–309, 326, 339, 342, 344, 348, 350
- inorganic 110, 134, 146, 188, 191, 223, 225, 294, 296, 346
- inorganic ferroelectrics 294, 296
- InP 124, 245, 302, 303, 347, 348
- In₂Se₃ 342
- intelligent electronics 196, 207, 322
- interdigitated ITO electrodes 306
- Internet of Things (IoT) 219
- ionic liquid electrolytes 347
- k**
- Kapton 167
- Kapton film 5, 6, 22, 23, 25, 27, 33, 37, 38, 69, 70, 116
- kirigami 242
- KNbO₃ 224, 228
- l**
- laser-induced graphene (LIG) 193
- LATP 191, 195
- layered double hydroxide (LDH) 110, 112
- lead zirconate titanate (PZT) 190, 224, 260, 296
- length 20, 32, 37, 38, 60, 74, 105, 122, 135, 141, 142, 148, 191, 192, 194, 196, 224, 226, 228, 238, 271, 302
- LiCoO₂ 175, 178, 189, 194, 196, 200
- LiFePO₄ 196
- light-emitting diodes (LED) 50, 74, 85, 86, 103, 107, 115, 120, 140, 142, 149, 152–154, 159, 163, 167, 186, 209, 224, 235, 247
- light energy 173, 191, 268, 293, 296, 302, 320
- light illumination 10, 101, 114, 124–126, 137, 144, 146, 150, 151, 153, 154, 156, 160, 166, 167, 224, 228, 231, 233, 235, 242, 245, 247, 264, 277, 310, 312, 329, 339, 341, 342, 344, 347–350
- light-induced thermal effect 264, 280, 299, 305, 318
- light power density 233, 279
- light-triggered 233
- LiMn₂O₄ 181, 183, 194–196, 201
- LiNbO₃ 10, 341
- Lippman theory 98
- LiTaO₃ 341
- Lithium ion (Li-ion) battery 49, 115, 116, 120, 175, 177, 178, 180, 182–184, 186, 188, 191, 194–196, 198, 200, 201, 204, 207, 209, 235, 342
- m**
- magnetic field sensor 133, 154, 156, 162, 168
- magnetic flux 60, 63, 65, 67–69, 71, 72
- magnetron sputtering 137, 143, 144, 146, 271, 295, 298
- management circuits 49, 80, 91

- manganese oxide (MnO_2) 178, 180, 191, 196, 200
mapping figure 43, 163, 167, 283, 285
Maxwell 1
Maxwell's equation 1, 2, 90
mechanical energy 2, 4, 19–21, 37, 41, 46, 59–61, 72, 80, 85, 86, 89, 91, 107, 110, 112, 114, 115, 118, 128, 173, 174, 177, 178, 187, 191, 194, 200–202, 204, 207, 209, 212, 226, 228, 293, 296, 306, 320
mesoporous 33, 190, 200
microfabrication 242
micromachining 242
micropatterned 228
micro-supercapacitor (MSC) 193, 207
micro-wind turbines 21
mid-wavelength infrared 228
migration 175, 178, 183, 187, 190, 207, 220–223, 237
multi-channel 123, 231, 247
multi-effects 231, 321
multi-effects coupled nanogenerators 2, 10, 293
multi-functional materials 2, 10, 11, 13, 14
multifunctional sensor 323, 326
multiple energy harvesting 13
- n**
 NaNbO_3 224
nanoarray 190, 194, 200
nanocomposite 134, 141, 150, 191, 198, 200, 202, 226, 239
nanogenerators (NG) 112, 113 applications 13
nanomaterials 27, 133, 136, 154, 188, 194, 196, 223, 224, 233, 238, 239, 339, 341
nanoparticles 29, 31, 33, 74–76, 97, 100, 107, 137, 140, 142, 154, 158, 163, 190, 191, 194, 195, 200, 224, 225, 233, 238, 239
nanoplates 239
nanorod 102, 122, 191, 224, 238, 245
nanoscale 27, 31, 133, 196
nanosheets 101, 110, 112, 224, 226, 239
nanowires 3, 11, 27, 29, 31, 32, 42, 53, 74, 98, 101, 110, 112, 115, 116, 122, 125, 133–136, 146, 151, 153, 154, 156, 160, 162, 167, 168, 173, 224, 226, 228, 233, 239, 242, 244, 245, 247, 262, 263, 266, 267, 270, 281, 295, 302, 303, 339, 341, 347, 348
Navier–Stokes equations 35
near band edge (NBE) 100
near infrared (NIR) 228, 233
notebook computers 175
nylon 61, 72, 140, 307–309
- o**
Ohmic contact 98
1D nanomaterials 4, 133
one-structure-based 10, 13, 228, 231
organic 5, 110, 120, 133, 158, 160, 188, 191, 200, 223, 225, 247, 248, 250
oscillation equilibrium 221
output power 6, 37, 59, 76–78, 80, 84, 89, 120, 191, 212, 214, 231, 242, 245, 273–275, 318, 320, 326
oxidation-reduction 99, 178
- p**
 $\text{Pb}(\text{Zr,Ti})\text{O}_3$ (PZT) 10, 11, 13, 135, 137, 142, 143, 151, 154, 156, 158, 166, 168, 188, 190, 224, 227, 228, 231, 233, 237, 260, 262, 270, 296, 307, 308
PbTe 346
peak current 153, 154, 159, 272, 273, 276, 279, 280, 318, 320
PEDOT:PSS film 122, 146, 198, 239, 242, 244, 247, 270, 271, 283, 339
PEO-LATP 201
photocatalysis 190, 191
photoconductive gain 279–281
photocurrent 98–100, 125, 146, 147, 261–266, 273, 274, 276, 277, 281, 300, 303, 310, 313, 342, 344, 347–349

- photodetection 137, 228, 279, 284, 320, 323, 326, 329
 photodetector 97–99, 122, 144, 151, 153, 154, 156, 159, 160, 167, 224, 228, 231, 259, 278–281, 284, 286, 322, 329
 photoelectric effect 299, 300, 308, 310, 313, 318, 323, 337, 348, 350
 photoexcitation 260, 262, 286, 338, 341, 346, 350
 photogenerated carriers 259, 260, 263, 264, 269
 photoluminescence (PL) spectra 100
 photothermal effect 228, 231, 250
 photothermoelectric (PTE) effect 140, 146, 153, 154, 156, 160, 163
 photovoltage 261, 277, 284, 285, 310, 313, 322
 photovoltaic cell (PVC) 125, 231, 339
 photovoltaic current 10, 263, 266, 273, 276, 339
 photovoltaic effect 10, 11, 43, 114, 115, 126, 144, 146, 151–153, 159, 162, 259, 261–263, 268, 272, 273, 275, 276, 279, 280, 293, 296, 303, 308, 318, 337, 339
 photovoltaic nanogenerators 259, 337
 photovoltaic-pyroelectric coupled effect 228, 231, 259
 P3HT 97, 98, 110, 115, 122, 123, 134, 146, 151, 156, 158, 245, 281, 283
 P3HT/ZnO heterojunction 98, 100, 122, 125, 146, 153, 270, 272
 piezocatalysis 190, 191
 piezoelectric coefficient 271, 296, 309, 318
 piezoelectric current 293, 305, 308, 318, 320, 326
 piezoelectric effect 97, 100, 110, 113, 137, 180, 190, 191, 200, 204, 260, 293, 296, 298, 303, 308, 315, 323, 325, 329
 piezoelectric nanogenerator (PENG) 1–3, 107, 110–112, 114, 173, 323
 piezo-electrolyte 190
 piezo-photoelectric effect 294, 295, 303, 315
 piezo-potential 178, 180, 190, 191, 194, 200
 piezo-pyro-photoelectric effect 296, 305, 306, 316, 318, 320
 piezo-separator 178, 191, 194, 200
 piezo-tribo-pyro-photoelectric effect 2, 11
 planar-structured 263–265, 271, 272, 275, 276, 281
 plasmonic-pyroelectric 228
 plateau current 159, 272, 273, 277, 279, 281, 310, 319, 320
 p–n heterojunction 302
 p–n junctions 4, 10, 110, 259, 338
 polarized charges 260, 263–266, 285, 342, 344
 polyamide (PA) 63, 186, 187, 296
 polydimethylsiloxane (PDMS) 3, 5, 29, 30, 33, 35, 39, 64, 65, 67, 68, 70, 71, 74, 98, 107, 116, 117, 126, 133, 134, 137, 139, 142, 148, 157, 166, 190, 193, 198, 201, 224, 226–228, 244, 296, 323, 329
 polyethylene terephthalate (PET) 27, 29, 67, 110, 115, 148, 242
 poly(3-hexylthiophene) (P3HT) 134
 polymeric ferroelectrics 294, 297
 polymers 30
 polytetrafluoroethylene (PTFE) 22–25, 30, 37, 67, 69, 74, 76, 116, 119, 202
 polyvinylbutyral (PVB) 74, 193
 polyvinylidene fluoride (PVDF) 13, 25, 32, 33, 75, 79, 115, 178, 180, 188–191, 194, 200, 221, 226, 227, 231, 233, 235, 244, 297, 298, 309, 315
 poly(vinylidenefluoride-*co*-trifluoroethylene) P(VDF-TrFE) 202, 226, 228, 297, 298, 305
 porous ZnO 294, 298, 310, 322
 power management circuit (PMC) 107, 126–128

- pressure sensor 50, 133, 137, 139, 140, 148–150, 154, 157, 158, 162, 163, 168, 190, 248
- pseudocapacitor 175
- PVA/H₃PO₄ 180
- pyroelectric effect 10, 11, 126, 144, 146, 151, 156, 158, 160, 166, 168, 219, 223–226, 228, 235, 237, 238, 260, 263, 267, 273, 275–279, 293, 298, 308, 309, 318, 326, 338, 341, 344
- pyroelectric coefficient 142, 144, 224, 260, 296, 338, 341
- pyroelectric current 10, 233, 260, 263–265, 274, 276, 293, 305, 308, 318, 326, 338, 339
- pyroelectricity 190, 227, 228, 259, 260, 268, 281, 294–298, 305, 331, 338, 341, 350
- pyroelectric materials 142, 220, 223–226, 238, 259, 260, 341
- pyroelectric nanogenerator (PyENG) 219–224, 226–228, 231, 233, 235, 237, 238, 293, 308, 309, 318, 320, 322
- pyroelectric potential 259, 260, 263, 269, 270
- pyro-phototronic effect 337–339, 350
- pyro-piezoelectric effect 294, 296, 298, 303, 305, 315, 323, 325, 329
- pyropotential 293, 294, 305
- r**
- real-time output voltage 283, 329
- rechargeable second batteries 175
- recombination 10, 99, 125, 260, 262, 266, 278, 287, 300, 303, 344, 350
- redox 101, 103, 105, 180, 183, 190, 201, 224, 231
- redox reaction 107, 128
- remnant polarization 277, 296, 344
- resistance 37, 52, 76–78, 82, 105, 112, 140, 141, 150, 192, 273–275, 283, 286, 315, 318, 320, 326
- response and recovery time 156, 279, 281
- response speed 154, 156, 170, 278, 279, 287
- responsivity 152–154, 278–281, 287, 348
- s**
- Sb₂Se₃ 348
- scanning electron microscopy (SEM) 74, 173
- schematic diagram 7, 50, 71, 98, 107, 122, 142, 144, 147, 167, 175, 281, 309
- Schottky barrier 99, 112, 342
- Schottky barrier height (SBH) 342
- Schottky contact 98, 99, 112, 261, 342
- Schottky junctions 146, 153, 308
- Seebeck coefficient 136, 137, 142, 245, 247, 346–348
- selenium (Se) 239
- self-charging 180, 181, 184, 186, 188, 191, 193, 194, 196–198, 200–202, 204, 207, 209, 211, 212
- self-charging power cell (SCPC) 188–190, 194, 198, 200, 204, 209
- self-charging supercapacitor power cell (SCSPC) 178, 180, 204
- self-powered 6, 13, 14, 41, 43, 44, 49, 50, 53, 59, 86, 90, 101, 103, 133, 137, 140, 142, 144, 146, 148, 151, 154, 163, 168, 207, 209, 212, 213, 220, 228, 231, 235, 237, 238, 242, 247, 250, 259, 278, 279, 281, 284, 286, 322, 323, 326, 329, 331, 350
- self-powered sensor 13, 140, 148, 168
- semiconducting materials 337–339, 341, 348, 350
- semiconductor 97, 134, 137, 153, 224, 259, 260, 262, 269, 270, 286, 298, 338, 341, 346, 350
- semimetallic 239
- sensitivity 47, 101, 148–152, 154, 168, 170, 212, 280, 323, 326
- sensor array 163, 329, 331
- shallow trap levels 265, 266, 277, 281, 344
- Shockley equation 98
- SiGe 346
- smart cities 6

- SnSe 239, 294, 300, 310, 347, 348, 350
 Br 295
 SnSe:Br 300
 sodium chloride 103
 solar cell 3, 98, 100, 110–112, 114, 116,
 119, 122, 125, 137, 175, 200, 201,
 219, 238, 245, 247, 339, 341, 346,
 347, 350
 solar energy 3, 4, 13, 97, 107, 110, 112,
 114–116, 119, 122, 125, 126, 151,
 200, 203, 228, 233, 247, 250, 259,
 308, 320, 346
 solid-state 112, 114, 190, 198, 200, 201,
 268
 Soret effect 347
 specific capacitance 180, 196
 specific detectivity D^* 278
 spin coating 146
 spontaneous polarization 10, 220, 221,
 223
 stability 13, 25, 30, 33, 37, 71, 91, 120,
 126, 157–160, 162, 170, 190, 192,
 193, 201, 202, 207, 212, 233, 242,
 244, 247, 259, 269, 294, 297
 strain sensor 105, 133, 140–142, 150,
 151, 154, 158, 163, 168, 247
 stretchability 228, 242
 sulfur (S) 239
 supercapacitors 107, 173, 175, 177,
 178, 186–188, 196, 198, 200, 202,
 207, 213
 superhydrophobicity 104, 107
 superhydrophobic surfaces 30
 superoxide radical 238
- t**
- tellurium (Te) 136, 238
 temperature difference 219, 235, 245,
 247, 250
 temperature difference (ΔT) 124, 140,
 142, 151, 158, 337, 339, 346–348,
 350
 temperature gradient 122, 146, 223,
 293, 299, 300, 303, 310, 313, 322,
 323, 325, 326
 thermal conductivity 137, 238, 346
- thermal energy 122, 193, 219, 220, 222,
 223, 226–228, 233, 235, 237–239,
 242, 245, 247, 248, 250, 252, 268,
 279, 285, 286, 293, 296, 298, 320
 thermal fluctuations 237, 267, 308
 thermoelectric current 299, 300, 350
 thermoelectric effect 140, 147, 151,
 153, 158, 166, 219, 220, 293, 300,
 310, 312, 339, 346, 350
 thermoelectric materials 142, 239,
 337, 346, 350
 thermoelectric module 242, 244
 thermoelectricity 124, 295, 331, 346,
 350
 thermoelectric nanogenerator (TEG)
 219, 228, 293
 thermoelectric-potential 346, 348
 thermogalvanic 231
 thermo-photoelectric effect 294–296,
 298, 300, 302, 310, 313, 322, 326,
 329
 thermo-phototronic effect 346–350
 thermopotential 299, 300, 303
 three-phase contact line (TPCL) 105
 three-phase contact point (TPCP) 104
 Tin sulphide (SnS) 104, 137, 146, 153,
 160, 167, 261, 269, 271, 294, 295,
 348
 TiO₂ 102, 116, 136, 150, 178, 183, 189,
 191, 200, 201
 transmission electron microscopy
 (TEM) 28, 101, 135, 136, 173,
 239
 triboelectric effect 4, 11, 52, 59–61,
 63, 64, 69, 72, 86, 90, 116, 293,
 308
 triboelectric generators (TEGs) 22, 37,
 46, 47, 49, 220, 222, 223, 238,
 239, 241, 242, 245, 247, 248, 250
 triboelectric materials 27, 29, 30, 60,
 73, 74, 191, 193
 triboelectric nanogenerators (TENGs)
 1, 6, 19, 21, 25, 27–30, 32, 33, 35,
 37–39, 41–44, 46, 49, 50, 52,
 59–61, 63, 64, 66, 67–72, 74,
 76–80, 82, 83, 85, 87, 88, 90, 91,
 116, 119, 133, 137, 139, 140

- 147–149, 154, 156–158, 162, 163, 168, 173–175, 180, 181, 183, 184, 186, 191–197, 201, 202, 205, 207, 211, 293
- triboelectrification 4, 25, 37, 40, 67, 69, 70, 180, 193, 201, 207, 309
- tribo-piezoelectric effect 294, 296, 308
- 2D ferroelectric materials 341
- 2D materials 133, 342
- two-stage behaviour 272, 276, 277, 318, 319
- V**
- vacuum permittivity 119
- valence band 123, 124, 265, 299
- vertical axis wind turbines (VAWTs) 19–21
- vertical-structured 263, 264, 270–273, 275, 279
- visible light communication 167
- voltage 3–5, 10, 11, 14, 29, 30, 33, 37, 39, 41, 43, 46, 47, 49, 50, 52, 76–80, 82, 83, 86, 88, 91, 98, 100, 105, 107, 111, 112, 119, 120, 125, 140, 142, 148, 150, 151, 154, 156, 157, 162, 163, 166, 167, 175, 182, 186, 188, 193, 204, 207, 209, 221, 231, 233, 235, 242, 245, 247, 248, 250, 261, 272, 279, 283, 285, 286, 310, 313, 315, 317, 320–323, 329, 339, 347
- W**
- Wang term 1
- wave energy 87, 173
- wearable electronics 1, 43, 44, 53, 64, 86, 128, 175, 193, 207, 212, 213, 220, 239, 242
- weaving craft 193
- Wenzel–Cassie coexistent state (WC-state) 104
- Wenzel state (W-state) 104
- wind-driven triboelectric nanogenerator (WD-TENG) 19
- wind energy 4–7, 19–22, 25, 27, 33, 41–43, 46, 49, 50, 52, 53, 59, 69, 70, 116, 128, 173, 175, 183, 191, 195, 201, 207
- wind harvesters 6, 19
- wireless sensors 6, 25, 49
- working mechanism 19
- WTe₂ 342
- y**
- yarn asymmetric supercapacitors (Y-ASC) 198
- Z**
- zinc oxide (ZnO) 33, 97–101, 110–112, 114, 115, 122–126, 133–135, 142, 146, 147, 151, 153, 154, 156, 158, 160, 166–168, 173, 180, 188, 191, 200, 224, 226, 228, 233, 238, 245, 247, 259–263, 266, 267, 269–273, 279, 281, 294, 295, 298, 299, 302, 303, 310, 315, 322, 329, 338, 339, 341, 347, 348
- ZnO nanowires 98, 101, 112, 115, 122, 125, 133, 134, 146, 147, 153, 154, 156, 160, 162, 167, 173, 224, 228, 233, 263, 266, 267, 270, 281, 295, 302, 303, 339, 341, 347, 348

