

Index

a

- acetic anhydride (AA) treated UD
 flax fibers 226
- acid anhydride curing reaction 147
- acidic catalyst 3
- acidic esters 3
- acrylated epoxidized soybean oil
 (AESO) 103, 217, 233, 337
- acrylated monomer (AMO) 336
- acrylate methyl erucate (AME) 336
- acrylation 120
- activation energy 145
- AESE co-polymers 276
- agave 207
- algae oil 167
- aliphatic amine based curing agent
 223
- aliphatic amine cured resins 252
- aliphatic and aromatic diamines 4
- aliphatic carboxylic acid 3
- aliphatic diamine 31
- alkali lignin (AL) 179
- alkalized bark cloth reinforced
 bio-epoxy composite 229
- alkyl-/aryl-ether inter-unit linkages
 15
- alkyl(C12–C14) glycidyl ether
 (AGE) 190
- 4-allyloxybenzoyl chloride 48
- α -pinene 51
- aluminum trihydrate (ATH) 293
- amine functionalized cellulose
 nanocrystals 209
- amine nano-containing healants
 279
- amine-treated cellulose nanocrystals
 209
- p*-aminocyclohexylmethane 10
- 3-(2-aminoethylamine)
 propyl-trimethoxysilane
 103
- 7-amino-4-methylcoumarin 258
- ammonium polyphosphate (APP)
 301, 302
- anacardic acid 37
- Anacardium occidentale* 36
- anhydride based curing agents
 216, 352
- anhydride based epoxies 252
- anhydride-cured epoxy resin system
 175, 176
- animal-based natural fibres 86
- anionic polyol (T-PABA) dispersion
 52
- Aradur 42BD 41
- aramid fibre 74, 99
- arbitrary heating program 146
- aromatic cured epoxy resins 252
- aromatic macromers 16
- aromatic polyols 17
- Arundo donax* L. 226
- asbestos fibres 87
- autocatalytic rate equation 145

b

bacterial cellulose (BC)

- bacterial cellulose (BC) (*contd.*)
 - epoxy composites 209
 - fiber mats 208
- bamboo fibers (BFs) 227, 235
- bark extractives derived epoxy resin (E-epoxy) 225
- basalt fibre modified with glycidyl trimethoxysilane 103
- basalt fibres 87, 103
- basalt nano-particles 235
- β -D-glucoside 23
- bentonite nanoclay 209
- 1,4-benzenedimethanol 93
- N*-benzylpyrazine (BPH) 4
- N*-benzylquinoxaline (BQH) 4
- N*-benzylquinoxalinium hexafluoroantimonate (BQH) 171
- benzyltriethylammonium chloride 20
- β -pinene 51, 52
- bicyclo[2.2.1]heptane 12
- bimetallic Zn/Pd/C catalytic method 23
- bio-based acids 147
- biobased anticorrosive coatings 255
- bio-based crosslinkers 161
- bio-based curing agent 129
- bio-based DGEBA 216
- bio-based diglycidyl ethers of diphenolate (DGEDP) 230
- bio-based epoxy polymers
 - mendable 324
 - extrinsic self-healing 326–327
 - intrinsic self-healing 328–333
 - pressure-sensitive adhesives 333–342
 - syntactic foams 342–345
 - thermosetting epoxy foams 345–352
- bio-based epoxy product 20
- bio-based epoxy resins 143
 - cationic homo-polymerization 249
 - electrical and electronic properties 252–257
 - hardeners 249
 - homo-polymerized bioepoxies 249
 - magnetic and optoelectronic properties 257–262
 - significance of 250
- bio-based epoxy tar production 278
- bio-based glycerol derived epichlorhydrin 216
- biobased polyacid hardener 57
- bio-based polymers 90, 143, 155, 216, 240, 284
- bio based polyols 169
- bio-based raw materials 1
- bio-based resin blend 100
- bio-based resin production 167
- bio-based saccharides 41
- bio-based thermosets 167
 - polymer 117
 - resin systems 167
- bio-based thermosetting epoxy nanocomposite 209
- bio-based thiol-epoxy thermosets 277
- bio-derived carboxylic acids 147
- bioderived diacid cured ELO specimens 131
- bio-epoxy 99, 127, 299
 - based rigid foams 217
 - epoxidized natural rubber 94–96
 - furan-based epoxy 92–94
 - isosorbide-based epoxy 90–92
 - lignin-based epoxy 96–97
 - natural oil-based epoxy 89–90
 - polyphenolic epoxy 94
 - and reinforcers 198
 - rosin-based epoxy 97–98
 - vegetable tannins 94
- bio-epoxy based composites
 - compatibilizing agents 226

- fiber reinforced bio epoxy
 - composite 227–229
- moisture absorption 226–227
- multi-scale 235
- nano-composites 230–234
- plasma treatment 226
- reinforcements 226
- bio epoxy-cellulose composite 183
- bio-epoxy chemical structure 218
- bio-epoxy composites 155
- bio epoxy modified asphalt composites 183
- bio-epoxy monomers 216
- bio-epoxy polymer blends
 - adhesives 133–134
 - aerospace industry 134
 - castor oil 123–126
 - electric industry 134
 - linseed oil 129–131
 - paints and coatings 133
 - palm oil 131–133
 - soybean oil 126
- bio-epoxy polymers
 - adhesive strength 215
 - biodegradability 215
 - biodegradable material 215
 - blends 220
 - flexural property 215
 - inter-laminar shear strength 215
 - mechanical properties of 216–220
 - tensile property 215
 - Young's modulus 215
- bio-epoxy resins 284, 310
 - advantages of 310
 - cardanol 36–46, 312
 - curing agents 56
 - eugenol 319
 - furan 317–318
 - gallic acid 314
 - hempseed oil 318–319
 - isosorbide 46–50
 - itaconic acid 314–315
 - lignin 313–314
 - lignin-based phenols 13–23
 - natural rubber 315–317
 - plant oil 2
 - rosin 317
 - soybean oil 310–312
 - terpenes 51–56
 - terpenoids 51
 - vanillin 23–36
- bio-hardeners 56
- biologically modified magnetic beads 259
- biomass-derived plant oil-based polymer 119
- bio-oil based epoxy gum 279
- bio-resources 144
- bio-sourced phenols 147
- bio-sourced polymeric thermosets 154
- bio-soured diluents 143
- bio-surfactant treated multi-walled-carbon-nanotubes 254
- bio-synthesized vanillin 27
- bio-thermosets 147
- 2,5-bis(((2-oxiranylmethoxy)methyl)furan) bio-based epoxy 278
- 2,5-bis(4-hydroxy-3-methoxybenzylidene) cyclopentanone (DVCP) 34, 219
- 2,5-bis(hydroxymethyl) furan (b-HMF) 93
- bismaleimide (BMI) 225, 329
- 1,4-bis[(2-oxiranylmethoxy)methyl]-Benzene (BOB) 93
- 2,5-bis[(2-oxiranylmethoxy)methyl] furan (BOF) 297
- bisphenol 5
- bisphenol A (BPA) 1, 2, 16, 167, 344
- bisphenol A-based epoxy resin 58
- bisphenol A-based low molecular weight epoxy resin 10
- bisphenol A-based resin Epidian 5 48
- bisphenol A diglycidyl ether (DGEBA) 18, 207

- bisphenol-A epoxy 219
- bisphenol A epoxy gum 279
- bisphenol A-formaldehyde novolac resin 54
- Bisphenol A type diglycidyl ether (DGEBA) 283
- bisphenol-based/cycloaliphatic resins 4
- bisphenol-based epoxy resin composition 10
- bisphenol F diglycidyl ether 9
- bisphenols 1
- bisphenol substitutes 2
- 3,9-bis(3-aminopropyl)-2,4,8,10-tetroxaspiro(5,5)undecane 36
- bitumen 96
- blends of bio-epoxy resin
 - chemical interaction effect 223
 - content effect 223
 - toughening effect 220–223
- blocked diisocyanates 5
- boron fibres 79
- BPA-based epoxy resin 5
- Bromine-based flame retardants 284
- brucite fibres 87
- 2,5-bis[(2-oxiranylmethoxy)methyl]-Furan (BOF) 93

- C**
- calcium carbonate based biofiller 182
- Camelina sativa oil (CO) 338
- Candida antarctica* 31
- canola 118, 267
- canola oil based resin 103
- capillary rheometer 176
- ϵ -caprolactone 11
- carbohydrate 46, 117, 216, 278
- carbon dioxide (CO₂) emission 117
- carbon fabric 78
- carbon fibers 77, 96, 99, 229
- carbon nanotubes filled biosourced epoxidized linsed oil composites 253
- carbon short fibre reinforced Al–12Si alloy 79
- carbon short fibre reinforced C/SiC composite 79
- carbon yarn 78
- carbonyl iron particles (CIP) 177
- carboxyl functional cardanol (CFC) 38
- carboxylic acids 3
- carboxylic anhydrides 4
- carboxylic compounds 56
- carboxymethyl chitosan (CMCS) 329
- cardanol 36, 175, 216, 223
- cardanol based epoxy 312
- cardanol-based novolacs 61, 216 epoxy resin 153
- cardanol based phenalkamine (PKA) 147, 223
- cardanol/benzoxazine epoxy blend system 220
- cardol 37
- cardol/cardanol with episulfide group (CCES) 224
- cardol/cardanol with epoxy group (CCEO) 224
- cashew nut shell liquid(CNSL) 100, 312
- cashew nut shell liquid (CNSL) 36, 219, 344
 - based epoxy resins 168
- castor oil 2, 118
- castor oil-based bioepoxy polymer blend 123
- catechin 175
- cationic homo-polymerization 249
- cationic photoinitiator (octyloxydiphenyliodine hexafluoroantimonate) 12
- cationic photoinitiators 4
- C30B nano clay 156

- CCES-DGEBA blend epoxy system 224
- C₂₁ cycloaliphatic dicarboxylic acids 56
- cellulose based bio epoxy 183
- cellulose nano-fibrils (CNFs) 182, 208
reinforced bio-epoxy composites 233
- cellulose nanowhiskers (CNWs) 52, 208
- C-epoxy 270
- chain-wise polymerization 147
- char-forming tendency (CFT) 294, 295
- chemically functionalized plant oils 147
- chicken feather 86
- chitosan 87
- chlorinated soy epoxy (CSE)
modified commercial epoxy
reinforced by glass fibre 99
- chopped HDPE fibre 76
- citric acid (CA) 130, 147
- clay nano-particles 233
- CNSL derived-cardanol 143
- coating materials 5
- coconut fiber 207
- commercially available thermosets 143
- compatibilizing agents 226
- condensation esterification 149
- condensed (polyflavonoid) tannins 94
- conductive filler nanomaterials 255
- cone calorimeter 288
heat flux 289
thickness 289–290
- coniferyl alcohol 15, 27
- conjugated soluble polymers 251
- copolyesters 173
- corn oil 167
- cotton fibre 82
- cotton oil 2
- cottonseed oil 118, 167
- creosol 23
- crosslinked bio-based epoxy resin 48
- crosslinked epoxidized lignin resin 23
- cross-linked epoxy resins 145
- crystalline cellulose microfibrils networks 83
- cured D-limonene/naphthol-based epoxy resins 54
- cured epoxy material LHEP/DGEBA 18
- cured isosorbide-based resin 64
- curing agents 56, 218
and curing reaction 147
- curing kinetics
bio-epoxy composites 155
bio-sourced polymeric
thermosets 154
- cyclocarbonated lignosulfonate (CLS) 155
- direct polymerization 149
- epoxidized lignosulfonate 155
- non-isothermal curing kinetics 153
- petro-based epoxy resin 149
- pre-polymers 149
- renewable resourced monomers 149
- theories 144
- cycloaliphatic amine 31, 38
- cycloaliphatic epoxy resins 11, 12
- cycloaliphatic linseed oil derivative 12
- cycloaliphatic resins 1, 11
- cyclocarbonated lignosulfonate (CLS) 155
- d**
- dehydrochlorination 41
- degenerate four-wave mixing
method (DFWM) 262
- demethylation 277
- Denacol GSR102 41

- deopolymerized Kraft (DKL)/
organosolv lignin (DOL)
224
- depolymerized Kraft lignin 18
- depolymerized organosolv lignin
18
- DER332-asphalt 20
- DGEBA epoxy resin 118
- DGEBA/20ESO 154
- D-glucose 90
- diabietyl ketone of resin acid (DAK)
181
- diallyl ether 47
- diallyl isosorbide ether 48
- 4,4-diaminodiphenylmethane
(DDM) 18, 34, 154
- 3,3'-diaminodiphenyl sulfone
(33DDS) 210
- 1,6-diaminohexane 31
- 3,3'-diaminodiphenylsulfone
(33DDS) 294
- 1,4:3,6-dianhydro-D-glucitol 46
- 1,4:3,6-dianhydro-D-sorbitol (DAS)
173
- dicarboxylic acids 4, 149
- dichlorocarbene 26
- dicyanodiamide 54
- di-cyanoethylated product 64
- Diels-Alder (DA) 328
- diepoxidized cardanol 37
- diethylene epoxy resin 9
- diethylenetriamine (DETA) 18, 56,
90, 175
- diethylphosphinic salt 257
- differential scanning calorimetry
(DSC) 274
- diglycidyl ether of 2-methoxy-
hydroquinone 29
- diglycidyl adipate 172
- diglycidyl bisphenol A (DGEBA)
epoxy resin 123
- diglycidyl diphenolates 168
- diglycidyl ether (DAS) 41, 173
- diglycidylether bis-phenol A
(DGEBA) 293
- diglycidyl ether diphenolate ethyl
ester 208
- diglycidyl ether diphenolate n-alkyl
esters (DGEDP) 168
- diglycidyl ether of bisphenol A
(DGEBA) 90, 171, 215, 309,
326, 342
- diglycidyl ether of diphenolate esters
(DGEDP) 255
- diglycidyl ethers 168
- diglycidyl ethers of isosorbide
(DGEI) 90, 174
- diglycidyl ferulates 168
- diglycidyl isosorbide derivative 47
- diglycidyl monomers 29, 31
- dihydric alcohol (HOROH) 77
- dihydroconiferyl alcohol (DCA)
4-(3-hydroxypropyl)-2-methoxy-
phenol) 17
- dihydroeugenol 277
- 9,10-dihydro-9-oxa-10-phosphaphe-
nanthrene-10-oxide (DOPO)
41
- dihydroxyaminopropane 61
- dihydroxylation of oils and fats 3
- dihydroxy soybean oil (DSO) 337
- diisocyanates 5
- dimethylallyl diphosphate (DMAPP)
51
- 4-(*N,N*-dimethylamino)pyridine
277
- dimethylbenzyl amine 23
- N,N*-dimethylbenzylamine 94
- dimethyl formamide (DMF) 314
- dimethyl sulfoxide 20
- 4,9-dioxadodecane-1,12-diamine
38
- distilled-grade boron trifluoride
diethyl etherate (BFE) 99
- diterpene 51
- 4,4'-dithiodianiline (DTDA) 333
- 2,2'-dithiodibenzoic acid (DTSA)
333
- divaniilin alcohol 31
- divinylbenzene (DVB) 99

- divinyl ethers 11, 12
- divinyl monomers 12
- DKL-epoxy resin 18
- D-limonene 54
- DOL-epoxy resin 18
- dynamic mechanical analysis (DMA)
 - applications 207
 - bioepoxies and reinforcers 198
 - polymer dynamics 198
 - smart polymer formulations 197
 - viscoelastic response of materials 197
- dynamic tensile moduli 198
- e**
- eco friendly lubricating greases 179
- E-glass fibers 83, 99, 229
- E. lagascae* methyl vernolate 12
- electrically conductive polyaniline 253
- ELO/DGEBA blend system 223
- enthalpy of reaction 145
- environment protection 267
- enzyme-catalyst oxidation 3
- epichlorohydrin (ECH) 1, 5, 31, 46, 48, 93, 167, 251, 313, 344
- Epidian 5 48
- Epidian 5 DGEBA 91
- epoxy (EP) 90
- epoxidation 41, 120
- epoxidised canola oil (ECO) 169
- epoxidised soybean oil (ESO) 310, 311
- epoxidized allyl ester 10
- epoxidized canola oil (ECO)-based thermoset epoxy resins 172
- epoxidized cardanol 41
- epoxidized cardanol NC-514 41
- epoxidized castor oil (ECO) based bioresin 123
- epoxidized cyclohexene derivatized linseed oil 13
- epoxidized esters 3
- epoxidized fatty acids 3
- epoxidized hempseed oil (EHSO) 318
- epoxidized jatropha oil (EJO) 131
- epoxidized lignin 96
- epoxidized lignosulfonate 155
- epoxidized linseed oil (ELO) 9, 100, 129, 182, 216, 329
- epoxidized mangosteen tannin (EMT) 218, 350
- epoxidized methyl soyate (EMS) 225
- epoxidized natural rubber (ENR) 94–96, 176, 329
- epoxidized natural rubber/poly(methyl methacrylate) blends 176
- epoxidized oils 5
- epoxidized palm oil (EPO) 10, 131, 225
- epoxidized pine oil resin 101
- epoxidized soybean oil (ESBO) 9–11, 99, 127, 182, 188, 209, 216, 330
- epoxidized soybean oil esters (EAS) 349
- epoxidized sucrose soyate (ESS) 154, 219
- epoxidized tree rosins 168
- epoxidized tri- and tetra-glycidyl ethers of gallic acid (GEGAs) 94
- epoxidized triglycerides 4
- epoxidized vegetable oils (EVO) 4, 5, 8, 336
- epoxy (EP) 73, 143, 197
- epoxy adhesive 133
- 3,4-epoxycyclohexylmethyl-3',4'-epoxycyclohexane carboxylate 11, 269
- epoxy-clay nanocomposites 210
- epoxy/ESO blend systems 127
- epoxy/ESO/C30B system 156
- epoxy fusion process 5
- epoxy lignin derivatives 178

- epoxy methyl ricinoleate (EMR)
 - bioepoxy 123
 - epoxy methyl soyate (EMS) 190, 227
 - epoxy monomers 17, 23, 178
 - epoxy oligomer 218
 - epoxy polymer characterization
 - bio-oil based epoxy gum 279
 - differential scanning calorimetry 274–275
 - fire retardant based epoxy 276–277
 - FTIR spectroscopy 268–270
 - furan-based epoxy resin 278
 - itaconic corrosive-based epoxy 278–279
 - lignocellulosic biomass-based epoxy polymers 277
 - nuclear magnetic resonance spectroscopy 270–274
 - rosin corrosive based epoxy 278
 - self-curing bio-based epoxy tar 279
 - self-mending epoxy resin 279
 - thermo-gravimetric analysis 275
 - epoxy polymers 197
 - epoxy resins 1, 117, 167
 - epoxy rings 1
 - epoxy sea shell composites 182
 - epoxy thermosets 218
 - erucic acid 2
 - essential oil 319
 - esterification 149
 - esterified fatty acids (EFA) 318
 - esters of furans 168
 - etherification 149
 - ethylene glycol diglycidyl ether (EGDE) 23, 98, 276
 - ethylene glycol diglycidyl ether modified acrylpimanic acid (AP-EGDE) 55
 - ethyl (DGEDP-ethyl) ester 230
 - 2-ethylhexyl acrylate (2-EHA) 336
 - 2-ethyl-4-methyl-imidazole 60, 61
 - eugenol 26
 - eugenol ($C_{10}H_{12}O_2$) based epoxy 319
 - eugenol-based epoxy monomer (TEU-EP) 210
 - eugenol-derived epoxy monomers 294, 296
 - external heat flux 288
 - extrinsic self-healing biobased epoxies 326–327
 - extrinsic vs. intrinsic healing polymer 325
- f**
- farnesyl diphosphate 51
 - fatty acids 3
 - fiber reinforced bio epoxy composite
 - hybrid fibers reinforced bio-epoxy composites 230
 - natural 101–103, 227–229
 - natural-synthetic hybrid 103–104
 - synthetic 98–101, 229–230
 - tensile strength and modulus properties 228
 - fiber reinforced polymer (FRP) composites 215
 - fibres hybridization 88
 - fibres reinforced polymer (FRP) 73
 - fibres, classification of 74
 - fillers 198
 - fire retardant based epoxy 276
 - flame-retardant 284, 287, UL-94
 - bioepoxy polymers 293
 - cone calorimeter 288
 - halogen-free flame retardant market 293
 - lignocellulosic biomass 294
 - limiting oxygen index 286
 - microscale combustion calorimeter 292
 - flame retardant EP composites (FR-EP) 299
 - flame retardant epoxy resins 34
 - flame retardant rosin-based epoxy thermosets 55

- flax 207
 flax fiber 102, 227
 flax fibre reinforced epoxy 85
 flax reinforced bioepoxy 102
 flexible coatings 11
 foaming agent (FA) 346
 fossil resource-derived phenol
 novolac 96
 free radical polymerization 2
 Friedel-Crafts catalyst 54
 FTIR spectroscopy 268
 fumaropimaric acid (FPR) 98
 functionalized vegetable oils (FVOs)
 345
 furan 117
 furan based bio-epoxy resin 225
 furan based epoxy 92, 278, 297,
 317
 furan-derived epoxy monomers
 297
 2,5-furan-dimethanol 278
 furans 216
 furanyl-based and phenyl-
 based diepoxy monomers
 207
 furanyl-based monomer 207
 furfural alcohol resin 101
 2,5-furfuran dicarboxylic acid
 (FDCA) 296
 furfuryl alcohol (FA) 329
 bio-resin 101
 monomer 93
- g**
- gallic acid (GA) 175, 217
 based epoxy 314
 gas-phase-grown carbon
 fibre 78
 gelatin-CNTs 254
 geranyl diphosphate 51
 geranylgeranyl diphosphate 51
 glass fiber mats 230
 glass fibre reinforced polymer
 (GFRP) composites 79
 glass fibres 79, 80
 glass/flax hybrid fibre reinforced
 modified soybean oil matrix
 composites 104
 glassy polymers 201
 glycerol polyglycidyl ether (GPE)
 208
 glycidyl ether of gallic acid (GEGA)
 175
 global warming 117
Gluconacetobacter xylinus ATCC
 700178 208
 glucose 143
 glycerol polyglycidylether 23
 glycidyl ether of catechin
 (GEC) 94
 glycidyl ether of freeze-dried green
 tea extract (GEFDGTE) 94
 glycidyl ether of heat dried green tea
 extract (GEHDGTE) 94
 glycidyl methacrylate 77
 glycidyls 249
Gossypium 83
 grapheme based biosensors 256
 green' composites 85
 guaiacol 23, 26
 guaiacol (2-methoxyphenol) 26
 guaiacol novolac (GCN) 34, 97
- h**
- halogen-free flame retardant market
 293
 halogen-free melamine
 polyphosphate 257
 hardeners 249
 heat deflection temperature (HDT)
 201
 heat distortion temperature (HDT)
 130
 heat flux 289
 heat release capacity (HRC) 292
 heat release rate (HRR) 288, 292,
 342
 hemicellulose 83
 hemiterpene 51
 hemp 207

- hemp fabrics reinforced bio-epoxy composite 230
 - hemp fiber 227
 - hemp oil 118
 - hemp reinforced bio based epoxy laminates 181
 - hempseed oil (HO) based epoxy 318
 - heteropolysaccharides 13, 83
 - hexafluoroantimone 11
 - hexahydro-4-methylphthalic anhydride (MHHPA) 219
 - hexahydrophthalic anhydride (HHPA) 60
 - hexamethylene diisocyanate (HDI) tripolymer 54
 - high-density polyethylene (HDPE) 76, 85
 - high modulus aramid FRP (HMA-FRP) 77
 - high-molecular-weight epoxies 5
 - high-molecular-weight solid resins 5
 - high-performance polymer 198
 - high-performance thermosetting precursors 250
 - homopolymerization 149
 - homo-polymerized bioepoxies 249
 - homopolymers 220
 - horizontal combustion test 287
 - horizontal testing (UL94 HB) 287
 - human-operated vehicles (HOVs) 343
 - hybrid epoxy resin 54
 - hybrid fibers reinforced bio-epoxy composites 230
 - hybrid fibre product 88
 - hybrid flax/carbon fibres 103
 - hydrogen peroxide 3
 - hydrolysable tannins 94
 - hydrolysis 149
 - hydroxyethyl furfural (HMF) 297
 - 2-hydroxy-2-(4-hydroxy-3-methoxy-phenyl)-acetic acid 26
 - β -hydroxylamines 61
 - hydroxylated oils 5
 - hydroxylated phenylpropane 15
 - 4-hydroxy-3-methoxybenzaldehyde 23
 - 5-hydroxymethylfurfural (HMF) 93
 - hyperbranched epoxy (BHE) 223
 - hyperbranched polyester (HPE) 12, 223
 - hyperbranched polyurea 233
- i*
- imidazole catalyst 149
 - imidazoles 5
 - Indulin AT (IND) 181
 - inorganic/organic acids 3
 - inorganic synthetic fibres 77
 - integral isoconversional method 146
 - intercalated nano-composites 231
 - intrinsic self-healing bio based epoxies 328–333
 - intrinsic systems 326
 - intumescent–nanoclay (INC) 301
 - IR spectrum 270
 - isoconversional principle 146
 - isoeugenol 26
 - isomerized acids 97
 - isopentenyl diphosphate (IPP) 51
 - isophorone diamine (IPDA) 31, 38, 41, 48, 91, 94, 173, 219, 278
 - isophorone diamine bio-based epoxy resins 29
 - isosorbide 41, 46, 216
 - isosorbide-based epoxy 90–92
 - isosorbide-based epoxy resins 47, 48, 172
 - isosorbide Denacol GSR100 41
 - isosorbide diamine (ISODA) 174
 - isosorbide diglycidyl ether 48
 - isothermal curing kinetic theory 144
 - isotropic pitch-based carbon fibre 78
 - itaconic acid (IA) 117, 314

- itaconic corrosive-based epoxy 278
- Izod method 9
- j**
- Jeffamine D-230 (DPG) 94
- Jeffamine D400 diamine 41
- Jeffamine T403 41
- jute 207
- jute-basalt hybrid fibre reinforced bioepoxy composites 103
- jute fibre reinforced PP 87
- k**
- karanja 267
- karanja oil 118, 167
- keratin 207
- keratin fibres 86
- α -keratin fibres 86
- Kissinger method 145
- kraft lignin 23, 96, 178
- kraft process 96
- l**
- latent thermal N-benzylpyrazinium hexafluoroantimonate (PBH) catalyst 125
- latex 315
- L-epoxy 270
- lignin 117, 143, 147, 207, 216, 251
- lignin-based epoxy 96–97, 313
- material 20
- polymers 143
- lignin-based epoxy resin (LER) 313
- lignin-based phenols 13
- lignin-based polycarboxylic acid (LPCA) 60
- lignin-derived epoxy resins 154
- lignin-derived polyols 17
- lignin determined phenols (LDPs) 277
- lignin-epoxy and epoxy asphalt 20
- lignin phenol formaldehyde (LPF) 313
- lignins 15, 83
- lignocellulosic biomass 46
- eugenol 294–296
- furan 297–298
- tannins 298
- vanillin 296–297
- lignocellulosic biomass-based epoxy polymers 277
- lignocellulosic fiber boards 169
- lignocellulosic fillers 227
- limiting oxygen index (LOI) 18, 286
- limonenes 51
- Lindride LS 56V 10
- linear low-density polyethylene (LLDPE) 76
- linolenic acid 2, 144
- linseed 267
- linseed oil 2, 118
- linseed oil-based bioepoxy thermoset polymer blend 129
- liquefied wood 251
- liquid acrylonitrile butadiene copolymers 9
- liquid composite moulding (LCM) processes 168
- LoSatSoy oil (LSS) 99
- low-density PE (LDPE) 76
- low-/middle-molecular-weight epoxy resins 5
- low viscous hyperbranched epoxy resin 255
- lubricants 3
- m**
- magnetite 209
- Magnetorheological Elastomer (MRE) 177
- maleic anhydride (MMY) 64, 77
- maleopimaric acid (MPA) 97, 219, 317
- maleopimaric acid polyester polyol (MAPP) 317
- maltitol 216

- mechanism of curing reaction 145
 medium-density polyethylene (MDPE) 76
 methyl oleate (MO) 336
 mercaptanized soybean oil 57
meso-hydrovanilloin 31
meso-hydrovanilloin-based epoxy resin 31
 mesophase-pitch-based carbon fibres 78
Mesua ferrea L. seed oil 233
 meta-aramid fibre 74
meta-chloroperoxybenzoic acid (mCPBA) 48, 294
 methacrylate functional epoxidized sucrose soyate (MESS) 219
 methacrylic anhydride 218
 2-methoxyhydroquinone 29, 31, 61
 methoxyphenol products 23
 2-methoxy-4-(prop-2-en-1-yl) phenol 26
 2-methoxy-4-propylphenol 23
 methyl and allyl esters 10
 2-methyl-1,4-butadiene 51
 2-methylcardol 37
 4-methyl-1,2-cyclohexanedicarboxylic anhydride 210
 methylenedimethylenetetrahydrophthalic anhydride 5
 4,4'-methylene biscyclohexanamine (PACM) 93
 methylenesuccinic acid 314
 2-methyl-5-tetradecylresorcinol 37
 methylhexahydrophthalic anhydride (MeHHPA) 98, 296
 1-methylimidazole 9
 2-methylimidazole (2-MI) 5, 54, 154
 methyl methacrylate (MMA) 336
 methyl tetrahydrophthalic anhydride (MTHPA) 9, 183, 318, 345
 methyl vernolate 12
 micro combustion calorimeter (MCC) 296
 microcrystalline cellulose (MCC) 209, 310
 microfiber composites 257
 microfibrillated cellulose (MFC) 208
 micrometer and nanometer sized fillers 198
 microscale combustion calorimeter (MCC) 292
 microwave assisted thiol-ene coupling reaction 64
 mid-infrared spectroscopy 268
 milled wood lignin (MWL) 15
 mineral-based natural fibres 87
 microfibril angle 83
 modified natural oils 11
 moisture phobility 255
 molecular relaxations 198
 monoglycidyl ether of eugenol (GE) 230
 monolignols 27
 monoterpene 51
 montmorillonite clay 299
 montmorillonite nano-clay (MMT) 233
 montmorillonite (MMT) 210
 muconic acid derivatives 23
 mulberry silk 86
 multifunctional environmental friendly epoxy nanocomposites 254
 multifunctional glycidyl flavonoids 168
 multi-scale bio-epoxy composites 235
 multi-walled carbon nanotube (MWCNT) 299, 300
 m-xylylenediamine (m-XDA) 131
- n**
- nadic methyl anhydride 183
 Nahor 217
 nano clay 156

- nanoclay bentonite 201
 nano-clays reinforced bio-epoxy
 composites 231
 nano-composites 230–234
 nano-reinforcement 209
 nano-reinforcers 201
 nanosized-exfoliated-graphite 256
 natural fatty acids 3
 natural fibers reinforced bio-epoxy
 composites 227
 natural fibre reinforced bioepoxy
 composites 101
 natural fibres
 animal-based fibres 86–87
 mineral-based fibres 87–88
 plant-based 82–86
 naturally epoxidized oil 4
 natural oil-based epoxy 89–90,
 169
 natural oil epoxidation 3
 natural phenolic and polyphenols
 175
 natural renewable oils 267
 natural-synthetic hybrid fibre
 reinforced bioepoxy
 composites 103
 NC-514 41
 nonisothermal curing kinetic theory
 144
 non-isothermal kinetics 156
 norbornyl epoxidized linseed oil
 12
 Norway Pronova fish oil ethyl ester
 (NFO) 99
 novolac resins 61
 novolac/resol-type resin 23
 Novozym 435 31
 nuclear magnetic resonance (NMR)
 spectroscopy 270
- O**
n-octadecyl isocyanate 209
 o-demethylation 23
 oil-based chemosetting polymers 2
 oil-modified polymeric materials 2
- Oil Palm Empty Fruit Bunch
 (OPEFB) 313
 oleic acid 3, 144
 oleogels 179
 organically modified
 montmorillonite nano-clays
 (OMMT) 233
 organic/inorganic nanocomposites
 298
 organic peracid 3
 organic polymers 261
 organic synthetic fibres 74
 organosilicon-grafted cardanol
 novolac epoxy resin
 (SCNER) 175
 organosolv lignin 96
 organosolv process 96
 2-(7-oxabicyclo [4.1.0] hept-3-yl)
 ethyl] silane 103
 oxirane ring absorptions 268
 oxirane rings 1
 ozonized lignin 23
- P**
 palmitic acid 2
 palm oil 2, 118, 167
 palm oil-based bioepoxy thermoset
 polymer blend 131
 PAN-based carbon fibres 78
 para-amine cyclohexylmethane 90
 para-aminobenzoic acid 52
 para-aramid fibre 74
 paramagnetic epoxy resin 257
 partially depolymerized lignin (PDL)
 20, 60
p-coumaryl alcohol 15, 27
 PDL-epoxy asphalt 20
 peak of the heat release rate (PHRR)
 289
 peanut oil 2
 pectins 83
 3-*n*-pentadecylphenol 37
 5-*n*-pentadecylresorcinol 37
 3-*n*-pentadecylsalicylic acid 37
 pentaery-thritol 277

- pentyl (DGEDP-pentyl) ester 230
- percaprylic acid 31
- Petro-based epoxy polymers 143
- petroleum-based BPA 16
- petroleum-based curing agents 57
- petroleum-based hardener 34
- petroleum-based phenol novolac (PN) 97
- petroleum-based resin 117
- petroleum derived epoxy (P-epoxy) 223
- petro-sourced epoxy (DGEBA) 154
- phenalkamine (PKA) 124, 129
- phenalkamines cardolite 233
- phenolated lignin (PL) 313
- phenolation 277
- phenol-formaldehyde response 277
- phenolic acid 217
- phenolic and polyphenolic epoxies 175
- phenol novolac 34
- phenylenevinylene 261
- phosphoric acid 3
- photo-curing process 11
- photoinitiated polymerization 11
- phthalic anhydrides 5, 48, 91, 169, 172
- p-hydroxyphenyl lignin 15
- physical crosslink density 176
- pinenes 51
- pine oil 167
- pitch-based carbon fibre 78
- plant-based natural fibres 82
- plant oil-based triglyceride 122
- plant oil bio-based epoxy resins 2
- plant oil-clay based thermoset nanocomposite 156
- plant oils 143
 - chemical and physical properties of 118–120
 - chemical modification of 120–121
 - fatty acid distribution 121
 - structure of fatty acid 122
- plasma treatment 226
- plastic waste 197
- poly(1,6-heptadiynes) 261, 262
- poly(glycidylmethacrylate) 258
- poly(glycidylmethacrylate-comethylmethacrylate) 279
- poly(l-lysine) (PL) 210
- poly(methyl methacrylate) (PMMA) 289
- poly(vinyl acetate) 3
- poly(vinyl chloride) 3
- poly(vinylidene chloride) 3
- polyacetylenes 259
- polyacid curing agent 57
- polyacrylonitrile (PAN)-based carbon fibre 78
- polyactides (PLA) 85
- polyalcohols 1
- polyamine-cured materials 10
- polyamine epoxy resin 8
- polyaniline (PANI) 4, 56, 209
- polyaniline nanofiber-carbon dot nanohybrid 209
- polycarbonates 46
- polydiacetylene 261
- poly(ethylene glycol) diglycidyl ether (PEGDE) 179
- poly- ϵ -caprolactam (PCL) 201
- polyepoxide cardanol glycidyl ether (PECGE) 175
- polyepoxides 249
- polyester (PET) 46, 73, 77, 217
- polyethylene (PE) 73, 76
- polyethylene glycol (PEG) 331
- polyethylene terephthalate (PET) 77
- polyfunctional hardeners 249
- polyglycerol polyglycidyl ether (PGPE) 210
- polyglycidyl ether 41
- polyhedral oligomeric silsesquioxane (POSS) 201
- polyhydric alcohols 4
- polylactic acid (PLA) 182, 223

- polymer clay nanocomposites 155
 polymer dynamics 198
 polymeric amine 41
 polymethylhydrogenosiloxane
 (PMS) 352
 polymethylphenylsiloxane (PMPS)
 55
 polyphenolic epoxy 94
 polyphenols 1
 polypropylene (PP) 73, 77, 85, 87
 polysaccharides 143
 polystyrol (PS) 73
 polythiophene 261
 polyurethanes 46
 polyvinyl alcohol (PVA) 223
 polyvinyl chloride (PVC) 201
 post-consumer plastic waste 1
p-phenylenediamine (PDA) 34
 prenyl diphosphates 51
 prenyltransferases 51
 pre-polymers 143
 pressure sensitive adhesives (PSAs)
 324, 333
 pressure-sensitive cements (PSAs)
 276
 Prilezhaev reaction 3
 primarily oleic acid 2
 propylcatechol 23
 propyl guaiacol 17
 4-propyl guaiacol 17
 4-propyl-2-methoxyphenol 17
 protein 117
 pure epoxy 127
 pyrolysis-combustion flow
 calorimetry (PCFC) 292
- q**
- quercetin (QC) 34, 97
- r**
- radical oxidation 3
 rapeseed oil 2, 118
 rayon-based carbon fibre 78
 recycled carbon fibre mat 78
 red phosphorus (RP) 302
 Reimer–Tiemann reaction 26
 reinforced soybean oil 99
 remotely operated vehicles (ROVs)
 343
 renewable feedstocks 119
 renewable resource-based polymers
 143
 renewable resource-based
 toughened epoxy blend 129
 Replamide 325 41
 resin 143
 resin transfer molding technique
 (RTM) 181
 resorcinol 4
 resorcinol bis (diphenyl phosphate)
 (RDP) 301, 302
 rheology of bio epoxy based blends
 187
 rheology of bio epoxy based
 composites 181
 rheology of bio epoxy based
 polymers
 epoxidized natural rubber
 176–178
 epoxy lignin derivatives
 178–181
 isosorbide based epoxy resin
 172–175
 natural oil-based epoxies
 169–172
 phenolic and polyphenolic
 epoxies 175–176
 rosin based resin 181
 ricinoleic acid 2
 ring opening reaction 41
 rosin 117, 217
 rosin acids 147
 rosin-acrylic acid (APA) 181
 rosin-based epoxy 97–98, 317

- rosin based resin 181
- rosin-based siloxane epoxy
 - monomer (AESE) 55
- rosin-based waterborne
 - polyurethane (RWPU) 317
- rosin corrosive based epoxy 278
- rosin corrosive siloxane epoxy gums 276
- rosin-maleic anhydride (MPA) 181
- rubbers 197

- S**
- saturated terpinene alicyclic epoxy
 - resin 54
- scanning electron microscopy (SEM) 329
- Schiff base condensation 34
- sebacic acid 147
- secondary amine 147
- self-crosslinked bio-epoxy polymer 216
- self-curing bio-based epoxy tar 279
- self-healing epoxy tar 279
- self-healing polymer 324
- self-mending epoxy resin 279
- semi-crystalline polymer 198
- semisynthetic vanillin 26
- sesquiterpene 51
- shape memory polymers 197
- short carbon fibres 78
- short glass fibers (SGFs) 203
- short wool fibre reinforced
 - polypropylene 86
- silanized spherical silica fume (SiO₂) 235
- silica carbide (SiC) fibres 81
- silk 86
- silk fibre reinforced polypropylene 87
- sinapyl alcohols 15, 27
- single-walled carbon nanotube (SWCNT) 299
- sisal fiber 207
- sodium lignosulfonate (LS) 61
- soft elastomers 4
- softwood lignin 13, 15
- sorbitol 41, 216
- sorbitol Denacol EX622 41
- sorbitol glycidyl ether (SGE) 233
- sorbitol polyglycidyl ether (SPE) 208
- soya oil 167
- soybean 267
- soybean oil 2, 118
- soybean oil-based bioepoxy
 - thermoset polymer blend 126
- soybean oil-based polyacid 57
- soybean prepolymer 10
- soy proteins 143
- spiro-ring structure 36
- statistic heat-resistant index
 - temperature 18
- stearic acid 2
- stepwise addition reaction
 - mechanism 147
- styrene-butadiene rubber (SBR) 335
- styrene-butadiene-styrene (SBS) 335
- styrenic monomers 217
- sucrose 216
- sugar 216, 217
- sugar based bio epoxy monomers 216
- sulphuric acid 3
- sunflower oil 2
- superconducting magnets 271
- supercritical carbon dioxide 3
- Super-Sap[®] bio-epoxy 216
- sustainable resources based
 - bioepoxy 118
- syntactic foams (SF) 342–345
- synthetic epoxy polymers 267
- synthetic epoxy resin 216, 230
- synthetic fibers reinforced bio-epoxy
 - composites 98, 229
- synthetic fibres
 - inorganic 77–82

- organic 74–77
- synthetic/semisynthetic vanillin 26
- synthetic vanillin 26
- syringaresinol 17
- Syzygium aromaticum* 26
- t**
- tannic acid (TA) 175, 208, 298
- tannin 117, 175
- tannin acid 298
- tannin based epoxy acrylate resins 218
- tannins based epoxy monomers 298
- tenax 207
- TEOS oligomers 13
- terephthalic acid 77
- terpene-based curing agent 64
- terpene-based epoxy resin 52
- terpenes 51, 147
- terpenoids 51
- tertiary amine 147
- tetrabutylammonium hydrogen sulfate 93
- tetrabutyl titanate 75
- tetraethylenepentamine 56
- 4,4'-tetraglycidyl-diamino-diphenyl-methane 9
- tetrahydrophthalic anhydride 91, 345
- cis*-1,2,3,6-tetrahydrophthalic anhydride 5
- thermo-gravimetric analysis (TGA) 275
- thermoset resins 143
- thermosetting epoxy foams 345–352
- thermosetting polymer 249
- thermos-gravimetric analysis 275
- time-temperature superposition principle 203
- total crosslink density 176
- total heat release (THR) 289, 292, 342
- toughened bioepoxy blend 129
- toughened epoxy/ESO blend 156
- toughening effect of EVOs based resins 220
- transparent-cycloaliphatic-epoxy-resin 255
- triarylsulfonium salts 11, 12
- triazobicyclodecene (TBD) 328
- tri-ester of glycerol 120
- triethylbenzylammonium chloride (TEBAC) 29
- triethylenetetraamine (TETA) 48, 56, 91, 127, 233, 326
- triethyltetramine 123
- trifunctional cycloaliphatic epoxides 255
- trifunctional polyetheramine 41
- triglyceride bioepoxy 118
- triglyceride molecules 3
- triglycerides 2, 120
- triglycerols 3, 120
- triglycidyl ester of maleopimaric acid 97
- triglycidyl eugenol 277
- triglycidyl resin (TGC) 38
- trimethylol propane 12
- 2,4,6-*tri*(N,N-dimethylaminomethyl) phenol 10
- triphenylbutylphosphonium bromide (TPBPB) 29
- triphenylphosphine (PPh₃) 328
- triscardanyl phosphate (PTCP) 41
- turbostratic carbon fibre 78
- turpentine 51
- U**
- UD flax/bio-epoxy composite 229
- ultra-high-molecular-weight polyethylene (UHMWPE) 76
- ultraviolet light energy curable epoxies 252
- Underwriter's Laboratory (UL) 287
- unsaturated polyester 173
- unsaturated polyester resin (UPE) 225

- used malonic acid (MA) 349
 - using poly-(methylhydrosiloxane) (PMHS) 352
- V**
- vacuum-assisted resin transfer molding (VARTM) 103, 168
 - valence bond vibrations 198
 - vanillin 17, 23, 96, 276
 - vanillin-based epoxy 218, 277
 - compounds 31
 - monomers 296
 - vanillin-based resin 36
 - vanillin-derived epoxy monomers 297
 - vanillin-derived epoxy resin 97
 - vanillyl alcohol 61
 - vanillylmandelic acid 26
 - vegetable oil-based curing agents 57
 - vegetable oils (VOs) 118, 208, 216, 251
 - vegetable plant oil-based bioepoxy 118
 - Vernonia galamensis* 4
 - vernonia oil 1, 4, 11
 - vertical testing (UL94 V) 288
 - via 2-(4-hydroxy-3-methoxyphenyl)-2-oxoacetic acid 26
 - vinyl ester resin (VE) 73
 - vitrimers 328
 - VO-based epoxy resins 208
 - VO based nano-composite 231
 - Vyazovkin's advanced isoconversional method 155
- W**
- Wacker-type oxidation 3
 - waste vegetable oils 208
 - waterborne bio-based epoxy (WTME) resin 208
 - Waterborne epoxy (WBE) 311
 - waterborne polyurethane/epoxy resin composite coating 54
 - water contact angle (WCA) 319
 - water soluble epoxy resins 23, 174
 - Wesson soybean oil (SOY) 99
 - wood 26
 - wood fibres 82
 - wool 86
 - Wool-PP composites 86
- X**
- xylose 92

